

DAFTAR PUSTAKA

- [1] A. Narin, “Accurate detection of COVID-19 using deep features based on X-Ray images and feature selection methods,” *Comput. Biol. Med.*, vol. 137, no. March, p. 104771, 2021, doi: 10.1016/j.compbiomed.2021.104771.
- [2] M. E. H. Chowdhury *et al.*, “Can AI Help in Screening Viral and COVID-19 Pneumonia?,” *IEEE Access*, vol. 8, pp. 132665–132676, 2020, doi: 10.1109/ACCESS.2020.3010287.
- [3] X. Cui, Y. Wang, J. Zhai, M. Xue, C. Zheng, and L. Yu, “Future trajectory of SARS-CoV-2: Constant spillover back and forth between humans and animals,” *Virus Res.*, vol. 328, p. 199075, Apr. 2023, doi: 10.1016/j.virusres.2023.199075.
- [4] M. Peña *et al.*, “Performance of SARS-CoV-2 rapid antigen test compared with real-time RT-PCR in asymptomatic individuals,” *Int. J. Infect. Dis.*, vol. 107, pp. 201–204, 2021, doi: 10.1016/j.ijid.2021.04.087.
- [5] S. Soedarsono, A. Febriani, H. Hasan, and A. Widyoningroem, “Management of severe COVID-19 patient with negative RT-PCR for SARS-CoV-2: Role of clinical, radiological, and serological diagnosis,” *Radiol. Case Reports*, vol. 16, no. 6, pp. 1405–1409, 2021, doi: 10.1016/j.radcr.2021.03.049.
- [6] B. Brogna *et al.*, “Typical CT findings of COVID-19 pneumonia in patients presenting with repetitive negative RT-PCR,” *Radiography*, vol. 27, no. 2, pp. 743–747, 2021, doi: 10.1016/j.radi.2020.09.012.
- [7] E. Benmalek, J. Elmhamdi, and A. Jilbab, “Comparing CT scan and chest X-ray imaging for COVID-19 diagnosis,” *Biomed. Eng. Adv.*, vol. 1, no. March, p. 100003, 2021, doi: 10.1016/j.bea.2021.100003.

- [8] G. Jia, H. K. Lam, and Y. Xu, “Classification of COVID-19 chest X-Ray and CT images using a type of dynamic CNN modification method,” *Comput. Biol. Med.*, vol. 134, no. April, p. 104425, 2021, doi: 10.1016/j.compbiomed.2021.104425.
- [9] F. Munawar, S. Azmat, T. Iqbal, C. Gronlund, and H. Ali, “Segmentation of Lungs in Chest X-Ray Image Using Generative Adversarial Networks,” *IEEE Access*, vol. 8, pp. 153535–153545, 2020, doi: 10.1109/ACCESS.2020.3017915.
- [10] R. M. Pereira, D. Bertolini, L. O. Teixeira, C. N. Silla, and Y. M. G. Costa, “COVID-19 identification in chest X-ray images on flat and hierarchical classification scenarios,” *Comput. Methods Programs Biomed.*, vol. 194, 2020, doi: 10.1016/j.cmpb.2020.105532.
- [11] I. I. Elmahalawy, N. M. Doha, O. M. Ebeid, M. A. Abdel-Hady, and O. Saied, “Role of thoracic ultrasound in diagnosis of pulmonary and pleural diseases in critically ill patients,” *Egypt. J. Chest Dis. Tuberc.*, vol. 66, no. 2, pp. 261–266, Apr. 2017, doi: 10.1016/j.ejcdt.2016.10.005.
- [12] S. Do, K. D. Song, and J. W. Chung, “Basics of deep learning: A radiologist’s guide to understanding published radiology articles on deep learning,” *Korean J. Radiol.*, vol. 21, no. 1, pp. 33–41, 2020, doi: 10.3348/kjr.2019.0312.
- [13] J. Raitoharju, “Convolutional neural networks,” in *Deep Learning for Robot Perception and Cognition*, Elsevier, 2022, pp. 35–69. doi: 10.1016/B978-0-32-385787-1.00008-7.
- [14] H. Mary Shyni and E. Chitra, “A comparative study of X-ray and CT images in COVID-19 detection using image processing and deep learning techniques,” *Comput. Methods Programs Biomed. Updat.*, vol. 2, p. 100054, 2022, doi: 10.1016/j.cmpbup.2022.100054.

- [15] S. Goumiri, D. Benboudjema, and W. Pieczynski, “A new hybrid model of convolutional neural networks and hidden Markov chains for image classification,” *Neural Comput. Appl.*, May 2023, doi: 10.1007/s00521-023-08644-4.
- [16] M. A. Morid, A. Borjali, and G. Del Fiol, “A scoping review of transfer learning research on medical image analysis using ImageNet,” *Comput. Biol. Med.*, vol. 128, p. 104115, Jan. 2021, doi: 10.1016/j.compbimed.2020.104115.
- [17] R. Pires de Lima and D. Duarte, “Pretraining Convolutional Neural Networks for Mudstone Petrographic Thin-Section Image Classification,” *Geosciences*, vol. 11, no. 8, p. 336, Aug. 2021, doi: 10.3390/geosciences11080336.
- [18] P. R. A. S. Bassi and R. Attux, “A deep convolutional neural network for COVID-19 detection using chest X-rays,” *Res. Biomed. Eng.*, vol. 38, no. 1, pp. 139–148, Mar. 2022, doi: 10.1007/s42600-021-00132-9.
- [19] M. Jawahar, L. J. Anbarasi, P. Jayachandran, M. Ramachandran, and F. Al-Turjman, “Utilization of Transfer Learning Model in Detecting COVID-19 Cases From Chest X-Ray Images,” *Int. J. E-Health Med. Commun.*, vol. 13, no. 2, pp. 1–11, Sep. 2021, doi: 10.4018/IJEHMC.20220701.0a2.
- [20] F. Radenovic, G. Toliás, and O. Chum, “Fine-Tuning CNN Image Retrieval with No Human Annotation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 7, pp. 1655–1668, Jul. 2019, doi: 10.1109/TPAMI.2018.2846566.
- [21] P. K. Sethy, S. K. Behera, P. K. Ratha, and P. Biswas, “Detection of coronavirus Disease (COVID-19) based on Deep Features and Support Vector Machine,” *Int. J. Math. Eng. Manag. Sci.*, vol. 5, no. 4, pp. 643–651, Aug. 2020, doi: 10.33889/IJMEMS.2020.5.4.052.
- [22] A. I. Khan, J. L. Shah, and M. M. Bhat, “CoroNet: A deep neural network

- for detection and diagnosis of COVID-19 from chest x-ray images,” *Comput. Methods Programs Biomed.*, vol. 196, p. 105581, Nov. 2020, doi: 10.1016/j.cmpb.2020.105581.
- [23] Y. Li, J. Nie, and X. Chao, “Do we really need deep CNN for plant diseases identification?,” *Comput. Electron. Agric.*, vol. 178, p. 105803, Nov. 2020, doi: 10.1016/j.compag.2020.105803.
- [24] T. Rahman, “COVID-19 Radiography Database,” *Kaggle*, 2021. COVID-19 Radiography Database
- [25] A. Swaraj and K. Verma, “Classification of COVID-19 on chest X-Ray images using Deep Learning model with Histogram Equalization and Lungs Segmentation,” Dec. 2021, doi: <http://dx.doi.org/10.48550/arXiv.2112.02478>.
- [26] M. A. Mohammed *et al.*, “Benchmarking Methodology for Selection of Optimal COVID-19 Diagnostic Model Based on Entropy and TOPSIS Methods,” *IEEE Access*, vol. 8, pp. 99115–99131, 2020, doi: 10.1109/ACCESS.2020.2995597.
- [27] E. F. Ohata *et al.*, “Automatic detection of COVID-19 infection using chest X-ray images through transfer learning,” *IEEE/CAA J. Autom. Sin.*, vol. 8, no. 1, pp. 239–248, 2021, doi: 10.1109/JAS.2020.1003393.
- [28] A. M. Ismael and A. Şengür, “Deep learning approaches for COVID-19 detection based on chest X-ray images,” *Expert Syst. Appl.*, vol. 164, p. 114054, Feb. 2021, doi: 10.1016/j.eswa.2020.114054.
- [29] A. Shamsi *et al.*, “An Uncertainty-Aware Transfer Learning-Based Framework for COVID-19 Diagnosis,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 32, no. 4, pp. 1408–1417, Apr. 2021, doi: 10.1109/TNNLS.2021.3054306.

- [30] M. A. As'ari and N. I. A. Manap, "Covid-19 detection from chest x-ray images: comparison of well-established convolutional neural networks models," *Int. J. Adv. Intell. Informatics*, vol. 8, no. 2, pp. 224–236, 2022, doi: 10.26555/ijain.v8i2.807.
- [31] N. D. Kathamuthu *et al.*, "A deep transfer learning-based convolution neural network model for COVID-19 detection using computed tomography scan images for medical applications," *Adv. Eng. Softw.*, vol. 175, p. 103317, Jan. 2023, doi: 10.1016/j.advengsoft.2022.103317.
- [32] T. Rahman *et al.*, "Exploring the effect of image enhancement techniques on COVID-19 detection using chest X-ray images," *Comput. Biol. Med.*, vol. 132, no. March, p. 104319, 2021, doi: 10.1016/j.combiomed.2021.104319.
- [33] W. A. Hatamleh, H. Tarazi, C. Subbalakshmi, and B. Tiwari, "Analysis of Chest X-Ray Images for the Recognition of COVID-19 Symptoms Using CNN," *Wirel. Commun. Mob. Comput.*, vol. 2022, pp. 1–12, Jun. 2022, doi: 10.1155/2022/3237361.
- [34] C. Zhou, J. Song, S. Zhou, Z. Zhang, and J. Xing, "COVID-19 Detection Based on Image Regrouping and Resnet-SVM Using Chest X-Ray Images," *IEEE Access*, vol. 9, pp. 81902–81912, 2021, doi: 10.1109/ACCESS.2021.3086229.
- [35] W. Lin, K. Hasenstab, G. Moura Cunha, and A. Schwartzman, "Comparison of handcrafted features and convolutional neural networks for liver MR image adequacy assessment," *Sci. Rep.*, vol. 10, no. 1, p. 20336, Nov. 2020, doi: 10.1038/s41598-020-77264-y.
- [36] F. D. Adhinata, N. G. Ramadhan, A. Amrulloh, and A. R. Bahtiar, "Comparison of Supervised Learning Methods for COVID-19 Classification on Chest X-Ray Image," *CommIT (Communication Inf. Technol. J.)*, vol. 16, no. 2, pp. 195–201, Jun. 2022, doi: 10.21512/commit.v16i2.7970.

- [37] I. Muzammil, A. I. Aqib, Q. Tanveer, S. Muzmmal, M. A. Naseer, and M. Tahir, “COVID-19 diagnosis—myths and protocols,” in *Data Science for COVID-19*, Elsevier, 2022, pp. 335–353. doi: 10.1016/B978-0-323-90769-9.00027-X.
- [38] L. Tan and J. Jiang, “Image Processing Basics,” in *Digital Signal Processing*, Elsevier, 2019, pp. 649–726. doi: 10.1016/B978-0-12-815071-9.00013-0.
- [39] S. Dawkes and M. O’Reilly, “Chest X-ray interpretation,” *Br. J. Card. Nurs.*, vol. 14, no. 5, pp. 1–9, May 2019, doi: 10.12968/bjca.2019.0004.
- [40] R. Joarde and N. Crundwell, Eds., *Chest X-Ray in Clinical Practice*. London: Springer London, 2009. doi: 10.1007/978-1-84882-099-9.
- [41] Y. Qi *et al.*, “A Comprehensive Overview of Image Enhancement Techniques,” *Arch. Comput. Methods Eng.*, vol. 29, no. 1, pp. 583–607, Jan. 2022, doi: 10.1007/s11831-021-09587-6.
- [42] R. M. Dyke and K. Hormann, “Histogram equalization using a selective filter,” *Vis. Comput.*, Nov. 2022, doi: 10.1007/s00371-022-02723-8.
- [43] N. Salem, H. Malik, and A. Shams, “Medical image enhancement based on histogram algorithms,” *Procedia Comput. Sci.*, vol. 163, pp. 300–311, 2019, doi: 10.1016/j.procs.2019.12.112.
- [44] G. F. C. Campos, S. M. Mastelini, G. J. Aguiar, R. G. Mantovani, L. F. de Melo, and S. Barbon, “Machine learning hyperparameter selection for Contrast Limited Adaptive Histogram Equalization,” *EURASIP J. Image Video Process.*, vol. 2019, no. 1, p. 59, Dec. 2019, doi: 10.1186/s13640-019-0445-4.
- [45] E. D. Pisano *et al.*, “Image Processing Algorithms for Digital Mammography: A Pictorial Essay,” *RadioGraphics*, vol. 20, no. 5, pp. 1479–1491, Sep. 2000, doi: 10.1148/radiographics.20.5.g00se311479.

- [46] K. Maharana, S. Mondal, and B. Nemade, "A review: Data pre-processing and data augmentation techniques," *Glob. Transitions Proc.*, vol. 3, no. 1, pp. 91–99, Jun. 2022, doi: 10.1016/j.gltip.2022.04.020.
- [47] S. H. Javaheri, M. M. Sepehri, and B. Teimourpour, "Response Modeling in Direct Marketing," in *Data Mining Applications with R*, Elsevier, 2014, pp. 153–180. doi: 10.1016/B978-0-12-411511-8.00006-2.
- [48] P. Gavali and J. S. Banu, "Deep Convolutional Neural Network for Image Classification on CUDA Platform," in *Deep Learning and Parallel Computing Environment for Bioengineering Systems*, vol. 2019, no. 1, Elsevier, 2019, pp. 99–122. doi: 10.1016/B978-0-12-816718-2.00013-0.
- [49] M. J. Akhtar *et al.*, "A Robust Framework for Object Detection in a Traffic Surveillance System," *Electronics*, vol. 11, no. 21, p. 3425, Oct. 2022, doi: 10.3390/electronics11213425.
- [50] B. Li and D. Lima, "Facial expression recognition via ResNet-50," *Int. J. Cogn. Comput. Eng.*, vol. 2, pp. 57–64, Jun. 2021, doi: 10.1016/j.ijcce.2021.02.002.
- [51] Q. Ji, J. Huang, W. He, and Y. Sun, "Optimized Deep Convolutional Neural Networks for Identification of Macular Diseases from Optical Coherence Tomography Images," *Algorithms*, vol. 12, no. 3, p. 51, Feb. 2019, doi: 10.3390/a12030051.
- [52] M. Faisal, M. Alsulaiman, M. Arafah, and M. A. Mekhtiche, "IHDS: Intelligent Harvesting Decision System for Date Fruit Based on Maturity Stage Using Deep Learning and Computer Vision," *IEEE Access*, vol. 8, pp. 167985–167997, 2020, doi: 10.1109/ACCESS.2020.3023894.
- [53] R. A. J. ALHATEMÍ and S. SAVAŞ, "Transfer Learning-Based Classification Comparison of Stroke," *Comput. Sci.*, Sep. 2022, doi: 10.53070/bbd.1172807.

- [54] B. Cui, X. Chen, and Y. Lu, "Semantic Segmentation of Remote Sensing Images Using Transfer Learning and Deep Convolutional Neural Network With Dense Connection," *IEEE Access*, vol. 8, pp. 116744–116755, 2020, doi: 10.1109/ACCESS.2020.3003914.
- [55] E. Matsuyama, "A Deep Learning Interpretable Model for Novel Coronavirus Disease (COVID-19) Screening with Chest CT Images," *J. Biomed. Sci. Eng.*, vol. 13, no. 07, pp. 140–152, 2020, doi: 10.4236/jbise.2020.137014.
- [56] E. Westphal and H. Seitz, "A machine learning method for defect detection and visualization in selective laser sintering based on convolutional neural networks," *Addit. Manuf.*, vol. 41, p. 101965, May 2021, doi: 10.1016/j.addma.2021.101965.
- [57] J. H. Kim, A. Poullose, and D. S. Han, "The Extensive Usage of the Facial Image Threshing Machine for Facial Emotion Recognition Performance," *Sensors*, vol. 21, no. 6, p. 2026, Mar. 2021, doi: 10.3390/s21062026.
- [58] S. Gonwirat and O. Surinta, "Improving Recognition of Thai Handwritten Characters with Deep Convolutional Neural Networks," in *Proceedings of the 2020 The 3rd International Conference on Information Science and System*, Mar. 2020, pp. 82–87. doi: 10.1145/3388176.3388181.
- [59] M. Mahdianpari, B. Salehi, M. Rezaee, F. Mohammadimanesh, and Y. Zhang, "Very Deep Convolutional Neural Networks for Complex Land Cover Mapping Using Multispectral Remote Sensing Imagery," *Remote Sens.*, vol. 10, no. 7, p. 1119, Jul. 2018, doi: 10.3390/rs10071119.
- [60] J. Lu, V. Behbood, P. Hao, H. Zuo, S. Xue, and G. Zhang, "Transfer learning using computational intelligence: A survey," *Knowledge-Based Syst.*, vol. 80, pp. 14–23, May 2015, doi: 10.1016/j.knosys.2015.01.010.
- [61] O. Bouhamed, H. Ghazzai, H. Besbes, and Y. Massoud, "Autonomous UAV

- Navigation: A DDPG-Based Deep Reinforcement Learning Approach,” in *2020 IEEE International Symposium on Circuits and Systems (ISCAS)*, Oct. 2020, pp. 1–5. doi: 10.1109/ISCAS45731.2020.9181245.
- [62] H. Farhood, I. Bakhshayeshi, M. Pooshideh, N. Rezvani, and A. Beheshti, “Recent advances of image processing techniques in agriculture,” in *Artificial Intelligence and Data Science in Environmental Sensing*, Elsevier, 2022, pp. 129–153. doi: 10.1016/B978-0-323-90508-4.00007-1.
- [63] A. Kensert, P. J. Harrison, and O. Spjuth, “Transfer Learning with Deep Convolutional Neural Networks for Classifying Cellular Morphological Changes,” *SLAS Discov.*, vol. 24, no. 4, pp. 466–475, Apr. 2019, doi: 10.1177/2472555218818756.
- [64] J. Shlens, “A Tutorial on Principal Component Analysis,” Apr. 2014, [Online]. Available: <http://arxiv.org/abs/1404.1100>
- [65] M. M. Nashipudimath, P. Pillai, A. Subramanian, V. Nair, and S. Khalife, “Voice Feature Extraction for Gender and Emotion Recognition,” *ITM Web Conf.*, vol. 40, p. 03008, Aug. 2021, doi: 10.1051/itmconf/20214003008.
- [66] B. J. Lewis, E. N. Onder, and A. A. Prudil, “Ordinary differential equations,” in *Advanced Mathematics for Engineering Students*, Elsevier, 2022, pp. 7–73. doi: 10.1016/B978-0-12-823681-9.00010-1.
- [67] Y. Xia, “Correlation and association analyses in microbiome study integrating multiomics in health and disease,” 2020, pp. 309–491. doi: 10.1016/bs.pmbts.2020.04.003.
- [68] I. Zoppis, G. Mauri, and R. Dondi, “Kernel Methods: Support Vector Machines,” in *Encyclopedia of Bioinformatics and Computational Biology*, Elsevier, 2019, pp. 503–510. doi: 10.1016/B978-0-12-809633-8.20342-7.
- [69] S. Malek, C. Hui, N. Aziida, S. Cheen, S. Toh, and P. Milow, “Ecosystem

- Monitoring Through Predictive Modeling,” in *Encyclopedia of Bioinformatics and Computational Biology*, Elsevier, 2019, pp. 1–8. doi: 10.1016/B978-0-12-809633-8.20060-5.
- [70] L. Cui, Y. Zhang, R. Zhang, and Q. H. Liu, “A Modified Efficient KNN Method for Antenna Optimization and Design,” *IEEE Trans. Antennas Propag.*, vol. 68, no. 10, pp. 6858–6866, Oct. 2020, doi: 10.1109/TAP.2020.3001743.
- [71] J. Han, M. Kamber, and J. Pei, “Classification,” in *Data Mining*, Elsevier, 2012, pp. 327–391. doi: 10.1016/B978-0-12-381479-1.00008-3.
- [72] A. Panigrahi and M. R. Patra, “Network Intrusion Detection Model Based on Fuzzy-Rough Classifiers,” in *Handbook of Neural Computation*, Elsevier, 2017, pp. 109–125. doi: 10.1016/B978-0-12-811318-9.00006-5.
- [73] Q. Wu and P. Vos, “Inference and Prediction,” 2018, pp. 111–172. doi: 10.1016/bs.host.2018.06.004.
- [74] M. Niu, Y. Li, C. Wang, and K. Han, “RFAmyloid: A Web Server for Predicting Amyloid Proteins,” *Int. J. Mol. Sci.*, vol. 19, no. 7, p. 2071, Jul. 2018, doi: 10.3390/ijms19072071.
- [75] P. Singh, N. Singh, K. K. Singh, and A. Singh, “Diagnosing of disease using machine learning,” in *Machine Learning and the Internet of Medical Things in Healthcare*, Elsevier, 2021, pp. 89–111. doi: 10.1016/B978-0-12-821229-5.00003-3.
- [76] D. K. Sharma, M. Chatterjee, G. Kaur, and S. Vavilala, “Deep learning applications for disease diagnosis,” in *Deep Learning for Medical Applications with Unique Data*, Elsevier, 2022, pp. 31–51. doi: 10.1016/B978-0-12-824145-5.00005-8.
- [77] A. . Devos, S. van Huffel, A. W. Simonetti, M. van der Graaf, A. Heerschap,

- and L. M. C. Buydens, “Classification of Brain Tumours by Pattern Recognition of Magnetic Resonance Imaging and Spectroscopic Data,” in *Outcome Prediction in Cancer*, Elsevier, 2007, pp. 285–318. doi: 10.1016/B978-044452855-1/50013-1.
- [78] J. N. Mandrekar, “Receiver Operating Characteristic Curve in Diagnostic Test Assessment,” *J. Thorac. Oncol.*, vol. 5, no. 9, pp. 1315–1316, Sep. 2010, doi: 10.1097/JTO.0b013e3181ec173d.
- [79] R. M. Everson and J. E. Fieldsend, “Multi-class ROC analysis from a multi-objective optimisation perspective,” *Pattern Recognit. Lett.*, vol. 27, no. 8, pp. 918–927, Jun. 2006, doi: 10.1016/j.patrec.2005.10.016.
- [80] T. Kavzoglu, “Object-Oriented Random Forest for High Resolution Land Cover Mapping Using Quickbird-2 Imagery,” in *Handbook of Neural Computation*, Elsevier, 2017, pp. 607–619. doi: 10.1016/B978-0-12-811318-9.00033-8.
- [81] D. A. Hipolito Canario *et al.*, “Using artificial intelligence to risk stratify COVID-19 patients based on chest X-ray findings,” *Intell. Med.*, vol. 6, p. 100049, 2022, doi: 10.1016/j.ibmed.2022.100049.
- [82] T. G. Dietterich, “Approximate Statistical Tests for Comparing Supervised Classification Learning Algorithms,” *Neural Comput.*, vol. 10, no. 7, pp. 1895–1923, Oct. 1998, doi: 10.1162/089976698300017197.
- [83] ari-dasci, “COVIDGR datasets.” <https://github.com/ari-dasci/OD-covidgr/releases/tag/1.0>
- [84] agchung, “Actualmed COVID-19 Chest X-ray Dataset Initiative,” *GitHub*, 2020. <https://github.com/agchung/Actualmed-COVID-chestxray-dataset>
- [85] ml-workgroup, “COVID-19 Image Repository.” <https://github.com/ml-workgroup/covid-19-image-repository>

- [86] B. Garcia Santa Cruz, M. N. Bossa, J. Sölter, and A. D. Husch, “Public Covid-19 X-ray datasets and their impact on model bias – A systematic review of a significant problem,” *Med. Image Anal.*, vol. 74, p. 102225, Dec. 2021, doi: 10.1016/j.media.2021.102225.
- [87] S. Johri, M. Goyal, S. Jain, M. Baranwal, V. Kumar, and R. Upadhyay, “A novel machine learning-based analytical framework for automatic detection of COVID-19 using chest X-ray images,” *Int. J. Imaging Syst. Technol.*, vol. 31, no. 3, pp. 1105–1119, Sep. 2021, doi: 10.1002/ima.22613.
- [88] L. J. GUO, “Balance contrast enhancement technique and its application in image colour composition,” *Int. J. Remote Sens.*, vol. 12, no. 10, pp. 2133–2151, Oct. 1991, doi: 10.1080/01431169108955241.
- [89] Z. Li, “Accurate calibration method for a structured light system,” *Opt. Eng.*, vol. 47, no. 5, p. 053604, May 2008, doi: 10.1117/1.2931517.
- [90] OpenCV, “Histograms - 2: Histogram Equalization.” https://docs.opencv.org/3.4/d2/d74/tutorial_js_histogram_equalization.html (accessed Jun. 15, 2023).
- [91] H. Zaaraoui, S. El Kaddouhi, and M. Abarkan, “A novel approach to face recognition using freeman chain code and nearest neighbor classifier,” in *2019 International Conference on Intelligent Systems and Advanced Computing Sciences (ISACS)*, Dec. 2019, pp. 1–5. doi: 10.1109/ISACS48493.2019.9068863.
- [92] Rekha Rajagopal, “Comparative Analysis of COVID-19 X-ray Images Classification Using Convolutional Neural Network, Transfer Learning, and Machine Learning Classifiers Using Deep Features,” *Pattern Recognit. Image Anal.*, vol. 31, no. 2, pp. 313–322, Apr. 2021, doi: 10.1134/S1054661821020140.
- [93] R. C. Joshi *et al.*, “A deep learning-based COVID-19 automatic diagnostic

- framework using chest X-ray images,” *Biocybern. Biomed. Eng.*, vol. 41, no. 1, pp. 239–254, Jan. 2021, doi: 10.1016/j.bbe.2021.01.002.
- [94] T. Phumkuea, T. Wongsirichot, K. Damkliang, and A. Navasakulpong, “Classifying COVID-19 Patients From Chest X-ray Images Using Hybrid Machine Learning Techniques: Development and Evaluation,” *JMIR Form. Res.*, vol. 7, p. e42324, Feb. 2023, doi: 10.2196/42324.
- [95] R. Kumar *et al.*, “Classification of COVID-19 from chest x-ray images using deep features and correlation coefficient,” *Multimed. Tools Appl.*, vol. 81, no. 19, pp. 27631–27655, Aug. 2022, doi: 10.1007/s11042-022-12500-3.
- [96] M. Singh, S. Bansal, S. Ahuja, R. K. Dubey, B. K. Panigrahi, and N. Dey, “Transfer learning–based ensemble support vector machine model for automated COVID-19 detection using lung computerized tomography scan data,” *Med. Biol. Eng. Comput.*, vol. 59, no. 4, pp. 825–839, Apr. 2021, doi: 10.1007/s11517-020-02299-2.
- [97] Jin Huang and C. X. Ling, “Using AUC and accuracy in evaluating learning algorithms,” *IEEE Trans. Knowl. Data Eng.*, vol. 17, no. 3, pp. 299–310, Mar. 2005, doi: 10.1109/TKDE.2005.50.
- [98] H. Khan, I. U. Haq, M. Munsif, Mustaqeem, S. U. Khan, and M. Y. Lee, “Automated Wheat Diseases Classification Framework Using Advanced Machine Learning Technique,” *Agriculture*, vol. 12, no. 8, p. 1226, Aug. 2022, doi: 10.3390/agriculture12081226.
- [99] C. B. Jeong, K. G. Kim, T. S. Kim, and S. K. Kim, “Comparison of Image Enhancement Methods for the Effective Diagnosis in Successive Whole-Body Bone Scans,” *J. Digit. Imaging*, vol. 24, no. 3, pp. 424–436, Jun. 2011, doi: 10.1007/s10278-010-9273-x.