

DAFTAR PUSTAKA

- Adepu, S. and Ramakrishna, S., 2021, Controlled Drug Delivery Systems: Current Status and Future Directions, *molecules*, 26, .
- Ali, M.E.A., Aboelfadl, M.M.S., Selim, A.M., Khalil, H.F., and Elkady, G.M., 2018, Chitosan nanoparticles extracted from shrimp shells, application for removal of Fe(II) and Mn(II) from aqueous phases, *Sep. Sci. Technol.*, 53, 2870–2881.
- Ardhani, R., Ana, I.D., and Tabata, Y., 2020, Gelatin hydrogel membrane containing carbonate hydroxyapatite for nerve regeneration scaffold, *J. Biomed. Mater. Res. - Part A*, 108, 2491–2503.
- Ardhani, R., Setyaningsih, Hafiyah, O.A., and Ana, I.D., 2016, Preparation of carbonated apatite membrane as metronidazole delivery system for periodontal application, *Key Eng. Mater.*, 696, 250–258.
- Ardhani, R., Susilowati, R., and Ana, I.D., 2015, Functional Recovery of Axonal Injury Induced by Gelatin-Hydrogel Film and PRP: An Initial Study in Rats, *J. Biomed. Sci. Eng.*, 08, 160–169.
- Babo, P.S., Pires, R.L., Reis, R.L., and Gomes, M.E., 2014, Membranes for periodontal tissues regeneration, *Cienc. e Tecnol. dos Mater.*, 26, 108–117.
- Bach, L.G., Rafiqul Islam, M., Vo, T.S., Kim, S.K., and Lim, K.T., 2013, Poly(allyl methacrylate) functionalized hydroxyapatite nanocrystals via the combination of surface-initiated RAFT polymerization and thiol-ene protocol: A potential anticancer drug nanocarrier, *J. Colloid Interface Sci.*, 394, 132–140.
- Bang, L.T., Long, B.D., and Othman, R., 2014, Carbonate hydroxyapatite and silicon-substituted carbonate hydroxyapatite: Synthesis, mechanical properties, and solubility evaluations, *Sci. World J.*, 2014, .
- Behring, J., Junker, R., Walboomers, X.F., Chessnut, B., and Jansen, J.A., 2008, Toward guided tissue and bone regeneration: Morphology, attachment, proliferation, and migration of cells cultured on collagen barrier membranes. A systematic review, *Odontology*, 96, 1–11.
- Bortoluzzi, M.C., Manfro, R., Soares, I.C., and Presta, A.A., 2011, Cross-cultural adaptation of the orthognathic quality of life questionnaire (OQLQ) in a Brazilian sample of patients with dentofacial deformities, *Med. Oral Patol. Oral Cir. Bucal*, 16, .
- Bottino, M.C., Thomas, V., Schmidt, G., Vohra, Y.K., Chu, T.M.G., Kowolik, M.J., and Janowski, G.M., 2012, Recent advances in the development of GTR/GBR membranes for periodontal regeneration - A materials perspective, *Dent. Mater.*, 28, 703–721.
- Bruschi, M.L., 2015, Mathematical models of drug release, *Strateg. to Modify Drug Release from Pharm. Syst.*, 63–86.

- Budnyak, T.M., Pylypchuk, I. V, Tertykh, V.A., Yanovska, E.S., and Kolodynska, D., 2015, Synthesis and adsorption properties of chitosan-silica nanocomposite prepared by sol-gel method, 1–10.
- Chang, K.-C., Chen, K.-C., and chen, H., 2008, Fabrication of highly transparent and superhydrophobic silica-based surface by TEOS/PPG hybrid with adjustment of the pH value, *J. Mater. Sci. Mater. Med.*, 19, 1325–1334.
- Chen, Z., Mo, X., He, C., and Wang, H., 2008, Intermolecular interactions in electrospun collagen-chitosan complex nanofibers, *Carbohydr. Polym.*, 72, 410–418.
- Cheng, Q., Pan, F., Chen, B., and Zhongyi, J., 2010, Preparation and dehumidification performance of composite membrane with PVA/gelatin–silica hybrid skin layer, *J. Memb. Sci.*, 363, 316–325.
- Chollet, M. and Horgnies, M., 2011, Analyses of the surfaces of concrete by Raman and FT-IR spectroscopies: Comparative study of hardened samples after demoulding and after organic post-treatment, *Surf. Interface Anal.*, 43, 714–725.
- Costa, A., Naranjo, J.D., Turner, N.J., Swinehart, I.T., Kolich, B.D., Shaf, S.A., et al., 2016, Biomaterials Mechanical strength vs . degradation of a biologically-derived surgical mesh over time in a rodent full thickness abdominal wall defect, 108, 81–90.
- Czarnobaj, K., 2011, Sol–gel-processed silica/polydimethylsiloxane/calcium xerogels as polymeric matrices for Metronidazole delivery system, 66, 223–237.
- Czarnobaj, K. and Prokopowicz, M., 2017, Formulation and In Vitro Characterization of Bioactive Mesoporous Silica with Doxorubicin and Metronidazole Intended for Bone Treatment and Regeneration, 18, .
- Czarnobaj, K., Prokopowicz, M., and Greber, K., 2019, Use of Materials Based on Polymeric Silica as Bone-Targeted Drug Delivery Systems for Metronidazole, .
- Das, M.P., R., S.P., Prasad, K., Jv, V., and M, R., 2017, Extraction and Characterization of Gelatin: a Functional Biopolymer, *Int. J. Pharm. Pharm. Sci.*, 9, 239.
- Denavi, G.A., Pérez-Mateos, M., Añón, M.C., Montero, P., Mauri, A.N., and Gómez-Guillén, M.C., 2009, Structural and functional properties of soy protein isolate and cod gelatin blend films, *Food Hydrocoll.*, 23, 2094–2101.
- Dorozhkin, S. V., 2010, Bioceramics of calcium orthophosphates, *Biomaterials*, 31, 1465–1485.
- Dutta, P.K., Tripathi, S., Mehrotra, G.K., and Dutta, J., 2009, Perspectives for chitosan based antimicrobial films in food applications, *Food Chem.*, 114, 1173–1182.

- El-banna, F.S. and Mahfouz, M.E., 2019, applied sciences Chitosan as as a Natural Natural Copolymer Copolymer with with Unique Unique Chitosan Properties for for the the Development Development of of Hydrogels Hydrogels Properties, 9, 1–11.
- Elma, M., Assyaifi, Z.L., and Hairullah, 2017, Silica Thin Film from TEOS Precursor (Tetra Ethyl Ortosilicate) applied for Membrane Coatings, *QUANTUM, J. Inov. Pendidik. Sains*, 8, 78–82.
- Elma, M., Lestari, A.E., Sumardi, A., Assyaifi, Z.L., Darmawan, A., Mujiyanti, D.R., et al., 2021, Organo-Silica Membrane Prepared from TEOS-TEVS Modified with Organic-Acid Catalyst for Brackish Water Desalination, *J. Rekayasa Kim. Lingkung.*, 16, 11–18.
- Evans, G.P., Behiri, J.C., Currey, J.D., and Bonfield, W., 1990, Microhardness and Young's modulus in cortical bone exhibiting a wide range of mineral volume fractions, and in a bone analogue, *J. Mater. Sci. Mater. Med.*, 1, 38–43.
- Ezati, M., Safavipour, H., Houshmand, B., and Faghihi, S., 2018, Development of a PCL/gelatin/chitosan/ β -TCP electrospun composite for guided bone regeneration, *Prog. Biomater.*, 7, 225–237.
- Fakhreddin, S., Rezaei, M., Zandi, M., and Farahmand, F., 2013, Preparation and functional properties of fish gelatin – chitosan blend edible films, *Food Chem.*, 136, 1490–1495.
- Fasya, A.G., Amalia, S., Imamudin, M., Putri Nugraha, R., Ni'mah, N., and Yuliani, D., 2018, Optimasi Produksi Gelatin Halal dari Tulang Ayam Broiler (*Gallus Domesticus*) dengan Variasi Lama Perendaman dan Konsentrasi Asam Klorida (HCl), *Indones. J. Halal*, 1, 102.
- Gao, Y., Wang, S., Shi, B., Wang, Y., Chen, Y., Wang, X., et al., 2022, Advances in Modification Methods Based on Biodegradable Membranes in Guided Bone/Tissue Regeneration: A Review, *Polymers (Basel)*, 14, .
- Gómez-Guillén, M.C., Pérez-Mateos, M., Gómez-Estaca, J., López-Caballero, E., Giménez, B., and Montero, P., 2009, Fish gelatin: a renewable material for developing active biodegradable films, *Trends Food Sci. Technol.*, 20, 3–16.
- Hamzah, N., Nurmi, N., Mukhriani, M., and Ismail, A., 2019, Karakter Indeks Pengembangan Gelatin Taut Silang dengan Sukrosa Teroksidasi dan Glutaraldehyd, *ad-Dawaa' J. Pharm. Sci.*, 2, 22–28.
- He, X., Du, M., Li, H., and Zhou, T., 2016, Removal of direct dyes from aqueous solution by oxidized starch cross-linked chitosan/silica hybrid membrane, *Int. J. Biol. Macromol.*, 82, 174–181.
- Hebbar, R.S., Isloor, A.M., and Ismail, A.F., 2017, Chapter 12 - Contact Angle Measurements, Elsevier B.V.
- Hsiao, V.K.S., Waldeisen, J.R., Zheng, Y., Lloyd, P.F., Bunning, T.J., and Huang, T.J., 2007, Aminopropyltriethoxysilane (APTES)-functionalized nanoporous

polymeric gratings: Fabrication and application in biosensing, *J. Mater. Chem.*, 17, 4896–4901.

Hu Yan, Wang Yuanhao, Y.H., 2015, TEOS / Silane-Coupling Agent Composed Double Layers Structure : A Novel TEOS / Silane-Coupling Agent Composed Double Layers Structure : A Novel Super-hydrophilic Surface, *Energy Procedia*, 75, 349–354.

Issa, A.A. and Luyt, A.S., 2019, Kinetics of Alkoxysilanes and Organoalkoxysilanes Polymerization : A Review,.

Jeong, J., Kim, J.H., Shim, J.H., Hwang, N.S., and Heo, C.Y., 2019, Bioactive calcium phosphate materials and applications in bone regeneration, 1–11.

Jridi, M., Hajji, S., Ayed, H. Ben, Lassoued, I., Mbarek, A., Kammoun, M., et al., 2014, Physical, structural, antioxidant and antimicrobial properties of gelatin-chitosan composite edible films, *Int. J. Biol. Macromol.*, 67, .

Keshtkar, A.R., Irani, M., and Moosavian, M.A., 2013, Removal of uranium (VI) from aqueous solutions by adsorption using a novel electrospun PVA/TEOS/APTES hybrid nanofiber membrane: Comparison with casting PVA/TEOS/APTES hybrid membrane, *J. Radioanal. Nucl. Chem.*, 295, 563–571.

Khan, M.F., Rashid, R. Bin, Mian, M.Y., Rahman, M.S., and Rashid, M.A., 2016, Effects of Solvent Polarity on Solvation Free Energy, Dipole Moment, Polarizability, Hyperpolarizability and Molecular Properties of Metronidazole, *Bangladesh Pharm. J.*, 19, 9–14.

Kommareddy, S., Shenoy, D.B., and Amiji, M.M., 2007, Gelatin Nanoparticles and Their Biofunctionalization, *Nanotechnologies Life Sci.*, 1, 330–352.

Korsmeyer, R.W., Gurny, R., Doelker, E., Buri, P., and Peppas, N.A., 1983, Mechanisms of solute release from porous hydrophilic polymers, *Int. J. Pharm.*, 15, 25–35.

Kosimaningrum, W.E., Barleany, D.R., Sako, V.N., and Ristiyanti, R., 2020, Preparation of Gelatin-Chitosan-Honey-Based Hydrogel for Potential Active Material of Wound Care Dressing Application, *Mater. Sci. Forum*, 988, 162–168.

Kumar, G., Chaudhary, K., Mogha, N.K., Kant, A., and Masram, D.T., 2021, Extended Release of Metronidazole Drug Using Chitosan/Graphene Oxide Bionanocomposite Beads as the Drug Carrier, *ACS Omega*, 6, 20433–20444.

Kwon, K.A., Juhasz, J.A., Brooks, R.A., and Best, S.M., 2020, Bioactive conformable hydrogel-carbonated hydroxyapatite nanocomposite coatings on Ti-6Al-4V substrates, *Mater. Technol.*, 35, 727–733.

Larrañeta, E., Stewart, S., Ervine, M., Al-Kasasbeh, R., and Donnelly, R.F., 2018, Hydrogels for hydrophobic drug delivery. Classification, synthesis and applications, *J. Funct. Biomater.*, 9, .

- Le, H., Natesan, K., and Pranti-Haran, S., 2015, Mechanical property and biocompatibility of co-precipitated nano hydroxyapatite–gelatine composites, *J. Adv. Ceram.*, 4, 237–243.
- Lee, E.J. and Kim, H.E., 2016, Accelerated bony defect healing by chitosan/silica hybrid membrane with localized bone morphogenetic protein-2 delivery, *Mater. Sci. Eng. C*, 59, 339–345.
- Lee, W.F. and Lee, S.C., 2007, Effect of gelatin on the drug release behaviors for the organic hybrid gels based on N-isopropylacrylamide and gelatin, *J. Mater. Sci. Mater. Med.*, 18, 1089–1096.
- Little, S.R., Rothstein, S.N., and Federspiel, W.J., 2008, A simple model framework for the prediction of controlled release from bulk eroding polymer matrices, *J. Mater. Chem.*, 18, 1873–1880.
- Liu, J., Chen, X., Shao, Z., and Zhou, P., 2003, Preparation and Characterization of Chitosan/Cu(II) Affinity Membrane for Urea Adsorption, *J. Appl. Polym. Sci.*, 90, 1108–1112.
- Liu, Z., Ge, X., Lu, Y., Dong, S., Zhao, Y., and Zeng, M., 2012, Food Hydrocolloids Effects of chitosan molecular weight and degree of deacetylation on the properties of gelatine-based films, *Food Hydrocoll.*, 26, 311–317.
- Loccufier, E. and Geltmeyer, J., 2019, Electrospinning of silica nanofibers without a carrier polymer for advanced engineering applications, 11–15.
- Mahatmanti, F.W., Rengga, W.D.P., Kusumastuti, E., and Nuryono, 2018a, Dynamic adsorption of mixtures of Rhodamine B, Pb (II), Cu (II) and Zn(II) ions on composites chitosan-silica-polyethylene glycol membrane, *IOP Conf. Ser. Mater. Sci. Eng.*, 349, .
- Mahatmanti, F.W., Rengga, W.D.P., Kusumastuti, E., and Nuryono, 2018b, Dynamic adsorption of mixtures of Rhodamine B, Pb (II), Cu (II) and Zn(II) ions on composites chitosan-silica-polyethylene glycol membrane, *Polym. Adv. Technol.*, 28, 1396–1408.
- Martins, J.T., Cerqueira, M.A., and Vicente, A.A., 2012, Influence of α -tocopherol on physicochemical properties of chitosan-based films, *Food Hydrocoll.*, 27, 220–227.
- Mati-Baouche N, Baynast H D, Vial C, A.F. and Sun S, Petit E, Pennec F, Prevot V, M.P., 2015, Physico-Chemical, Thermal, and Mechanical Approaches for the Characterization of Solubilized and Solid State Chitosans, *J. Appl. Polym. Sci.*, 132, .
- Mehlika Pulat, Nur Tan, F.K.O., 2011, Swelling Dynamics of IPN Hydrogels Including Acrylamide-Acrylic Acid-Chitosan and Evaluation of their Potential for Controlled Release of Piperacillin-Tazobactam, *J. Appl. Polym. Sci.*, 441–450.
- Michelot, A., Sarda, S., Audin, C., Deydier, E., Manoury, E., Poli, R., and Rey,

- C., 2015, Spectroscopic characterisation of hydroxyapatite and nanocrystalline apatite with grafted aminopropyltriethoxysilane: nature of silane–surface interaction, *J. Mater. Sci.*, 50, 5746–5757.
- Moulik, S., Vani, B., Chandrasekhar, S.S., and Sridhar, S., 2018, Chitosan-polytetrafluoroethylene composite membranes for separation of methanol and toluene by pervaporation, *Carbohydr. Polym.*, 193, 28–38.
- Myhal, A. V., Golovchenko, O.S., Krutskikh, T. V., Gubar, S.M., and Georgiyants, V.A., 2016, IR-spectroscopy research into the structure of products of interaction between metronidazole and metal salts, *Der Pharma Chem.*, 8, 148–154.
- Nakata, K., Kubo, T., Numako, C., Onoki, T., and Nakahira, A., 2009, Synthesis and characterization of silicon-doped hydroxyapatite, *Mater. Trans.*, 50, 1046–1049.
- Nallathambi, G., Ramachandran, T., Rajendran, V., and Palanivelu, R., 2011, Effect of silica nanoparticles and BTCA on physical properties of cotton fabrics, *Mater. Res.*, 14, 552–559.
- Namanloo, R.A., Ommani, M., Abbasi, K., Alam, M., Badkoobeh, A., Rahbar, M., et al., 2022, Biomaterials in Guided Bone and Tissue Regenerations: An Update, *Adv. Mater. Sci. Eng.*, 2022, .
- Nardo, T., 2015, Bioactive Membranes and Nanocoatings for Guided Tissue Regeneration in Periodontal Diseases Doctoral Program in Biomedical Engineering Bioactive Membranes and Nanocoatings for Guided Tissue Regeneration in Periodontal Diseases Tiziana Nardo,.
- Osi, A.R., Zhang, H., Chen, J., Zhou, Y., Wang, R., Fu, J., et al., 2021, Three-Dimensional-Printable Thermo/Photo-Cross-Linked Methacrylated Chitosan-Gelatin Hydrogel Composites for Tissue Engineering, *ACS Appl. Mater. Interfaces*, 13, 22902–22913.
- Pandey, R.P. and Shahi, V.K., 2013, Functionalized silica-chitosan hybrid membrane for dehydration of ethanol/water azeotrope: Effect of cross-linking on structure and performance, *J. Memb. Sci.*, 444, 116–126.
- Parent M, Baradari H, Champion E, Viana-Trecant C D, M., 2017, Design of calcium phosphate ceramics for drug delivery applications in bone diseases: A review of the parameters affecting the loading and release of the therapeutic substance, *J. Control. Release*, 252, .
- Park, K., 2014, Controlled drug delivery systems: Past forward and future back, *J. Control. Release*, 190, 3–8.
- Pellegrini, G., Pagni, G., and Rasperini, G., 2013, Surgical approaches based on biological objectives: GTR versus GBR techniques, *Int. J. Dent.*, 2013, .
- Pemble, O.J., Bardosova, M., Povey, I. M., and Pemble, M.E., 2021, A Slot-Die Technique for the Preparation of Continuous, High-Area, Chitosan-Based Thin Films, *Polymers (Basel)*, 13, 1–13.

- Peña, C., de la Caba, K., Eceiza, A., Ruseckaite, R., and Mondragon, I., 2010, Enhancing water repellence and mechanical properties of gelatin films by tannin addition, *Bioresour. Technol.*, 101, 6836–6842.
- Pereda, M., Ponce, A.G., Marcovich, N.E., Ruseckaite, R.A., and Martucci, J.F., 2011, Chitosan-gelatin composites and bi-layer films with potential antimicrobial activity, *Food Hydrocoll.*, 25, 1372–1381.
- Poologasundarampillai, G., Yu, B., Tsigkou, O., Wang, D., Romer, F., Bhakhri, V., et al., 2014, Poly(γ -glutamic acid)/silica hybrids with calcium incorporated in the silica network by use of a calcium alkoxide precursor, *Chem. - A Eur. J.*, 20, 8149–8160.
- Putra, Alfian Pramudita; Rahmah, Annisa Aulia; Fitriana, Nia; Rohim, Sayyidati Arristifanniy; Jannah, Miftakhul; Hikmawati, D., 2018, The effect of glutaraldehyde on hydroxyapatite-gelatin composite with addition of alendronate for bone filler application, *J. Biomimetics, Biomater. Biomed. Eng.*, 37, 107–116.
- Qiao, C., Ma, X., Zhang, J., and Yao, J., 2017a, Molecular interactions in gelatin/chitosan composite films, *Food Chem.*, 235, 45–50.
- Rivero, S., García, M.A., and Pinotti, A., 2009, Composite and bi-layer films based on gelatin and chitosan, *J. Food Eng.*, 90, 531–539.
- Russo, L., Taraballi, F., Lupo, C., Poveda, A., Jiménez-Barbero, J., Sandri, M., et al., 2014, Carbonate hydroxyapatite functionalization: A comparative study towards (bio)molecules fixation, *Interface Focus*, 4, .
- Sánchez-Salcedo, S., Colilla, M., Izquierdo-Barba, I., and Vallet-Regí, M., 2013, Design and preparation of biocompatible zwitterionic hydroxyapatite, *J. Mater. Chem. B.*,
- Saravanan, M.S., Ataraj, S.R.I.N., Swaminath, K., and Anesh, G., 2003, Hydroxypropyl Methylcellulose Based Cephalexin Extended Release Tablets: Influence of Hydrophilic modification of polyvinyl chloride hollow fiber membranes by silica with a weak in situ sol-gel method Tablet Formulation, Hardness and Storage on in Vitro Re, 51, 978–983.
- Sasaki, J.-I., Abe, G.L., Li, A., Thongthai, P., Tsuboi, R., Kohno, T., and Imazato, S., 2021, Barrier membranes for tissue regeneration in dentistry, *Biomater. Investig. Dent.*, 8, 54–63.
- Schickle, K., Zurlinden, K., Bergmann, C., Lindner, M., Kirsten, A., Laub, M., et al., 2011, Synthesis of novel tricalcium phosphate-bioactive glass composite and functionalization with rhBMP-2, *J. Mater. Sci. Mater. Med.*, 22, 763–771.
- Sculean, A., Kiss, A., Miliauskaite, A., Schwarz, F., Arweiler, N.B., and Hannig, M., 2008, Ten-year results following treatment of intra-bony defects with enamel matrix proteins and guided tissue regeneration, *J. Clin. Periodontol.*, 35, 817–824.

- Seo, S.J., Kim, J.J., Kim, J.H., Lee, J.Y., Shin, U.S., Lee, E.J., and Kim, H.W., 2014, Enhanced mechanical properties and bone bioactivity of chitosan/silica membrane by functionalized-carbon nanotube incorporation, *Compos. Sci. Technol.*, 96, 31–37.
- Shi, F., Ma, Y., Ma, J., Wang, P., and Sun, W., 2012, Preparation and characterization of PVDF / TiO₂ hybrid membranes with different dosage of nano-TiO₂, *J. Memb. Sci.*, 389, 522–531.
- Siddiqi, S.A. and Azhar, U., 2019, Carbonate substituted hydroxyapatite, Elsevier Ltd.
- Siepmann, J. and Siepmann, F., 2008, Mathematical modeling of drug delivery, *Int. J. Pharm.*, 364, 328–343.
- Staroszczyk, H., Pielichowska, J., Sztuka, K., Stangret, J., and Kołodziejaska, I., 2012, Molecular and structural characteristics of cod gelatin films modified with EDC and TGase, *Food Chem.*, 130, 335–343.
- Staroszczyk, H., Sztuka, K., Wolska, J., Wojtasz-Pajak, A., and Kołodziejaska, I., 2014, Interactions of fish gelatin and chitosan in uncrosslinked and crosslinked with EDC films: FT-IR study, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 117, 707–712.
- Stolarski, M., Walendziewski, J., Steininger, M., and Pniak, B., 1999, Synthesis and characteristic of silica aerogels, *Appl. Catal. A Gen.*, 177, 139–148.
- Sukhbir, K., Chawla, V., Narang, R., Aggarwal, G., and Bhardwaj, T., 2017, Research Journal of Pharmaceutical , Biological and Chemical Sciences Isolation and Characterization of Antibiotic / Antitumor Producing, *Res. J. Pharm. Biol. Chem. Sci.*, 6, 1917–1929.
- Sulaiman, N.A., Zamiah, N., Shaari, K., and Rahman, N.A., 2016, Characterization of hybrid membranes from sol – gel method on PVA / Chitosan polymer blend: Effect of silica hybrid nanocomposite on membrane structure, 12, 99–103.
- Sultankulov, B., Berillo, D., Sultankulova, K., Tokay, T., and Saparov, A., 2019, Progress in the development of chitosan-based biomaterials for tissue engineering and regenerative medicine, *Biomolecules*, 9, .
- Szente, V., Baska, F., Zelkó, R., and Süvegh, K., 2011, Journal of Pharmaceutical and Biomedical Analysis Prediction of the drug release stability of different polymeric matrix tablets containing metronidazole, 54, 730–734.
- Tampieri, A., Celotti, G., Landi, E., Montevecchi, M., Roveri, N., Bigi, A., et al., 2003, Porous phosphate-gelatine composite as bone graft with drug delivery function, *J. Mater. Sci. Mater. Med.*, 14, 623–627.
- Ted Oyama, S., Aono, H., Takagaki, A., Sugawara, T., and Kikuchi, R., 2020, Synthesis of silica membranes by chemical vapor deposition using a dimethyldimethoxysilane precursor, *Membranes (Basel)*, 10, .

- Tigani, D., Zolezzi, C., Trentani, F., Ragaini, A., Iafisco, M., Manara, S., et al., 2008, Controlled release of vancomycin from cross-linked gelatine, *J. Mater. Sci. Mater. Med.*, 19, 1325–1334.
- Tonetti, M.S., Eickholz, P., Loos, B.G., Papapanou, P., Van Der Velden, U., Armitage, G., et al., 2015, Principles in prevention of periodontal diseases: Consensus report of group 1 of the 11th European Workshop on Periodontology on effective prevention of periodontal and peri-implant diseases, *J. Clin. Periodontol.*, 42, S5–S11.
- Trivedi, M.K., Patil, S., Shettigar, H., Bairwa, K., and Jana, S., 2015, Spectroscopic Characterization of Biofield Treated Metronidazole and Spectroscopic Characterization of Biofield Treated Metronidazole and Tinidazole, 3–8.
- Vallet-regí, M. and Izquierdo-barba, I., 2012, Structure and functionalization of mesoporous bioceramics for bone tissue regeneration and local drug delivery Structure and functionalization of mesoporous bioceramics for bone tissue regeneration,.
- Voron, N.G., Derkach, S.R., Kuchi, Y.A., and Sokolan, N.I., 2015, Ac ce pt us t, *Carbohydr. Polym.*,.
- Wang, S., Wen, S., Shen, M., Guo, R., Cao, X., Wang, J., and Shi, X., 2011, Aminopropyltriethoxysilane-mediated surface functionalization of hydroxyapatite nanoparticles: synthesis, characterization, and in vitro toxicity assay., *Int. J. Nanomedicine*, 6, 3449–3459.
- Xu, H.P., Yu, Y.H., Lang, W.Z., Yan, X., and Guo, Y.J., 2015, Hydrophilic modification of polyvinyl chloride hollow fiber membranes by silica with a weak in situ sol-gel method, *RSC Adv.*, 5, 13733–13742.
- Yohai, L., Giraldo Mejía, H., Procaccini, R., Pellice, S., Laxman Kunjali, K., Dutta, J., and Uheida, A., 2019, Nanocomposite functionalized membranes based on silica nanoparticles cross-linked to electrospun nanofibrous support for arsenic(v) adsorption from contaminated underground water, *RSC Adv.*, 9, 8280–8289.
- Zhang, F., Wang, A., Li, Z., He, S., and Shao, L., 2011, Preparation and Characterisation of Collagen from Freshwater Fish Scales, 2011, 818–823.
- Zhang, Z., Song, L., Dong, J., Guo, D., Du, X., Cao, B., et al., 2013, A promising combo gene delivery system developed from (3-Aminopropyl) triethoxysilane-modified iron oxide nanoparticles and cationic polymers, *J. Nanoparticle Res.*, 15, .
- Zirak Hassan Kiadeh, S., Ghaee, A., Mashak, A., and Mohammadnejad, J., 2017, Preparation of chitosan–silica/PCL composite membrane as wound dressing with enhanced cell attachment, *Polym. Adv. Technol.*, 28, 1396–1408.