

DAFTAR PUSTAKA

- Ababneh, O., Alrabayah, M., El-Share', A. I., Bsisu, I., Bahar, Y., Dabousi, B., Sandoqa, A., AlWreikat, D., & Qatawneh, A. (2021) Perioperative Outcomes in COVID-19 Obstetric Patients Undergoing Spinal Anesthesia for Cesarean Section: A Prospective Observational Study. *Healthcare (Basel, Switzerland)*, *10*(1), 23. <https://doi.org/10.3390/healthcare10010023>. [accessed 3 June 2022].
- Adhikari, E. H., Moreno, W., Zofkie, A. C., MacDonald, L., McIntire, D. D., Collins, R. R. J., & Spong, C. Y. (2020). Pregnancy Outcomes among Women with and without Severe Acute Respiratory Syndrome Coronavirus 2 Infection. *JAMA Network Open*, *3*(11), 1–11. <https://doi.org/10.1001/jamanetworkopen.2020.29256>
- Akbar, M. I. A., Gumilar, K. E., Andriya, R., Wardhana, M. P., Mulawardhana, P., Anas, J. Y., Ernawati, Laksana, M. A. C., & Dekker, G. (2022). Clinical manifestations and pregnancy outcomes of COVID-19 in Indonesian referral hospital in central pandemic area. *Obstetrics & gynecology science*, *65*(1), 29–36. <https://doi.org/10.5468/ogs.21135>
- Aksoy, H., Aksoy, U., Yucel, B., Ozyurt, S. S., Acmaz, G., Babayigit, M. A., Gokahmetoglu, G., & Aydin, T. (2015). Blood loss in elective cesarean section: is there a difference related to the type of anesthesia? A randomized prospective study. *Journal of the Turkish German Gynecological Association*, *16*(3), 158–163. <https://doi.org/10.5152/jtgga.2015.15034>
- Albarrak A, Albattat M, Alshaqaqiq AI, Al-Falah M, Alshaqaqiq H, Alshakhs A.(2022) Anesthesia Consideration for a Pregnant with Positive COVID 19: A Narrative Review. *Anesth Crit Care* [Internet]. 2020;02(03). Available from: <http://www.fortunejournals.com/articles/anesthesia-consideration-for-a-pregnant-with-positive-covid-19-a-narrative-review.html> [accessed 3 June 2022]. [accessed 3 June 2022].
- Amodeo, G., Bugada, D., Franchi, S., Moschetti, G., Grimaldi, S., Panerai, A., Allegri, M., & Sacerdote, P. (2018). Immune function after major surgical interventions: the effect of postoperative pain treatment. *Journal of Pain Research, Volume 11*, 1297–1305. <https://doi.org/10.2147/JPR.S158230>
- Andayasari, L., Muljati, S., Sihombing, M., Arlinda, D., Opitasari, C., Mogsa, D. F., & Widiyanto, W. (2015) Proporsi Seksio sesarea dan Faktor yang Berhubungan dengan Seksio sesarea di Jakarta. *Buletin Penelitian Kesehatan*, *43*(2). <https://doi.org/10.22435/bpk.v43i2.4144.105-116>.

- Ariyo, P., Trelles, M., Helmand, R., Amir, Y., Hassani, G. H., Mftavyanka, J., Nzeyimana, Z., Akemani, C., Ntawukiruwabo, I. B., Charles, A., Yana, Y., Moussa, K., Kamal, M., Suma, M. L., Ahmed, M., Abdullahi, M., Wong, E. G., Kushner, A., & Latif, A. (2016). Providing Anesthesia Care in Resource-limited Settings: A 6-year Analysis of Anesthesia Services Provided at Médecins Sans Frontières Facilities. *Anesthesiology*, *124*(3), 561–569. <https://doi.org/10.1097/ALN.0000000000000985>
- Bampoe, S., Odor, P. M., & Lucas, D. N. (2020) Novel coronavirus SARS-CoV-2 and COVID-19. Practice recommendations for obstetric anaesthesia: what we have learned thus far. *International journal of obstetric anaesthesia*, *43*, 1–8. <https://doi.org/10.1016/j.ijoa.2020.04.006>. [accessed 3 June 2022].
- Başı, N. B., Metin, S., Sevinç, S. A., Salkaya, A., Peker, N., Çınar, A. S., Altuntaş, Y., & Özdemir, H. M. (2022). The Effect of Diabetes Mellitus on Mortality in Patients Hospitalized Intensive Care Unit in Covid-19 Pandemic. *Acta Biomedica*, *93*(3), 1–7. <https://doi.org/10.23750/abm.v93i3.11880>
- Bao W., Backer A., Song Y., Kiely M., Liu S., Zhang C. Adipokine levels during the first or early second trimester of pregnancy and subsequent risk of gestational diabetes mellitus: A systematic review. *Metabolism*. 2015;64(6):756-764. doi:10.1016/j.metabol.2015.01.013
- Bornstein, S. R., Rubino, F., Khunti, K., Mingrone, G., Hopkins, D., Birkenfeld, A. L., Boehm, B., Amiel, S., Holt, R. I., Skyler, J. S., DeVries, J. H., Renard, E., Eckel, R. H., Zimmet, P., Alberti, K. G., Vidal, J., Geloneze, B., Chan, J. C., Ji, L., & Ludwig, B. (2020). Practical recommendations for the management of diabetes in patients with COVID-19. *The Lancet Diabetes & Endocrinology*, *8*(6), 546–550. [https://doi.org/10.1016/S2213-8587\(20\)30152-2](https://doi.org/10.1016/S2213-8587(20)30152-2)
- Butterworth, J. F., IV., Mackey, D. C., & Wasnick, J. D. (2018) Morgan & Mikhail's clinical anesthesiology (Sixth edition.). New York: McGraw-Hill Education. pp 741-743.
- Canet, J., Gallart, L., Gomar, C., Paluzie, G., Vallès, J., Castillo, J., Sabaté, S., Mazo, V., Briones, Z., & Sanchis, J. (2010). Prediction of Postoperative Pulmonary Complications in a Population-based Surgical Cohort. *Anesthesiology*, *113*(6), 1338–1350.
- Chan, N. C., & Weitz, J. I. (2020). COVID-19 coagulopathy, thrombosis, and bleeding. *Blood*, *136*(4), 381–383. <https://doi.org/10.1182/blood.2020007335>

- Chen, R., Zhang, Y., Huang, L., Cheng, B. H., Xia, Z. Y., & Meng, Q. T. (2020) Safety and efficacy of different anesthetic regimens for parturients with COVID-19 undergoing Cesarean delivery: a case series of 17 patients. Sécurité et efficacité de différents modes d'anesthésie pour des parturientes infectées par la COVID-19 accouchant par césarienne : une série de 17 cas. *Canadian journal of anaesthesia = Journal canadien d'anesthésie*, 67(6), 655–663. <https://doi.org/10.1007/s12630-020-01630-7>. [accessed 3 June 2022].
- Connors, J. M., & Levy, J. H. (2020) Thromboinflammation and the hypercoagulability of COVID-19. *Journal of thrombosis and haemostasis : JTH*, 18(7), 1559–1561. <https://doi.org/10.1111/jth.14849>. [accessed 3 June 2022].
- Delahoy, M. J., Whitaker, M., O'Halloran, A., Chai, S. J., Kirley, P. D., Alden, N., Kawasaki, B., Meek, J., Yousey-Hindes, K., Anderson, E. J., Openo, K. P., Monroe, M. L., Ryan, P. A., Fox, K., Kim, S., Lynfield, R., Siebman, S., Davis, S. S., Sosin, D. M., ... Meador, S. (2020). Characteristics and Maternal and Birth Outcomes of Hospitalized Pregnant Women with Laboratory-Confirmed COVID-19 — COVID-NET, 13 States, March 1–August 22, 2020. *MMWR. Morbidity and Mortality Weekly Report*, 69(38), 1347–1354. <https://doi.org/10.15585/mmwr.mm6938e1>
- Devarajan, J., Chiang, E. and Cummings, K. C. (2021) 'Pregnancy and delivery considerations during COVID-19', *Cleveland Clinic Journal of Medicine*, pp. 1–5. doi: 10.3949/ccjm.88a.ccc077.
- Di Mascio, D., Khalil, A., Saccone, G., Rizzo, G., Buca, D., Liberati, M., Vecchiet, J., Nappi, L., Scambia, G., Berghella, V., & D'Antonio, F. (2020). Outcome of coronavirus spectrum infections (SARS, MERS, COVID-19) during pregnancy: a systematic review and meta-analysis. *American Journal of Obstetrics & Gynecology MFM*, 2(2), 100107. <https://doi.org/10.1016/j.ajogmf.2020.100107>
- Di Toro, F., Gjoka, M., Di Lorenzo, G., De Santo, D., De Seta, F., Maso, G., Risso, F. M., Romano, F., Wiesenfeld, U., Levi-D'Ancona, R., Ronfani, L., & Ricci, G. (2021). Impact of COVID-19 on maternal and neonatal outcomes: a systematic review and meta-analysis. *Clinical Microbiology and Infection*, 27(1), 36–46. <https://doi.org/10.1016/j.cmi.2020.10.007> Ellington, S., Strid, P., Tong, V. T., Woodworth, K., Galang, R. R., Zambrano, L. D., Nahabedian, J., Anderson, K., & Gilboa, S. M. (2020) Characteristics of Women of Reproductive Age with Laboratory-Confirmed SARS-CoV-2 Infection by Pregnancy Status - United States, January 22-June 7, 2020. *MMWR. Morbidity and mortality weekly report*, 69(25), 769–775.

<https://doi.org/10.15585/mmwr.mm6925a1>. [accessed 3 June 2022].

Elshafeey, F., Magdi, R., Hindi, N., Elshebiny, M., Farrag, N., Mahdy, S., Sabbour, M., Gebril, S., Nasser, M., Kamel, M., Amir, A., Maher Emara, M., & Nabhan, A. (2020). A systematic scoping review of COVID- 19 during pregnancy and childbirth. *International Journal of Gynecology & Obstetrics*, *150*(1), 47–52. <https://doi.org/10.1002/ijgo.13182>

Enohumah, K. O. and Imarengiaye, C. O. (2006) ‘Factors associated with anaesthesia-related maternal mortality in a tertiary hospital in Nigeria.’, *Acta anaesthesiologica Scandinavica*, *50*(2), pp. 206–10. doi: 10.1111/j.1399-6576.2006.00945.x.

Görlinger, K., Dirkmann, D., Gandhi, A., & Simioni, P. (2020) COVID-19-Associated Coagulopathy and Inflammatory Response: What Do We Know Already and What Are the Knowledge Gaps?. *Anesthesia and analgesia*, *131*(5), 1324–1333. <https://doi.org/10.1213/ANE.0000000000005147>. [accessed 3 June 2022].

Guan, W., Liang, W., Zhao, Y., Liang, H., Chen, Z., Li, Y., Liu, X., Chen, R., Tang, C., Wang, T., Ou, C., Li, L., Chen, P., Sang, L., Wang, W., Li, J., Li, C., Ou, L., Cheng, B., ... He, J. (2020). Comorbidity and its impact on 1590 patients with COVID-19 in China: a nationwide analysis. *European Respiratory Journal*, *55*(5), 2000547. <https://doi.org/10.1183/13993003.00547-2020>

Guglielminotti, J., Landau, R. and Li, G. (2019) ‘Adverse Events and Factors Associated with Potentially Avoidable Use of General Anesthesia in Cesarean Deliveries’, *Anesthesiology*, *130*(6), pp. 912–922. doi: 10.1097/ALN.0000000000002629.

Habib, A.S., D’Angelo, R. Obesity. (2020) In: Chestnut DH, Wong CA, Tsen LC, Ngan Kee WD, Beilin Y, Mhyre J, editors. Chestnut’s Obstetric Anesthesia: Principles and Practice. 6th ed. Philadelphia: Elsevier Health Sciences; 2020. pp. 568–627. [accessed 3 June 2022].

Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., ... Cao, B. (2020). Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet*, *395*(10223), 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5)

Januszewski, M., Santor-Zaczyńska, M., ZiuziaJanuszezka, L., Kudan, M. Jakimiuk, A.A. Wierzba, W. Jakimiuk, A.J. (2022) Postpartum Blood Loss in COVID-19 Patients—Propensity Score Matched Analysis. *Biomedicines* 2022, 10, 2517. <https://doi.org/10.3390/biomedicines10102517> [accessed 30 October 2022].

Javaid A, Majid A, Aslam S, et al. Maternal and Fetal Outcome of Pregnant Patients Having Preexisting Cardiovascular Disease. *Cureus*. 2020;12(8):e9563. Published 2020 Aug 5. doi:10.7759/cureus.9563

Kalsar, P., Datta, S., Kalsar, A., Kipkoech Kirui, B., & Kanyike, A. M. (2021). Severe Postpartum Hemorrhage in an Asymptomatic COVID-19 Patient: A Call to Be on Guard. *International Medical Case Reports Journal*, Volume 14, 683–687. <https://doi.org/10.2147/IMCRJ.S334249>

Keita, H., James, A., Bouvet, L., Herrmann, E., Le Gouez, A., Mazoit, J., Mercier, F.-J., & Benhamou, D. (2021). Clinical, obstetrical and anaesthesia outcomes in pregnant women during the first COVID-19 surge in France: A prospective multicentre observational cohort study. *Anaesthesia Critical Care & Pain Medicine*, 40(5), 100937. <https://doi.org/10.1016/j.accpm.2021.100937>

Kementerian Kesehatan Republik Indonesia. (2022) Data Sebaran Covid 19 Global dan Indonesia 23 April 2022. Diakses di <https://covid19.kemkes.go.id/laporan-harian-covid-19> pada 24 April 2022 pkl 22.00.

Kementerian Kesehatan RI. Laporan Nasional Riskesdas (2018)

Kerai S, Saxena KN, Taneja B. (2017) Post-caesarean analgesia: What is new? *Indian J Anaesth*. 2017;61:200–14. [accessed 3 June 2022].

Khoury, R., Bernstein, P. S., Debolt, C., Stone, J., Sutton, D. M., Simpson, L. L., Limaye, M. A., Roman, A. S., Fazzari, M., Penfield, C. A., Ferrara, L., Lambert, C., Nathan, L., Wright, R., Bianco, A., Wagner, B., Goffman, D., Gyamfi-Bannerman, C., Schweizer, W. E., ... Dolan, S. M. (2020). Characteristics and Outcomes of 241 Births to Women With Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection at Five New York City Medical Centers. *Obstetrics & Gynecology*, 136(2), 273–282. <https://doi.org/10.1097/AOG.0000000000004025>

Kiyatkin, M. E., Levine, S. P., Kimura, A., Linzer, R. W., Labins, J. R., Kim, J. I., Gurvich, A., & Gong, M. N. (2021). Increased incidence of post-operative

respiratory failure in patients with pre-operative SARS-CoV-2 infection. *Journal of Clinical Anesthesia*, 74, 110409. <https://doi.org/10.1016/j.jclinane.2021.110409>

Kumar, A., Arora, A., Sharma, P., Anikhindi, S. A., Bansal, N., Singla, V., Khare, S., & Srivastava, A. (2020). Is diabetes mellitus associated with mortality and severity of COVID-19? A meta-analysis. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 14(4), 535–545. <https://doi.org/10.1016/j.dsx.2020.04.044>

Lertakyamane, J., Chinachoti, T., Tritrakarn, T., Muangkasem, J., Somboonnanonda, A., & Kolatat, T. (1999). Comparison of general and regional anesthesia for cesarean section: success rate, blood loss and satisfaction from a randomized trial. *Journal of the Medical Association of Thailand = Chotmaihet Thangphaet*, 82(7), 672–680. <https://www.ncbi.nlm.nih.gov/pubmed/10511769>

Maurizi, G., Della Guardia, L., Maurizi, A., & Poloni, A. (2018). Adipocytes properties and crosstalk with immune system in obesity-related inflammation. *Journal of Cellular Physiology*, 233(1), 88–97. <https://doi.org/10.1002/jcp.25855>

Mazo, V., Sabaté, S., Canet, J., Gallart, L., de Abreu, M. G., Belda, J., Langeron, O., Hoefl, A., & Pelosi, P. (2014). Prospective External Validation of a Predictive Score for Postoperative Pulmonary Complications. *Anesthesiology*, 121(2), 219–231. <https://doi.org/10.1097/ALN.0000000000000334>

Mehta, P., McAuley, D. F., Brown, M., Sanchez, E., Tattersall, R. S., & Manson, J. J. (2020). COVID-19: consider cytokine storm syndromes and immunosuppression. *The Lancet*, 395(10229), 1033–1034. [https://doi.org/10.1016/S0140-6736\(20\)30628-0](https://doi.org/10.1016/S0140-6736(20)30628-0) Mor, G. and Cardenas, I. (2010) 'The immune system in pregnancy: a unique complexity.', *American journal of reproductive immunology (New York, N.Y. : 1989)*, 63(6), pp. 425–33. doi: 10.1111/j.1600-0897.2010.00836.x.

Munnur, U., Bandi, V. Management Principles of the Critically Ill Obstetric Patient.. *Clin Chest Med*, (2011) (serial online). Available from: URL: <http://www.chestmed.theclinics.com> [accessed 3 June 2022].

Ni Choileain, N. (2006) 'Cell Response to Surgery', *Archives of Surgery*, 141(11), p. 1132. doi: 10.1001/archsurg.141.11.1132.

- Odor, P. M. *et al.* (2021) 'General anaesthetic and airway management practice for obstetric surgery in England: a prospective, multicentre observational study.' *Anaesthesia*, 76(4), pp. 460–471. doi: 10.1111/anae.15250.
- Panagiotakopoulos, L., Myers, T. R., Gee, J., Lipkind, H. S., Kharbanda, E. O., Ryan, D. S., Williams, J. T. B., Naleway, A. L., Klein, N. P., Hambidge, S. J., Jacobsen, S. J., Glanz, J. M., Jackson, L. A., Shimabukuro, T. T., & Weintraub, E. S. (2020). SARS-CoV-2 Infection Among Hospitalized Pregnant Women: Reasons for Admission and Pregnancy Characteristics — Eight U.S. Health Care Centers, March 1–May 30, 2020. *MMWR. Morbidity and Mortality Weekly Report*, 69(38), 1355–1359. <https://doi.org/10.15585/mmwr.mm6938e2>
- Pierce-Williams, R. A. M., Burd, J., Felder, L., Khoury, R., Bernstein, P. S., Avila, K., Penfield, C. A., Roman, A. S., DeBolt, C. A., Stone, J. L., Bianco, A., Kern-Goldberger, A. R., Hirshberg, A., Srinivas, S. K., Jayakumaran, J. S., Brandt, J. S., Anastasio, H., Birsner, M., O'Brien, D. S., ... Berghella, V. (2020). Clinical course of severe and critical coronavirus disease 2019 in hospitalized pregnancies: a United States cohort study. *American Journal of Obstetrics and Gynecology MFM*, 2(3), 1–12. <https://doi.org/10.1016/j.ajogmf.2020.100134>
- Practice Guidelines for Obstetric Anesthesia: An Updated Report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia and the Society for Obstetric Anesthesia and Perinatology. (2016) *Anesthesiology*, 124(2), 270–300. <https://doi.org/10.1097/ALN.0000000000000935>. [accessed 3 June 2022].
- Quintanilla R.B.S., Mahdy H. Gestational Diabetes. [Updated 2022 Sep 6]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK545196/>
- Rodgers, A., Walker, N., Schug, S., McKee, A., Kehlet, H., van Zundert, A., Sage, D., Futter, M., Saville, G., Clark, T., & MacMahon, S. (2000). Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *BMJ (Clinical Research Ed.)*, 321(7275), 1493. <https://doi.org/10.1136/bmj.321.7275.1493>
- Rouse, D. J., MacPherson, C., Landon, M., Varner, M. W., Leveno, K. J., Moawad, A. H., Spong, C. Y., Caritis, S. N., Meis, P. J., Wapner, R. J., Sorokin, Y., Miodovnik, M., Carpenter, M., Peaceman, A. M., O'Sullivan, M. J., Sibai, B. M., Langer, O., Thorp, J. M., Ramin, S. M., & Mercer, B. M. (2006). Blood Transfusion and Cesarean Delivery. *Obstetrics & Gynecology*, 108(4), 891–897. <https://doi.org/10.1097/01.AOG.0000236547.35234.8c>

- Sarapultsev, A. and Sarapultsev, P. (2020) 'Immunological environment shifts during pregnancy may affect the risk of developing severe complications in COVID-19 patients', *American Journal of Reproductive Immunology*, 84(3). doi: 10.1111/aji.13285.
- Sattar, N., McInnes, I. B. and McMurray, J. J. V. (2020) 'Obesity Is a Risk Factor for Severe COVID-19 Infection', *Circulation*, 142(1), pp. 4–6. doi: 10.1161/CIRCULATIONAHA.120.047659.
- Shakur, H., Elbourne, D., Gülmezoglu, M., Alfirevic, Z., Ronsmans, C., Allen, E., & Roberts, I. (2010). The WOMAN Trial (World Maternal Antifibrinolytic Trial): tranexamic acid for the treatment of postpartum haemorrhage: an international randomised, double blind placebo controlled trial. *Trials*, 11(1), 40. <https://doi.org/10.1186/1745-6215-11-40>
- Shanes, E. D., Mithal, L. B., Otero, S., Azad, H. A., Miller, E. S., & Goldstein, J. A. (2020) Placental Pathology in COVID-19. *American journal of clinical pathology*, 154(1), 23–32. <https://doi.org/10.1093/ajcp/aqaa089>. [accessed 3 June 2022].
- Simonnet, A., Chetboun, M., Poissy, J., Raverdy, V., Noulette, J., Duhamel, A., Labreuche, J., Mathieu, D., Pattou, F., Jourdain, M., Caizzo, R., Caplan, M., Cousin, N., Duburcq, T., Durand, A., El kalioubie, A., Favory, R., Garcia, B., Girardie, P., ... Verkindt, H. (2020). High Prevalence of Obesity in Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) Requiring Invasive Mechanical Ventilation. *Obesity*, 28(7), 1195–1199. <https://doi.org/10.1002/oby.22831>
- Smith, E. R., Oakley, E., Grandner, G. W., Rukundo, G., Farooq, F., Ferguson, K., Baumann, S., Adams Waldorf, K. M., Afshar, Y., Ahlberg, M., Ahmadzia, H., Akelo, V., Aldrovandi, G., Bevilacqua, E., Bracero, N., Brandt, J. S., Broutet, N., Carrillo, J., Conry, J., ... Tielsch, J. M. (2023). Clinical risk factors of adverse outcomes among women with COVID-19 in the pregnancy and postpartum period: a sequential, prospective meta-analysis. *American Journal of Obstetrics and Gynecology*, 228(2), 161–177. <https://doi.org/10.1016/j.ajog.2022.08.038>
- Sobhy, S., Zamora, J., Dharmarajah, K., Arroyo-Manzano, D., Wilson, M., Navaratnarajah, R., Coomarasamy, A., Khan, K. S., & Thangaratnam, S. (2016). Anaesthesia-related maternal mortality in low-income and middle-income countries: a systematic review and meta-analysis. *The Lancet Global Health*, 4(5), e320–e327. [https://doi.org/10.1016/S2214-109X\(16\)30003-1](https://doi.org/10.1016/S2214-109X(16)30003-1)

- Soni, T., & Tiwari, P. (2019). Predictors of maternal outcome in women on mechanical ventilation in an obstetric intensive care unit: an observational study. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*.
- Tamara Y., Lutfi M., Prawitasari S. (2017) Hubungan Maternal Early Obstetric Warning Score (MEOWS) dengan Perawatan di Intensive Care Unit pada Pasien Preeklamsia Berat di RSUP Dr. Sardjito. *Jurnal Kesehatan Reproduksi* Volume 6 No. 3, Desember 2019: 79-84. DOI: 10.22146/jkr.49330.
- Tsen L.C. Anesthesia for cesarean delivery. (2020) In: Chestnut DH, Wong CA, Tsen LC, Ngan Kee WD, Beilin Y, Mhyre J, editors. *Chestnut's Obstetric Anesthesia: Principles and Practice*. 6th ed. Philadelphia: Elsevier Health Sciences; 2020. pp. 568–627. [accessed 3 June 2022].
- Villar, J., Ariff, S., Gunier, R. B., Thiruvengadam, R., Rauch, S., Kholin, A., Roggero, P., Prefumo, F., do Vale, M. S., Cardona-Perez, J. A., Maiz, N., Cetin, I., Savasi, V., Deruelle, P., Easter, S. R., Sichitiu, J., Soto Conti, C. P., Ernawati, E., Mhatre, M., Teji, J. S., ... Papageorghiou, A. T. (2021) Maternal and Neonatal Morbidity and Mortality Among Pregnant Women With and Without COVID-19 Infection: The INTERCOVID Multinational Cohort Study. *JAMA pediatrics*, 175(8), 817–826. <https://doi.org/10.1001/jamapediatrics.2021.1050>. [accessed 3 June 2022].
- Wang, M. J., Schapero, M., Iverson, R., & Yarrington, C. D. (2020). Obstetric Hemorrhage Risk Associated with Novel COVID-19 Diagnosis from a Single-Institution Cohort in the United States. *American Journal of Perinatology*, 37(14), 1411–1416. <https://doi.org/10.1055/s-0040-1718403>
- Winata, S. and Kurniawan, A. (2021) ‘Coagulopathy in COVID-19: A Systematic Review’, *Medicinus*, 8(2), p. 72. doi: 10.19166/med.v8i2.3444.
- Wong, C. A. (2010) ‘General anesthesia is unacceptable for elective cesarean section’, *International Journal of Obstetric Anesthesia*, 19(2), pp. 209–212. doi: 10.1016/j.ijoa.2009.10.002.
- World Health Organization. (2015) WHO Statement on Caesarean Section Rates (*WHO/RHR/15.02*) Geneva: World Health Organization. [accessed 3 June 2022].
- World Health Organization. (2022) *Weekly Epidemiological Update on COVID 17 April 2022*. Available from

<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>. [accessed 3 April 2022].

- Xie, Z., Liu, J., Yang, Z., Tang, L., Wang, S., Du, Y., & Yang, L. (2022). Risk Factors for Post-operative Planned Reintubation in Patients After General Anesthesia: A Systematic Review and Meta-Analysis. *Frontiers in Medicine*, 9, 839070. <https://doi.org/10.3389/fmed.2022.839070>
- Xu, X. W., Wu, X. X., Jiang, X. G., Xu, K. J., Ying, L. J., Ma, C. L., Li, S. B., Wang, H. Y., Zhang, S., Gao, H. N., Sheng, J. F., Cai, H. L., Qiu, Y. Q., & Li, L. J. (2020) Clinical findings in a group of patients infected with the 2019 novel coronavirus (SARS-CoV-2) outside of Wuhan, China: retrospective case series. *BMJ (Clinical research ed.)*, 368, m606. <https://doi.org/10.1136/bmj.m606>. [accessed 3 June 2022].
- Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Ji, R., Wang, H., Wang, Y., & Zhou, Y. (2020). Prevalence of comorbidities and its effects in patients infected with SARS-CoV-2: a systematic review and meta-analysis. *International Journal of Infectious Diseases*, 94, 91–95. <https://doi.org/10.1016/j.ijid.2020.03.017>
- Yang, X., Yu, Y., Xu, J., Shu, H., Xia, J., Liu, H., Wu, Y., Zhang, L., Yu, Z., Fang, M., Yu, T., Wang, Y., Pan, S., Zou, X., Yuan, S., & Shang, Y. (2020) Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: a single-centered, retrospective, observational study. *The Lancet. Respiratory medicine*, 8(5), 475–481. [https://doi.org/10.1016/S2213-2600\(20\)30079-5](https://doi.org/10.1016/S2213-2600(20)30079-5). [accessed 3 June 2022].
- Zambrano, L. D., Ellington, S., Strid, P., Galang, R. R., Oduyebo, T., Tong, V. T., Woodworth, K. R., Nahabedian, J. F., 3rd, Azziz-Baumgartner, E., Gilboa, S. M., Meaney-Delman, D., & CDC COVID-19 Response Pregnancy and Infant Linked Outcomes Team. (2020) Update: Characteristics of Symptomatic Women of Reproductive Age with Laboratory-Confirmed SARS-CoV-2 Infection by Pregnancy Status - United States, January 22–October 3, 2020. *MMWR. Morbidity and mortality weekly report*, 69(44), 1641–1647. <https://doi.org/10.15585/mmwr.mm6944e3>. [accessed 3 June 2022].
- Zhang, J., Dong, X., Cao, Y., Yuan, Y., Yang, Y., Yan, Y., Akdis, C. A., & Gao, Y. (2020). Clinical characteristics of 140 patients infected with SARS-CoV-2 in Wuhan, China. *Allergy*, 75(7), 1730–1741.

<https://doi.org/10.1111/all.14238>

Zhang, L., Jiang, Y., Wei, M., Cheng, B. H., Zhou, X. C., Li, J., Tian, J. H., Dong, L., & Hu, R. H. (2020). [Analysis of the pregnancy outcomes in pregnant women with COVID-19 in Hubei Province]. *Zhonghua Fu Chan Ke Za Zhi*, 55(3), 166–171. <https://doi.org/10.3760/cma.j.cn112141-20200218-00111>

Zhang, Y.; Chen, R.; Cao, C.; Gong, Y.; Zhou, Q.; Wei, M.; Xia, Z.; Chen, X.; Meng, Q. (2021) The Risk of Neuraxial Anesthesia-Related Hypotension in COVID-19 Parturients Undergoing Cesarean Delivery: A Multicenter, Retrospective, Propensity Score Matched Cohort Study. *Front. Med.* 2021, 8, 713733 (1). [accessed 3 June 2022].

Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z., Xiang, J., Wang, Y., Song, B., Gu, X., Guan, L., Wei, Y., Li, H., Wu, X., Xu, J., Tu, S., Zhang, Y., Chen, H., & Cao, B. (2020). Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *The Lancet*, 395(10229), 1054–1062. [https://doi.org/10.1016/S0140-6736\(20\)30566-3](https://doi.org/10.1016/S0140-6736(20)30566-3)