

DAFTAR PUSTAKA

- Abbaz, A., Arris, S., Viscusi, G., Ayat, A., Aissaoui, H., and Boumezough, Y., 2023, Adsorption of Safranin O Dye by Alginate/Pomegranate Peels Beads: Kinetic, Isotherm and Thermodynamic Studies, *Preprints*, 1–15.
- Adeleye, O.A., Bamiro, O.A., Albalawi, D.A., Alotaibi, A.S., and Iqbal, H., 2022, Cellulose Isolated from Cocoa Pod Husk as a Potential, *Materials (Basel)*, 1–17.
- Agnihotri, S. and Singhal, R., 2019, Effect of Sodium Alginate Content in Acrylic Acid/Sodium Humate/Sodium Alginate Superabsorbent Hydrogel on Removal Capacity of MB and CV Dye by Adsorption, *J. Polym. Environ.*, 27, 372–385.
- Al-Harby, N.F., Albahly, E.F., and Mohamed, N.A., 2021, Kinetics, isotherm and thermodynamic studies for efficient adsorption of congo red dye from aqueous solution onto novel cyanoguanidine-modified chitosan adsorbent, *Polymers (Basel)*, 13, 1–32.
- Al-Odayni, A.B., Alsubaie, F.S., and Saeed, W.S., 2023, Nitrogen-Rich Polyaniline-Based Activated Carbon for Water Treatment: Adsorption Kinetics of Anionic Dye Methyl Orange, *Polymers (Basel)*, 15, 1–18.
- ALSamman, M.M. and Sánchez, J., 2022, Chitosan- and Alginate-Based Hydrogels for the Adsorption of Anionic and Cationic Dyes from Water, *Polym.* 2022, 14, 1498.
- Amor, B. I., Hemmami, H., Laouini, S.E., Zeghoud, S., Benzina, M., Achour, S., Naseef, A., Alsalme, A., and Barhoum, A., 2023, Use of Insect-Derived Chitosan for the Removal of Methylene Blue Dye from Wastewater: Process Optimization Using a Central Composite Design, *Materials (Basel)*, 16, 1–16.
- Bendjama, M., Hamdaoui, O., Ferkous, H., and Alghyamah, A., 2022, Degradation of Safranin O in Water by UV/TiO₂/IO₄– Process: Effect of Operating Conditions and Mineralization, *Catalysts*, 12, 1–15.
- Brigham, C., 2017, *Biopolymers: Biodegradable Alternatives to Traditional Plastics*, Elsevier Inc.
- Dai, Y., Sun, Q., Wang, W., Lu, L., Liu, M., Li, J., Yang, S., Sun, Y., Zhang, K., Xu, J., Zheng, W., Hu, Z., Yang, Y., Gao, Y., Chen, Y., Zhang, X., Gao, F., and Zhang, Y., 2018, Utilizations of agricultural waste as adsorbent for the removal of contaminants: A review., *Chemosphere*, 211, 235–253.
- Evans, S.K., Wesley, O.N., Nathan, O., and Moloto, M.J., 2019, Chemically purified cellulose and its nanocrystals from sugarcane bagasse: isolation and characterization., *Heliyon*, 5, 1-7.
- Farahani, M., Kashisaz, M., and Abdullah, S.R.S., 2015, Adsorption of Safranin O from Aqueous Phase Using Sugarcane Bagasse, *Int. J. Ecol. Sci. Environ. Eng.*, 2, 17–29.
- Fatriasari, W., Masruchin, N., and Hermiati, E., 2019, *Selulosa: Karakteristik dan*

Pemanfaatannya, Lembaga Ilmu Pengetahuan Indonesia, Jakarta.

- Fernando, I.P.S., Lee, W.W., Han, E.J., and Ahn, G., 2020, Alginate-based nanomaterials: Fabrication techniques, properties, and applications, *Chem. Eng. J.*, 391, 123823.
- Flórez-Pardo, L.M., González-Córdoba, A., and López-Galán, J.E., 2019, Characterization of hemicelluloses from leaves and tops of the CC 8475, CC 8592, and V 7151 varieties of sugarcane (*Saccharum officinarum* L.), *DYNA*, 86, 98–107.
- Forsyth, W.R., Antosiewicz, J.M., and Robertson, A.D., 2002, Empirical relationships between protein structure and carboxyl pKa values in proteins., *Proteins*, 48, 388–403.
- Gao, Y., Yang, B., and Wang, Q., 2018, Biodegradation and Decolorization of Dye Wastewater: A Review, *IOP Conf. Ser. Earth Environ. Sci.*, 178, 1–7.
- Gea, S., Panindia, N., Piliang, A.F., Sembiring, A., and Hutapea, Y.A., 2018, All-cellulose composite isolated from oil palm empty fruit bunch, *J. Phys. Conf. Ser.*, 1–6.
- Ghosh, I., Kar, S., Chatterjee, T., Bar, N., and Das, S.K., 2021, Adsorptive removal of Safranin-O dye from aqueous medium using coconut coir and its acid-treated forms: Adsorption study, scale-up design, MPR and GA-ANN modeling, *Sustain. Chem. Pharm.*, 19, 100374.
- Hecht, H. and Srebnik, S., 2016, Structural Characterization of Sodium Alginate and Calcium Alginate, *Biomacromolecules*, 17, 2160–2167.
- Ho, Y.S. and McKay, G., 1999, Pseudo-second order model for sorption processes Y.S., *Process Biochem.*, 34, 451–465.
- Hokkanen, S., Bhatnagar, A., and Sillanpää, M., 2016, A review on modification methods to cellulose-based adsorbents to improve adsorption capacity, *Water Res.*, 91, 156–173.
- Kalam, S., Abu-Khamsin, S.A., Kamal, M.S., and Patil, S., 2021, Surfactant Adsorption Isotherms: A Review, *ACS Omega*, 6, 32342–32348.
- Kamel, S., Hassan, E.M., and El-Sakhawy, M., 2006, Preparation and application of acrylonitrile-grafted cyanoethyl cellulose for the removal of copper (II) ions, *J. Appl. Polym. Sci.*, 100, 329–334.
- Kausar, A., Rehman, S.U., Khalid, F., Bonilla-Petriciolet, A., Mendoza-Castillo, D.I., Bhatti, H.N., Ibrahim, S.M., and Iqbal, M., 2022, Cellulose, clay and sodium alginate composites for the removal of methylene blue dye: Experimental and DFT studies, *Int. J. Biol. Macromol.*, 209, 576–585.
- Khoshdouni Farahani, Z., Mousavi, M., Seyedain Ardebili, S.M., and Bakhoda, H., 2022, Modification of sodium alginate by octenyl succinic anhydride to fabricate beads for encapsulating jujube extract, *Curr. Res. Food Sci.*, 5, 157–166.
- Kim, H.-G., Na, H.-R., Lee, H.R., Kim, M. Il, Lim, C.-S., and Seo, B., 2021,

Distillation-pervaporation membrane hybrid system for epichlorohydrin and isopropyl alcohol recovery in epoxy resin production process, *Sep. Purif. Technol.*, 254, 117678.

Klemm, D., Heublein, B., Fink, H.-P., and Bohn, A., 2005, Cellulose: fascinating biopolymer and sustainable raw material., *Angew. Chem. Int. Ed. Engl.*, 44, 3358–3393.

Komal, Gupta, K., Kaur, S., Kaur, J., Kaushik, A., and Singhal, S., 2019, A comparative analysis of source based distinctly functionalized nanostructured cellulose for the adsorptive removal of toxic colorants, *Cellulose*, 26, 1703–1724.

Kumar, C.V., Kumar Vasa, P., Ravindra Kumar, Y., Aparna, P., and Pratyusha, P., 2016, Enantiomeric Separation of S-Epichlorohydrin and R-Epichlorohydrin by Capillary Gas Chromatography with FID Detector, *Am. J. Anal. Chem.*, 7, 772–784.

Laus, R., Costa, T.G., Szpoganicz, B., and Fávere, V.T., 2010, Adsorption and desorption of Cu(II), Cd(II) and Pb(II) ions using chitosan crosslinked with epichlorohydrin-triphosphate as the adsorbent, *J. Hazard. Mater.*, 183, 233–241.

Li, X., Wei, Y., Xu, J., Xu, N., and He, Y., 2018, Quantitative visualization of lignocellulose components in transverse sections of moso bamboo based on ftir macro- and micro-spectroscopy coupled with chemometrics, *Biotechnol. Biofuels*, 11, 1–16.

Lindman, B., Medronho, B., Alves, L., Costa, C., Edlund, H., and Norgren, M., 2017, The relevance of structural features of cellulose and its interactions to dissolution, regeneration, gelation and plasticization phenomena, *Phys. Chem. Chem. Phys.*, 19, 23704–23718.

Long, L.Y., Weng, Y.X., and Wang, Y.Z., 2018, Cellulose aerogels: Synthesis, applications, and prospects, *Polymers (Basel)*, 8, 1–28.

Malekbala, M.R., Soltani, S.M., Yazdi, S.K., and Hosseini, S., 2012, Equilibrium and Kinetic Studies of Safranin Adsorption on Alkali-Treated Mango Seed Integuments, *Int. J. Chem. Eng. Appl.*, 3, 160–166.

Mandal, A. and Chakrabarty, D., 2011, Isolation of nanocellulose from waste sugarcane bagasse (SCB) and its characterization, *Carbohydr. Polym.*, 86, 1291–1299.

Mayangsari, N. and Astuti, U., 2021, Model Kinetika Adsorpsi Logam Berat Cu Menggunakan Selulosa Daun Nanas, *J. Chemurg.*, 5, 15–21.

McNamara, J.T., Morgan, J.L.W., and Zimmer, J., 2015, A molecular description of cellulose biosynthesis., *Annu. Rev. Biochem.*, 84, 895–921.

Merakchi, A., Souhila, B., Drouiche, N., Adour, L., and Lounici, H., 2019, Cross-linking and modification of sodium alginate biopolymer for dye removal in aqueous solution, *Polym. Bull.*, 76, 3536–3554.

- Mohammed, M.A., Ibrahim, A., and Shitu, A., 2014, Batch Removal of Hazardous Safranin-O in Wastewater Using Pineapple Peels as an Agricultural Waste Based Adsorbent, *Int. J. Environ. Monit. Anal.*, 2, 128–133.
- Mohammed, M.A., U Ibn Abubakar, B.S., and Kurna, B.B., 2017, Equilibrium and Kinetic Studies of Adsorption of Safranin-O From Aqueous Solutions Using Pineapple Peels, *Arid Zo. J. Eng. Technol. Environ.*, 13, 671–687.
- Momina, Mohammad, S., and Suzylawati, I., 2020, Study of the adsorption/desorption of MB dye solution using bentonite adsorbent coating, *J. Water Process Eng.*, 34, 101155.
- Mota, L.O. and Gimenez, I.F., 2023, Cellulose-Based Materials Crosslinked with Epichlorohydrin: A Mini Review, *Rev. Virtual Quim.*, 15, 159–170.
- Mozaffari, T., Vanashi, A.K., and Ghasemzadeh, H., 2021, Nanocomposite hydrogel based on sodium alginate, poly (acrylic acid), and tetraamminecopper (II) sulfate as an efficient dye adsorbent, *Carbohydrate Polymers*, 118182.
- Munim, S.A., Saddique, M.T., Raza, Z.A., and Majeed, M.I., 2020, Fabrication of cellulose-mediated chitosan adsorbent beads and their surface chemical characterization, *Polym. Bull.*, 77, 183–196.
- Nandiyanto, D. and Bayu, A., 2020, Isotherm adsorption of carbon microparticles prepared from pumpkin (*cucurbita maxima*) seeds using two-parameter monolayer adsorption models and equations, *Moroccan J. Chem.*, 8, 745–761.
- Ogugbue, C.J. and Sawidis, T., 2011, Bioremediation and Detoxification of Synthetic Wastewater Containing Triarylmethane Dyes by *Aeromonas hydrophila* Isolated from Industrial Effluent, *Biotechnol. Res. Int.*, 2011, 1–11.
- Okhlopkova, E.A., Serafimov, L.A., and Frolova, A. V., 2019, Methods of Preparing Epichlorohydrin, *Theor. Found. Chem. Eng.*, 53, 864–870.
- Osmari, T.A., Gallon, R., Schwaab, M., Barbosa-Coutinho, E., Baptista Severo Jr, J., and Carlos Pinto, J., 2013, Statistical Analysis of Linear and Non-linear Regression for the Estimation of Adsorption Isotherm Parameters, *Adsorpt. Sci. Technol.*, 31, 433–458.
- Proctor, A. and Toro-Vazquez, J.F., 2009, The Freundlich Isotherm in Studying Adsorption in Oil Processing, *Journal of the American Oil Chemists' Society*, 73, 1627–1633.
- Purwitasari, D.G., Tussania, R., and Fathoni, R., 2022, Adsorpsi Logam Kadmium (Cd) Pada Kadmium Sulfat (CdSO₄) Menggunakan Batang Pohon Pisang Sebagai Adsorben, *J. Chemurg.*, 6, 132–136.
- Rahmawati, A. and Santoso, S.J., 2013, Studi Adsorpsi Logam Pb(II) Dan Cd(II) Pada Asam Humat Dalam Medium Air, *Alchemy*, 2, 46–57.
- Rápó, E., Szép, R., Keresztesi, Á., Suciu, M., and Tonk, S., 2018, Adsorptive Removal of Cationic and Anionic Dyes from Aqueous Solutions by Using

- Eggshell Household Waste as Biosorbent., *Acta Chim. Slov.*, 65, 709–717.
- Rapo, E. and Tonk, S., 2021, Factors Affecting Synthetic Dye Adsorption ; Desorption Studies: A Review of Results from the Last Five Years, *Molecules*, 26, 5419–5450.
- Riqotul Fuadah, S., and Rahmayanti, M., 2019, Adsorpsi-Desorpsi Zat Warna Naftol Blue Black Menggunakan Adsorben Humin Hasil Isolasi Tanah Gambut Riau, Sumatera, *Anal. Anal. Environ. Chem.*, 4, 59–67.
- Sahu, M.K. and Patel, R.K., 2015, Removal of safranin-O dye from aqueous solution using modified red mud: kinetics and equilibrium studies, *RSC Adv.*, 5, 78491–78501.
- Sarma, G.K., Sen Gupta, S., and Bhattacharyya, K.G., 2019, Removal of hazardous basic dyes from aqueous solution by adsorption onto kaolinite and acid-treated kaolinite: kinetics, isotherm and mechanistic study, *SN Appl. Sci.*, 1, 1–15.
- Shaikh, H.M., Anis, A., Poulouse, A.M., Al-Zahrani, S.M., Madhar, N.A., Alhamidi, A., and Alam, M.A., 2021, Isolation and characterization of alpha and nanocrystalline cellulose from date palm (*Phoenix dactylifera* l.) trunk mesh, *Polymers (Basel)*, 13, 1–14.
- Shaltout, W.A., El-Naggar, G.A., Esmail, G., and Hassan, A.F., 2022, Synthesis and characterization of ferric@nanocellulose/nanohydroxyapatite bio-composite based on sea scallop shells and cotton stalks: adsorption of Safranin-O dye, *Biomass Convers. Biorefinery*, 1–18.
- Shi, Y., Wang, Xisen, Wang, Xin, Carlson, K., and Li, Z., 2021, Removal of toluidine blue and safranin o from single and binary solutions using zeolite, *Crystals*, 11, 1–15.
- Silva, T.L. da, Vidart, J.M.M., Silva, M.G.C. da, Gimenes, M.L., and Vieira, M.G.A., 2017, Alginate and Sericin: Environmental and Pharmaceutical Applications, *Biol. Act. Appl. Mar. Polysaccharides*, 27, 1–18.
- Suhas, Gupta, V.K., Carrott, P.J.M., Singh, R., Chaudhary, M., and Kushwaha, S., 2016, Cellulose: A review as natural, modified and activated carbon adsorbent, *Bioresour. Technol.*, 216, 1066–1076.
- Sun, J.X., Sun, X.F., Zhao, H., and Sun, R.C., 2004, Isolation and characterization of cellulose from sugarcane bagasse, *Polym. Degrad. Stab.*, 84, 331–339.
- Swantom, D., Rochmadi, Basuki, K.T., and Sudiyo, R., 2014, Effect of silica fillers on characterization of cellulose-acrylamide hydrogels matrices as controlled release agents for urea fertilizers, *Indones. J. Chem.*, 14, 116–121.
- Udoetok, I.A., Dimmick, R.M., Wilson, L.D., and Headley, J. V., 2016, Adsorption properties of cross-linked cellulose-epichlorohydrin polymers in aqueous solution, *Carbohydr. Polym.*, 136, 329–340.
- Vidovix, T.B., Quesada, H.B., Bergamasco, R., Vieira, M.F., and Vieira, A.M.S., 2022, Adsorption of Safranin-O dye by copper oxide nanoparticles synthesized from Punica granatum leaf extract, *Environ. Technol. (United*

Kingdom), 43, 3047–3063.

- Vojnović, B., Cetina, M., Franjković, P., and Sutlović, A., 2022, Influence of Initial pH Value on the Adsorption of Reactive Black 5 Dye on Powdered Activated Carbon: Kinetics, Mechanisms, and Thermodynamics, *Molecules*, 27, 1–12.
- Wang, L., Hou, Y., Zhong, X., Hu, J., Shi, F., and Mi, H., 2019, Preparation and catalytic performance of alginate-based Schiff Base, *Carbohydr. Polym.*, 208, 42–49.
- William O’connell, D., Birkinshaw, C., and Francis O’dwyer, T., 2008, Heavy metal adsorbents prepared from the modification of cellulose: A review, *Bioresource Technology*, 99, 6709–6724.
- Wulandari, W.T., Rochliadi, A., and Arcana, I.M., 2016, Nanocellulose prepared by acid hydrolysis of isolated cellulose from sugarcane bagasse, *IOP Conf. Ser. Mater. Sci. Eng.*, 107, 1–7.
- Yang, J.S., Xie, Y.J., and He, W., 2011, Research progress on chemical modification of alginate: A review, *Carbohydr. Polym.*, 84, 33–39.
- Yao, B.J., Jin, S.H., Chen, S.S., Shi, Y.S., Li, L.J., and Fan, H.Y., 2013, Study on the reaction of hexamine and acetic acid system by online infrared spectrum technology, *Acta Armamentarii*, 34, 209–216.
- Zhang, P., Zhang, X., Yuan, X., Xie, R., and Han, L., 2021, Characteristics, adsorption behaviors, Cu(II) adsorption mechanisms by cow manure biochar derived at various pyrolysis temperatures, *Bioresour. Technol.*, 331, 125013.