

REFERENCES

- [1] J. Heydecke, "Introduction to Lithium Polymer Battery Technology," *White Paper Jauch*, pp. 1–15, 2018. [Online]. Available: https://www.bce.it/wp-content/uploads/2019/06/Jauch-battery-white_paper_introduction_to_lipo_battery_technology_11-2018_BCE.pdf
- [2] "IEEE Guide for the Characterization and Evaluation of Lithium-Based Batteries in Stationary Applications," IEEE, Tech. Rep., ISBN: 9781504444989. [Online]. Available: <https://ieeexplore.ieee.org/document/8262521/>
- [3] S. J. Julier and J. K. Uhlmann, "A New Extension of the Kalman Filter to Nonlinear Systems," p. 12.
- [4] J. Lu, Z. Chen, Y. Yang, and M. L.V., "Online Estimation of State of Power for Lithium-Ion Batteries in Electric Vehicles Using Genetic Algorithm," *IEEE Access*, vol. 6, pp. 20 868–20 880, 2018. [Online]. Available: <https://ieeexplore.ieee.org/document/8338339/>
- [5] H. Rahimi-Eichi, U. Ojha, F. Baronti, and M.-Y. Chow, "Battery Management System: An Overview of Its Application in the Smart Grid and Electric Vehicles," *IEEE Industrial Electronics Magazine*, vol. 7, no. 2, pp. 4–16, Jun. 2013. [Online]. Available: <http://ieeexplore.ieee.org/document/6532486/>
- [6] B. Kumar, N. Khare, and P. K. Chaturvedi, "Advanced battery management system using MATLAB/Simulink," in *2015 IEEE International Telecommunications Energy Conference (INTELEC)*. Osaka, Japan: IEEE, Oct. 2015, pp. 1–6. [Online]. Available: <http://ieeexplore.ieee.org/document/7572447/>
- [7] W. S. Putra, B. R. Dewangga, A. Cahyadi, and O. Wahyunggoro, "Current estimation using Thevenin battery model," in *Proceedings of the Joint International Conference on Electric Vehicular Technology and Industrial, Mechanical, Electrical and Chemical Engineering (ICEVT & IMECE)*. Surakarta, Indonesia: IEEE, Nov. 2015, pp. 5–9. [Online]. Available: <http://ieeexplore.ieee.org/document/7496638/>
- [8] D. N. T. How, M. A. Hannan, M. S. Hossain Lipu, and P. J. Ker, "State of Charge Estimation for Lithium-Ion Batteries Using Model-Based and Data-Driven Methods: A Review," *IEEE Access*, vol. 7, pp. 136 116–136 136, 2019. [Online]. Available: <https://ieeexplore.ieee.org/document/8843918/>
- [9] M. U. Cuma and T. Koroglu, "A comprehensive review on estimation strategies used in hybrid and battery electric vehicles," *Renewable and Sustainable Energy Reviews*, vol. 42, pp. 517–531, Feb. 2015. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1364032114008727>

- [10] D. Saji, P. S. Babu, and K. Ilango, "SoC Estimation of Lithium Ion Battery Using Combined Coulomb Counting and Fuzzy Logic Method," in *2019 4th International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT)*. Bangalore, India: IEEE, May 2019, pp. 948–952. [Online]. Available: <https://ieeexplore.ieee.org/document/9016956/>
- [11] W. Wang, X. Wang, C. Xiang, C. Wei, and Y. Zhao, "Unscented Kalman Filter-Based Battery SOC Estimation and Peak Power Prediction Method for Power Distribution of Hybrid Electric Vehicles," *IEEE Access*, vol. 6, pp. 35 957–35 965, 2018. [Online]. Available: <https://ieeexplore.ieee.org/document/8400413/>
- [12] C. Huang, Z. Wang, Z. Zhao, L. Wang, C. S. Lai, and D. Wang, "Robustness Evaluation of Extended and Unscented Kalman Filter for Battery State of Charge Estimation," *IEEE Access*, vol. 6, pp. 27 617–27 628, 2018. [Online]. Available: <https://ieeexplore.ieee.org/document/8355786/>
- [13] P. A. Topan, M. N. Ramadan, G. Fathoni, A. I. Cahyadi, and O. Wahyunggoro, "State of Charge (SOC) and State of Health (SOH) estimation on lithium polymer battery via Kalman filter," in *2016 2nd International Conference on Science and Technology-Computer (ICST)*. Yogyakarta, Indonesia: IEEE, Oct. 2016, pp. 93–96. [Online]. Available: <http://ieeexplore.ieee.org/document/7877354/>
- [14] R. Xiong, Q. Yu, and F. Sun, "A study on the influence of two OCV tests on state of charge estimation of lithium ion battery," in *2017 12th IEEE Conference on Industrial Electronics and Applications (ICIEA)*. Siem Reap: IEEE, Jun. 2017, pp. 608–612. [Online]. Available: <http://ieeexplore.ieee.org/document/8282915/>
- [15] S. Yang, S. Zhou, Y. Hua, X. Zhou, X. Liu, Y. Pan, H. Ling, and B. Wu, "A parameter adaptive method for state of charge estimation of lithium-ion batteries with an improved extended Kalman filter," *Scientific Reports*, vol. 11, no. 1, p. 5805, Dec. 2021. [Online]. Available: <http://www.nature.com/articles/s41598-021-84729-1>
- [16] S. Tamilselvi, S. Gunasundari, N. Karuppiyah, A. Razak RK, S. Madhusudan, V. M. Nagarajan, T. Sathish, M. Z. M. Shamim, C. A. Saleel, and A. Afzal, "A Review on Battery Modelling Techniques," *Sustainability*, vol. 13, no. 18, p. 10042, Sep. 2021. [Online]. Available: <https://www.mdpi.com/2071-1050/13/18/10042>
- [17] B. Xia, R. Huang, Z. Lao, R. Zhang, Y. Lai, W. Zheng, H. Wang, W. Wang, and M. Wang, "Online Parameter Identification of Lithium-Ion Batteries Using a Novel Multiple Forgetting Factor Recursive Least Square

- Algorithm,” *Energies*, vol. 11, no. 11, p. 3180, Nov. 2018. [Online]. Available: <http://www.mdpi.com/1996-1073/11/11/3180>
- [18] B. R. Dewangga, S. Herdjunto, and A. Cahyadi, “Battery Current Estimation Based on Simple Model with Parameter Update Strategy Using Piecewise Linear SOC-OCV,” in *2018 4th International Conference on Science and Technology (ICST)*. Yogyakarta: IEEE, Aug. 2018, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/8528694/>
- [19] X. Zhang, J. Wu, and G. Kang, “SOC estimation of Lithium battery by UKF algorithm based on dynamic parameter model,” in *2016 13th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*. Xian, China: IEEE, Aug. 2016, pp. 945–950. [Online]. Available: <http://ieeexplore.ieee.org/document/7734116/>
- [20] S. Liu, N. Cui, and C. Zhang, “An Adaptive Square Root Unscented Kalman Filter Approach for State of Charge Estimation of Lithium-Ion Batteries,” *Energies*, vol. 10, no. 9, p. 1345, Sep. 2017. [Online]. Available: <https://www.mdpi.com/1996-1073/10/9/1345>
- [21] Q. Liu and Q. Yu, “The lithium battery SOC estimation on square root unscented Kalman filter,” *Energy Reports*, vol. 8, pp. 286–294, Oct. 2022. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2352484722009271>
- [22] Y. Zhao, J. Xu, X. Wang, and X. Mei, “The Adaptive Fading Extended Kalman Filter SOC Estimation Method for Lithium-ion Batteries,” *Energy Procedia*, vol. 145, pp. 357–362, Jul. 2018. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610218300729>
- [23] G. Yang, J. Li, Z. Fu, and L. Guo, “Adaptive state of charge estimation of Lithium-ion battery based on battery capacity degradation model,” *Energy Procedia*, vol. 152, pp. 514–519, Oct. 2018. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610218307483>
- [24] R. Xiong, Q. Yu, and L. Y. Wang, “Open circuit voltage and state of charge online estimation for lithium ion batteries,” *Energy Procedia*, vol. 142, pp. 1902–1907, Dec. 2017. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610217361362>
- [25] D. Zhou, K. Zhang, A. Ravey, F. Gao, and A. Miraoui, “Online Estimation of Lithium Polymer Batteries State-of-Charge Using Particle Filter-Based Data Fusion With Multimodels Approach,” *IEEE Transactions on Industry Applications*, vol. 52, no. 3, pp. 2582–2595, May 2016. [Online]. Available: <http://ieeexplore.ieee.org/document/7398031/>
- [26] M. Ye, H. Guo, R. Xiong, and R. Yang, “Model-based State-of-charge Estimation Approach of the Lithium-ion Battery Using an Improved Adaptive

- Particle Filter,” *Energy Procedia*, vol. 103, pp. 394–399, Dec. 2016. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610216315156>
- [27] Z. Liu and X. Dang, “A New Method for State of Charge and Capacity Estimation of Lithium-Ion Battery Based on Dual Strong Tracking Adaptive H Infinity Filter,” *Mathematical Problems in Engineering*, vol. 2018, pp. 1–18, Sep. 2018. [Online]. Available: <https://www.hindawi.com/journals/mpe/2018/5218205/>
- [28] Y. Song, M. Park, M. Seo, and S. W. Kim, “Improved SOC estimation of lithium-ion batteries with novel SOC-OCV curve estimation method using equivalent circuit model,” in *2019 4th International Conference on Smart and Sustainable Technologies (SpliTech)*. Split, Croatia: IEEE, Jun. 2019, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/8783149/>
- [29] I. Jokic, Z. Zecevic, and B. Krstajic, “State-of-charge estimation of lithium-ion batteries using extended Kalman filter and unscented Kalman filter,” in *2018 23rd International Scientific-Professional Conference on Information Technology (IT)*. Zabljak: IEEE, Feb. 2018, pp. 1–4. [Online]. Available: <https://ieeexplore.ieee.org/document/8350462/>
- [30] Q. Yu, R. Xiong, and C. Lin, “Online Estimation of State-of-charge Based on the H infinity and Unscented Kalman Filters for Lithium Ion Batteries,” *Energy Procedia*, vol. 105, pp. 2791–2796, May 2017. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610217306525>
- [31] G. Liu, C. Xu, K. Jiang, and K. Wang, “State of charge and model parameters estimation of liquid metal batteries based on adaptive unscented Kalman filter,” *Energy Procedia*, vol. 158, pp. 4477–4482, Feb. 2019. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610219308033>
- [32] H. Jianwang, R. A. Ramirez-Mendoza, and J. D. J. Lozoya-Santos, “Adjustable Scaling Parameters for State of Charge Estimation for Lithium-Ion Batteries Using Iterative Multiple UKFs,” *Mathematical Problems in Engineering*, vol. 2020, pp. 1–14, Apr. 2020. [Online]. Available: <https://www.hindawi.com/journals/mpe/2020/4037306/>
- [33] J. Zhang, Y. Wei, and H. Qi, “State of charge estimation of LiFePO₄ batteries based on online parameter identification,” *Applied Mathematical Modelling*, vol. 40, no. 11-12, pp. 6040–6050, Jun. 2016. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0307904X16300439>
- [34] H. He, H. Qin, Y. Shui, and K. Oleksandr, “Lithium-ion Battery SoC Estimation with UKF and RTOS COS-II Platform,” *Energy Procedia*, vol. 61, pp. 468–471, 2014. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1876610214029804>

- [35] C. Huang, X. Yu, Y. Wang, Y. Zhou, and R. Li, "State of charge estimation of li-ion batteries based on the noise-adaptive interacting multiple model," *Energy Reports*, vol. 7, pp. 8152–8161, Nov. 2021. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2352484721008076>
- [36] W. Kai, F. Xiao, P. Jinbo, R. Jun, D. Chongxiong, and L. Liwei, "State of Charge (SOC) Estimation of Lithium-ion Battery Based on Adaptive Square Root Unscented Kalman Filter," *International Journal of Electrochemical Science*, vol. 15, no. 9, pp. 9499–9516, Sep. 2020. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1452398123021739>
- [37] M. Daowd, N. Omar, and B. Verbrugge, "Battery Models Parameter Estimation based on Matlab/Simulink®," p. 6, 2010.
- [38] E. Leksono, I. N. Haq, M. Iqbal, F. X. N. Soelami, and I. G. N. Merthayasa, "State of charge (SoC) estimation on LiFePO₄ battery module using Coulomb counting methods with modified Peukert," in *2013 Joint International Conference on Rural Information & Communication Technology and Electric-Vehicle Technology (rICT & ICeV-T)*. Bandung, Indonesia: IEEE, Nov. 2013, pp. 1–4. [Online]. Available: <http://ieeexplore.ieee.org/document/6741545/>
- [39] S. S. Suriya Narayanan and S. Thangavel, "Open Circuit Voltage Equation parameter identification of Lithium Ion Battery Model using Genetic Algorithm," in *2020 International Conference on Inventive Computation Technologies (ICICT)*. Coimbatore, India: IEEE, Feb. 2020, pp. 1122–1127. [Online]. Available: <https://ieeexplore.ieee.org/document/9112455/>
- [40] M. U. Ali, A. Zafar, S. H. Nengroo, S. Hussain, M. J. Alvi, and H.-J. Kim, "Towards a Smarter Battery Management System for Electric Vehicle Applications: A Critical Review of Lithium-Ion Battery State of Charge Estimation," *Energies*, vol. 12, no. 3, p. 446, Jan. 2019. [Online]. Available: <http://www.mdpi.com/1996-1073/12/3/446>
- [41] R. Zhang, B. Xia, B. Li, L. Cao, Y. Lai, W. Zheng, H. Wang, and W. Wang, "State of the Art of Lithium-Ion Battery SOC Estimation for Electrical Vehicles," *Energies*, vol. 11, no. 7, p. 1820, Jul. 2018. [Online]. Available: <http://www.mdpi.com/1996-1073/11/7/1820>
- [42] S. W. Arsri, O. Wahyunggoro, and A. I. Cahyadi, "A Review of Adaptive Filter Algorithm-Based Battery State of Charge Estimation," p. 6.
- [43] X. Hu, S. Li, and H. Peng, "A comparative study of equivalent circuit models for li-ion batteries," *Journal of Power Sources*, vol. 198, pp. 359–367, 2012. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0378775311019628>
- [44] Z. Li, J. Huang, B. Y. Liaw, and J. Zhang, "On state-of-charge determination for lithium-ion batteries," *Journal of Power Sources*, vol. 348, pp. 281–301,

2017. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0378775317302859>
- [45] S. Wang, H. Amdadul, C. Fernandez, C. Yu, D. Deng, D.-I. Stroe, J. Qiao, J. Meng, J. Huang, K. Liu, L. Chen, L. Xia, L. Zhou, M. He, I. Md Monirul, P. Yu, P. Ren, S. Jin, W. Shi, and C. Qi, *Book - Battery State Estimation Methods and models - ISBN978-1-83953-529-1*, 01 2022.
- [46] P. Zarchan, “Fundamentals of Kalman Filtering: A Practical Approach.”
- [47] B. Ren, C. Xie, X. Sun, Q. Zhang, and D. Yan, “Parameter identification of a lithium-ion battery based on the improved recursive least square algorithm,” *IET Power Electronics*, vol. 13, no. 12, pp. 2531–2537, Sep. 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/10.1049/iet-pel.2019.1589>
- [48] S. Ciochina, C. Paleologu, J. Benesty, and A. A. Enescu, “On the influence of the forgetting factor of the RLS adaptive filter in system identification,” in *2009 International Symposium on Signals, Circuits and Systems*. Iasi, Romania: IEEE, Jul. 2009, pp. 1–4. [Online]. Available: <http://ieeexplore.ieee.org/document/5206117/>
- [49] L. Kleeman, “Understanding and Applying Kalman Filtering,” p. 37.
- [50] H. He, R. Xiong, and J. Fan, “Evaluation of Lithium-Ion Battery Equivalent Circuit Models for State of Charge Estimation by an Experimental Approach,” *Energies*, vol. 4, no. 4, pp. 582–598, Mar. 2011. [Online]. Available: <http://www.mdpi.com/1996-1073/4/4/582>
- [51] W. Djuriatno, E. Maulana, H. Hasan, E. D. Arisandi, and W. Wijono, “Velocity measurement based on inertial measuring unit,” *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, vol. 17, no. 4, p. 1898, Aug. 2019. [Online]. Available: <http://telkomnika.uad.ac.id/index.php/TELKOMNIKA/article/view/11826>
- [52] J. A. Palacio-Fernández and E. G. Quintero, “Kalman filter applied to Thevenin’s modeling of a lead-acid battery,” *International Journal of Electrical and Computer Engineering (IJECE)*, vol. 12, no. 2, p. 1350, Apr. 2022. [Online]. Available: <http://ijece.iaescore.com/index.php/IJECE/article/view/23314>
- [53] R. Faragher, “Understanding the Basis of the Kalman Filter Via a Simple and Intuitive Derivation [Lecture Notes],” *IEEE Signal Processing Magazine*, vol. 29, no. 5, pp. 128–132, Sep. 2012. [Online]. Available: <http://ieeexplore.ieee.org/document/6279585/>
- [54] E. Wan and R. Van Der Merwe, “The unscented Kalman filter for nonlinear estimation,” in *Proceedings of the IEEE 2000 Adaptive Systems for Signal Processing, Communications, and Control Symposium (Cat. No.00EX373)*.

Lake Louise, Alta., Canada: IEEE, 2000, pp. 153–158. [Online].
Available: <http://ieeexplore.ieee.org/document/882463/>

[55] M. St-Pierre and D. Gingras, “Comparison between the unscented kalman filter and the extended kalman filter for the position estimation module of an integrated navigation information system,” in *IEEE Intelligent Vehicles Symposium, 2004*. Parma, Italy: IEEE, 2004, pp. 831–835. [Online].
Available: <http://ieeexplore.ieee.org/document/1336492/>

[56] J. Guo, S. Liu, and R. Zhu, “An unscented kalman filtering method for estimation of state-of-charge of lithium-ion battery,” *Frontiers in Energy Research*, vol. 10, p. 998002, Jan. 2023. [Online]. Available: <https://www.frontiersin.org/articles/10.3389/fenrg.2022.998002/full>