



DAFTAR PUSTAKA

- AlMangour, B., Kim, Y. K., Grzesiak, D., & Lee, K. A.,(2019),Novel TiB₂-reinforced 316L stainless steel nanocomposites with excellent room- and high-temperature yield strength developed by additive manufacturing,*Composites Part B: Engineering*, 156, 51–63.
<https://doi.org/10.1016/J.COMPOSITESB.2018.07.050>
- Aznarte, E., Ayrancı, C., & Qureshi, A. J.,(2017),*DIGITAL LIGHT PROCESSING (DLP): ANISOTROPIC TENSILE CONSIDERATIONS*.
- Bae, S. U., & Kim, B. J.,(2021),Effects of Cellulose Nanocrystal and Inorganic Nanofillers on the Morphological and Mechanical Properties of Digital Light Processing (DLP) 3D-Printed Photopolymer Composites,*Applied Sciences* 2021, Vol. 11, Page 6835, 11(15), 6835.
<https://doi.org/10.3390/APP11156835>
- Balakrishnan, M., Dinaharan, I., Kalaiselvan, K., & Palanivel, R.,(2020),Friction stir processing of Al₃Ni intermetallic particulate reinforced cast aluminum matrix composites: Microstructure and tensile properties,*Journal of Materials Research and Technology*, 9(3), 4356–4367.
<https://doi.org/10.1016/J.JMRT.2020.02.060>
- Ban, I., Stergar, J., & Maver, U.,(2018),NiCu magnetic nanoparticles: Review of synthesis methods, surface functionalization approaches, and biomedical applications,*Nanotechnology Reviews*, 7(2), 187–207.
https://doi.org/10.1515/NTREV-2017-0193/ASSET/GRAFIC/J_NTREV-2017-0193_CV_003.JPG
- Barbosa, A. Q., Da Silva, L. F. M., Banea, M. D., & Öchsner, A.,(2016),Methods to increase the toughness of structural adhesives with micro particles: An overview with focus on cork particles,*Materialwissenschaft und Werkstofftechnik*, 47(4), 307–325. <https://doi.org/10.1002/mawe.201600498>
- Bezek, L. B., Chatham, C. A., Dillard, D. A., & Williams, C. B.,(2022),Mechanical properties of tissue-mimicking composites formed by material jetting additive manufacturing,*Journal of the Mechanical Behavior of Biomedical Materials*, 125, 104938.
<https://doi.org/10.1016/J.JMBBM.2021.104938>
- Cao, Y., Shi, T., Jiao, C., Liang, H., Chen, R., Tian, Z., Zou, A., Yang, Y., Wei, Z., Wang, C., & Shen, L.,(2020),Fabrication and properties of zirconia/hydroxyapatite composite scaffold based on digital light processing,*Ceramics International*, 46(2), 2300–2308.
<https://doi.org/10.1016/J.CERAMINT.2019.09.219>



Chacón, J. M., Caminero, M. A., Núñez, P. J., García-Plaza, E., García-Moreno, I., & Reverte, J. M.,(2019),Additive manufacturing of continuous fibre reinforced thermoplastic composites using fused deposition modelling: Effect of process parameters on mechanical properties,*Composites Science and Technology*, 181, 107688.
<https://doi.org/10.1016/J.COMPSCITECH.2019.107688>

Chen, H., Pan, Y., Chen, B., Li, J., Gui, Z., Chen, J., Yan, H., Zeng, Y., & Chen, J.,(2023),Fabrication of porous aluminum ceramics beyond device resolution via stereolithography 3D printing,*Ceramics International*, 49(11), 18463–18469. <https://doi.org/10.1016/J.CERAMINT.2023.02.218>

Chen, Q., Juste, E., Lasgorceix, M., Petit, F., & Leriche, A.,(2022),Binder jetting process with ceramic powders: Influence of powder properties and printing parameters,*Open Ceramics*, 9, 100218.
<https://doi.org/10.1016/J.OCERAM.2022.100218>

Dander, J. E., & Garg, N. K.,(2017),Breaking Amides using Nickel Catalysis,*ACS catalysis*, 7(2), 1413. <https://doi.org/10.1021/ACSCATAL.6B03277>

Davoudinejad, A.,(2021),Vat photopolymerization methods in additive manufacturing,*Additive Manufacturing*, 159–181.
<https://doi.org/10.1016/B978-0-12-818411-0.00007-0>

DebRoy, T., Wei, H. L., Zuback, J. S., Mukherjee, T., Elmer, J. W., Milewski, J. O., Beese, A. M., Wilson-Heid, A., De, A., & Zhang, W.,(2018),Additive manufacturing of metallic components – Process, structure and properties,*Progress in Materials Science*, 92, 112–224.
<https://doi.org/10.1016/J.PMATS.2017.10.001>

Deletombe, E., Berthe, J., & Langrand, B.,(2015),*Experimental and Numerical Simulation Strategies for the Prediction of the Macroscopic Behavior and Rupture of Structural Materials under Fast Dynamic Loadings Development of an innovative test for the characterisation of anisotropic elasto-plastic material behaviour with the Virtual Field Method View project Future Sky Safety Programme View project*. <https://doi.org/10.12762/2015.AL09-04>

Della Bona, A., Cantelli, V., Britto, V. T., Collares, K. F., & Stansbury, J. W.,(2021),3D printing restorative materials using a stereolithographic technique: a systematic review,*Dental Materials*, 37(2), 336–350.
<https://doi.org/10.1016/J.DENTAL.2020.11.030>

Diegel, O.,(2014),Additive Manufacturing: An Overview,*Comprehensive Materials Processing*, 10, 3–18. <https://doi.org/10.1016/B978-0-08-096532-1.01000-1>



Ebrahimnezhad-Khaljiri, H., & Eslami-Farsani, R.,(2020),The tensile properties and interlaminar shear strength of microcapsules-glass fibers/epoxy self-healable composites,*Engineering Fracture Mechanics*, 230. <https://doi.org/10.1016/j.engfracmech.2020.106937>

Elkaseer, A., Chen, K. J., Janhsen, J. C., Refle, O., Hagenmeyer, V., & Scholz, S. G.,(2022),Material jetting for advanced applications: A state-of-the-art review, gaps and future directions,*Additive Manufacturing*, 60, 103270. <https://doi.org/10.1016/J.ADDMA.2022.103270>

Esposito Corcione, C., Gervaso, F., Scalera, F., Padmanabhan, S. K., Madaghiele, M., Montagna, F., Sannino, A., Licciulli, A., & Maffezzoli, A.,(2019),Highly loaded hydroxyapatite microsphere/ PLA porous scaffolds obtained by fused deposition modelling,*Ceramics International*, 45(2), 2803–2810. <https://doi.org/10.1016/J.CERAMINT.2018.07.297>

Evganii, T., Valerie, L., Michelle, Å., Nicole, D. G., Maria, S., Thomas, K., Julian, Q., & Jonas, L.,(2023),Impact of polymer chemistry on critical quality attributes of selective laser sintering 3D printed solid oral dosage forms,*International Journal of Pharmaceutics*: X, 6, 100203. <https://doi.org/10.1016/J.IJPX.2023.100203>

Gan, X., Wang, J., Wang, Z., Zheng, Z., Lavorgna, M., Ronca, A., Fei, G., & Xia, H.,(2019),Simultaneous realization of conductive segregation network microstructure and minimal surface porous macrostructure by SLS 3D printing,*Materials & Design*, 178, 107874. <https://doi.org/10.1016/J.MATDES.2019.107874>

Gong, H., Snelling, D., Kardel, K., & Carrano, A.,(2019),Comparison of Stainless Steel 316L Parts Made by FDM- and SLM-Based Additive Manufacturing Processes,*JOM*, 71(3), 880–885. <https://doi.org/10.1007/S11837-018-3207-3/TABLES/2>

Gong, M., Wang, D. Y., Chen, C. C., Hwang, B. J., & Dai, H.,(2016),A mini review on nickel-based electrocatalysts for alkaline hydrogen evolution reaction,*Nano Research*, 9(1), 28–46. <https://doi.org/10.1007/S12274-015-0965-X>

Gorgizadeh, M., Azarpira, N., Lotfi, M., Daneshvar, F., Salehi, F., & Sattarahmady, N.,(2019),Sonodynamic cancer therapy by a nickel ferrite/carbon nanocomposite on melanoma tumor: In vitro and in vivo studies,*Photodiagnosis and photodynamic therapy*, 27, 27–33. <https://doi.org/10.1016/J.PDPDT.2019.05.023>

Han, J., Wu, J., Xiang, X., Xie, L., Chen, R., Li, L., Ma, K., Sun, Q., Yang, R., Huang, T., Tong, L., Zhu, L., Wang, H., Wen, C., Zhao, Y., & Wang,



J.,(2023),Biodegradable BBG/PCL composite scaffolds fabricated by selective laser sintering for directed regeneration of critical-sized bone defects,*Materials & Design*, 225, 111543.
<https://doi.org/10.1016/J.MATDES.2022.111543>

Hayat, M. D., Singh, H., He, Z., & Cao, P.,(2019),Titanium metal matrix composites: An overview,*Composites Part A: Applied Science and Manufacturing*, 121, 418–438.
<https://doi.org/10.1016/J.COMPOSITESA.2019.04.005>

Hornbeck, L. J.,(1996),Digital light processing and MEMS: an overview,*LEOS Summer Topical Meeting*. <https://doi.org/10.1109/LEOSST.1996.540770>

Hosseini, S. A., Saber-Samandari, S., & Maleki Moghadam, R.,(2017),Multiscale modeling of interface debonding effect on mechanical properties of nanocomposites,*Polymer Composites*, 38(4), 789–796.
<https://doi.org/10.1002/pc.23639>

Hsieh, Y. Y., Zhang, Y., Zhang, L., Fang, Y., Kanakaraaj, S. N., Bahk, J. H., & Shanov, V.,(2019),High thermoelectric power-factor composites based on flexible three-dimensional graphene and polyaniline,*Nanoscale*, 11(14), 6552–6560. <https://doi.org/10.1039/C8NR10537E>

Jaiswal, A., Rani, S., Singh, G. P., Saxena, S., & Shukla, S.,(2021),Two-photon lithography of subwavelength plasmonic microstructures in metal-polymer composite resin,*Materials Letters*, 304.
<https://doi.org/10.1016/j.matlet.2021.130642>

Jia, F., Li, G., Yang, B., Yu, B., Shen, Y., & Cong, H.,(2019),Investigation of rare earth upconversion fluorescent nanoparticles in biomedical field,*Nanotechnology Reviews*, 8(1), 1–17. https://doi.org/10.1515/NTREV-2019-0001/ASSET/GRAPHIC/J_NTREV-2019-0001 FIG_015.JPG

Jiao, Y., Huang, Z., Hu, W., Li, X., Yu, Q., Wang, Y., Zhou, Y., & Dastan, D.,(2021),In-situ hybrid Cr₃C₂ and γ'-Ni₃(Al, Cr) strengthened Ni matrix composites: Microstructure and enhanced properties,*Materials Science and Engineering: A*, 820, 141524. <https://doi.org/10.1016/J.MSEA.2021.141524>

Jin, L., Zhao, X., Qian, X., & Dong, M.,(2018),Nickel nanoparticles encapsulated in porous carbon and carbon nanotube hybrids from bimetallic metal-organic-frameworks for highly efficient adsorption of dyes,*Journal of colloid and interface science*, 509, 245–253.
<https://doi.org/10.1016/J.JCIS.2017.09.002>

Krishnapriya, R., Praneetha, S., & Vadivel Murugan, A.,(2017),Microwave-solvothermal synthesis of various TiO₂ nano-morphologies with enhanced efficiency by incorporating Ni nanoparticles in an electrolyte for dye-



sensitized solar cells, *Inorganic Chemistry Frontiers*, 4(10), 1665–1678.
<https://doi.org/10.1039/C7QI00329C>

Kumar Pittala, R., Dhanaraju, G., Satish Ben, B., & Avinash Ben, B., (2022), Self-healing of matrix cracking and delamination damage assessment in microcapsules reinforced carbon fibre epoxy composite under flexural loading, *Composite Structures*, 291. <https://doi.org/10.1016/j.compstruct.2022.115691>

Kumari, S., Mondal, P., & Chatterjee, K., (2022), Digital light processing-based 3D bioprinting of κ-carrageenan hydrogels for engineering cell-loaded tissue scaffolds, *Carbohydrate Polymers*, 290, 119508. <https://doi.org/10.1016/J.CARBPOL.2022.119508>

Leary, M., (2020), Introduction to AM, *Design for Additive Manufacturing*, 1–6. <https://doi.org/10.1016/B978-0-12-816721-2.00001-4>

Li, J., Tong, Y., Guan, L., Wu, S., & Li, D., (2019), A turbidity compensation method for COD measurements by UV-vis spectroscopy, *Optik*, 186, 129–136. <https://doi.org/10.1016/j.ijleo.2019.04.096>

Li, M., Huang, J., Fang, A., Mansoor, B., Pei, Z., & Ma, C., (2021), Binder jetting additive manufacturing of copper/diamond composites: An experimental study, *Journal of Manufacturing Processes*, 70, 205–213. <https://doi.org/10.1016/J.JMAPRO.2021.08.041>

Li, Y., Li, C., Zhang, X., Wang, Y., Tan, Y., Chang, S., Chen, Z., Fu, G., Kou, Z., Stefan, A., Xu, X., & Ding, J., (2022), Incorporating Metal Precursors towards a Library of High-resolution Metal Parts by Stereolithography, *Applied Materials Today*, 29. <https://doi.org/10.1016/j.apmt.2022.101553>

Li, Z., Sui, S., Ma, X., Tan, H., Zhong, C., Bi, G., Clare, A. T., Gasser, A., & Chen, J., (2022), High deposition rate powder- and wire-based laser directed energy deposition of metallic materials: A review, *International Journal of Machine Tools and Manufacture*, 181, 103942. <https://doi.org/10.1016/J.IJMACHTOOLS.2022.103942>

Liu, S., Mo, L., Bi, G., Chen, S., Yan, D., Yang, J., Jia, Y. G., & Ren, L., (2021), DLP 3D printing porous β-tricalcium phosphate scaffold by the use of acrylate/ceramic composite slurry, *Ceramics International*, 47(15), 21108–21116. <https://doi.org/10.1016/J.CERAMINT.2021.04.114>

Liu, Z., Lei, Q., & Xing, S., (2019), Mechanical characteristics of wood, ceramic, metal and carbon fiber-based PLA composites fabricated by FDM, *Journal of Materials Research and Technology*, 8(5), 3741–3751. <https://doi.org/10.1016/J.JMRT.2019.06.034>



Mora, S., Pugno, N. M., & Misseroni, D.,(2022),3D printed architected lattice structures by material jetting,*Materials Today*, 59, 107–132.
<https://doi.org/10.1016/J.MATTOD.2022.05.008>

Mostafaei, A., Elliott, A. M., Barnes, J. E., Li, F., Tan, W., Cramer, C. L., Nandwana, P., & Chmielus, M.,(2021),Binder jet 3D printing—Process parameters, materials, properties, modeling, and challenges,Dalam *Progress in Materials Science* (Vol. 119),Elsevier Ltd.
<https://doi.org/10.1016/j.pmatsci.2020.100707>

Mushtaq, F., Zhang, X., Fung, K. Y., & Ng, K. M.,(2020),Product design: An optimization-based approach for targeting of particulate composite microstructure,*Computers & Chemical Engineering*, 140, 106975.
<https://doi.org/10.1016/J.COMPCHEMENG.2020.106975>

Ostovari Moghaddam, A., Shaburova, N. A., Samodurova, M. N., Abdollahzadeh, A., & Trofimov, E. A.,(2021),Additive manufacturing of high entropy alloys: A practical review,*Journal of Materials Science & Technology*, 77, 131–162.
<https://doi.org/10.1016/J.JMST.2020.11.029>

Peng, X., Kuang, X., Roach, D. J., Wang, Y., Hamel, C. M., Lu, C., & Qi, H. J.,(2021),Integrating digital light processing with direct ink writing for hybrid 3D printing of functional structures and devices,*Additive Manufacturing*, 40, 101911. <https://doi.org/10.1016/J.ADDMA.2021.101911>

Podgórski, R., Wojasiński, M., Trepkowska-Mejer, E., & Ciach, T.,(2023),A simple and fast method for screening production of polymer-ceramic filaments for bone implant printing using commercial fused deposition modelling 3D printers,*Biomaterials Advances*, 146, 213317.
<https://doi.org/10.1016/J.BIOADV.2023.213317>

Postolache, O., Girao, P., Pereira, M., & Ramos, H.,(2003),*An IR turbidity sensor: design and application [virtual instrument]*,535–539.
<https://doi.org/10.1109/imtc.2002.1006899>

Radhakrishnan, J., Kumar, P., Gan, S. S., Bryl, A., McKinnell, J., & Ramamurty, U.,(2023),Fatigue resistance of the binder jet printed 17-4 precipitation hardened martensitic stainless steel,*Materials Science and Engineering: A*, 865, 144451. <https://doi.org/10.1016/J.MSEA.2022.144451>

Ramesh, M., Kumar, D., & Kumar, A.,(2023),Experimental study on the effect of age hardening and graphite particulate on the microstructure of aluminium metal matrix composites,*Materials Today: Proceedings*.
<https://doi.org/10.1016/J.MATPR.2023.02.383>

Roumanie, M., Flassayer, C., Resch, A., Cortella, L., & Laucournet, R.,(2021),Influence of debinding and sintering conditions on the composition



and thermal conductivity of copper parts printed from highly loaded photocurable formulations,*SN Applied Sciences*, 3(1). <https://doi.org/10.1007/s42452-020-04049-3>

Santos, J. P. J. R., Correia, D. S., Marques, E. A. S., Carbas, R. J. C., Gilbert, F., & da Silva, L. F. M., (2022), Characterization of the Effect of Hollow Glass Beads on the Mechanical Properties of Structural Adhesives, *Materials*, 15(11). <https://doi.org/10.3390/ma15113817>

Shi, Y., Yan, C., Zhou, Y., Wu, J., Wang, Y., Yu, S., & Chen, Y., (2021), Materials for four-dimensional printing, *Materials for Additive Manufacturing*, 679–739. <https://doi.org/10.1016/B978-0-12-819302-0.00008-0>

Simonsen, G., Strand, M., & Øye, G., (2018), Potential applications of magnetic nanoparticles within separation in the petroleum industry, 488–495, 165, 488–495. <https://doi.org/10.1016/J.PETROL.2018.02.048>

Song, S. Y., Park, M. S., Lee, D., Lee, J. W., & Yun, J. S., (2019), Optimization and characterization of high-viscosity ZrO₂ ceramic nanocomposite resins for supportless stereolithography, *Materials and Design*, 180. <https://doi.org/10.1016/j.matdes.2019.107960>

Stiuso, V., Minetola, P., Giubilini, A., Fontana, L., Singh Khandpur, M., Rifuggiato, S., & Marchiandi, G., (2022), Benchmarking analysis of digital light processing resins in terms of dimensional accuracy and geometric tolerances, *Materials Today: Proceedings*, 62(P12), 6654–6662. <https://doi.org/10.1016/J.MATPR.2022.04.658>

Stögerer, J., Baumgartner, S., Rath, T., & Stampfl, J., (2022), Analysis of the mechanical anisotropy of stereolithographic 3D printed polymer composites, <https://doi.org/10.1080/26889277.2022.2035196>, 2(1), 12–32. <https://doi.org/10.1080/26889277.2022.2035196>

Sun, K., Li, F., Rong, C., & Zuo, L., (2022), Direct energy deposition applied to soft magnetic material additive manufacturing, *Journal of Manufacturing Processes*, 84, 162–173. <https://doi.org/10.1016/J.JMAPRO.2022.10.004>

Tang, J., Chang, H., Guo, X., Liu, M., Wei, Y., Huang, Z., & Yang, Y., (2022), Preparation of photosensitive SiO₂/SiC ceramic slurry with high solid content for stereolithography, *Ceramics International*, 48(20), 30332–30337. <https://doi.org/10.1016/J.CERAMINT.2022.06.306>

Tempelman, E., Shercliff, H., & van Eyben, B. N., (2014), Additive Manufacturing, *Manufacturing and Design*, 187–200. <https://doi.org/10.1016/B978-0-08-099922-7.00011-1>



- Valino, A. D., Dizon, J. R. C., Espera, A. H., Chen, Q., Messman, J., & Advincula, R. C.,(2019),Advances in 3D printing of thermoplastic polymer composites and nanocomposites,*Progress in Polymer Science*, 98, 101162. <https://doi.org/10.1016/J.PROGPOLYMSCL.2019.101162>
- Wang, J., & Papadopoulos, P.,(2021),Coupled thermomechanical analysis of fused deposition using the finite element method,*Finite Elements in Analysis and Design*, 197, 103607. <https://doi.org/10.1016/J.FINEL.2021.103607>
- Wang, P., Zou, B., Ding, S., Huang, C., Shi, Z., Ma, Y., & Yao, P.,(2020),Preparation of short CF/GF reinforced PEEK composite filaments and their comprehensive properties evaluation for FDM-3D printing,*Composites Part B: Engineering*, 198, 108175. <https://doi.org/10.1016/J.COMPOSITESB.2020.108175>
- Wang, Q., Wu, X., Huang, J., Chen, S., Zhang, Y., Dong, C., Chen, G., Wang, L., & Guan, H.,(2022),Enhanced microwave absorption of biomass carbon/nickel/polypyrrole (C/Ni/PPy) ternary composites through the synergistic effects,*Journal of Alloys and Compounds*, 890, 161887. <https://doi.org/10.1016/J.JALCOM.2021.161887>
- Woodard, A., Xu, L., Alvarez Barragan, A., Nava, G., Wong, B. M., Mangolini, L., Woodard, -----a, Barragan, A., Nava, G., Mangolini, L., Xu, L., & Wong, B. M.,(2017),*On the non-thermal plasma synthesis of nickel nanoparticles; On the non-thermal plasma synthesis of nickel nanoparticles.* <https://doi.org/10.1002/ppap.201700104>
- Wu, Z., Shi, C., Li, Y., Chen, A., Chen, L., & Su, B.,(2023),Abrasion-resistant superhydrophilic objects with anisotropic water transport capacities prepared by a selective laser sintering 3D printing strategy,*Chemical Engineering Journal*, 464, 142778. <https://doi.org/10.1016/J.CEJ.2023.142778>
- Xiao, J., Zhang, D., Zheng, M., Bai, Y., Sun, Y., Zhang, L., Guo, Q., & Yang, J.,(2022),3D printing of metallic structures using dopamine-integrated photopolymer,*Journal of Materials Research and Technology*, 19, 1355–1366. <https://doi.org/10.1016/j.jmrt.2022.05.009>
- Yang, Y., Zhang, D., Fan, J., Liao, Y., & Xiang, Q.,(2021),Construction of an Ultrathin S-Scheme Heterojunction Based on Few-Layer g-C3N4 and Monolayer Ti3C2Tx MXene for Photocatalytic CO2 Reduction,*Solar RRL*, 5(2), 2000351. <https://doi.org/10.1002/SOLR.202000351>
- Yeh, C. C., & Chen, Y. F.,(2018),Critical success factors for adoption of 3D printing,*Technological Forecasting and Social Change*, 132, 209–216. <https://doi.org/10.1016/j.techfore.2018.02.003>



Yeung, L. Y., & Subburaj, K.,(2023),3D-printed orthotics for pediatric lower limb deformities correction,*3D Printing in Podiatric Medicine*, 51–81.
<https://doi.org/10.1016/B978-0-323-91911-1.00003-1>

Yu, B., Zheng, J., Wu, J., Ma, H., Zhou, X., Hui, Y., Liu, F., & He, J.,(2022),Preparation of isotropic tensile photosensitive resins for digital light processing 3D printing using orthogonal thiol-ene and thiol-epoxy dual-cured strategies,*Polymer Testing*, 116.
<https://doi.org/10.1016/j.polymertesting.2022.107767>

Zahrouni, A., Bendaoued, A., & Salhi, R.,(2021),Effect of sol-gel derived TiO₂ nanopowders on the mechanical and structural properties of a polymer matrix nanocomposites developed by vacuum-assisted resin transfer molding (VARTM),*Ceramics International*, 47(7), 9755–9762.
<https://doi.org/10.1016/j.ceramint.2020.12.115>

Zhakeyev, A., Abdulrhman, M., Zhang, Y., Li, F., Chen, G., & Marques-Hueso, J.,(2023),Upconversion 3D printing enables single-immersion multi-material stereolithography,*Applied Materials Today*, 32, 101854.
<https://doi.org/10.1016/J.APMT.2023.101854>

Zhang, G., Li, J., Zhang, G., & Zhao, L.,(2015),Room-Temperature Synthesis of Ni Nanoparticles as the Absorbent Used for Sewage Treatment,*Advances in Materials Science and Engineering*, 2015.
<https://doi.org/10.1155/2015/973648>

Zhang, H., Hui, J., Jingxiang Lv, Lee, C. H., Yan, Z., Wang, J. jie, Guo, L., & Xu, Z.,(2023),A novel method to combine fused deposition modelling and inkjet printing in manufacturing multifunctional parts for aerospace application,*Journal of Materials Research and Technology*, 24, 4405–4426.
<https://doi.org/10.1016/J.JMRT.2023.04.059>

Zhang, Y., Li, S., Zhao, Y., Duan, W., Liu, B., Wang, T., & Wang, G.,(2021),Digital light processing 3D printing of AlSi10Mg powder modified by surface coating,*Additive Manufacturing*, 39, 101897.
<https://doi.org/10.1016/J.ADDMA.2021.101897>

Zheng, T., Wang, W., Sun, J., Liu, J., & Bai, J.,(2020),Development and evaluation of Al₂O₃–ZrO₂ composite processed by digital light 3D printing,*Ceramics International*, 46(7), 8682–8688.
<https://doi.org/10.1016/J.CERAMINT.2019.12.102>

Zhou, Y., & Ning, F.,(2022),A Feasibility Study on Directed Energy Deposition of SS 316L with Coaxial Wire-powder Feeding,*Manufacturing Letters*, 33, 686–691. <https://doi.org/10.1016/J.MFGLET.2022.07.085>