



## DAFTAR PUSTAKA

- [1] “Live Chart Of Nuclides.” IAEA. [Online]. Available: <https://www-nds.iaea.org/relnsd/vcharthtml/VChartHTML.html>
- [2] M. Caccin, F. Giacobbo, M. Da Ros, L. Besozzi, and M. Mariani, “Adsorption of uranium, cesium and strontium onto coconut shell activated carbon,” *J. Radioanal. Nucl. Chem.*, vol. 297, no. 1, pp. 9–18, Jul. 2013, doi: 10.1007/s10967-012-2305-x.
- [3] “Radionuclide Basics: Strontium-90.” United States Environmental Protection Agency. Accessed: May 03, 2023. [Online]. Available: <https://www.epa.gov/radiation/radionuclide-basics-strontium-90#:~:text=Strontium%2D90%20was%20widely%20dispersed,Sr%2D90%20into%20the%20environment>
- [4] S. R. H. Vanderheyden *et al.*, “Adsorption of cesium on different types of activated carbon,” *J. Radioanal. Nucl. Chem.*, vol. 310, no. 1, pp. 301–310, Oct. 2016, doi: 10.1007/s10967-016-4807-4.
- [5] Muhammad Luqman Hakim, “Analisis Kemampuan Arang Aktif Berbahan Baku Tempurung Kelapa Sebagai Penjerap Strontium,” Universitas Gadjah Mada, Yogyakarta, 2014.
- [6] N. Nurhasni, F. Firdiyono, and Q. Sya’ban, “Penyerapan Ion Aluminium dan Besi dalam Larutan Sodium Silikat Menggunakan Karbon aktif,” *J. Kim. Val.*, vol. 2, no. 4, May 2012, doi: 10.15408/jkv.v2i4.269.
- [7] K. T. Basuki, M. Fatuzzahroh, D. Ariyanti, and A. Saputra, “Adsorption of Strontium from an Aqueous Solution by TiO<sub>2</sub>-Pillared Zeolite,” *Int. J. Technol.*, vol. 12, no. 3, p. 625, Jul. 2021, doi: 10.14716/ijtech.v12i3.4376.
- [8] “Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 7 Tahun 2017.” BAPETEN, 2017.
- [9] M. I. Ojovan and W. E. Lee, “Introduction to Immobilisation,” in *An Introduction to Nuclear Waste Immobilisation*, Elsevier, 2014, pp. 1–6. doi: 10.1016/B978-0-08-099392-8.00001-2.
- [10] “General Safety Guide No. GSG-1.” International Atomic Energy Agency, 2009.
- [11] S. H. Putero, “Materi Klasifikasi & Sumber Limbah (Pengelolaan & Pengolahan Limbah Radioaktif).”
- [12] “Management of Radioactive Waste from the Mining and Milling of Ores, Safety Guide No. WS-G-1.2.” International Atomic Energy Agency.
- [13] S. K. Sahoo *et al.*, “Strontium-90 activity concentration in soil samples from the exclusion zone of the Fukushima daiichi nuclear power plant,” *Sci. Rep.*, vol. 6, no. 1, p. 23925, Apr. 2016, doi: 10.1038/srep23925.
- [14] “PERATURAN KEPALA BADAN PENGAWAS TENAGA NUKLIR NOMOR 4 TAHUN 2013 TENTANG PROTEKSI DAN KESELAMATAN RADIASIDALAM PEMANFAATAN TENAGA NUKLIR.” BAPETEN, 2013.





- [15] X. Song *et al.*, “Carbon sequestration by Chinese bamboo forests and their ecological benefits: assessment of potential, problems, and future challenges,” *Environ. Rev.*, vol. 19, no. NA, pp. 418–428, Dec. 2011, doi: 10.1139/a11-015.
- [16] K. N. A. Ku Aizuddin *et al.*, “Bamboo for biomass energy production,” *BioResources*, vol. 18, no. 1, Dec. 2022, doi: 10.15376/biores.18.1.Aizuddin.
- [17] S. Khandaker, Y. Toyohara, S. Kamida, and T. Kuba, “Adsorptive removal of cesium from aqueous solution using oxidized bamboo charcoal,” *Water Resour. Ind.*, vol. 19, pp. 35–46, Jun. 2018, doi: 10.1016/j.wri.2018.01.001.
- [18] S. Darmawan, “Sifat Arang Aktif Tempurung Kemiri dan Pemanfaatannya Sebagai Penyerap Emisi Formaldehida Papan Serat Berkerapatan Sedang,” Institut Pertanian Bogor, Bogor: Sekolah Pasca Sarjana, 2008.
- [19] D. H. Sukarno, “Pengaruh pH dan Suhu Umpan Pada Proses Adsorpsi I-131 dan P-32 dari larutan dengan Menggunakan Karbon Aktif Tempurung Kelapa,” Skripsi, Jurusan Teknik Fisika, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta, 2003.
- [20] M. T. Sembiring and T. S. Sinaga, “Arang Aktif (Pengenalan dan Proses Pembuatannya).” Universitas Sumatera Utara, Oct. 16, 2003. [Online]. Available: <http://repository.usu.ac.id/handle/123456789/1443>
- [21] Y. Fan, B. Wang, S. Yuan, X. Wu, J. Chen, and L. Wang, “Adsorptive removal of chloramphenicol from wastewater by NaOH modified bamboo charcoal,” *Bioresour. Technol.*, vol. 101, no. 19, pp. 7661–7664, Oct. 2010, doi: 10.1016/j.biortech.2010.04.046.
- [22] S. M. Manocha, “Porous carbons,” *Sadhana*, vol. 28, no. 1–2, pp. 335–348, Feb. 2003, doi: 10.1007/BF02717142.
- [23] H. Jankowska, A. Świątkowski, and J. Choma, *Active Carbon*. West Sussex, England: Ellis Horwood Series in Physical Chemistry, 1991.
- [24] S. Oko, Mustafa, A. Kurniawan, and E. S. B. Palulun, “Pengaruh Suhu dan Konsentrasi Aktivator HCl terhadap Karakteristik Karbon Aktif dari Ampas Kopi,” *Metana*, vol. 17, pp. 15–21, May 2021, doi: 10.14710/metana.v17i1.37702.
- [25] S. Haryati, A. T. Yulhan, and L. Asparia, “PEMBUATAN KARBON AKTIF DARI KULIT KAYU GELAM (Melaleuca leucadendron) YANG BERASAL DARI TANJUNG API-API SUMATERA SELATAN,” *J. Tek. Kim.*, vol. 23, no. 2, pp. 77–86, Apr. 2017.
- [26] D. A. Skoog, F. J. Holler, and S. R. Crouch, *Principles of Instrumental Analysis*, 7th ed.
- [27] A. S. Thomareis and G. Dimitreli, “Techniques used for processed cheese characterization,” in *Processed Cheese Science and Technology*, Elsevier, 2022, pp. 295–349. doi: 10.1016/B978-0-12-821445-9.00007-8.
- [28] R. Eyjolfsson, *Design and manufacture of pharmaceutical tablets*. London, England: AP, 2015.
- [29] A. H. Jawad, R. A. Rashid, M. A. M. Ishak, and L. D. Wilson, “Adsorption of methylene blue onto activated carbon developed from biomass waste by H<sub>2</sub>SO<sub>4</sub> activation: kinetic, equilibrium and thermodynamic





studies," *Desalination Water Treat.*, vol. 57, no. 52, pp. 25194–25206, Nov. 2016, doi: 10.1080/19443994.2016.1144534.

- [30] P. Su, J. Zhang, J. Tang, and C. Zhang, "Preparation of nitric acid modified powder activated carbon to remove trace amount of Ni(II) in aqueous solution," *Water Sci. Technol.*, vol. 80, no. 1, pp. 86–97, Jul. 2019, doi: 10.2166/wst.2019.248.
- [31] S. Wong, Y. Lee, N. Ngadi, I. M. Inuwa, and N. B. Mohamed, "Synthesis of activated carbon from spent tea leaves for aspirin removal," *Chin. J. Chem. Eng.*, vol. 26, no. 5, pp. 1003–1011, May 2018, doi: 10.1016/j.cjche.2017.11.004.
- [32] T. P. Valsala *et al.*, "Separation of strontium from low level radioactive waste solutions using hydrous manganese dioxide composite materials," *J. Nucl. Mater.*, vol. 404, no. 2, pp. 138–143, Sep. 2010, doi: 10.1016/j.jnucmat.2010.07.017.
- [33] E. Kaçan and C. Kütahyali, "Adsorption of strontium from aqueous solution using activated carbon produced from textile sewage sludges," *J. Anal. Appl. Pyrolysis*, vol. 97, pp. 149–157, Sep. 2012, doi: 10.1016/j.jaap.2012.06.006.
- [34] C. Kütahyali and M. Eral, "Sorption studies of uranium and thorium on activated carbon prepared from olive stones: Kinetic and thermodynamic aspects," *J. Nucl. Mater.*, vol. 396, no. 2–3, pp. 251–256, Jan. 2010, doi: 10.1016/j.jnucmat.2009.11.018.
- [35] Suhartana, "Pemanfaatan Tempurung Kelapa Sebagai Bahan Baku Arang Aktif dan Aplikasinya Untuk Penjernihan Air Sumur di Desa Belor Kecamatan Ngaringan Kabupaten Grobogan," *Berk. Fis.*, vol. 9, no. 3, pp. 151–156, Apr. 2012.
- [36] S. Yusup and S. Erenturk, "Adsorption Characterization of Strontium on PAN/Zeolite Composite Adsorbent," *World J. Nucl. Sci. Technol.*, vol. 01, no. 01, pp. 6–12, 2011, doi: 10.4236/wjnst.2011.11002.
- [37] D. Song, S.-J. Park, H. W. Kang, S. B. Park, and J.-I. Han, "Recovery of Lithium(I), Strontium(II), and Lanthanum(III) Using Ca-Alginate Beads," *J. Chem. Eng. Data*, vol. 58, no. 9, pp. 2455–2464, Sep. 2013, doi: 10.1021/je400317v.

