

BAB VI. DAFTAR PUSTAKA

- Adams, L.G., 2013, *How I treat anorexia in cats with chronic kidney disease*, World Small Animal Veterinary Assoc Congress Proc. Purdue University, West Lafayette, USA.
- Adrian, P.Y., Rochelle, H.D., Ybañez1, R.R., Villavelez, H.P.F., Malingin, D.N., Sharmaine, V.N., 2016, Retrospective analyses of dogs found serologically positive for Ehrlichia canis in Cebu, Philippines from 2003 to 2014, *Vet. World*. 9:43-47.
- Akmal, M., Telfer N., Ansari, A.N., Massry, S.G., 1985, Erythrocyte survival in chronic renal failure, Role of secondary hyperparathyroidism, *J Clin Invest*; 76. 65– 72.
- Akredolu, A.B., Sowemimo, O.A, 2014. Prevalence, intensity and associated risk factors for Toxocara canis infection in Nigerian dogs, *J Parasitol Vector Biol*, 6(8): 111-116.
- Anders, H-J. 2010. Toll-like receptors and danger signaling in kidney injury. *J Am Soc Nephrol*, 21: 1270–1274.
- Anders, H-J., Ryu, M. 2011. Renal microenvironments and macrophage phenotypes determine progression or resolution of renal inflammation and fibrosis. *Kidney Int*, 80: 915–925.
- Arzi, B., Anderson, J.G., Verstraete, F.J.M., 2008, Oral manifestations of systemic disorders in dogs and cats, *Journal of Veterinary Clinical Science*, 1 : 112–124.
- Bartges JW. *Chronic Kidney Disease in Dogs and Cats. Veterinary Clinics of North America: Small Animal Practice*. 42 :669-692.
- Bartges, J.W., 2012, Chronic Kidney Disease in Dogs and Cats, *Veterinary Clinics of North America, Small Animal Practice*. 42: 669-692.
- Bartlett, P.C., Van Buren, J.W., Bartlett, A.D., Zhou, C., 2010, *Case control study of risk factors associated with feline and canine chronic kidney disease*, *Veterinary Medicine International*, 20: 1-9.
- Behrman, K., 2000. *Ilmu Kesehatan Anak*, Edisi 5, Jakarta, EGC.
- Bhadesiya, C.M., Raval, S.K., 2015, Hematobiochemical changes in ehrlichiosis in dogs of Anand region Gujarat, *Vet World*, 8:713-717.



- Binder, H.J., Reuben, A., 2009, Nutrient Digestion and Absorption. *Medical Physiology A Cellular and Molecular Approach*. Edisi ke-2. Kanada.,Saunders, 973-974.
- Bindroo, S., Hima J.C., 2018, NCBI Bookshelf, *A service of the National Library of Medicine, National Institutes of Health, Renal Failure*.
- Brancaccio, D., Cozzolino, M., Gallieni, M., 2004, Hyperparathyroidism and anemia in uremic subjects: a combined therapeutic approach, *J Am Soc Nephrol*, 15. 21– 41.
- Brown , C.A., Elliott, J., Schmiedt, C.W., 2016, Chronic kidney disease in aged cats: Clinical features, morphology, and proposed pathogeneses, *Vet Pathol*, 53: 309–326.
- Brown, S.A., Brown, C.A., Crowell, W.A., Barsanti, J.A., Kang, C.W., Allen, T., Cowell, C., Finco, D.R., 2000, Effects of dietary polyunsaturated fatty acid supplementation in early renal insufficiency in dogs, *J Lab Clin Med*, 135. 275-286.
- Campbell, N.A., B.R. Jane, G.M. Lawrence, 2000, *Biologi Jilid 1*, Edisi Kelima, Penerbit Erlangga, Jakarta.
- Car, B.D., 2001, *Schalm's Veterinary Hematolog*, New York: McGraw-Hill. 271—288.
- Castro, M. B., Machado, R. Z., Aquino, L. P., Alessi, A. C., Costa, M. T., 2004, Experimental acute canine monocytic ehrlichiosis: clinicopathological and immunopathological findings. Amsterdam, *Veterinary Parasitol*, 115. 73-86.
- Center, S.A., Wilkinson, E., Smith, C.A., Erb, H. and Lewis, R.M., 1985, 24-Hour urine protein/creatinine ratio in dogs with protein-losing nephropathies, *J Am Vet Med Assoc* 187:820–824.
- Chan, S., Au, K., Francis, R.S., Mudge, D.W., Johnson, D.W., Pillans, P.I., 2017, Phosphate binders in patients with chronic kidney disease, *J Australian Prescriber*, 40. 9-14.
- Chandler, M.L., Elwood. C., Murphy, K.F., Gajanayake, I. and Syme, H.M., 2007, Juvenile nephropathy in 37 boxer dogs, *J Small Anim Pract.* 12. 690-694.
- Chaudhary, S., Chaudhary, S., Paudel, S. K., 2020, Estimation of normal kidney length in clinically healthy adult mongrel dogs using ultrasonography, *International Journal of Veterinary Sciences and Animal Husbandry*, 5.

119–123. Available at:
<https://www.researchgate.net/publication/340309579>.

- Chew, D.J., 2015, Chronic Kidney Disease (CKD) in Dogs & Cats - Staging and Management Strategies, A Presentation to the Virginia Veterinary Medical Association, *Virginia Veterinary Conference* : 1 – 22.
- Codner, E. C., Cacei, T., Saunders, G. K., Smith, C. A., Robertson, J. L., Martin, R. A., Troy, G. C., 1992, Investigation of glomerular lesions in dogs with acute experimentally induced Ehrlichia canis infection, *American Journal of Veterinary Research*, Chicago, 12. 2286-2291.
- Corbin, A.R., Blois, S.L., Kruth, S.A., Abrams-Ogg, A.C.G., Dewey, C., 2013, Biomarkers in the assessment of acute and chronic kidney diseases in the dog and cat, *Journal of Small Animal Practice*. 54. 647-655.
- Crivellenti, L. Z., Silva, G. E. B., Borin, S., Dantas, M., Adin, C. A., Cianciolo, R., Santana, A. E., 2015, *Glomerulopathies in dogs with ehrlichiosis - preliminary results*. In: Conference World Small Animal Veterinary Association - WSAVA, 40th, Bangkok.
- Crocquet-Valdes, P.A., Thirumalapura, N.R., Ismail, N., Yu, X., Saito, T.B., Stevenson, H.L., 2011, Immunization with Ehrlichia P28 outer membrane proteins confers protection in a mouse model of ehrlichiosis. *Clin Vac Immunol*, 18. 2018–25. doi: 10.1128/cvi.05292-11
- D’Anjou, M.A., Penninck, D., 2015, *Atlas of Small Animal Ultrasonography 2nd ed*, Oxford: Wiley Backwell, 331–362.
- Despopoulos, A., Silbernagl, S., 2023, Color Atlas of Physiology 5th edition, Thieme Flexibook: New York.
- Dhankar, S., Sharma, R.D., Jindal, N., 2011, Epidemiological observations on canine ehrlichiosis in Haryana and Delhi states, *Haryana Vet*, 50. 9-14.
- Dipiro, J.T., Talber, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M., 2008, *Pharmacotherapy: A Pathophysiologic Approach 7 th Edition*, USA: McGraw- Hill. 363.
- Dixit, A.K., Dixit, P., Shukla, P.C., 2012, Canine Monocytic Ehrlichiosis and its therapeutic management in a dog. *Intas Polivet*, 1.140-141.
- Dokuzeylul, B., Kayar, M.E.A., 2016, Prevalence of systemic disorders in cats with oral lesions, *Veterinarni Medicina*, 61(4) : 219–223.

- Dong, Y., Wang, W.P., Cao, J., 2014, Early assessment of chronic kidney dysfunction using contrast-enhanced ultrasound: A pilot study, *Brit J Radiol*, 87:1–7.
- Dunaevich, A., Chen, H., Musseri, D., 2020, Acute on chronic kidney disease in dogs: Etiology, clinical and clinicopathologic findings, prognostic markers, and survival, *Journal of Veterinary Internal Medicine*, 34. 6.
- Eddy, AA., 2014. Overview of the cellular and molecular basis of kidney fibrosis. *Kidney Int Suppl*, 4: 2–8.
- Erawan, I.G.M.K., Sumardika, I.W., Pemayun, I.G.A.G.P., Ardana, I.B.K., 2017, Laporan kasus: Ehrlichiosis pada anjing kintamani Bali, Indonesia *Medicus Veterinus*, 6(1), 68-74.
- Erslev, A.J., Besarab, A., 1997, Eritropoetin in the pathogenesis and treatment of the anemia of chronic renal failure. *Kidney Int* 51 : 622-630.
- Eschbach, J.W., 1989, The anemia of chronic renal failure: Pathophysiology and the effects of recombinant erythropoietin, *Kidney Int*, 35. 134–148.
- Ettinger ,S.J., Feldman, E.C., 2005, *Textbook of Veterinary Internal Medicine Volume II*, 4 th ed, St,Louis, Elsevier Saunders, 622-628.
- Forrester, D.S., Adams, L.G. and Allen, T.A., 2010, *Small Animal Clinical Nutrition*, 5th ed. Mark Morris Institute, 765–800.
- Foster, J.D., 2013, *Canine Chronic Kidney Disease: Current Diagnostics and Goals for Long-Term Management*, Areview, <https://www.researchgate.net/publication/275335798>
- Fuente, J., Torina, A., Naranjo, V., Nicosia S., Alongi, A., La Mantia, F., Kocan K. M., 2006, Molecular characterization of Anaplasma platys strains from dogs in Sicily, Italy, *BMC Vet Res*, 2. 24-31.
- Fulvio M, Di Martino B, Meridiani I, Bianciardi P., 2006, Direct identification of Ehrlichia canis by a novel polymerase chain reaction method and molecular analysis of the citrate synthase (gltA) gene from various Italian strains, *J Vet Diagn Invest*, 18. 215-21
- Ganesh, S.K., Stack, A.G., Levin, N.W., Hulbert-Shearon, T., Port, F.K., 2001, Association of elevated serum PO₄, Cax PO₄ product, and parathyroid hormone with cardiac mortality risk in chronic hemodialysis patients. *J Am Soc Nephrol*. 12. 2131-2138.



- Grauer, G.F., Greco, D.S., Getzy, D.M., 2000, Effects of enalapril versus placebo as a treatment for canine idiopathic glomerulonephritis, *J Vet Intern Med*, 5. 526–533.
- Grauer, G.F., 2005, Early detection of renal damage and disease in dogs and cats, *Vet Clin North Am Small Anim Pract* 35: 581–596.
- Grodecki, K.M., Gains, M.J., Baumal, R., 1997, Treatment of X-linked hereditary nephritis in Samoyed dogs with angiotensin converting enzyme (ACE) inhibitor, *J Comp Pathol*, 3. 209–225.
- Guyton, Arthur C., Hall, John E., 2006, *Textbook of Medical Physiology*, 7th edition, Elsevier Saunders: Philadelphia.
- Hall, J.A., Yerramilli, M., Obare, E., Yu, S., Jewell, D.E., 2014, Comparison of serum concentrations of symmetric dimethylarginine and creatinine as kidney function biomarkers in healthy geriatric cats fed reduced protein foods enriched with fish oil, Lcarnitine, and medium-chain triglycerides, *Vet J*, 202. 588–596.
- Harley, L., Langston, C., 2012, Proteinuria in dogs and cats, *Can Vet J*, 53. 631–638.
- Harrus, S., Waner, T., Bark, H., 1997, Canine monocytic ehrlichiosis update *Compend Contin Educ Pract Vet*, 19. 431-444.
- Harvey, J.W., 2000, Schalm's Veterinary Hematology. 5th ed. Philadelphia, Pennsylvania: Lippincott, Williams and Wilkin. 200–204.
- Hess, P.R., English, R.V., Hegarty, B.C., Brown, G.D., Breitschwerdt, E.B., 2006, Experimental Ehrlichia canis infection in the dog does not cause immunosuppression, *Vet Immunopathol*, 109:117-125.
- Hill, K.M., Martin, B.R., Wastney, M., McCabe, G.P., Moe, S.M., Weaver, C.M., Peacock, M., 2013, Oral calcium carbonate affects calcium but not phosphorus balance in stage 3–4 chronic kidney disease, *Kidney International*, 83: 959-966.
- Inokuma, H., Raoult, D., Brouqui, P. 2000. Detection of Ehrlichia platys DNA in brown dog ticks (Rhipicephalus sanguineus) in Okinawa Islands, Japan, *J. Clin. Microbiol.* 38: 4219-4221.
- Iqbal, Z., Rikhisa, Y., 1994, Application of the polymerase chain reaction for the detection of Ehrlichia canis in tissues of dogs, *Veterinary Microbiology Amsterdam*, 42. 281-287.



- Finch, N., 2014, Measurement of glomerular filtration rate in cats: Methods and advantages over routine markers of renal function, *Journal of Feline Medicine and Surgery*, 16. 736–748. doi: 10.1177/1098612X14545274.
- Jacob, F., Polzin, D.J., Osborne, C.A., 2005, Evaluation of the association between initial proteinuria and morbidity rate or death in dogs with naturally occurring chronic renal failure, *JAVMA*, 226. 393-400.
- Jean, G., Chazot, C. and Charra, B., 2006, Hyperphosphataemia and related mortality, *J Am Soc Nephrol*, 21. 273-280, doi:10.1093/ndt/gfi246
- Jepson, R.E., 2016, Current understanding of the pathogenesis of progressive chronic kidney disease in cats, *Vet Clin North Am:Small Animal Practice*, 46. 1015–1048.
- Jepson, R.E., Elliott, J., Brodbelt, D., Syme, H.M., 2007, Effect of control of systolic blood pressure on survival in cats with systemic hypertension, *J Vet Intern Med*, 21. 402–409.
- Juliance, S., 2010. Canine Ehrlichiosis-from acute infection to Chronic Disease, *CVBD Digest*, 7. 3-11.
- Kealy, J.K., McAllister, H., 2000, *The urinary system-The abdomen In: Diagnostic radiology and ultrasonography of the dog and cat*, 3rd ed, Philadelphia: W.B. Saunders Company. 96-108.
- Kimmel, P.L., Rosenberg, M.E., 2014, *Chronic Renal Disease*, San Diego: Academic Press, 310–319.
- King, J.N., Tasker, S., Gunn-Moore, D.A., Strehlau, G., 2007, Prognostic factors in cats with chronic kidney disease, *J Vet Intern Med*, 21. 906–916.
- Kinsey, G.R. 2014. Macrophage dynamics in AKI to CKD progression. *J Am Soc Nephrol*. 25: 209–211.
- Konde, L.J. Sonography of the kidney., 1985, *Vet. Clin. North Am (Small Anim Pract)*, 15. 1149-1158.
- Konde, L.J., Wrigley, O.H., Park, R.D., Lebel, J. L., 1984, Ultrasonographic anatomy of the normal kidney, *J Vet. Radiol*, 25. 173-178.
- Konde, L.J., Lebel, J.L., Park, R.D., Wrigley, R.H., 1986, Sonographic application in the diagnosis of intra-abdominal abscess in the dog, *Vet. Radiol*. 27. 151-154.



- Kottadamane, M.R., Dhaliwal, P.S., Bansal, B.K., Uppal, S.K., 2016, *34th Annual Convention of ISVM and National Symposium*, Ludhiana. 218.
- Kralova, S., Leva, L., Toman, M., 2009., Polymorphonuclear function in naturally occurring renal failure in dogs, *Veterinarni Medicina*, 54. 236–243.
- Lamb, T., 2012, *Immunity to Parasitic Infection*, Wiley- Blackwell Publishing, New Jersey.
- Lees, G.E., Brown, S.A., Elliott, J., Grauer, G.E. and Vaden, S.L., 2005, Assessment and management of proteinuria in dogs and cats: 2004 ACVIM Forum Consensus Statement (small animal), *J Vet Intern Med*, 19 (3) :377-385.
- Levey, A.S., Coresh J., 2012, Chronic kidney disease, *The Lancet J*, 379. 165-180.
- Little, S.E., 2010, Ehrlichiosis and anaplasmosis in dogs and cats, *Vet Clin North Am*, 40. 1121–1140.
- Littman, M.P., 2011, Protein-losing nephropathy in small animals, *Vet Clin Small Anim*, 41. 31–62.
- Littman, M.P., Daminet, S., Grauer, G.F., Lees, G.E., VanDongen, A.M., 2013, Consensus recommendations for the diagnostic investigation of dogs with suspected glomerular disease, *J Vet Intern Med*, 1. 19-26.
- Lund, E.M., Armstrong, P.J., Kirk, C.A., 1999, Health status and population characteristics of dogs and cats examined at privateveterinary practices in the United States, *J Am Vet Med Assoc*, 214:1336–1341.
- Mahardika, I.G., Ngurah, K., 2005, Polymerase Chain Reaction, *Jurnal Veteriner*, Vol. 4 No. 1.
- Mann ,S., Uppall, S.K., Hussain, L.A., Singla, L.D., 2017, Diagnosis and management of Ehrlichia canis associated chronic kidney disease (CKD) in three Labrador dogs, *SKUAST Journal of Research*, 19. 160-163.
- Mardasella, A., 2021, Gagal ginjal kronis pada kucing domestik rambut pendek, *Media Kedokteran Hewan*, 32. 29-39.
- Mavromatis, K., Doyle, C.K., Lykidis, A., Ivanova, N., Francino, M.P., 2006, The genome of the obligately intracellular bacterium *Ehrlichia canis* reveals themes of complex membrane structure and immune evasion strategies. *J Bacteriol*, 188. 4015–23. doi: 10.1128/jb.01837-05



- McLeland, S.M., Lunn, K.F., Duncan, C.G., Refsal, K.R., Quimby, J.M., 2014, Relationship among serum creatinine, serum gastrin, calcium-phosphorus product, and uremicgastropathy in cats with chronic kidney disease. *J Vet Intern Med*, 28. 827-837.
- Meng, X-M., Nikolic-Paterson, D.J., Lan, H.Y. 2014. Inflammatory processes in renal fibrosis. *Nat Rev Nephrol*. 10: 493–503.
- Meytes, D., Bofin, E., Ma, A., Dukes, P.P., Massry, S.G., 1981, The effect of parathyroid hormone on erythropoiesis, *J Clin Invest*, 67. 1263– 1269.
- Miyabayashi, T., 2001, Urogenital Ultrasound, World Small Animal Veterinary Association World Congress Proceedings.
- Mizutani, H., Koyama, H., Watanabe, T., 2006, Evaluation of the clinical efficacy of benazepril in the treatment of chronic renal insufficiency in cats, *J Vet Intern Med*, 20. 1074–1079.
- Mordechai, E., 1999, *Application of PCR The methodologies in Molecular Diagnostic*, Burlington Country, USA.
- Morgan, R.V., 2008, *Handbook of Small Animal Practice*, Ed-5, Vol 2, Missouri (US): Saunders Elsevier.
- Moritz, A., Becker, M., 2010, Automated hematology systems, editors. *Schalm's Veterinary Hematology*, 6th ed, Ames, Iowa: Blackwell Publ. 1054–1066.
- Morya, R., Kumar, K., Kumar, P., 2018, Anatomical and Physiological Similarities of Kidney in Different Experimental Animals Used for Basic Studies, *Journal of Clinical & Experimental Nephrology*, 03(02). 1–6. doi: 10.21767/2472-5056.100060.
- Muladno, 2002, *Seputar Teknologi Rekayasa Genetika*, Pustaka Wirausaha Muda, Bogor.
- Nelson, R.W., Couto, C.G., 2009, *Small Animal Internal Medicine*, 4th ed, Edinburgh: Mosby. 653–660.
- Nesti, D.R., Baidowi, A., Ariyanti, F., Tjahajati, I. 2018, Deteksi penyakit zoonosis Ehrlichiosis pada pasien anjing di klinik hewan jogja, *Jurnal Nasional Teknologi Terapan*, 2. 191–197.
- Newton, S.M.C., Jacob, C.O., Stocker, B.A.D., 1989, *Science*, 244. 70-72. Stlawu education.



- Nikolic-Paterson, D.J., Wang, S., Lan, H.Y. 2014. Macrophages promote renal fibrosis through direct and indirect mechanisms. *Kidney Int Suppl* 2014; 4: 34–38
- Noviana, D., 2017, *Diagnosis Ultrasonografi pada Hewan Kecil*, Edisi Kedua, Bogor: IPB press.
- O’Neil. D.G., Elliot J., Church D.B., 2013, Chronic Kidney Disease in UK Veterinary Practices: prevalence, risk factor and survival, *Journal of Veterinary Internal Medicine*, 27. 814-821.
- Pelander, L., 2018, Chronic kidney disease in the dog, Doctoral Thesis: Swedish University of Agricultural Sciences.
- Polzin, D., Ross, S., Osborne, C., 2005, Clinical benefit of kalsitriol in canine chronic kidney disease, *Journal of Veterinary Internal Medicine*, 19. 433 - 437.
- Polzin, D.J., 2010, Chronic kidney disease, In: Ettinger SJ, Feldman EC, eds. *Textbook of Veterinary Internal Medicine: Diseases of the Dog and the Cat*, 7th ed, Missouri: Saunders Elsevier, 1990–2020.
- Polzin, D.J., 2011, Chronic kidney disease in small animals, *Journal of Vet Clin North Am Small Anim Pract*, 41. 15-30.
- Polzin, D.J., Ross, S. and Osborne, C.A., 2009, *Calsitriol*. In: Bonagura J.D. & Twedt D.C. (Eds), *Kirk’s Current Veterinary Therapy*. XIV. Missouri: Saunders Elsevier, 892-895.
- Price, S. A., Wilson, L. M., 2005, *Patofisiologi: konsep klinis proses-proses penyakit*, 6 ed, Jakarta: EGC.
- Pugh, C.R., Schelling, C.G., Moreau, R.E., Golden, D., 1994, Iatrogenic renal pylectesia in dog, *Vet. Radiol Ultrasound*, 33. 50-59.
- Putra, I. K. P., Heryani, L. G. S. S., Setiasih, N. L. E., 2020, Morfologi Ginjal Anjing Kintamani Betina’, *Buletin Veteriner Udayana*, 21. 115. doi: 10.24843/bulvet.2020.v12.i02.p03.
- Ramakant, K., Kumar, R., Verma, H.C., Diwakar, R.P., 2020, Canine ehrlichiosis: A review, *Journal of Entomology and Zoology Studies*, 8. 1849-1852. www.entomoljournal.com



- Randhwa, S.S., Saini, N., Chhabra, S., Sharma, A.K., Eljadar, M.S.M., 2011, Ascites of hepatic origin with concurrent Ehrlichiosis in dog, *Indian Vet J*, 88. 115-116.
- Rao, D.S., Shih, M.S., Mohini, R., 1993, Effect of serum parathyroid hormone and bone marrow fibrosis on the response to erythropoietin in uremia, *N Engl J Med*, 328. 171– 175.
- Rgen, Bommer. 2002. Prevalence and socio-economic aspects of chronic kidney disease. *Nephrol Dial Transplant*, 17: 8–11.
- Ricardo, S.D., Van Goor, H., Eddy, A.A., 2008. Science in medicine. Macrophage diversity in renal injury and repair. *J Clin Invest* 2008; 118: 3522.
- Rikihisa, Y., 2010, Anaplasma phagocytophilum and Ehrlichia chaffeensis: Subversive Manipulators of Host Cells, *Nat Rev Microbiol*, 8(5): 328-39.
- Ross, L., 2011, Acute kidney injury in dogs and cats. *Vet Clin North Am Small Anim Pract*, 41. 1-14.
- Rosin, D.L., Okusa, M.D. 2011. Dangers within: DAMP responses to damage and cell death in kidney disease. *J Am Soc Nephrol*, 22: 416–425.
- Roudebush, P., Polzin, D.J., Ross, S.J., Towell, T.L., Adams, L.G., Forrester, S.D., 2009. Therapies for feline chronic kidney disease. *Journal of Feline Medicine & Surgery*, 11. 195-210.
- Rovid-Spickler, A., 2013, *Ehrlichiosis and Anaplasmosis: Zoonotic Species*. Institute For International Cooperation In Animal Biologic, Iowa: Iowa State University.
- Sainz. Á., Roura, X., Miró, G., Estrada-peña, A., Kohn, B., Harrus, S., 2015, Guideline for veterinary practitioners on canine ehrlichiosis and anaplasmosis in Europe, *Parasit Vectors*, 8. 75. DOI: 10.1186/s13071015-0649-0.
- Schlondorff, D.O., 2008, Overview of factors contributing to the pathophysiology of progressive renal disease, *Kidney Int*, 74: 860- 866.
- Segev, G., Cowgill, L.D., Heiene, R., Labato, M.A., Polzin, D.J., 2013, Consensus recommendations for immunosuppressive treatment of dogs with glomerular disease based on established pathology, *J Vet Intern Med*, 27. 44–54.
- Sent, U., Gossel, R., Elliott, J., Syme, H.M., Zimmering, T., 2015, Comparison of efficacy of long-term oral treatment with telmisartan and benazepril in cats with chronic kidney disease, *J Vet Intern Med*, 29. 1479–1487.



- Sharma, R.D., Mahesh, K., Sharma, M.C., 2010, Protozoal and Rickettsial Diseases. In: Text Book of Preventive Veterinary Medicine and Epidemiology, 1st.ed, Published by Directorate of Information and Publications of Agriculture, ICAR New Delhi, 540-595.
- Singla, L.D., Singh, H., Kaur, P., Singh, N.D., Singh, N.K., Juyal, P.D., 2011, Serodetection of Ehrlichia canis infection in dogs from Ludhiana district of Punjab. *India. J Parasit*, 35. 195-98.
- Skotarczak, B., 2003, Canine ehrlichiosis, *Ann Agric Environ Med*, 10:137–148.
- Smitha, J.P., Vijaykumar, K. A., 2014, Systemic study on biochemical abnormalities associated with canine ehrlichiosis. *J Vet. Sci.* 1:25-28.
- Stillfried, V. S., Apitzsch, J.C., Ehling J., 2016, Contrast- enhanced CT imaging in patients with chronic kidney disease. *Angiogenesis*, 19. 525–535.
- Stockham, S.L., Scott, M.A., 2008, Fundamentals of veterinary clinical pathology, Blackwell Publisher, Iowa, USA.
- Suri, S., Zama, M.N.M., Sarma, K., Kalita, A., Sudhan, N.A., 2019, Gross anatomy of the kidneys of dog and leopard. *J.res.SQUASTJ*, 2. 153-157.
- Sykes, J. E. 2023. *Greene's Infectious Diseases of the Dog and Cat Fifth Edition*. Missouri : Elsevier.
- Syme, H.M., Markwell, P.J., Pfeiffer, D., Elliott, J., 2006, Survival of cats with naturally occurring chronic renal failure is related to severity of proteinuria, *J Vet Intern Med*, 20. 528–535.
- Taylor, M.A., Coop, R.L., Wall, R.L., 2007, *In Veterinary Parasitology*, 3 rd edn, New Jersey: Blackwell Publishing, 420-424.
- Thaysa, F.Z., Alessandra, R.H., Daiane, P., Mendonça A.G., Sousa, V.R.F. Valéria, Dutra., 2019, Kidney disease in natural infection by Ehrlichia canis in dogs. *J Veterinary Medicine*, 40. 981-987.
- Theml, H., Diem, H., Haferlach, T, 2004, *Color Atlas of Hematology*, Edisi kedua, New York: Thieme Stuttgart.
- Thirumalapura, N.R., Crossley, E.C., Walker, D.H., Ismail, N., 2009, Persistent infection contributes to heterologous protective immunity against fatal ehrlichiosis. *Infect Immun*, 77. 5682–5689. doi: 10.1128/iai.00720-09.
- Tilley, L.P., Smith, F.W.K., 2011, *Wiley-Blackwell's Five-Minute Veterinary Consult, Canine and Feline*, Fifth Edition, USA: Wiley-Blackwell.



- Tsachev, I., Gundasheva, D., Kontos, V., Papadogiannakis, E., Denev, S., 2013, Haematological profiles in canine monocytic ehrlichiosis: a retrospective study of 31 spontaneous cases in Greece. *Revue Med Vet*, 164. 327-330.
- Tsachev, I., Kontos, V., Zarkov, I., Krastev, S., 2006, Survey of antibodies reactive with Ehrlichia canis among dogs in South Bulgaria, *Rev Med Vet*, 157. 481-485.
- Urena, P., Eckardt, U., Sarfati, E., 1991, Serum erythropoietin and erythropoiesis in primary and secondary hyperparathyroidism: effect of parathyroidectomy, *Nephron*, 59. 384– 393.
- Vaninetti, M., Valovska, A., 2015, *Renal physiology*, Essential Clinical 27 Anesthesia Review: Keywords, Questions and Answers for the Boards. doi: 10.1017/CBO9781139584005.098.
- Vientós-Plotts, A.I., Behrend, E.N., Chew, D., Welles, E.G., Lee, H.P., 2015, Effect of hematuria on urine protein:creatinine ratio in cats, *J Vet Intern Med*, 29. 1214.
- Walter, P.A., 1987, Ultrasonographic evaluation of renal parenchymal diseases in dogs: 32 cases (1981-1986). *J Am Vet Med Assoc*. 191:999.
- Walter, P.A., Feeny, D.A., Johanston, G.R., O’Leary, T.P., 1987, Ultrasonographic evaluation of renal parenchymal disease in dogs. *J Am. Vet. Med. Assoc*, 191. 999-1007.
- Waner, T., Harrus, S., 2013, Canine monocytic ehrlichiosis-from pathology to clinical manifestations. *Israel Journal of Veterinary Medicine*. Raanana. 68:12-18.
- Waner, T., Harrus, S., Bark, H., Bogin, E., Avidar, Y., Keysary, A., 1997, Characterization of the subclinical phase of canine ehrlichiosis in experimentally infected Beagle dogs. *Vet Parasitol*, 69. 307-317.
- Wang, Y., Harris, D.C.H., 2011. Macrophages in renal disease. *J Am Soc Nephrol*, 22: 21–27
- Wen, B., Rikhisa, Y., Mott, J.M., Greene, R., Kim, H.Y., Zhi, N., Couto, G.C., Unver, A., Bartsch, R., 1997, Comparison of nested PCR with immunofluorescent-antibody assay for detection of E. canis infection in dogs treated with doxycycline. *J Clin Microbiol*, 35.1852-1855.



- Wood, A.K., McCarthy, P.H., 1990, Ultrasonographic-anatomic correlation and an imaging protocol of the normal canine kidney, *Am. J Vet. Res.*, 50. 103-108.
- Wuhan, Y.O.P., Haryanto, A., Tjahayati, I., 2020, Short Communication: Molecular characterization and blood hematology profile of dogs infected by Ehrlichia canis in Yogyakarta, Indonesia. *Biodiversitas Journal of Biological Diversity*. 3242-3248 DOI: 10.13057/biodiv/d210746.
- Yang, Q., Stevenson, H.L., Scott, M.J., Ismail, N., 2015, Type I interferon contributes to noncanonical inflammasome activation, mediates immunopathology, and impairs protective immunity during fatal infection with lipopolysaccharide-negative ehrlichiae. *Am J Pathol*, 185. 446–61. doi: 10.1016/j.ajpath.10.005
- Yuwono dan Tribowo, 2006, Teori dan Aplikasi Polymerase Chain Reaction, Panduan Eksperimen PCR untuk Memecahkan Masalah Biologi Terkini, Penerbit Andi, Yogyakarta.