

Referensi

- Babyak, M., Blumenthal, J. A., Herman, S., Khatri, P., Doraiswamy, M., Moore, K., Edward Craighead, W., Baldewicz, T. T., & Ranga Krishnan, K. (2000). Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months. *Psychosomatic Medicine*, 62(5), 633–638. <https://doi.org/10.1097/00006842-200009000-00006>
- Baddeley, A. (2003). Working memory and language: an overview. *Journal of Communication Disorders*, 36(3), 189–208. [https://doi.org/10.1016/S0021-9924\(03\)00019-4](https://doi.org/10.1016/S0021-9924(03)00019-4)
- Barisic, A., Leatherdale, S. T., & Kreiger, N. (2011). Importance of frequency, intensity, time and type (FITT) in physical activity assessment for epidemiological research. *Canadian Journal of Public Health = Revue Canadienne de Sante Publique*, 102(3), 174–175. <https://doi.org/10.1007/BF03404889>
- Bramham, C. R., & Messaoudi, E. (2005). BDNF function in adult synaptic plasticity: The synaptic consolidation hypothesis. In *Progress in Neurobiology* (Vol. 76, Issue 2, pp. 99–125). <https://doi.org/10.1016/j.pneurobio.2005.06.003>
- Brown, W. J., Ford, J. H., Burton, N. W., Marshall, A. L., & Dobson, A. J. (2005). Prospective study of physical activity and depressive symptoms in middle-aged women. *American Journal of Preventive Medicine*, 29(4), 265–272. <https://doi.org/10.1016/J.AMEPRE.2005.06.009>
- Brydges, C. R., R. C. L., F. A. M., & A. M. (2012). A unitary executive function predicts intelligence in children. *Intelligence*, <http://dx.doi.org/10.1016/j.intell.2012.05.006>.
- Bull, R., Espy, K. A., & Wiebe, S. A. (2008). Short-term memory, working memory, and executive functioning in preschoolers: Longitudinal predictors of mathematical achievement at age 7 years. *Developmental Neuropsychology*, 33(3), 205–228.
- Calton, B. A., Lacey, J. v., Schatzkin, A., Schairer, C., Colbert, L. H., Albanes, D., & Leitzmann, M. F. (2006). Physical activity and the risk of colon cancer among women: A prospective cohort study (United States). *International Journal of Cancer*, 119(2), 385–391. <https://doi.org/10.1002/IJC.21840>
- Camacho, T. C., Roberts, R. E., Lazarus, N. B., Kaplan, G. A., & Cohen, R. D. (1991). Physical activity and depression: evidence from the Alameda County Study. *American Journal of Epidemiology*, 134(2), 220–231. <https://doi.org/10.1093/OXFORDJOURNALS.AJE.A116074>
- Carlson, S. M. (2005). Developmentally sensitive measures of executive function in preschool children. *Developmental Neuropsychology*, 28(2), 595–616. https://doi.org/10.1207/S15326942DN2802_3
- Carson, V., Hunter, S., Kuzik, N., Gray, C. E., Poitras, V. J., Chaput, J. P., Saunders, T. J., Katzmarzyk, P. T., Okely, A. D., Connor Gorber, S., Kho, M. E., Sampson, M., Lee, H., & Tremblay, M. S. (2016). Systematic review of sedentary behaviour and health

- indicators in school-aged children and youth: an update. *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquee, Nutrition et Metabolisme*, 41(6 Suppl 3), S240–S265. <https://doi.org/10.1139/APNM-2015-0630>
- Carson, V., Hunter, S., Kuzik, N., Wiebe, S. A., Spence, J. C., Friedman, A., Tremblay, M. S., Slater, L., & Hinkley, T. (2016). Systematic review of physical activity and cognitive development in early childhood. In *Journal of Science and Medicine in Sport* (Vol. 19, Issue 7, pp. 573–578). Elsevier Ltd. <https://doi.org/10.1016/j.jsams.2015.07.011>
- Carson, V., Lee, E. Y., Hewitt, L., Jennings, C., Hunter, S., Kuzik, N., Stearns, J. A., Unrau, S. P., Poitras, V. J., Gray, C., Adamo, K. B., Janssen, I., Okely, A. D., Spence, J. C., Timmons, B. W., Sampson, M., & Tremblay, M. S. (2017). Systematic review of the relationships between physical activity and health indicators in the early years (0-4 years). *BMC Public Health*, 17. <https://doi.org/10.1186/s12889-017-4860-0>
- Case, R. (1985). *Intellectual development. Birth to adulthood*. New York, NY: Academic Press.
- Cerin, E., Leslie, E., Sugiyama, T., & Owen, N. (2009). Associations of multiple physical activity domains with mental well-being. *Mental Health and Physical Activity*, 2(2), 55–64. https://www.academia.edu/33651375/Associations_of_multiple_physical_activity_domains_with_mental_well_being
- Chang, Y. K., Tsai, Y. J., Chen, T. T., & Hung, T. M. (2013). The impacts of coordinative exercise on executive function in kindergarten children: An ERP study. *Experimental Brain Research*, 225(2), 187–196(<http://dx.doi.org/10.1007/s00221-012-3360-9>).
- Chen, C. Y., Lawlor, J. P., Duggan, A. K., Hardy, J. B., & Eaton, W. W. (2006). Mild cognitive impairment in early life and mental health problems in adulthood. *American Journal of Public Health*, 96(10), 1772–1778. <https://doi.org/10.2105/AJPH.2004.057075>
- Conway, A. R. A., Kane, M. J., & Engle, R. W. (2003). Working memory capacity and its relation to general intelligence. *Trends in Cognitive Sciences*, 7(12), 547–552. <https://doi.org/10.1016/J.TICS.2003.10.005>
- Daly, M., Egan, M., & O'Reilly, F. (2015). Childhood general cognitive ability predicts leadership role occupancy across life: Evidence from 17,000 cohort study participants. *Leadership Quarterly*, 26(3), 323–341. <https://doi.org/10.1016/J.LEAQUA.2015.03.006>
- Deliagina, T. G. (n.d.). *Overview of Motor Systems. Types of Movements: Reflexes, Rhythmical and Voluntary Movements*.
- Diamond, A. (2013). Executive functions. In *Annual Review of Psychology* (Vol. 64, pp. 135–168). Annual Reviews Inc. <https://doi.org/10.1146/annurev-psych-113011-143750>

- Diener, E., & Ryan, K. (2009). Subjective Well-Being: A General Overview: *Http://Dx.Doi.Org/10.1177/008124630903900402*, 39(4), 391–406. <https://doi.org/10.1177/008124630903900402>
- Dishman, R. K., & O'Connor, P. J. (2009). Lessons in exercise neurobiology: The case of endorphins. *Mental Health and Physical Activity*, 2(1), 4–9. <https://doi.org/10.1016/j.mhpa.2009.01.002>
- Dunn, A. L., Trivedi, M. H., Kampert, J. B., Clark, C. G., & Chambliss, H. O. (2005). Exercise treatment for depression: efficacy and dose response. *American Journal of Preventive Medicine*, 28(1), 1–8. <https://doi.org/10.1016/J.AMEPRE.2004.09.003>
- Ellis, Y. G., Cliff, D. P., Janssen, X., Jones, R. A., Reilly, J. J., & Okely, A. D. (2017). Sedentary time, physical activity, and compliance with IOM recommendations in young children at childcare. *Preventive Medicine Reports*, 7, 221–226(<http://dx.doi.org/10.1016/j.pmedr.2016.12.009>).
- Esmaeili, M. T., Karimi, M., Tabatabaie, K. R., Moradi, A., & Farahini, N. (2011). The effect of positive arousal on working memory. *Procedia - Social and Behavioral Sciences*, 30, 1457–1460. <https://doi.org/10.1016/J.SBSPRO.2011.10.282>
- Farmer, M. E., Locke, B. Z., Mościcki, E. K., Dannenberg, A. L., Larson, D. B., & Radloff, L. S. (1988). Physical activity and depressive symptoms: the NHANES I Epidemiologic Follow-up Study. *American Journal of Epidemiology*, 128(6), 1340–1351. <https://doi.org/10.1093/OXFORDJOURNALS.AJE.A115087>
- Feldman, H. M., Dollaghan, C. A., Campbell, T. F., Kurs-Lasky, M., Janosky, J. E., & Paradise, J. L. (n.d.). Measurement Properties of the MacArthur Communicative Development Inventories at Ages One and Two Years. In *Child Development* (Vol. 71, Issue 2).
- Fenson, L., Bates, E., Dale, P., Goodman, J., Reznick, J. S., & Thal, D. (n.d.). Measuring Variability in Early Child Language: Don't Shoot the Messenger. In *Child Development* (Vol. 71, Issue 2).
- Field, A. (2009). *Discovering Statistics Using SPSS 3rd Edition*. London: SAGE Publications Ltd.
- Figueira, J. S. B., Pacheco, L. B., Lobo, I., Volchan, E., Pereira, M. G., de Oliveira, L., & David, I. A. (2018). "Keep that in mind!" The role of Positive Affect in working memory for maintaining goal-relevant information. *Frontiers in Psychology*, 9(JUL), 1228. <https://doi.org/10.3389/FPSYG.2018.01228/BIBTEX>
- Fisher, A., Boyle, J. M., Paton, J. Y., Tomporowski, P., Watson, C., & McColl, J. H., et al. (2011). Effects of a physical education intervention on cognitive function in young children: Randomized controlled pilot study. *BMC Pediatrics*, 11 (97)(<http://dx.doi.org/10.1186/1471-2431-11-97>).

- Fitzpatrick, C., & Pagani, L. (2011). Early childhood working memory as a predictor of kindergarten. *Neuroscience Letters*, 500, e29. <https://doi.org/10.1016/J.NEULET.2011.05.150>
- Fitzpatrick, C., & Pagani, L. S. (2012). Toddler working memory skills predict kindergarten school readiness. *Intelligence*, 40, 205–212.
- Garon, N., Bryson, S. E., & Smith, I. M. (2008). Executive Function in Preschoolers: A Review Using an Integrative Framework. *Psychological Bulletin*, 134(1), 31–60. <https://doi.org/10.1037/0033-2909.134.1.31>
- Ghafari, M., Mohammadian, M., Valipour, A. A., & Mohammadian-Hafshejani, A. (2016). Physical Activity and Colorectal Cancer. *Iranian Journal of Public Health*, 45(12), 1673. [/pmc/articles/PMC5207116/](https://pubmed.ncbi.nlm.nih.gov/articles/PMC5207116/)
- Gilbert, P., McEwan, K., Mitra, R., Franks, L., Richter, A., & Rockliff, H. (2008). Feeling safe and content: A specific affect regulation system? Relationship to depression, anxiety, stress, and self-criticism. *Journal of Positive Psychology*, 3(3), 182–191. <https://doi.org/10.1080/17439760801999461>
- Gonthier, C., Zira, M., Colé, P., & Blaye, A. (2018). Evidencing the developmental shift from reactive to proactive control in early childhood and its relationship to working memory. <https://doi.org/10.1016/j.jecp.2018.07.001>
- Gordon, E. S., Tucker, P., Burke, S. M., & Carron, A. v. (2013). Effectiveness of physical activity interventions for preschoolers: A meta-analysis. *Research Quarterly for Exercise and Sport*, 84(3), 287–294(<http://dx.doi.org/10.1080/02701367.2013.813894>).
- Hamer, M., Stamatakis, E., & Steptoe, A. (2009). Dose-response relationship between physical activity and mental health: the Scottish Health Survey. *British Journal of Sports Medicine*, 43(14), 1111–1114. <https://doi.org/10.1136/BJSM.2008.046243>
- Hastjarjo, T. D. (2019). Rancangan Eksperimen - Kuasi. *Buletin Psikologi*, 27(2)(<https://doi.org/10.22146/BULETINPSIKOLOGI.38619>), 187–203.
- Haworth, J., & Lewis, S. (2005). Work, leisure and well-being. *British Journal of Guidance and Counselling*, 33(1), 67–79. <https://doi.org/10.1080/03069880412331335902>
- Hayes, A. F. (2018). *Introduction to Mediation, Moderation, and Conditional Process Analysis (A Regression-Based Approach)*. New York: The Guilford Press.
- Heckman, J. J., Stixrud, J., & Urzua, S. (2006). *The Effects of Cognitive and Noncognitive Abilities on Labor Market Outcomes and Social Behavior*. <https://doi.org/10.3386/W12006>
- Hermahayu. (2019). *Aktivitas fisik untuk meningkatkan kebugaran fisik, executive functions, dan kesiapan sekolah pada anak usia prasekolah*. Disertasi (tidak diterbitkan) Fakultas Psikologi Universitas Gajah Mada.
- Hnatiuk, J. A., Salmon, J., Hinkley, T., Okely, A. D., & Trost, S. (2014). A review of preschool children's physical activity and sedentary time using objective measures.

American Journal of Preventive Medicine, 47(4), 487–497(<http://dx.doi.org/10.1016/j.amepre.2014.05.042>).

Hoeger, W. W. K., & Hoeger, S. A. (2011). *Lifetime Physical Fitness and Wellness. A Personalized Program 11th Ed.* California: CENGAGE Learning.

Johnsen, N. F., Tjønneland, A., Thomsen, B. L. R., Christensen, J., Loft, S., Friedenreich, C., Key, T. J., Allen, N. E., Lahmann, P. H., Mejlvig, L., Overvad, K., Kaaks, R., Rohrmann, S., Boeing, H., Misirli, G., Trichopoulou, A., Zylis, D., Tumino, R., Pala, V., ... Riboli, E. (2009). Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. *International Journal of Cancer*, 125(4), 902–908. <https://doi.org/10.1002/IJC.24326>

Kail, R. (1991). Developmental change in speed of processing during childhood and adolescence. *Psychological Bulletin*, 109(3), 490–501. <https://doi.org/10.1037/0033-2909.109.3.490>

Kim, J.-H., McKenzie, L. A., Kim, J.-H., & McKenzie, L. A. (2014). The Impacts of Physical Exercise on Stress Coping and Well-Being in University Students in the Context of Leisure. *Health*, 6(19), 2570–2580. <https://doi.org/10.4236/HEALTH.2014.619296>

Kokila, G., & Smitha, T. (2017). Cancer and physical activity. *Journal of Oral and Maxillofacial Pathology : JOMFP*, 21(1), 4. https://doi.org/10.4103/JOMFP.JOMFP_20_17

Lambourne, K. (2006). The relationship between working memory capacity and physical activity rates in young adults. *Journal of Sports Science & Medicine*, 5 (1), 149–153.

LePage, M. L., & Crowther, J. H. (2010). The effects of exercise on body satisfaction and affect. *Body Image*, 7(2), 124–130. <https://doi.org/10.1016/J.BODYIM.2009.12.002>

Ludwig, K., & Rauch, W. A. (2018). Associations between physical activity, positive affect, and self-regulation during preschoolers' everyday lives. *Mental Health and Physical Activity*, 15, 63–70. <https://doi.org/10.1016/J.MHPA.2018.07.002>

Martinsen, E. W. (2008). Physical activity in the prevention and treatment of anxiety and depression. *Nordic Journal of Psychiatry*, 62 Suppl 47(SUPPL. 47), 25–29. <https://doi.org/10.1080/08039480802315640>

Mikkelsen, K., Stojanovska, L., Polenakovic, M., Bosevski, M., & Apostolopoulos, V. (2017). Exercise and mental health. *Maturitas*, 106, 48–56. <https://doi.org/10.1016/J.MATURITAS.2017.09.003>

Miranda, M., Morici, J. F., Zanoni, M. B., & Bekinschtein, P. (2019). Brain-Derived Neurotrophic Factor: A Key Molecule for Memory in the Healthy and the Pathological Brain. In *Frontiers in Cellular Neuroscience* (Vol. 13). Frontiers Media S.A. <https://doi.org/10.3389/fncel.2019.00363>

Mizrahi, D., Goldstein, D., Trinh, T., Li, T., Timmins, H. C., Harrison, M., Marx, G. M., Hovey, E. J., Lewis, C. R., Friedlander, M., & Park, S. B. (2022). Physical activity

- behaviors in cancer survivors treated with neurotoxic chemotherapy. *Asia-Pacific Journal of Clinical Oncology*. <https://doi.org/10.1111/AJCO.13834>
- Moffitt, T. E., Arseneault, L., Belsky, D., Dickson, N., Hancox, R. J., Harrington, H. L., Houts, R., Poulton, R., Roberts, B. W., Ross, S., Sears, M. R., Thomson, W. M., & Caspi, A. (2011). A gradient of childhood self-control predicts health, wealth, and public safety. *Proceedings of the National Academy of Sciences of the United States of America*, 108(7), 2693–2698. https://doi.org/10.1073/PNAS.1010076108/SUPPL_FILE/SAPP.PDF
- Moore, S. C., Peters, T. M., Ahn, J., Park, Y., Schatzkin, A., Albanes, D., Hollenbeck, A., & Leitzmann, M. F. (2009). Age-specific physical activity and prostate cancer risk among white men and black men. *Cancer*, 115(21), 5060–5070. <https://doi.org/10.1002/CNCR.24538>
- Ng, F., Dodd, S., & Berk, M. (2007). The effects of physical activity in the acute treatment of bipolar disorder: a pilot study. *Journal of Affective Disorders*, 101(1–3), 259–262. <https://doi.org/10.1016/J.JAD.2006.11.014>
- Okely, A. D., Ghersi, D., Hesketh, K. D., Santos, R., Loughran, S. P., & Cliff, D. P., et al. (2017). A collaborative approach to adopting/adapting guidelines – The Australian 24-Hour Movement Guidelines for the early years (birth to 5 years): An integration of physical activity, sedentary behavior, and sleep. *BMC Public Health*, 17(5), 869(<http://dx.doi.org/10.1186/s12889-017-4867-6>).
- Pasco, J. A., Jacka, F. N., Williams, L. J., Brennan, S. L., Leslie, E., & Berk, M. (2011). Don't worry, be active: Positive affect and habitual physical activity. *Australian and New Zealand Journal of Psychiatry*, 45(12), 1047–1052. <https://doi.org/10.3109/00048674.2011.621063>
- Pasco, J. A., Williams, L. J., Jacka, F. N., Henry, M. J., Coulson, C. E., Brennan, S. L., Leslie, E., Nicholson, G. C., Kotowicz, M. A., & Berk, M. (2011). Habitual physical activity and the risk for depressive and anxiety disorders among older men and women. *International Psychogeriatrics*, 23(2), 292–298. <https://doi.org/10.1017/S1041610210001833>
- Pate, R. R., O'Neill, J. R., Brown, W. H., Pfeiffer, K. A., Dowda, M., & Addy, C. L. (2015). Prevalence of compliance with a new physical activity guideline for preschool-age children. *Childhood Obesity*, 11(4), 415–420(<http://dx.doi.org/10.1089/chi.2014.0143>).
- Patria, B. (2022). Modeling the effects of physical activity, education, health, and subjective wealth on happiness based on Indonesian national survey data. *BMC Public Health*, 22(1). <https://doi.org/10.1186/s12889-022-13371-x>
- Pierce, E. F., & Pate, D. W. (1994). Mood alterations in older adults following acute exercise. *Perceptual and Motor Skills*, 79(1 Pt 1), 191–194. <https://doi.org/10.2466/PMS.1994.79.1.191>

- Pronk, N. P., Crouse, S. F., & Rohack, J. J. (1995). Maximal exercise and acute mood response in women. *Physiology & Behavior*, 57(1), 1–4. [https://doi.org/10.1016/0031-9384\(94\)00195-B](https://doi.org/10.1016/0031-9384(94)00195-B)
- Rathore, A., & Lom, B. (2017). The effects of chronic and acute physical activity on working memory performance in healthy participants: A systematic review with meta-analysis of randomized controlled trials. *Systematic Reviews*, 6(1). <https://doi.org/10.1186/s13643-017-0514-7>
- Roman, A. S., Pisoni, D. B., & Kronenberger, W. G. (2014). *Assessment of Working Memory Capacity in Preschool Children Using the Missing Scan Task*. <https://doi.org/10.1002/icd.1849>
- Santrock, J. W. (2018). *Life-span development (Ed.17)*. New York: McGraw-Hill.
- Science of Behavior Change (SOBC). (n.d.). *Positive and Negative Affect Schedule (PANAS)-Child Version*. Science of Behavior Change (SOBC). Retrieved January 6, 2023, from <https://scienceofbehaviorchange.org/measures/positive-and-negative-affect-schedule-panas/>
- Spencer, J. P. (2020). The development of working memory. *Current Directions in Psychological Science*, 29(6), 545–553. <https://doi.org/10.1177/0963721420959835>
- Stein, M., Auerswald, M., & Ebersbach, M. (2017). Relationships between motor and executive functions and the effect of an acute coordinative intervention on executive functions in kindergartners. *Frontiers in Psychology*, 8.
- Strawbridge, W. J., Deleger, S., Roberts, R. E., & Kaplan, G. A. (2002). Physical activity reduces the risk of subsequent depression for older adults. *American Journal of Epidemiology*, 156(4), 328–334. <https://doi.org/10.1093/AJE/KWF047>
- Timmons, B. W., Leblanc, A. G., Carson, V., Gorber, S. C., Dillman, C., Janssen, I., Kho, M. E., Spence, J. C., Stearns, J. A., & Tremblay, M. S. (2012). Systematic review of physical activity and health in the early years (aged 0-4 years). *Applied Physiology, Nutrition and Metabolism*, 37(4), 773–792. <https://doi.org/10.1139/H2012-070/ASSET/IMAGES/H2012-070TAB-3-B.GIF>
- Timmons, B. W., Naylor, P. J., & Pfeiffer, K. A. (2007). Physical activity for preschool children - How much and how? In *Applied Physiology, Nutrition and Metabolism* (Vol. 32, Issue SUPPL. 2E). <https://doi.org/10.1139/H07-112>
- Toskovic, N. N. (2001). Alterations in selected measures of mood with a single bout of dynamic Taekwondo exercise in college-age students. *Perceptual and Motor Skills*, 92(3 Pt 2), 1031–1038. <https://doi.org/10.2466/PMS.2001.92.3C.1031>
- Tucker, P. (2008). The physical activity levels of preschool-aged children: A systematic review. *Early Childhood Research Quarterly*, 23(4), 547–558(<http://dx.doi.org/10.1016/j.ecresq.2008.08.005>).
- van Gool, C. H., Kempen, G. I. J. M., Penninx, B. W. J. H., Deeg, D. J. H., Beekman, A. T. F., & van Eijk, J. T. M. (2003). Relationship between changes in depressive

symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. *Age and Ageing*, 32(1), 81–87. <https://doi.org/10.1093/AGEING/32.1.81>

Verswijveren, S. J. J. M., Wiebe, S. A., Rahman, A. A., Kuzik, N., & Carson, V. (2020). Longitudinal associations of sedentary time and physical activity duration and patterns with cognitive development in early childhood. *Mental Health and Physical Activity*, 19. <https://doi.org/10.1016/j.mhpa.2020.100340>

Ward, D. S., Vaughn, A., McWilliams, C., & Hales, D. (2010). Interventions for increasing physical activity at childcare. *Medicine and Science in Sports and Exercise*, 42(3), 526–534(<http://dx.doi.org/10.1249/MSS.0b013e3181cea406>).

Wiebe, S. A., Sheffield, T. D., & Espy, K. A. (2012). Separating the fish from the sharks: A longitudinal study of preschool response inhibition. *Child Development*, 83(4), 1245. <https://doi.org/10.1111/J.1467-8624.2012.01765.X>

Willoughby, M. T., Wylie, A. C., & Catellier, D. J. (2018). Testing the association between physical activity and executive function skills in early childhood. *Early Childhood Research Quarterly*, 44, 82–89. <https://doi.org/10.1016/J.ECRESQ.2018.03.004>

Yang, H., Yang, S., & Isen, A. M. (2013). Positive affect improves working memory: implications for controlled cognitive processing. *Cognition & Emotion*, 27(3), 474–482. <https://doi.org/10.1080/02699931.2012.713325>

Zhidong, C., Wang, X., Yin, J., Song, D., & Chen, Z. (2021). Effects of physical exercise on working memory in older adults: a systematic and meta-analytic review. *European Review of Aging and Physical Activity*, 18(1), 1–15. <https://doi.org/10.1186/S11556-021-00272-Y/TABLES/6>