

## DAFTAR PUSTAKA

- American College of Obstetricians and Gynecologists. (2013). Committee on Obstetric Practice Committee Opinion. *Obstet Gynecol*, 99(1), 171–173. [https://tdfitness.net/ACOG-Exercise\\_During\\_Pregnancy\\_and\\_the\\_Postpartum\\_Period.pdf](https://tdfitness.net/ACOG-Exercise_During_Pregnancy_and_the_Postpartum_Period.pdf)
- Aprizano, V. A. (2018). *Hubungan Antara Kenaikan Berat Badan Selama Kehamilan dengan Berat Bayi Lahir*. Universitas Gadjah Mada.
- Basto, M., Abreu, T., Goncalves, R., & Pereira, J. M. (2023). Confounding and effect modification in biostatistic. *Universal Journal of Applied Mathematics*, 11(1), 8–15.
- Berhe, K., Seid, O., Gebremariam, Y., Berhe, A., & Etsay, N. (2019). Risk factors of stunting (chronic undernutrition) of children aged 6 to 24 months in Mekelle City, Tigray Region, North Ethiopia: An unmatched case-control study. *PLoS ONE*, 14(6), 1–11. <https://doi.org/10.1371/journal.pone.0217736>
- Boney, C. M., Verma, A., Tucker, R., & Vohr, B. R. (2005). Metabolic syndrome in childhood: Association with birth weight, maternal obesity, and gestational diabetes mellitus. *Pediatrics*, 115(3). <https://doi.org/10.1542/peds.2004-1808>
- Candra, A., Puruhita, N., & Susanto, J. (2012). Media Medika. *Pemberian Cairan Karbohidrat Elektrolit, Status Hidrasi Dan Kelelahan Pada Pekerja Wanita*, 46(36), 6–11.
- Catalano, P. M. (2010). Obesity, insulin resistance, and pregnancy outcome. *Reproduction*, 140(3), 365–371. <https://doi.org/10.1530/REP-10-0088>
- Chen, S., Zhao, X., Wang, M., Cui, L., & Wang, L. (2022). Association of Pre-Pregnancy BMI and Gestational Weight Gain with Neonatal Body Size : A Cross- Sectional Study. *Integrative Gynecology and Obstetrics Journal*, 5(1), 1–7.
- Cunningham, F. G., Leveno, K. J., Dashe, J. S., Hoffman, B. L., Spong, C. Y., *et al* (2022). Williams Obstetrics 22th Ed. In *Williams Obstetrics*, 26e.

<http://accessmedicine.mhmedical.com/content.aspx?aid=1190762794>

- D'Souza, R., Horyn, I., Pavalagantharajah, S., Zaffar, N., & Jacob, C. E. (2019). Maternal body mass index and pregnancy outcomes: a systematic review and metaanalysis. *American Journal of Obstetrics and Gynecology MFM*, 1(4), 100041. <https://doi.org/10.1016/j.ajogmf.2019.100041>
- Dashe, J. S., McIntire, D. D., & Twickler, D. M. (2009). Effect of Maternal Obesity on the Ultrasound Detection of Anomalous Fetuses. *Obstetrics & Gynecology*, 114(3), 695.
- Denison, F. C., Norrie, G., Graham, B., Lynch, J., Harper, N., *et al.* (2009). Increased maternal BMI is associated with an increased risk of minor complications during pregnancy with consequent cost implications. *BJOG: An International Journal of Obstetrics and Gynaecology*, 116(11), 1467–1472. <https://doi.org/10.1111/j.1471-0528.2009.02222.x>
- DeVader, S. R., Neeley, H. L., Myles, T. D., & Leet, T. L. (2007). Evaluation of gestational weight gain guidelines for women with normal prepregnancy body mass index. *Obstetrics and Gynecology*, 110(4), 745–751. <https://doi.org/10.1097/01.AOG.0000284451.37882.85>
- Dhaded, S. M., Hambidge, K. M., Ali, S. A., Somannavar, M., Saleem, S., *et al.* (2020). Preconception nutrition intervention improved birth length and reduced stunting and wasting in newborns in South Asia: The Women First Randomized Controlled Trial. *PLoS ONE*, 15(1), 1–15. <https://doi.org/10.1371/journal.pone.0218960>
- Ding, X. X., Xu, S. J., Hao, J. H., Huang, K., Su, P. Y., *et al.* (2016). Maternal pre-pregnancy BMI and adverse pregnancy outcomes among Chinese women: Results from the C-ABCS. *Journal of Obstetrics and Gynaecology*, 36(3), 328–332. <https://doi.org/10.3109/01443615.2015.1050652>
- Doherty, D. A., Magann, E. F., Francis, J., Morrison, J. C., & Newnham, J. P. (2006). Pre-pregnancy body mass index and pregnancy outcomes. *International Journal of Gynecology and Obstetrics*, 95(3), 242–247. <https://doi.org/10.1016/j.ijgo.2006.06.021>
- Effendi, S., & Indrasanto, E. (2014). *Kelainan kongenital (cacat bawaan) dalam*

*Buku ajar neonatologi IDAI.*

- Forsén, T., Eriksson, J. G., Tuomilehto, J., Osmond, C., & Barker, D. J. P. (1999). Growth in utero and during childhood among women who develop coronary heart disease: Longitudinal study. *British Medical Journal*, 319(7222), 1403–1407. <https://doi.org/10.1136/bmj.319.7222.1403>
- Gomella, T. L., Eyal, F. G., & Bany-Mohammed, F. (2020). *Gomella's Neonatology Management, Procedures, On-Call Problems, Diseases, and Drugs*. McGraw Hills.
- Kajantie, E., Osmond, C., Barker, D. J. P., Forsén, T., Phillips, D. I. W., *et al.* (2005). Size at birth as a predictor of mortality in adulthood: A follow-up of 350 000 person-years. *International Journal of Epidemiology*, 34(3), 655–663. <https://doi.org/10.1093/ije/dyi048>
- Kemenkes RI. (2018). Hasil Riset Kesehatan Dasar Tahun 2018. *Kementrian Kesehatan RI*, 53(9), 1689–1699.
- Kramer, M. S. (1987). Determinants of low birth weight: Methodological assessment and meta-analysis. *Bulletin of the World Health Organization*, 65(5), 663–737.
- Kramer, M. S., & Kakuma, R. (2003). Energy and Protein Intake in Pregnancy ( Intervention Review). *Cochrane Database OfSystematic Reviews*, 4.
- McDermott, M. M., & Brubaker, L. (2019). Prepregnancy Body Mass Index, Weight Gain During Pregnancy, and Health Outcomes. *Jama*, 321(17), 1715.
- Mejia, L., & Rezeberga, D. (2016). *Proper Maternal Nutrition during Pregnancy Planing and Pregnancy*. 1–31. [https://www.euro.who.int/ data/assets/pdf file/00037337566\(Maternal-nutrition-Eng.pdf](https://www.euro.who.int/ data/assets/pdf file/00037337566(Maternal-nutrition-Eng.pdf)
- Mileti, T., Stoini, E., Mikulandra, F., Tadin, I., Roje, D., *et al* (2007). *Effect of Parental Anthropometric Parameters on Neonatal Birth Weight and Birth Length*. 31, 993–997.
- Mousa, A., Naqash, A., & Lim, S. (2019). Macronutrient and micronutrient intake during pregnancy: An overview of recent evidence. *Nutrients*, 11(2), 1–20. <https://doi.org/10.3390/nu11020443>
- Neufeld, L. M., Haas, J. D., Grajeda, R., & Martorell, R. (2004). Changes in

- maternal weight from the first to second trimester of pregnancy are associated with fetal growth and infant length at birth. *American Journal of Clinical Nutrition*, 79(4), 646–652. <https://doi.org/10.1093/ajcn/79.4.646>
- Noviyanti, N. P. A. W., Sidiarta, I. G. L., Sawitri, A. A. S., & Adhi, K. T. (2019). Gestational weight gain is a risk factor of stunting among children aged 6-23 months in Bangli District, Bali, Indonesia. *Public Health and Preventive Medicine Archive*, 7(1), 14–19. <https://doi.org/10.15562/phpma.v7i1.188>
- Ota, E., Haruna, M., Suzuki, M., Anh, D. D., Tho, L. H., *et al.* (2011). Indice maternel de masse corporelle et augmentation du poids en gestation et leur association avec les observations périnatales au Viet Nam. *Bulletin of the World Health Organization*, 89(2), 127–136. <https://doi.org/10.2471/BLT.10.077982>
- POGI. (2016). *PNPK Diagnosis dan Tatalaksana Preeklampsia*. 1–48.
- Rasmussen, S., & Irgens, L. M. (2003). Fetal growth and body proportion in preeclampsia. *Obstetrics and Gynecology*, 101(3), 575–583. [https://doi.org/10.1016/S0029-7844\(02\)03071-5](https://doi.org/10.1016/S0029-7844(02)03071-5)
- Salam, A., Briawan, D., Drajat, M., & Thaha, A. R. (2020). Maternal factors associated with birth length in Gowa district, South Sulawesi province, Indonesia. *Maternal Factors Associated with Birth Length in Gowa District, South Sulawesi Province, Indonesia.*, 67(16), 87–90.
- Sari, K., & Sartika, R. A. D. (2021). The effect of the physical factors of parents and children on stunting at birth among newborns in indonesia. *Journal of Preventive Medicine and Public Health*, 54(5), 309–316. <https://doi.org/10.3961/jpmp.21.120>
- Siege-Riz, A. M., Viswanathan, M., Moos, M. K., Deierlein, A., Mumford, S., Knaack, J., *et al.* (2009). A systematic review of outcomes of maternal weight gain according to the Institute of Medicine recommendations: birthweight, fetal growth, and postpartum weight retention. *American Journal of Obstetrics and Gynecology*, 201(4), 339.e1-339.e14. <https://doi.org/10.1016/j.ajog.2009.07.002>
- Sinha, B., Taneja, S., Chowdhury, R., Mazumder, S., Rongsen-Chandola, T., *et al.*

- (2018). Low-birthweight infants born to short-stature mothers are at additional risk of stunting and poor growth velocity: Evidence from secondary data analyses. *Maternal and Child Nutrition*, 14(1), 1–9. <https://doi.org/10.1111/mcn.12504>
- Soliman, A., De Sanctis, V., Alaaraj, N., Ahmed, S., Alyafei, F., *et al.* (2021). Early and long-term consequences of nutritional stunting: From childhood to adulthood. *Acta Biomedica*, 92(1), 1–12. <https://doi.org/10.23750/abm.v92i1.11346>
- Solomons, N. W., Vossenaar, M., Chomat, A. M., Doak, C. M., Koski, K. G., *et al.* (2015). Stunting at birth: Recognition of early-life linear growth failure in the western highlands of Guatemala. *Public Health Nutrition*, 18(10), 1737–1745. <https://doi.org/10.1017/S136898001400264X>
- Stothard, K. J., Tennant, P. W. G., Bell, R., & Rankin, J. (2009). Maternal Overweight and Obesity and the Risk of Congenital Anomalies. *Survey of Anesthesiology*, 53(5), 218–219. <https://doi.org/10.1097/01.sa.0000358599.18446.b7>
- Sumarmi, S. (2016). Maternal Short Stature and Neonatal Stunting: an Inter-Generational Cycle of Malnutrition. *International Conference on Health and Well-Being (ICHWB) 2016*, 265–272. <http://hdl.handle.net/11617/7411>
- Svefors, P., Sysoev, O., Ekstrom, E. C., Persson, L. A., Arifeen, S. E., *et al.* (2019). Relative importance of prenatal and postnatal determinants of stunting: Data mining approaches to the MINIMat cohort, Bangladesh. *BMJ Open*, 9(8), 1–12. <https://doi.org/10.1136/bmjopen-2018-025154>
- Szmelskyj, I., Aquilina, L., & Szmelskyj, A. O. (2015). ART complications. *Acupuncture for IVF and Assisted Reproduction*. 291–300.
- Thorsdottir, I., Torfadottir, J. E., Birgisdottir, B. E., & Geirsson, R. T. (2002). Weight gain in women of normal weight before pregnancy: Complications in pregnancy or delivery and birth outcome. *Obstetrics and Gynecology*, 99(5), 799–806. [https://doi.org/10.1016/S0029-7844\(02\)01946-4](https://doi.org/10.1016/S0029-7844(02)01946-4)
- Titaley, C. R., Ariawan, I., Hapsari, D., Muasyaroh, A., & Dibley, M. J. (2019). Determinants of the stunting of children under two years old in Indonesia: A

multilevel analysis of the 2013 Indonesia basic health survey. *Nutrients*, 11(5).  
<https://doi.org/10.3390/nu11051106>

Tong, B. C.-K., & Benjamin Chun-Kit Tong. (2017). 乳鼠心肌提取 HHS Public  
Access. *Physiology & Behavior*, 176(5), 139–148.  
<https://doi.org/10.1002/ajhb.22855>.Inadequate

Trihono, Sudomo, M., & Indonesia. Badan Penelitian dan Pengembangan  
Kesehatan. (2015). *Pendek (stunting) di Indonesia : masalah dan solusinya*.  
Badan Penelitian dan Pengembangan Kesehatan.

Utami, N. H., Rachmalina, R., Irawati, A., Sari, K., Rosha, B. C., *et al.* (2018).  
Short birth length, low birth weight and maternal short stature are dominant  
risks of stunting among children aged 0-23 months: Evidence from Bogor  
longitudinal study on child growth and development, Indonesia. *Mal J Nutr*,  
24(1), 11–23.

Viswanathan, M., Siega-Riz, A. M., Moos, M. K., Deierlein, A., Mumford, S., *et al*  
(2008). Outcomes of maternal weight gain. *Evidence Report/Technology  
Assessment*, 168, 1–223.

Voerman, E., Santos, S., Inskip, H., Amiano, P., Barros, H., *et al.* (2019).  
Association of Gestational Weight Gain With Adverse Maternal and Infant  
Outcomes. *Jama*, 321(17), 1702–1715.  
<https://doi.org/10.1001/jama.2019.3820>

Walker, S. P., Chang, S. M., Wright, A., Osmond, C., & Grantham-McGregor, *et al.* (2015). Early childhood stunting is associated with lower developmental  
levels in the subsequent generation of children. *Journal of Nutrition*, 145(4),  
823–828. <https://doi.org/10.3945/jn.114.200261>

Wu, G., Bazer, F. W., & Cudd, T. A. (2004). Recent Advances in Nutritional  
Sciences Maternal Nutrition and Fetal. Amino Acid. *American Institute of  
Nutrition*, 2169–2172.

Xiao, L., Ding, G., Vinturache, A., Xu, J., Ding, Y., *et al.* (2017). Associations of  
maternal pre-pregnancy body mass index and gestational weight gain with  
birth outcomes in Shanghai, China. *Scientific Reports*, 7(October 2016), 1–8.

<https://doi.org/10.1038/srep41073>