

DAFTAR PUSTAKA

- [1] D.-C. Trancă, D. Rosner, R. Tătăroiu, S. C. Stegaru, A. Surpăţeanu, and M. Peşić, “Precision and linearity of analog temperature sensors for industrial IoT devices,” in *2018 17th RoEduNet Conference: Networking in Education and Research (RoEduNet)*, 2018, pp. 1–6, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/document/8514122>.
- [2] S. Roy, S. Chandra Panja, and S. Narayan Patra, “An Embedded System to Measure Ground-Based Solar Irradiance Signal,” *Measurement*, p. 108598, Oct. 2020, doi: 10.1016/j.measurement.2020.108598.
- [3] S. Ponnusamy, R. Samikannu, B. A. Tlhabologo, W. Ullah, and S. Murugesan, “Design and development of microcontroller-based temperature monitoring and control system for power plant generators,” *{IOP} Conf. Ser. Mater. Sci. Eng.*, vol. 1055, no. 1, p. 12158, Feb. 2021, doi: 10.1088/1757-899x/1055/1/012158.
- [4] K. S. Gowthaman, S. Palaniyappan, L. Hubert Tony Raj, and A. T. Sankara Subramanian, “Temperature detection and control in multiple DC motors,” *Mater. Today Proc.*, vol. 45, pp. 2202–2206, 2021, doi: <https://doi.org/10.1016/j.matpr.2020.10.114>.
- [5] H. Shabani, M. R. M. Razif, and M. F. Muhsin, “Smart Car Control System Based Arduino Uno for Obstacles Avoidance and Engine Temperature Control,” in *2021 IEEE Symposium on Computers Informatics (ISCI)*, Oct. 2021, pp. 1–6, doi: 10.1109/ISCI51925.2021.9633698.
- [6] S. U. Rahayu and N. N. Lubis, “Prototype of Temperature Monitoring System for {BTS} Shelter using Android Smartphone,” *J. Phys. Conf. Ser.*, vol. 1819, no. 1, p. 12005, Mar. 2021, doi: 10.1088/1742-6596/1819/1/012005.
- [7] D. S. Rahul, S. K. Sudarshan, K. Meghana, K. N. Nandan, R. Kirthana, and P. Sure, “IoT based solar powered Agribot for irrigation and farm monitoring: Agribot for irrigation and farm monitoring,” in *Proceedings of the 2nd International Conference on Inventive Systems and Control, ICISC*

- 2018, Jun. 2018, pp. 826–831, doi: 10.1109/ICISC.2018.8398915.
- [8] P. Yadav, K. Jaiswal, and M. Tripathi, “IOT Based Farming website,” in *2021 International Conference on Computer Communication and Informatics (ICCCI)*, Jan. 2021, pp. 1–4, doi: 10.1109/ICCCI50826.2021.9402697.
- [9] M. H. Riaz, U. Rashid, M. Ali, and L. Li, “Internet of things based wireless patient body area monitoring network,” in *Proceedings - 2017 IEEE International Conference on Internet of Things, IEEE Green Computing and Communications, IEEE Cyber, Physical and Social Computing, IEEE Smart Data, iThings-GreenCom-CPSCo-SmartData 2017*, Jan. 2018, vol. 2018-January, pp. 970–973, doi: 10.1109/iThings-GreenCom-CPSCo-SmartData.2017.180.
- [10] A. Bhatti, A. A. Siyal, A. Mehdi, H. Shah, H. Kumar, and M. A. Bohyo, “Development of cost-effective tele-monitoring system for remote area patients,” in *2018 International Conference on Engineering and Emerging Technologies, ICEET 2018*, Apr. 2018, vol. 2018-January, pp. 1–7, doi: 10.1109/ICEET1.2018.8338646.
- [11] S. Majumder, M. A. Rahman, and D. Ghosh, “Design and Implementation of a Wireless Health Monitoring System for Remotely Located Patients; Design and Implementation of a Wireless Health Monitoring System for Remotely Located Patients,” in *2018 4th International Conference on Electrical Engineering and Information & Communication Technology (iCEEiCT)*, Sep. 2018, pp. 86–91, Accessed: Nov. 10, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8628077>.
- [12] A. Awad M., “Theoretical design of EEG-based Neuroergonomics integrated portable system, applying direct Psychophysiological indicators,” in *2019 Industrial & Systems Engineering Conference (ISEC)*, 2019, pp. 1–6, Accessed: Nov. 10, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8686703>.
- [13] M. A. Burhanuddin *et al.*, “The Design of Low-Cost Patient Monitor Based on Computer,” in *Proceedings - 2019 International Seminar on Application*

for Technology of Information and Communication: Industry 4.0:

Retrospect, Prospect, and Challenges, iSemantic 2019, Sep. 2019, pp. 405–410, doi: 10.1109/ISEMANTIC.2019.8884346.

- [14] N. Wadhvani, N. Mehta, and N. Ruban, “IoT Based Biomedical Wireless Sensor Networks and Machine Learning Algorithms for Detection of Diseased Conditions,” in *2019 Innovations in Power and Advanced Computing Technologies (i-PACT)*, 2019, pp. 1–7, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8960191>.
- [15] F. Faisal and S. A. Hossain, “IoT Based Remote Medical Diagnosis System Using NodeMCU,” in *2019 13th International Conference on Software, Knowledge, Information Management and Applications (SKIMA)*, 2019, pp. 1–7, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8982509>.
- [16] M. A. Al-Sheikh and I. A. Ameen, “Design of Mobile Healthcare Monitoring System Using IoT Technology and Cloud Computing,” in *IOP Conference Series: Materials Science and Engineering*, Aug. 2020, vol. 881, no. 1, doi: 10.1088/1757-899X/881/1/012113.
- [17] A. A. Silverio, A. A. Silverio, A. M. Remot, and A. A. Silverio, “Low-Cost Elderly Healthcare Monitoring System,” in *Journal of Physics: Conference Series*, Jun. 2020, vol. 1529, no. 3, doi: 10.1088/1742-6596/1529/3/032061.
- [18] N. J. Abed and E. A. Hussein, “Design and Implementation of Real Time Health Care Monitoring System Based on {IoT},” *J. Phys. Conf. Ser.*, vol. 1818, no. 1, p. 12044, Mar. 2021, doi: 10.1088/1742-6596/1818/1/012044.
- [19] S. K. S, S. S. Jabannavar, S. K. R, M. Nagaraj, and S. B, “Localization and tracking of unmanned vehicles for underground mines,” in *2017 Second International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, 2017, pp. 1–4, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8117958>.
- [20] F. T. Boro, I. Riyanto, and K. Adiyarta, “Automatic coffee grinding and brewing process with NUC140 microcontroller,” in *2017 3rd International*

- Conference on Science in Information Technology (ICSITech)*, 2017, pp. 537–540, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8257171>.
- [21] N. K. Sharma, D. K. Gautam, L. K. Sahu, and M. R. Khan, “First wave of covid-19 in India using IoT for identification of virus,” *Mater. Today Proc.*, 2021, doi: <https://doi.org/10.1016/j.matpr.2021.05.492>.
- [22] B. (Universitas I. I. Astuti, *Pengantar Teknik Elektro*, 1st ed. Yogyakarta: Graha Ilmu, 2011.
- [23] R. Blocher, *Dasar Elektronika*, 2nd ed. Yogyakarta: Penerbit ANDI, 2004.
- [24] M. Fuentes, M. Vivar, J. M. Burgos, J. Aguilera, and J. A. Vacas, “Design of an accurate, low-cost autonomous data logger for PV system monitoring using ArduinoTM that complies with IEC standards,” *Sol. Energy Mater. Sol. Cells*, vol. 130, pp. 529–543, 2014, doi: 10.1016/j.solmat.2014.08.008.
- [25] S. Al Fatah, K. Purwanto, and R. Syahputra, “Sistem Pendingin Komputer Berbasis Hybrid Cooling Engine,” Universitas Muhammadiyah Yogyakarta, 2018.
- [26] P. W. Digarse and S. L. Patil, “Arduino UNO and GSM Based Wireless Health Monitoring System for Patients,” in *2017 International Conference on Intelligent Computing and Control Systems (ICICCS)*, Jun. 2017, pp. 583–588, Accessed: Nov. 09, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8250529>.
- [27] M. Asaduzzaman Miah, M. H. Kabir, M. Siddiquir Rahman Tanveer, and M. A. H. Akhand, “Continuous heart rate and body temperature monitoring system using Arduino UNO and Android device,” in *2015 2nd International Conference on Electrical Information and Communication Technologies (EICT)*, Dec. 2015, pp. 183–188, doi: 10.1109/EICT.2015.7391943.
- [28] M. A. Rahman, A. Barai, M. A. Islam, and M. M. A. Hashem, “Development of a device for remote monitoring of heart rate and body temperature,” in *2012 15th International Conference on Computer and Information Technology (ICCIT)*, Dec. 2012, pp. 411–416, doi:

- 10.1109/ICCITech.2012.6509783.
- [29] A. Ghosh, S. Aich, A. K. Ghosh, P. Das, S. Mahato, and A. Dey, "Patient health monitoring system," in *2016 International Conference on Intelligent Control, Power and Instrumentation, ICICPI 2016*, Feb. 2017, pp. 114–117, doi: 10.1109/ICICPI.2016.7859685.
 - [30] O. S. Dhande, R. R. Nambiar, Y. R. Deshpande, and P. Dhage, "Portable system to monitor vital signs with a Java based computer display and data logging," in *Conference on Advances in Signal Processing, CASP 2016*, Nov. 2016, pp. 144–149, doi: 10.1109/CASP.2016.7746154.
 - [31] C. Panoiu, R. Rob, and S. Rusu-Anghel, "Real Time System for Measuring the Pantograph Vertically Movement," in *2017 IEEE 15th International Conference on Industrial Informatics (INDIN)*, 2017, pp. 957–962, Accessed: Nov. 10, 2020. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8104901>.
 - [32] N. I. Nuzula, W. Sakinah, and Endarko, "Manufacturing temperature and turbidity sensor based on ATmega 8535 microcontroller," in *AIP Conference Proceedings*, Jan. 2017, vol. 1788, doi: 10.1063/1.4968361.
 - [33] M. Shahabuddin *et al.*, "A review of the recent development, challenges, and opportunities of electronic waste (e-waste)," *Int. J. Environ. Sci. Technol.*, vol. 20, no. 4, pp. 4513–4520, 2023, doi: 10.1007/s13762-022-04274-w.
 - [34] R. Hidayat, *Teknik Pengolahan Isyarat Digital*, 1st ed. Yogyakarta: Deepublish, 2018.
 - [35] S. Kale and C. S. Khandelwal, "Design and implementation of real time embedded tele-health monitoring system," in *Proceedings of IEEE International Conference on Circuit, Power and Computing Technologies, ICCPCT 2013*, Mar. 2013, pp. 771–774, doi: 10.1109/ICCPCT.2013.6528842.
 - [36] P. Mendoza, P. Gonzalez, B. Villanueva, E. Haltiwanger, and H. Nazeran, "A Web-based vital sign telemonitor and recorder for telemedicine applications," in *The 26th Annual International Conference of the IEEE*

- Engineering in Medicine and Biology Society*, 2004, vol. 1, pp. 2196–2199, doi: 10.1109/IEMBS.2004.1403641.
- [37] M. F. Saaid, N. S. M. Fadhil, M. S. A. M. Ali, and M. Z. H. Noor, “Automated indoor Aquaponic cultivation technique,” in *2013 IEEE 3rd International Conference on System Engineering and Technology*, Aug. 2013, pp. 285–289, doi: 10.1109/ICSEngT.2013.6650186.
- [38] K.-S. Cheng, Y.-S. Chen, and T. Wang, “Physiological parameters assessment for emotion recognition,” in *2012 IEEE-EMBS Conference on Biomedical Engineering and Sciences*, Dec. 2012, pp. 995–998, doi: 10.1109/IECBES.2012.6498118.
- [39] M. Charkhgard and M. Farrokhi, “State-of-Charge Estimation for Lithium-Ion Batteries Using Neural Networks and EKF,” *IEEE Trans. Ind. Electron.*, vol. 57, no. 12, pp. 4178–4187, Dec. 2010, doi: 10.1109/TIE.2010.2043035.
- [40] O. Postolache, J. M. D. Pereira, P. S. Girão, and G. Postolache, “Systems for remote monitoring of indoor air quality and respiration of wheelchair users,” in *International Multi-Conference on Systems, Signals & Devices*, Mar. 2012, pp. 1–6, doi: 10.1109/SSD.2012.6198114.
- [41] C. Liu, W. Ren, B. Zhang, and C. Lv, “The application of soil temperature measurement by LM35 temperature sensors,” in *Proceedings of 2011 International Conference on Electronic & Mechanical Engineering and Information Technology*, Aug. 2011, vol. 4, pp. 1825–1828, doi: 10.1109/EMEIT.2011.6023459.
- [42] D. S. Grebenkov and J. Serror, “Following a trend with an exponential moving average: Analytical results for a Gaussian model,” *Phys. A Stat. Mech. its Appl.*, vol. 394, pp. 288–303, 2014, doi: 10.1016/j.physa.2013.10.007.
- [43] M. Zhang, X. Li, and L. Wang, “An Adaptive Outlier Detection and Processing Approach towards Time Series Sensor Data,” *IEEE Access*, vol. 7, pp. 175192–175212, 2019, doi: 10.1109/ACCESS.2019.2957602.
- [44] S. Ahmed, S. Millat, M. A. Rahman, S. N. Alam, and M. S. R. Zishan,

- “Wireless health monitoring system for patients,” in *2015 IEEE International WIE Conference on Electrical and Computer Engineering (WIECON-ECE)*, Dec. 2015, pp. 164–167, doi: 10.1109/WIECON-ECE.2015.7443888.
- [45] A. Burkov and B. Chaib-draa, “Effective learning in the presence of adaptive counterparts,” *J. Algorithms*, vol. 64, no. 4, pp. 127–138, Oct. 2009, doi: 10.1016/j.jalgor.2009.04.003.
- [46] J. S. Hunter, “The Exponentially Weighted Moving Average,” *J. Qual. Technol.*, vol. 18, no. 4, pp. 203–210, 1986, doi: 10.1080/00224065.1986.11979014.
- [47] R. E. Walpole, R. H. Myers, S. L. Myers, and K. Ye, *Probability & Statistics for Engineers & Scientists Ninth Edition*, 9th ed. Boston: Pearson Education Inc., 2012.
- [48] Sonali, S. Sahu, A. K. Singh, S. P. Ghrera, and M. Elhoseny, “An approach for de-noising and contrast enhancement of retinal fundus image using CLAHE,” *Opt. Laser Technol.*, vol. 110, pp. 87–98, 2019, doi: <https://doi.org/10.1016/j.optlastec.2018.06.061>.
- [49] Y. Li *et al.*, “A quick on-line state of health estimation method for Li-ion battery with incremental capacity curves processed by Gaussian filter,” *J. Power Sources*, vol. 373, pp. 40–53, 2018, doi: <https://doi.org/10.1016/j.jpowsour.2017.10.092>.
- [50] I. T. Young and L. J. van Vliet, “Recursive implementation of the Gaussian filter,” *Signal Processing*, vol. 44, no. 2, pp. 139–151, 1995, doi: [https://doi.org/10.1016/0165-1684\(95\)00020-E](https://doi.org/10.1016/0165-1684(95)00020-E).
- [51] J. Immerkær, “Fast Noise Variance Estimation,” *Comput. Vis. Image Underst.*, vol. 64, no. 2, pp. 300–302, 1996, doi: <https://doi.org/10.1006/cviu.1996.0060>.
- [52] D.-H. Shin, R.-H. Park, S. Yang, and J.-H. Jung, “Block-based noise estimation using adaptive Gaussian filtering,” *IEEE Trans. Consum. Electron.*, vol. 51, no. 1, pp. 218–226, Feb. 2005, doi: 10.1109/TCE.2005.1405723.

- [53] A. Amer and E. Dubois, “Fast and reliable structure-oriented video noise estimation,” *IEEE Trans. Circuits Syst. Video Technol.*, vol. 15, no. 1, pp. 113–118, Jan. 2005, doi: 10.1109/TCSVT.2004.837017.