

## DAFTAR PUSTAKA

- ACOG. (2018) 'Placenta accrete spectrum. Obstetric Care Consensus No.7', *Obstet Gynecol* 2018;132:e259-75
- Agarwal, S., Agarwal, A. and Chandak, S. (2021) 'Role of placenta accreta index in prediction of morbidly adherent placenta: A reliability study', *Ultrasound*, 29(2), pp. 92–99. Available at: <https://doi.org/10.1177/1742271X20959742>.
- Bartels, H.C., Postle, J.D., Downey, P., & Brennan, D.J. (2018). Placenta accreta spectrum: A review of pathology, molecular biology, and biomarkers. *Dis. Markers* 2018. doi:10.1155/2018/1507674
- Bluth, A., Schindelbauer, A., Nitzsche, K., Wimberger, P., & Birdir, C. (2021). Placenta accreta spectrum disorders—experience of management in a German tertiary perinatal centre. *Arch. Gynecol. Obstet.* 303: 1451–1460. doi:10.1007/s00404-020-05875-x
- Boroomand Fard, M., Kasraeian, M., Vafaei, H., Jahromi, M.A., Arasteh, Payam, Shahraki, H.R., et al. (2020). Introducing an efficient model for the prediction of placenta accreta spectrum using the MCP regression approach based on sonography indexes: How efficient is sonography in diagnosing accreta? *BMC Pregnancy Childbirth* 20: 1–10. doi:10.1186/s12884-020-2799-0
- Butler E L , Dashe J S, R.R.M. (2001). Association Between Maternal Serum Alpha-Fetoprotein and Adverse Outcomes in Pregnancies With Placenta Previa. doi:DOI: 10.1016/s0029-7844(00)01095-4
- Cahill, A.G., Beigi, R., Heine, R.P., Silver, R.M., & Wax, J.R. (2018). Placenta Accreta Spectrum. *Am. J. Obstet. Gynecol.* 219: B2–B16. doi:10.1016/j.ajog.2018.09.042
- Chantraine, F., Blacher, S., Berndt, S., Palacios-Jaraquemada, J., Sarioglu, N., Nisolle, M., et al. (2012). Abnormal vascular architecture at the placental-maternal interface in placenta increta. *Am. J. Obstet. Gynecol.* 207: 188.e1–188.e9. doi:10.1016/j.ajog.2012.06.083
- Chou, M.M. (2004). Prenatal Diagnosis and Perinatal Management of Placenta Previa Accreta: Past, Present and Future. *Taiwan. J. Obstet. Gynecol.* doi:10.1016/S1028-4559(09)60058-9
- Derman, A.Y., Nikac, V., Haberman, S., Zelenko, N., Opsha, O., & Flyer, M. (2011). MRI of placenta accreta: A new imaging perspective. *Am. J. Roentgenol.* 197: 1514–1521. doi:10.2214/AJR.10.5443
- Desai, N., Krantz, D., Roman, A., Fleischer, A., Boulis, S., & Rochelson, B.

- (2014). Elevated first trimester PAPP-A is associated with increased risk of placenta accreta. *Prenat. Diagn.* 34: 159–162. doi:10.1002/pd.4277
- Di Mascio, D., Cali, G., & D’Antonio, F. (2019). Updates on the management of placenta accreta spectrum. *Minerva Ginecol.* doi:10.23736/S0026-4784.18.04333-2
- Dreux, S., Salomon, L.J., Muller, F., Goffinet, F., Oury, J.F., Study Group, A., et al. (2012). Second-trimester maternal serum markers and placenta accreta. *Prenat. Diagn.* 32: 1010–1012. doi:10.1002/pd.3932
- Einerson, B.D., & Silver, R.M. (2019). Multidisciplinary Teams in the Management of Placenta Accreta Spectrum Disorders. *Curr. Obstet. Gynecol. Rep.* 8: 80–85. doi:10.1007/s13669-019-00264-x
- El Behery, M.M., Rasha L., E., & El Alfy, Y. (2010). Cell-free placental mRNA in maternal plasma to predict placental invasion in patients with placenta accreta. *Int. J. Gynecol. Obstet.* 109: 30–33. doi:10.1016/j.ijgo.2009.11.013
- El Gelany, S., Mosbeh, M.H., Ibrahim, E.M., Mohammed, M., Khalifa, E.M., Abdelhakium, A.K., et al. (2019). Placenta Accreta Spectrum (PAS) disorders: Incidence, risk factors and outcomes of different management strategies in a tertiary referral hospital in Minia, Egypt: A prospective study. *BMC Pregnancy Childbirth* 19. doi:10.1186/s12884-019-2466-5
- ElLakwa, H., Sanad, Z., Hamza, H., Elhamamy, N., El-Sheikh, M., & Samak, A. (2019). Evaluation of placenta accreta index to predict placental invasion in patients with placenta previa. *Menoufia Med. J.* 32: 1359. doi:10.4103/mmj.mmj\_197\_19
- Eller, A.G., Porter, T.T., Soisson, P., & Silver, R.M. (2009). Optimal management strategies for placenta accreta. *BJOG An Int. J. Obstet. Gynaecol.* 116: 648–654. doi:10.1111/j.1471-0528.2008.02037.x
- Garmi, G., & Salim, R. (2012). Epidemiology, Etiology, Diagnosis, and Management of Placenta Accreta. *Obstet. Gynecol. Int.* 2012: 1–7. doi:10.1155/2012/873929
- Goh, W.A., & Zalud, I. (2016). Placenta accreta: Diagnosis, management and the molecular biology of the morbidly adherent placenta. *J. Matern. Neonatal Med.* 29: 1795–1800. doi:10.3109/14767058.2015.1064103
- Hussein, A.M., Kamel, A., Raslan, A., Dakhly, D.M.R., Abdelhafeez, A., Nabil, M., et al. (2019). Modified cesarean hysterectomy technique for management of cases of placenta increta and percreta at a tertiary referral hospital in Egypt. *Arch. Gynecol. Obstet.* 299: 695–702. doi:10.1007/s00404-018-5027-7

- Ilham, M., & Akbar, A. (2019). Teknik Operasi Konservatif pada Invasi Placenta Abnormal (Abnormally Invasive Placenta/AIP).
- Jauniaux, E., Ayres-de-Campos, D., Langhoff-Roos, J., Fox, K.A., Collins, S., Duncombe, G., et al. (2019). FIGO classification for the clinical diagnosis of placenta accreta spectrum disorders,. *Int. J. Gynecol. Obstet.* doi:10.1002/ijgo.12761
- Jauniaux, E., Bhide, A., Kennedy, A., Woodward, P., Hubinont, C., & Collins, S. (2018). FIGO consensus guidelines on placenta accreta spectrum disorders: Prenatal diagnosis and screening,. *Int. J. Gynecol. Obstet.* 140: 274–280. doi:10.1002/ijgo.12408
- Jauniaux, E., Collins, S., & Burton, G.J. (2018). Placenta accreta spectrum: pathophysiology and evidence-based anatomy for prenatal ultrasound imaging. *Am. J. Obstet. Gynecol.* doi:10.1016/j.ajog.2017.05.067
- Jauniaux, E.R.M., Alfirevic, Z., Bhide, A.G., Belfort, M.A., Burton, G.J., Collins, S.L., et al. (2019). Placenta Praevia and Placenta Accreta: Diagnosis and Management: Green-top Guideline No. 27a. *BJOG An Int. J. Obstet. Gynaecol.* 126: e1–e48. doi:10.1111/1471-0528.15306
- Johnson, L.G., Mueller, B.A., & Daling, J.R. (2003). The relationship of placenta previa and history of induced abortion. *Int. J. Gynaecol. Obstet.* 81: 151–156. doi:10.1016/S0020-7292
- Khong, T.Y. (2008). The pathology of placenta accreta, a worldwide epidemic. *J. Clin. Pathol.* doi:10.1136/jcp.2008.055202
- Lopes, E.S., Feitosa, F.E.D.L., Brazil, A.V., De Castro, J.D.V., Da Costa, J.I.F., Araujo Júnior, E., et al. (2019). Assessment of Sensitivity and Specificity of Ultrasound and Magnetic Resonance Imaging in the Diagnosis of Placenta Accreta. *Rev. Bras. Ginecol. e Obstet.* 41: 17–23. doi:10.1055/s-0038-1675803
- Mathur, A., Rajoria, L., Bansal, A., Hemani, S., & Vyas, J. (2019). Role of placenta accreta index in patients with placenta previa with previous cesarean: A prospective study. *J. SAFOG* 11: 363–367. doi:10.5005/jp-journals-10006-1738
- Miller, D.A., Chollet, J.A., & Goodwin, T.M. (1997). Clinical risk factors for placenta previa-placenta accreta. *Am. J. Obstet. Gynecol.* 177: 210–214. doi:10.1016/S0002-9378(97)70463-0
- Morlando, M., & Collins, S. (2020). Placenta accreta spectrum disorders: Challenges, risks, and management strategies. *Int. J. Womens. Health.*

doi:10.2147/IJWH.S224191

- Negida, A., Fahim, N.K., & Negida, Y. (2019). Sample Size Calculation Guide - Part 4: How to Calculate the Sample Size for a Diagnostic Test Accuracy Study based on Sensitivity, Specificity, and the Area Under the ROC Curve. *Adv. J. Emerg. Med.* 3: e33. doi:10.22114/ajem.v0i0.158
- Nelson, T., Chang, E., Goodier, C., & Mateus-Nino, J. (2017). 209: Validation of the Placenta Accreta Index (PAI): Improving the antenatal diagnosis of the morbidly adherent placenta. *Am. J. Obstet. Gynecol.* 216: S133–S134. doi:10.1016/j.ajog.2016.11.114
- Osol, G., & Mandala, M. (2009). Maternal Uterine Vascular Remodeling During Pregnancy. *NIH Public Access* 23: 1–7. doi:10.1152/physiol.00033.2008.Maternal
- Oztas, E., Ozler, S., Caglar, A.T., & Yucel, A. (2016). Analysis of first and second trimester maternal serum analytes for the prediction of morbidly adherent placenta requiring hysterectomy. *Kaohsiung J. Med. Sci.* 32: 579–585. doi:10.1016/j.kjms.2016.08.011
- Ozturk, H., Erkaya, S., Altinbas, S., Karadağ, B., Tonyalı, N.V., & Ozkan, D. (2014). The role of unexplained high serum alpha-fetoprotein (AFP) and human chorionic gonadotropin (hCG) levels in the second trimester to determine poor obstetric outcomes. *Turk Jinekoloji ve Obstet. Dern. Derg.* 11: 142–147. doi:10.4274/tjod.00922
- Palacios-Jaraquemada, J.M., & D'antonio, F. (2021). Posterior placenta accreta spectrum disorders: Risk factors, diagnostic accuracy, and surgical management. *Matern. Med.* 3: 268–273. doi:10.1097/FM9.0000000000000124
- Palacios Jaraquemada, J.M., Pesaresi, M., Nassif, J.C., & Hermosid, S. (2004). Anterior placenta percreta: Surgical approach, hemostasis and uterine repair. *Acta Obstet. Gynecol. Scand.* 83: 738–744. doi:10.1111/j.0001-6349.2004.00517.x
- Pinas Carrillo, A., & Chandraharan, E. (2019). Placenta accreta spectrum: Risk factors, diagnosis and management with special reference to the Triple P procedure. *Women's Heal.* doi:10.1177/1745506519878081
- Philips, J. and Abuhamad, A. (2018) 'Diagnosing placenta accreta spectrum with prenatal ultrasound', *OBG Management*, 30(10), pp. 34–44. Available at: <https://linkinghub.elsevier.com/retrieve/pii/S000293781401059X>.
- Putri, I., A. (2018). ANDALAS OBSTETRICS AND GYNECOLOGY JOURNAL The Relationship Between The Placenta Accreta Index (PAI)

Score and The Incidence of Placenta Accreta In Patients Giving Birth in The Obstetrics Department Of RSUP.Dr.M. Djamil Padang. *Ruang Redaksi Andalas Obstet. Gynecol. J. 2*: 25127.

Rac, M.W.F., Dashe, J.S., Wells, C.E., Moschos, E., McIntire, D.D., & Twickler, D.M. (2015). Ultrasound predictors of placental invasion: The Placenta Accreta Index. *Am. J. Obstet. Gynecol.* 212: 343.e1-343.e7. doi:10.1016/j.ajog.2014.10.022

Samosir, S.M., Irianti, S., & Tjahyadi, D. (2017). Diagnostic tests of placenta accreta index score (PAIS) as supporting prenatal diagnosis and outcomes of maternal neonatal in abnormally invasive placenta management at general hospital of Hasan Sadikin Bandung. *Int. J. Reprod. Contraception, Obstet. Gynecol.* 6: 3765. doi:10.18203/2320-1770.ijrcog20173666

Samuel, A., Bonanno, C., Oliphant, A., Batey, A., & Wright, J.D. (2013). Fraction of cell-free fetal DNA in the maternal serum as a predictor of abnormal placental invasion-a pilot study. *Prenat. Diagn.* 33: 1050–1053. doi:10.1002/pd.4195

Satija, B., Kumar, S., Wadhwa, L., Gupta, T., Kohli, S., Chandoke, R., et al. (2015). Utility of ultrasound and magnetic resonance imaging in prenatal diagnosis of placenta accreta: A prospective study. *Indian J. Radiol. Imaging* 25: 464–470. doi:10.4103/0971-3026.169456

Shawky, M., AbouBieh, E., & Masood, A. (2016). Gray scale and Doppler ultrasound in placenta accreta: Optimization of ultrasound signs. *Egypt. J. Radiol. Nucl. Med.* 47: 1111–1115. doi:10.1016/j.ejrm.2016.04.010

Silver, R. (2017). Placenta Accreta Syndrome (Series in Maternal-Fetal Medicine) (1st ed.). CRC Press.

Tanaka, K., & Mahomed, K. (2017). The Ten-Group Robson Classification: A Single Centre Approach Identifying Strategies to Optimise Caesarean Section Rates. *Obstet. Gynecol. Int.* 2017. doi:10.1155/2017/5648938

Tantbirojn, P., Crum, C.P., & Parast, M.M. (2008). Pathophysiology of Placenta Creta: The Role of Decidua and Extravillous Trophoblast. *Placenta* 29: 639–645. doi:10.1016/j.placenta.2008.04.008

Vieira, M.C., Rijken, M.J., Braun, T., Chantraine, F., Morel, O., Schwickert, A., et al. (2021). The relation between maternal obesity and placenta accreta spectrum: A multinational database study. *Acta Obstet. Gynecol. Scand.* 100: 50–57. doi:10.1111/aogs.14075

Yang, J.I., Lim, Y.K., Kim, H.S., Chang, K.H., Lee, J.P., & Ryu, H.S. (2006). Sonographic findings of placental lacunae and the prediction of adherent

placenta in women with placenta previa totalis and prior Cesarean section.

*Ultrasound Obstet. Gynecol.* 28: 178–182. doi:10.1002/uog.2797