

DAFTAR PUSTAKA

- Abdou, R. M., & Fathey, M. (2018). Evaluation of early postpartum fenugreek supplementation on expressed breast milk volume and prolactin levels variation. *Egyptian Pediatric Association Gazette*, 66(3), 57–60. <https://doi.org/10.1016/j.epag.2018.07.003>
- Agustini, K., Wiryowidagdo, S., Kusmana, D., Farmasi, D., & Indonesia, F. U. (2007). Pengaruh Pemberian Ekstrak Biji Klabet (*Trigonella Foenum-Graecum* L.) Terhadap Perkembangan Kelenjar Mamae Tikus Putih Betina Galur Wistar. *Pharmaceutical Sciences and Research*, 4(1), 26–36. <https://doi.org/10.7454/psr.v4i1.3410>
- Ali, Z., Bukari, M., Mwinisonaam, A., Abdul-Rahaman, A. L., & Abizari, A. R. (2020). Special foods and local herbs used to enhance breastmilk production in Ghana: rate of use and beliefs of efficacy. *International Breastfeeding Journal*, 15(1). <https://doi.org/10.1186/s13006-020-00339-z>
- Amri, B. S., Tahir, A. M., Chalid, M. T., Tiro, E., & Previana, R. (2020). Effects of Domperidone in Milk Production of Postpartum Mothers with Insufficient Lactation. *International Journal of Psychosocial Rehabilitation*, 24.
- Arief, N. (2009). *Panduan Ibu Cerdas ASI dan Tumbuh Kembang Bayi*, Yogyakarta: Media pressindo.
- Arini. (2012). *Mengapa Seorang Ibu Harus Menyusui?*, Yogyakarta: Flash Books.
- Bazzano, A. N., Cenac, L., Brandt, A., Barnett, J., Thibeau, S., & Theall, K. P. (2017). Maternal experiences with and sources of information on galactagogues to support lactation: a cross-sectional study. *International Journal of Women's Health*, Volume 9, 105–113. <https://doi.org/10.2147/IJWH.S128517>
- Beck, S., Wojdyla, D., Say, L., Betran, A. P., Merialdi, M., Requejo, J. H., Rubens, C., Menon, R., & Van Look, P. F. A. (2010). The worldwide incidence of preterm birth: a systematic review of maternal mortality and morbidity. *Bulletin of the World Health Organization*, 88(1), 31–38. <https://doi.org/10.2471/BLT.08.062554>
- Bever Babendure, J., Reifsnider, E., Mendias, E., Moramarco, M. W., & Davila, Y. R. (2015). Reduced breastfeeding rates among obese mothers: A review of contributing factors, clinical considerations and future directions. In *International Breastfeeding Journal* (Vol. 10, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13006-015-0046-5>
- Biancuzzo, M. (2000). *Breastfeeding the newborn.clinical strategies for nurses*. 1st ed. Louis Missouri: Mosby Inc. St.
- Bobak, I. M. Lowdermilk, D. L., Jensen, M. D. & Perry S. E. (2005). *Buku Ajar Keperawatan Maternitas. Edisi 4*. Alih Bahasa: Maria A. W. & Peter I. N. Jakarta: EGC
- Boss, M., Gardner, H., & Hartmann, P. (2018). Normal Human Lactation: Closing the gap [version 1; referees: 4 approved]. *F1000Research*, 7(0). <https://doi.org/10.12688/f1000research.14452.1>
- Brodribb, W. (2018). ABM Clinical Protocol #9: Use of Galactagogues in Initiating or Augmenting Maternal Milk Production, Second Revision 2018. In

- Breastfeeding Medicine* (Vol. 13, Issue 5, pp. 307–314). Mary Ann Liebert Inc. <https://doi.org/10.1089/bfm.2018.29092.wjb>
- Campbell-Yeo, M. L., Allen, A. C., Joseph, K. S., Ledwidge, J. M., Allen, V. M., & Dooley, K. C. (2006). Study protocol: a double blind placebo controlled trial examining the effect of domperidone on the composition of breast milk [NCT00308334]. *BMC Pregnancy and Childbirth*, 6(1), 17. <https://doi.org/10.1186/1471-2393-6-17>
- Dahlan, M.S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan Edisi 4*, Jakarta, Indonesia.
- Da Silva, O. P., Knoppert, D. C., Angelini, M. M., & Forret, P. a. (2001). Effect of domperidone on milk production in mothers of premature newborns: a randomized, double-blind, placebo-controlled trial. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Medicale Canadienne*, 164(1), 17–21. <http://www.ncbi.nlm.nih.gov/pubmed/11202662>
- Day, R. E., Kitchen, P., Owen, D. S., Bland, C., Marshall, L., Conner, A. C., Bill, R. M., & Conner, M. T. (2014). Human aquaporins: Regulators of transcellular water flow. *Biochimica et Biophysica Acta (BBA) - General Subjects*, 1840(5), 1492–1506. <https://doi.org/10.1016/j.bbagen.2013.09.033>
- Department of Economic and Social Affairs. (2020). *Sustainable Development, United Nations*. Available at: <https://sdgs.un.org/goals/goal3>.
- Dewey, K. G., Rivers, L. A. N., Heinig, M. J. & Cohen, R. J. (2003) Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics*, 112 (3): 607-19.
- Eidelman, A. I. (2012). Breastfeeding and the use of human milk: An analysis of the American academy of pediatrics 2012 breastfeeding policy statement. *Breastfeeding Medicine*, 7(5), 323–324. <https://doi.org/10.1089/bfm.2012.0067>
- Estrella, M. C. P., Mantaring, J. B. V., & David, G. Z. (2000). A double-blind, randomized controlled trial on the use of malunggay (*Moringa oleifera*) for augmentation of the volume of breastmilk among non-nursing mothers of preterm infants. *The Philippine Journal of Pediatrics*, 49(1), 3–7.
- Foong, S. C., Tan, M. L., Foong, W. C., Marasco, L. A., Ho, J. J., & Ong, J. H. (2020). Oral galactagogues (natural therapies or drugs) for increasing breast milk production in mothers of non-hospitalised term infants. In *Cochrane Database of Systematic Reviews* (Vol. 2020, Issue 5). John Wiley and Sons Ltd. <https://doi.org/10.1002/14651858.CD011505.pub2>
- Gartner, L. M., Morton, J., Lawrence, R. A., Naylor, A. J., O'Hare, D., Schanler, R. J., Eidelman, A. I., & American Academy of Pediatrics Section on Breastfeeding. (2005). Breastfeeding and the use of human milk. *Pediatrics*, 115(2), 496–506. <https://doi.org/10.1542/peds.2004-2491>
- Ghasemi, V., Kheirkhah, M., & Vahedi, M. (2015). The effect of herbal tea containing fenugreek seed on the signs of breast milk sufficiency in iranian girl infants. *Iranian Red Crescent Medical Journal*, 17(8). <https://doi.org/10.5812/ircmj.21848>
- Gomella, T. L., Eyal, F. G., & Mohammed, F. B. (2020). *Gomella's Neonatology 8th Edition*. New York: McGraw-Hill Publishing.

- Grajeda, R., & Pérez-Escamilla, R. (2002). Stress during labor and delivery is associated with delayed onset of lactation among Urban Guatemalan women. *Journal of Nutrition*, 132(10), 3055–3060. <https://doi.org/10.1093/jn/131.10.3055>
- Guyton, A. C., & Hall, J. E. (2007). *Buku Ajar Fisiologi Kedokteran*. Jakarta: EGC.
- Henderson, A. (2003). Domperidone. Discovering new choices for lactating mothers. In *AWHONN lifelines / Association of Women's Health, Obstetric and Neonatal Nurses* (Vol. 7, Issue 1, pp. 54–60). <https://doi.org/10.1177/1091592303251726>
- Inam, I., Hashmi, A. B., & Shahid, A. (2013). A comparison of efficacy of domperidone and placebo among postnatal women with inadequate breast milk production. *Pakistan Journal of Medical and Health Sciences*, 7.
- Jantarsaengaram, S., & Sreewapa, P. (2012). Effects of domperidone on augmentation of lactation following cesarean delivery at full term. *International Journal of Gynecology & Obstetrics*, 116(3), 240–243. <https://doi.org/10.1016/j.ijgo.2011.10.019>
- Kamau, S. M., Cheison, S. C., Chen, W., Liu, X.-M., & Lu, R.-R. (2010). Alpha-Lactalbumin: Its Production Technologies and Bioactive Peptides. *Comprehensive Reviews in Food Science and Food Safety*, 9(2), 197–212. <https://doi.org/10.1111/j.1541-4337.2009.00100.x>
- Kementerian Kesehatan RI. (2020). Data dan Informasi Kesehatan Indonesia 2019. *Profil Kesehatan Indonesia Tahun 2019, 2020*, 8(9), pp. 1-213. <<https://pusdatin.kemkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-indonesia-2019.pdf>> (diakses September 2021).
- Kennett, J. E., & McKee, D. T. (2012). Oxytocin: An Emerging Regulator of Prolactin Secretion in the Female Rat. *Journal of Neuroendocrinology*, 24(3), 403–412. <https://doi.org/10.1111/j.1365-2826.2011.02263.x>
- Khan, N., Usman, K., Akbar, S., Saleem, J., & Syed, M. (2021). Comparison of Efficacy of Domperidone and Placebo among Postnatal Women with Inadequate Breastmilk Production. *Khyber Journal of Medical Sciences*, Vol. 14, Issue 3.
- Klossner, N. J., & Hatfield, N. (2006). *Introductory Maternity & Pediatric Nursing*. Lippincot Williams & Wilkins: Philadelphia.
- Kramer, M. S., Chalmers, B., Hodnett, E. D., Sevkovskaya, Z., Dzikovich, I., Shapiro, S., Collet, J.-P., Vanilovich, I., Mezen, I., Ducruet, T., Shishko, G., Zubovich, V., Mknuk, D., Gluchanina, E., Dombrovskiy, V., Ustinovitch, A., Kot, T., Bogdanovich, N., Ovchinikova, L. for the PROBIT Study Group. (2001). Promotion of Breastfeeding Intervention Trial (PROBIT). *JAMA*, 285(4), 413. <https://doi.org/10.1001/jama.285.4.413>
- Kramer, M. S., & Kakuma, R. (2012). Optimal duration of exclusive breastfeeding. *Cochrane Database of Systematic Reviews*, 2012(8), CD003517. <https://doi.org/10.1002/14651858.CD003517.pub2>
- Kristiyanti, R., Khuzaiyah, S., Chabibah, N., & Khanifah, M. (2020). *Effectiveness of Moringa Oleifera Extract to Increase Breastmilk Production in Postpartum Mother with Food Restriction*.

- Lawrence, R.A. (2016). *Breastfeeding: A Guide for The Medical Profession*. 8th ed Elsevier: United States of America
- Matsuzaki, T., Machida, N., Tajika, Y., Ablimit, A., Suzuki, T., Aoki, T., Hagiwara, H., & Takata, K. (2005). Expression and immunolocalization of water-channel aquaporins in the rat and mouse mammary gland. *Histochemistry and Cell Biology*, 123(4–5), 501–512. <https://doi.org/10.1007/s00418-005-0753-x>
- McGuire, T. M. (2018). Drugs affecting milk supply during lactation. *Australian Prescriber*, 41(1), 7–9. <https://doi.org/10.18773/austprescr.2018.002>
- Mobasher, A., & Barrett-Jolley, R. (2014). Aquaporin Water Channels in the Mammary Gland: From Physiology to Pathophysiology and Neoplasia. *Journal of Mammary Gland Biology and Neoplasia*, 19(1), 91–102. <https://doi.org/10.1007/s10911-013-9312-6>
- Mortel, M., & Mehta, S. D. (2013). Systematic Review of the Efficacy of Herbal Galactagogues. *Journal of Human Lactation*, 29(2), 154–162. <https://doi.org/10.1177/0890334413477243>
- Moumen, M., Chiche, A., Cagnet, S., Petit, V., Raymond, K., Faraldo, M. M., Deugnier, M.-A., & Glukhova, M. A. (2011). The mammary myoepithelial cell. *The International Journal of Developmental Biology*, 55(7–8–9), 763–771. <https://doi.org/10.1387/ijdb.113385mm>
- Mustofa, Yuliani, F. S., Purwono, S., Sadewa, A. H., Damayanti, E., & Heriyanto, D. S. (2020). Polyherbal formula (ASILACT®) induces Milk production in lactating rats through Upregulation of α -Lactalbumin and aquaporin expression. *BMC Complementary Medicine and Therapies*, 20(1), 1–8. <https://doi.org/10.1186/s12906-020-03152-7>
- National Center for Biotechnology Information. *PubChem Database*. Domperidone, CID=3151. <https://pubchem.ncbi.nlm.nih.gov/compound/Domperidone> (diakses 21 Januari 2020).
- Nommsen-Rivers, L. A., Chantry, C. J., Pearson, J. M., Cohen, R. J., & Dewey, K. G. (2010). Delayed onset of lactogenesis among first-time mothers is related to maternal obesity and factors associated with ineffective breastfeeding. *American Journal of Clinical Nutrition*, 92(3), 574–584. <https://doi.org/10.3945/ajcn.2010.29192>
- Noor, Z., Kusindarta, D. L., Sadewa, A. H., Heriyanto, D. S., Hadiati, D. R., & Mustofa. (2022). Acute toxicity of the galactagogue phytomedicine containing Sauropus androgynous, Trigonella foenum-graecum, and Moringa oleifera. *Pharmaceutical Sciences Asia*, 49(4), 372–380. <https://doi.org/10.29090/psa.2022.04.21.217>
- Osadchy, A., Moretti, M. E., & Koren, G. (2012). Effect of Domperidone on Insufficient Lactation in Puerperal Women: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Obstetrics and Gynecology International*, 2012, 1–7. <https://doi.org/10.1155/2012/642893>
- Paul, C., Zénut, M., Dorut, A., Coudoré, M.-A., Vein, J., Cardot, J.-M., & Balayssac, D. (2015). Use of Domperidone as a Galactagogue Drug: a Systematic Review of The Benefit-Risk Ratio. *Journal of Human Lactation*, 31(1), 57–63. <https://doi.org/10.1177/0890334414561265>

- Pérez-Escamilla, R., & Chapman, D. J. (2001). Validity and public health implications of maternal perception of the onset of lactation: an international analytical overview. *The Journal of Nutrition*, 131(11), 3021S-4S. <https://doi.org/10.1093/jn/131.11.3021S>
- Perry, E., Shanon, H., Hockenberry, J.M., Lowdermilk, L.D., Wilson, D. (2010). *Maternal Child Nursing Care*. (4th edition). Mosby-Elsevier.
- Pillitteri, A. (2003). *Maternal and childhealth nursing. Care of the childbearing and childrearing family*. 4th ed. Philadelphia: Lippincott.
- Rahmawati, A., & Prayogi, B. (2017). Analisis Faktor yang Mempengaruhi Produksi Air Susu Ibu (ASI) pada Ibu Menyusui yang Bekerja. *Jurnal Ners Dan Kebidanan*, 4(2), 134–140. <https://doi.org/10.26699/jnk.v4i2.art.p134-140>
- Reece, A., & Hobbins, J.C. (2007). *Clinical Obstetrics: The Fetus and Mother*. 3rd Ed. Massachusetts: Blackwell Publishing.Ltd.
- Reddymasu, S. C., Soykan, I., & McCallum, R. W. (2007). Domperidone: Review of Pharmacology and Clinical Applications in Gastroenterology. *The American Journal of Gastroenterology*, 102(9), 2036–2045. <https://doi.org/10.1111/j.1572-0241.2007.01255.x>
- Riordan, J., & Wambach, K. (2010). *Breastfeeding and Human Lactation*. (4th edition). Massachusetts: Jones and Bartlett Publishers.
- Roesli, U. (2008). *Inisiasi menyusui dini plus ASI eksklusif*. Cet I. Jakarta: Pustaka Bunda.
- Rowe-Murray, H. J., & Fisher, J. R. W. (2002). Baby Friendly Hospital Practices: Cesarean Section is a Persistent Barrier to Early Initiation of Breastfeeding. *Birth*, 29, 124-131. <https://doi.org/10.1046/j.1523-536x.2002.00172.x>
- Saini, R. K., Sivanesan, I., & Keum, Y.-S. (2016). Phytochemicals of Moringa oleifera: a review of their nutritional, therapeutic and industrial significance. *3 Biotech*, 6(2), 203. <https://doi.org/10.1007/s13205-016-0526-3>
- Salih, M. (2018). Relactation in lactation failure and low milk supply. *Sudanese Journal of Paediatrics*, 39–47. <https://doi.org/10.24911/sjp.2018.1.6>
- Sa'roni, Sadjimin, T., Sja'bani, M., & Zulaela. (2004). Effectiveness Of The Sauropus Androgynus (L.) Merr Leaf Extract In Increasing Mother's Breast Milk Production. *Media Penelitian dan Pengembangan Kesehatan*, vol. 14, no. 3, 2004, doi:10.22435/mpk.v14i3 Sept.903
- Soka, S., Alam, H., Boenjamin, N., Agustina, T. W., & Suhartono, M. T. (2010). Effect of Sauropus androgynus leaf extracts on the expression of prolactin and oxytocin genes in lactating BALB/C Mice. *Journal of Nutrigenetics and Nutrigenomics*, 3(1), 31–36. <https://doi.org/10.1159/000319710>
- Swayasa. (2021). <<https://www.swayasaprakarsa.com>> (diakses 2 Desember 2021).
- Turcksin, R., Bel, S., Galjaard, S., & Devlieger, R. (2014). Maternal obesity and breastfeeding intention, initiation, intensity and duration: A systematic review. *Maternal and Child Nutrition*, 10(2), 166–183. <https://doi.org/10.1111/j.1740-8709.2012.00439.x>
- Unicef. (2020). UNICEF Data: *Monitoring the situation of children and women*. Available at: <https://data.unicef.org/resources/levels-and-trends-in-child-mortality/#:~:text=Current trends predict that close,in their chances of survival>

- Wall, E., & McFadde, T. (2012). Regulation of Mammary Development as It Relates to Changes in Milk Production Efficiency. *Milk Production - An Up-to-Date Overview of Animal Nutrition, Management and Health*. <https://doi.org/10.5772/50777>
- Wan, E. W. X., Davey, K., Page-Sharp, M., Hartmann, P. E., Simmer, K., & Ilett, K. F. (2008). Dose-effect study of domperidone as a galactagogue in preterm mothers with insufficient milk supply, and its transfer into milk. *British Journal of Clinical Pharmacology*, 66(2), 283–289. <https://doi.org/10.1111/j.1365-2125.2008.03207.x>
- WHO. (2001). *Optimal Duration of Exclusive Breastfeeding*. Disampaikan pada Report of an expert consultation World Health Organization, Geneva, Switzerland, 28-30 Maret, 2001.
- WHO. (2011). *Obesity and Overweight*. Fact Sheet n.311. <<http://www.who.int/mediacentre/factsheets/fs311/en/index.html>>
- WHO. (2020). *Newborns: improving survival and well-being*. Available at: <https://www.who.int/en/news-room/fact-sheets/detail/newborns-reducing-mortality>.
- Yuliani, F. S., Purwono, S., Sadewa, A. H., Heriyanto, D. S., Mara Sabirin, R., & Mustofa. (2019). Polyherbal formulation containing Saoropus androgynous, Trigonella foenum-graceum, and Moringa oleifera increased the expression of mRNA smooth muscle α -actin (ACTA2) and cytokeratin 14 (CK14) in lactating rats. *Journal of Thee Medical Sciences (Berkala Ilmu Kedokteran)*, 51(2), 106–113. <https://doi.org/10.19106/JMedSci005102201902>
- Zhang, B., Cheng, J., Zhang, C., Bai, Y., Liu, W., Li, W., Koike, K., Akihisa, T., Feng, F., & Zhang, J. (2020). Sauropus androgynus L. Merr.-A phytochemical, pharmacological and toxicological review. *Journal of Ethnopharmacology*, 257(June 2019), 112778. <https://doi.org/10.1016/j.jep.2020.112778>
- Zuppa, A. A., Sindico, P., Orchi, C., Carducci, C., Cardiello, V., & Romagnoli, C. (2010). Safety and efficacy of galactagogues: substances that induce, maintain and increase breast milk production. *Journal of Pharmacy & Pharmaceutical Sciences : A Publication of the Canadian Society for Pharmaceutical Sciences, Societe Canadienne Des Sciences Pharmaceutiques*, 13(2), 162–174. <https://doi.org/10.18433/j3ds3r>