

DAFTAR PUSTAKA

- ACOG Committee, 2020. Physical Activity and Exercise During Pregnancy and the Postpartum Period. *Obstet. Gynecol.* 135: e178–e188. doi:10.1097/AOG.0000000000003772
- ACOG Committee on Obstetric Practice, 2002. Committee opinion #267: exercise during pregnancy and the postpartum period. *Obstet. Gynecol.* 99: 171–173. doi:10.1016/S0029-7844(01)01749-5
- Bryndal, A., Majchrzycki, M., Grochulska, A., Glowinski, S., & Seremak-Mrozikiewicz, A., 2020. Risk Factors Associated with Low Back Pain among A Group of 1510 Pregnant Women. *J. Pers. Med.* 10: 51. doi:10.3390/jpm10020051
- Caputo, E.L., Domingues, M.R., Bertoldi, A.D., Ferreira, P.H., Ferreira, M.L., Shirley, D., et al., 2021. Are leisure-time and work-related activities associated with low back pain during pregnancy? *BMC Musculoskelet. Disord.* 22: 864. doi:10.1186/s12891-021-04749-w
- Casagrande, D., Gugala, Z., Clark, S.M., & Lindsey, R.W., 2015. Low Back Pain and Pelvic Girdle Pain in Pregnancy. *J. Am. Acad. Orthop. Surg.* 23: 539–549. doi:10.5435/JAAOS-D-14-00248
- Chandonnet, N., Saey, D., Alméras, N., & Marc, I., 2012. French Pregnancy Physical Activity Questionnaire Compared with an Accelerometer Cut Point to Classify Physical Activity among Pregnant Obese Women. *PLoS One* 7: e38818. doi:10.1371/journal.pone.0038818
- Chang, H.Y., Lai, Y.H., Jensen, M.P., Shun, S.C., Hsiao, F.H., Lee, C.N., et al., 2014. Factors associated with low back pain changes during the third trimester of pregnancy. *J. Adv. Nurs.* 70: 1054–1064. doi:10.1111/jan.12258
- Chasan-Taber, L., Schmidt, M.D., Roberts, D.E., Hosmer, D., Markenson, G., & Freedson, P.S., 2004. Development and validation of a pregnancy physical activity questionnaire. *Med. Sci. Sports Exerc.* 36: 1750–1760. doi:10.1249/01.MSS.0000142303.49306.0D
- Coenen, P., Gouttebauge, V., van der Burght, A.S.A.M., van Dieën, J.H., Frings-Dresen, M.H.W., van der Beek, A.J., et al., 2014. The effect of lifting during work on low back pain: a health impact assessment based on a meta-analysis. *Occup. Environ. Med.* 71: 871–877. doi:10.1136/oemed-2014-102346
- Dahlan, M.S., 2016. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 4. Jakarta, Indonesia.
- Fathoni, A.F.C.N., 2017. Hubungan antara aktivitas fisik ibu hamil dengan luaran ibu hamil dan bayi lahir menggunakan kuesioner Pregnancy Physical Activity Questionnaire (PPAQ) : studi potong lintang. Universitas Indonesia.
- Gjestland, K., Bø, K., Owe, K.M., & Eberhard-Gran, M., 2013. Do pregnant women follow exercise guidelines? Prevalence data among 3482 women, and prediction of low-back pain, pelvic girdle pain and depression. *Br. J. Sports Med.* 47: 515–520. doi:10.1136/bjsports-2012-091344
- Glinkowski, W.M., Tomasik, P., Walesiak, K., Głuszak, M., Krawczak, K.,

- Michoński, J., et al., 2016. Posture and low back pain during pregnancy-3D study. *Ginekol. Pol.* 87: 575–580. doi:10.5603/GP.2016.0047
- Granath, A.B., Hellgren, M.S.E., & Gunnarsson, R.K., 2006. Water Aerobics Reduces Sick Leave due to Low Back Pain During Pregnancy. *J. Obstet. Gynecol. Neonatal Nurs.* 35: 465–471. doi:10.1111/j.1552-6909.2006.00066.x
- Hartvigsen, J., Leboeuf-Yde, C., Lings, S., & Corder, E.H., 2000. Review Article: Is sitting-while-at-work associated with low back pain? A systematic, critical literature review. *Scand. J. Public Health* 28: 230–239. doi:10.1177/14034948000280030201
- Heneweer, H., Vanhees, L., & Picavet, S.J.H., 2009. Physical activity and low back pain: A U-shaped relation? *Pain* 143: 21–25. doi:10.1016/j.pain.2008.12.033
- Katonis, P., Kampouroglou, A., Aggelopoulos, A., Kakavelakis, K., Lykoudis, S., Makrigiannakis, A., et al., 2011. Pregnancy-related low back pain. *Hippokratia*.
- Kawabe, R., Yamashiro, C., Morino, S., Ishihara, M., Chen, C.Y., Koshi, M., et al., 2022. Relationship between Physical Activity and Lumbopelvic Pain during Pregnancy: A Cross-Sectional Study. *Clin. Exp. Obstet. Gynecol.* 49: 209. doi:10.31083/j.ceog4909209
- Kayihan, G., 2014. Relationship between daily physical activity level and low back pain in young, female desk-job workers. *Int. J. Occup. Med. Environ. Health* 27: 863–870. doi:10.2478/s13382-014-0315-3
- Khan, M.J., Israr, A., Basharat, I., Shoukat, A., Mushtaq, N., & Farooq, H., 2017. Prevalence of Pregnancy Related Low Back Pain in Third Trimester and Its Impact on Quality of Life and Physical Limitation. *J. Islam. Int. Med. Coll.* 12: 39–43.
- Krzepota, J., Sadowska, D., Sempolska, K., & Pelczar, M., 2017. Measuring physical activity during pregnancy – Cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) and assessment of its reliability in Polish conditions. *Ann. Agric. Environ. Med.* 24: 640–643. doi:10.5604/12321966.1228390
- Kumar Jain, R., & Jain, S., 2018. LOW BACK PAIN IN PREGNANCY. *J. Evol. Med. Dent. Sci.* 7: 380–383. doi:10.14260/jemds/2018/84
- Lawan, A., Awotidebe, A.W., Bello, U.M., Rufa'i, A.A., Ishaku, C.M., Masta, M.A., et al., 2021. Association between Pregnancy-Related Low Back Pain, Physical Activity, and Health-related Quality of Life: A Survey of Pregnant Women in Northern Nigeria. *Philipp. J. Allied Heal. Sci.* 5. doi:10.36413/pjahs.0501.009
- Liddle, S.D., & Pennick, V., 2015. Interventions for preventing and treating low-back and pelvic pain during pregnancy. *Cochrane Database Syst. Rev.* 2015. doi:10.1002/14651858.CD001139.pub4
- Mahmud, Sri, R., Iqbal, M.R., Lukman, W.A., & Sri, H.N., 2021. The prevalence and risk factors of low back pain among the nurses at Sardjito Hospital, Yogyakarta, Indonesia. *Anaesthesia, Pain Intensive Care* 25: 19–25. doi:10.35975/apic.v25i1.1432

- Manyozo, S., 2019. Low back pain during pregnancy: Prevalence, risk factors and association with daily activities among pregnant women in urban Blantyre, Malawi. *Malawi Med. J.* 31: 71. doi:10.4314/mmj.v31i1.12
- Mogren, I.M., 2005. Previous physical activity decreases the risk of low back pain and pelvic pain during pregnancy. *Scand. J. Public Health* 33: 300–306. doi:10.1177/140349480503300410
- Mogren, I.M., & Pohjanen, A.I., 2005. Low Back Pain and Pelvic Pain During Pregnancy. *Spine (Phila. Pa. 1976)*. 30: 983–991. doi:10.1097/01.brs.0000158957.42198.8e
- Mørkved, S., Åsmund Salvesen, K., Schei, B., Lydersen, S., & Bø, K., 2007. Does group training during pregnancy prevent lumbopelvic pain? A randomized clinical trial. *Acta Obstet. Gynecol. Scand.* 86: 276–282. doi:10.1080/00016340601089651
- Muscolino, J.E., 2015. *Manual Therapy for the Low Back and Pelvis: A Clinical Orthopedic Approach*, First edit. ed. Philadelphia.
- Norsyam, W.M., Ahmad, N., Azam, Z., Sariman, M.H., Shahudin, N.N., & Ain, N., 2016. Relationship Between Physical Activity Level and Low Back Pain Disability Among Pregnant Women: An Online Survey, in: Ismail, S.I., Sulaiman, N., & Adnan, R. (Eds.), *Proceedings of the 2nd International Colloquium on Sports Science, Exercise, Engineering and Technology 2015 (ICoSSEET 2015)*. Springer Singapore, Singapore, pp. 175–181. doi:10.1007/978-981-287-691-1_19
- Oliveira, C., Imakawa, T., & Moisés, E., 2017. Physical Activity during Pregnancy: Recommendations and Assessment Tools. *Rev. Bras. Ginecol. e Obs. / RBGO Gynecol. Obstet.* 39: 424–432. doi:10.1055/s-0037-1604180
- Papazian, T., El Osta, N., Hout, H., Chammass, D. El, El Helou, N., Younes, H., et al., 2020. Pregnancy physical activity questionnaire (PPAQ): Translation and cross cultural adaption of an Arabic version. *PLoS One* 15: e0230420. doi:10.1371/journal.pone.0230420
- Roffey, D.M., Wai, E.K., Bishop, P., Kwon, B.K., & Dagenais, S., 2010. Causal assessment of occupational standing or walking and low back pain: results of a systematic review. *Spine J.* 10: 262–272. doi:10.1016/j.spinee.2009.12.023
- Sabino, J., & Grauer, J.N., 2008. Pregnancy and low back pain. *Curr. Rev. Musculoskelet. Med.* 1: 137–141. doi:10.1007/s12178-008-9021-8
- Santos, P.C., Abreu, S., Moreira, C., Santos, R., Ferreira, M., Alves, O., et al., 2016. Physical Activity Patterns During Pregnancy in a Sample of Portuguese Women: A Longitudinal Prospective Study. *Iran. Red Crescent Med. J.* 18: 0–7. doi:10.5812/ircmj.22455
- Santos, P.C., Bernardo, D., Moreira, C., Abreu, S., Lopes, D., Alves, O., et al., 2023. Low Back Pain and Physical Activity during Pregnancy: A Longitudinal Prospective Study. *Indian J. Public Heal. Res. Dev.* 14. doi:10.37506/ijphrd.v14i1.18841
- Sattler, M.C., Jaunig, J., Watson, E.D., van Poppel, M.N.M., Mokkink, L.B., Terwee, C.B., et al., 2018. Physical Activity Questionnaires for Pregnancy: A Systematic Review of Measurement Properties. *Sport. Med.* doi:10.1007/s40279-018-0961-x

- Sedaghati, P., Ziaee, V., & Ardjmand, A., 2007. The effect of an ergometric training program on pregnant weight gain and low back pain. *Gazz. Medica Ital. Arch. per le Sci. Mediche* 166: 209–213.
- Sembiring, R.L., 2018. Aktivitas Fisik, Stres, Mean Arterial Pressure (MAP), Roll Over Test (ROT) dan Kortisol sebagai Prediktor Hipertensi pada Kehamilan. *Univ. Hasanuddin, Makassar*.
- Suliga, E., Sobaś, K., & Król, G., 2017. Validation of the Pregnancy Physical Activity Questionnaire (PPAQ). *Med. Stud.* 1: 40–45. doi:10.5114/ms.2017.66955
- To, W.W.K., & Wong, M.W.N., 2003. Factors associated with back pain symptoms in pregnancy and the persistence of pain 2 years after pregnancy. *Acta Obstet. Gynecol. Scand.* 82: 1086–1091. doi:10.1046/j.1600-0412.2003.00235.x
- Trisari, D., Kurniawati, D., & Perdani, P., 2019. Correlation Between Pregnant Physical Activity With Preeclampsia In Working Area Of Tempurejo Public Health Center, Jember. *J. Ilmu Keperawatan (Journal Nurs. Sci.* 7: 112–122. doi:10.21776/ub.jik.2019.007.02.1
- Veronica, S.Y., Kumalasari, D., & Gustianingrum, C., 2021. Hubungan Senam Hamil Dengan Kejadian Nyeri Punggung pada Kehamilan Trimester III. *J. Aisyah J. Ilmu Kesehat.* 6: 219–224. doi:10.30604/jika.v6iS1.790
- Williams, J.W., Cunningham, F.G., Leveno, K.J., Spong, C.Y., Dashe, J.S., Casey, B.M., et al., 2018. *Williams Obstetrics, 25th Edition, 25th ed.* McGraw-Hill Education Medical, New York.