

DAFTAR PUSTAKA

- ACOG Practice Bulletins (2020) ‘Prelabor Rupture of Membranes’, *Obstetrics & Gynecology*, 135(3), pp. e80–e97. doi: 10.1097/AOG.0000000000003700.
- Agbara, J., Fabamwo, A. & Oshodi, Y. (2017) ‘Diagnosis of foetal membrane ruptures: Placental alpha-microglobulin-1 to the rescue’, *Tropical Journal of Obstetrics and Gynaecology*, 34(2), p. 85. doi: 10.4103/TJOG.TJOG_57_16.
- Al-Aali, K. Y. (2013) ‘Prevalence of Vaginal Candidiasis among Pregnant Women Attending Al-Hada Military Hospital, Western Region, Taif, Saudi Arabia’, *International Journal of Science and Research*, 4(8), pp. 1736–1743.
- Ambalpady, P. A., Samantroy, S., Mishra, A., Panda, J., Pattnaik, D. & Jena, P. (2022) ‘Microbiome Diversity in Vaginal Fluid and Sensitivity Patterns in Preterm Premature Rupture of Membrane Cases’, *Cureus*, (January). doi: 10.7759/cureus.20999.
- Ayu, R. K., Winarsih, S. & Nooryanto, M. (2016) ‘Pola Bakteri dan Uji Kepekaan Antibiotik pada Preterm Premature Rupture of Membranes di RSUD dr. Saiful Anwar Malang Periode 2011-2013’, *Majalah Kesehatan FKUB*, 2(1), pp. 51–61.
- Bazzi, A. M., Rabaan, A. A., Fawarah, M. M. & Al-Tawfiq, J. A. (2017) ‘Direct identification and susceptibility testing of positive blood cultures using high speed cold centrifugation and Vitek II system’, *Journal of Infection and Public Health*. King Saud Bin Abdulaziz University for Health Sciences, 10(3), pp. 299–307. doi: 10.1016/j.jiph.2016.05.012.
- Berghella, V. (2017) *Obstetric Evidence Based Guidelines, Obstetric Evidence Based Guidelines*. doi: 10.1201/9781315200903.
- Borg, H. M., Omar, M. & Suliman, G. A. (2019) ‘The Study of Vaginal Fluid Urea, Creatinine, B-HCG and Placental Alpha-1 Microglobulin in Diagnosis of Premature Rupture of Membranes’, *Open Journal of Obstetrics and Gynecology*, 09(06), pp. 811–826. doi: 10.4236/ojog.2019.96080.
- Bouvier, D., Forest, J. C., Blanchon, L., Bujold, E., Pereira, B., Bernard, N., Gallot, D., *et al.* (2019) ‘Risk Factors and Outcomes of Preterm Premature Rupture of Membranes in a Cohort of 6968 Pregnant Women Prospectively Recruited’, *Journal of Clinical Medicine*. Multidisciplinary Digital Publishing Institute (MDPI), 8(11). doi: 10.3390/JCM8111987.
- Brooks, G. F., Jawetz, E., Melnick, J. L., & Adelberg, E. A. (2018) *Medical Microbiology Twenty-Six Edition, Medical Microbiology Twenty-Six Edition*.
- Brown, R. G., Marchesi, J. R., Lee, Y. S., Smith, A., Lehne, B., Kindinger, L. M., Terzidou, V., *et al.* (2018) ‘Vaginal dysbiosis increases risk of preterm fetal membrane rupture, neonatal sepsis and is exacerbated by erythromycin’, *BMC Medicine*. BMC Medicine, 16(1), pp. 1–15. doi: 10.1186/s12916-017-0999-x.

- Carroll, S. G., Papaioannou, S., Ntumazah, I. L., Philpott-Howard, J. & Nicolaidis, K. H. (1996) 'Lower genital tract swabs in the prediction of intrauterine infection in preterm prelabour rupture of the membranes', *BJOG: An International Journal of Obstetrics and Gynaecology*, 103(1), pp. 54–59. doi: 10.1111/j.1471-0528.1996.tb09515.x.
- Castellano-Filho, D. S., da Silva, V. L., Nascimento, T. C., Vieira, M. de T. & Diniz, C. G. (2010) 'Detection of group B Streptococcus in Brazilian pregnant women and antimicrobial susceptibility patterns', *Brazilian Journal of Microbiology*, 41(4), pp. 1047–1055. doi: 10.1590/S1517-83822010000400024.
- Chatzakis, C., Papatheodorou, S., Sarafidis, K., Dinas, K., Makrydimas, G. & Sotiriadis, A. (2020) 'Effect on perinatal outcome of prophylactic antibiotics in preterm prelabor rupture of membranes: network meta-analysis of randomized controlled trials', *Ultrasound in Obstetrics and Gynecology*, 55(1), pp. 20–31. doi: 10.1002/uog.21884.
- Chen, H. Y., Huang, K. Y., Lin, Y. H., Lin, S. Y. & Lee, C. N. (2022) 'Antibiotic choice for the management of preterm premature rupture of membranes in Taiwanese women', *Journal of the Formosan Medical Association*. Elsevier, 121(9), pp. 1798–1803. doi: 10.1016/J.JFMA.2022.03.015.
- CLSI (2021) *M100 Performance Standards for Antimicrobiafile*.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., Dashe, J. S., Hoffman, B. L., Casey, B. M., *et al.* (2018) *Williams Obstetrics*. 25th edn. McGrawHill Medical Education.
- Czikk, M. J., Mccarthy, F. P. & Murphy, K. E. (2011) 'Chorioamnionitis : from pathogenesis to treatment'.
- Dahlan, S. (2011) 'Langkah-langkah membuat proposal penelitian bidang kedokteran dan menerapkan hasil penelitian'.
- Dasari, S., Anandan, S. K., Rajendra, W. & Valluru, L. (2016) 'Role of microbial flora in female genital tract: A comprehensive review', *Asian Pacific Journal of Tropical Disease*. Asian Pacific Tropical Medicine Press, 6(11), pp. 909–917. doi: 10.1016/S2222-1808(16)61155-6.
- Fiedler, S., Bender, J. K., Klare, I., Halbedel, S., Grohmann, E., Szewzyk, U. & Werner, G. (2016) 'Tigecycline resistance in clinical isolates of Enterococcus faecium is mediated by an upregulation of plasmid-encoded tetracycline determinants tet(L) and tet(M)', *Journal of Antimicrobial Chemotherapy*, 71(4), pp. 871–881. doi: 10.1093/jac/dkv420.
- Gupta, K. (2002) 'Addressing antibiotic resistance', *American Journal of Medicine*. Elsevier Inc., 113(1 SUPPL. 1), pp. 29–34. doi: 10.1016/s0002-9343(02)01057-4.
- Habib, R., Rabiun, A., Muhammad, Z. & Abiodun, O. (2019) 'Microbial isolates and antibiotic sensitivity pattern among women with early preterm spontaneous

- prelabor rupture of fetal membranes in a Nigerian teaching hospital’, *Tropical Journal of Obstetrics and Gynaecology*. Medknow Publications and Media Pvt. Ltd., 36(3), p. 378. doi: 10.4103/TJOG.TJOG_41_19.
- Imseis, H. M., Trout, W. C. & Gabbe, S. G. (1999) ‘The microbiologic effect of digital cervical examination’, *American Journal of Obstetrics and Gynecology*, 180(3 I), pp. 578–580. doi: 10.1016/S0002-9378(99)70257-7.
- Intaraphet, S., Kongpechr, S., Mahawerawat, S. & Potchana, R. (2021) ‘Risk factors and outcomes of preterm birth among northeastern thai teenage mothers in Thailand’, *Journal of SAFOG*, 13(2), pp. 111–116. doi: 10.5005/jp-journals-10006-1871.
- Jena, B. H., Biks, G. A., Gete, Y. K. & Gelaye, K. A. (2022) ‘Incidence of preterm premature rupture of membranes and its association with inter-pregnancy interval: a prospective cohort study’, *Scientific Reports 2022 12:1*. Nature Publishing Group, 12(1), pp. 1–8. doi: 10.1038/s41598-022-09743-3.
- Kenyon, S., Taylor, D. & Tarnow-Mordi, W. (2001) ‘Broad-spectrum antibiotics for preterm, prelabour rupture of fetal membranes: the ORACLE I randomised trial’, *The Lancet*, 357(9261), pp. 979–988. doi: 10.1016/S0140-6736(00)04233-1.
- Khan, Z. A., Siddiqui, M. F. & Park, S. (2019) ‘Current and Emerging Methods of Antibiotic Susceptibility Testing’, *Diagnostics*, 9(2), p. 49. doi: 10.3390/diagnostics9020049.
- Knupp, R. J., Pederson, S., Blanchard, C., Szychowski, J., Etikala, D., Sinkey, R., Wetta, L., *et al.* (2020) ‘Antibiotic Timing in Previaible Prelabor Rupture of Membranes Less Than 24 Weeks of Gestation’, *American Journal of Perinatology*, pp. 0–5. doi: 10.1055/s-0040-1718876.
- Lee, J., Romero, R., Kim, S. M., Chaemsaitong, P. & Yoon, B. H. (2015) ‘A new antibiotic regimen treats and prevents intra-amniotic inflammation/infection in patients with preterm PROM’, *The Journal of Maternal-Fetal & Neonatal Medicine*, 176(5), pp. 1–11. doi: 10.3109/14767058.2015.1103729.
- Li, Y., Kong, C. & To, W. W. (2019) ‘Pathogens in preterm prelabour rupture of membranes and erythromycin for antibiotic prophylaxis: a retrospective analysis’, *Hong Kong Medical Journal*, pp. 287–294. doi: 10.12809/hkmj197991.
- Lorthe, E., Letouzey, M., Torchin, H., Foix L’Helias, L., Gras-Le Guen, C., Benhammou, V., Boileau, P., *et al.* (2022) ‘Antibiotic prophylaxis in preterm premature rupture of membranes at 24–31 weeks’ gestation: Perinatal and 2-year outcomes in the EPIPAGE-2 cohort’, *BJOG: An International Journal of Obstetrics and Gynaecology*, 129(9), pp. 1560–1573. doi: 10.1111/1471-0528.17081.
- Malla, R., Metgud, S. & Metgud, S. C. (2020) ‘Bacteriological profile of Premature rupture of membranes (PROM) in preterm pregnant women: A cross sectional

- study in Dr. Prabhakar Kore Charitable Hospital, Belagavi, India’, *International Journal of Clinical Obstetrics and Gynaecology*. Integrated Publishers, 4(6), pp. 147–150. doi: 10.33545/GYNAE.2020.V4.I6C.746.
- Miselli, F., Cuoghi Costantini, R., Creti, R., Sforza, F., Fanaro, S., Ciccia, M., Piccinini, G., *et al.* (2022) ‘Escherichia coli Is Overtaking Group B Streptococcus in Early-Onset Neonatal Sepsis’, *Microorganisms*, 10(10). doi: 10.3390/microorganisms10101878.
- Mishra, S. & Joshi, M. (2017) ‘Premature Rupture of Membrane-Risk Factors: A Clinical Study’, *International Journal of Contemporary Medical Research*, 4, pp. 2454–7379. Available at: www.ijcmr.com (Accessed: 1 July 2023).
- Musaba, M. W., Kagawa, M. N., Kiggundu, C., Kiondo, P. & Wandabwa, J. (2017) ‘Cervicovaginal Bacteriology and Antibiotic Sensitivity Patterns among Women with Premature Rupture of Membranes in Mulago Hospital, Kampala, Uganda: A Cross-Sectional Study’, *Infectious Diseases in Obstetrics and Gynecology*, 2017, pp. 1–7. doi: 10.1155/2017/9264571.
- Nasef, N., Shabaan, A., Schurr, P., Iaboni, D., Choudhury, J., Church, P. & Dunn, M. S. (2013) ‘Effect of clinical and histological chorioamnionitis on the outcome of preterm infants’, *American Journal of Perinatology*, 30(1), pp. 59–68. doi: 10.1055/s-0032-1321501.
- Navathe, R., Schoen, C. N., Heidari, P., Bachilova, S., Ward, A., Tepper, J., Visintainer, P., *et al.* (2019) ‘Azithromycin vs erythromycin for the management of preterm premature rupture of membranes’, *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 221(2), pp. 144.e1-144.e8. doi: 10.1016/j.ajog.2019.03.009.
- Newton, E. R. (2005) ‘Preterm labor, preterm premature rupture of membranes, and chorioamnionitis’, *Clinics in Perinatology*, 32(3), pp. 571–600. doi: 10.1016/j.clp.2005.05.001.
- Nguyen, Q. H. V., Le, H. N., Nu, V. A. T., Nguyen, N. D. & Le, M. T. (2021) ‘Lower genital tract infections in preterm premature rupture of membranes and preterm labor: A case-control study from Vietnam’, *Journal of Infection in Developing Countries*, 15(6), pp. 805–811. doi: 10.3855/jidc.13244.
- NICE guidance (2019) ‘Preterm labour and birth overview’, *National Institute for Health and Care Excellence*, (August).
- Nimer, N. A., Al-Saa’da, R. J. & Abuelaish, O. (2016) ‘Accuracy of the VITEK® 2 system for a rapid and direct identification and susceptibility testing of Gramnegative rods and Gram-positive cocci in blood samples’, *Eastern Mediterranean Health Journal*, 22(3), pp. 193–200. doi: 10.26719/2016.22.3.193.

- Nuriel-Ohayon, M., Neuman, H. & Koren, O. (2016) 'Microbial changes during pregnancy, birth, and infancy', *Frontiers in Microbiology*, 7(JUL), pp. 1–13. doi: 10.3389/fmicb.2016.01031.
- Palacio, M., Kühnert, M., Berger, R., Larios, C. L. & Marcellin, L. (2014) 'Meta-analysis of studies on biochemical marker tests for the diagnosis of premature rupture of membranes: Comparison of performance indexes', *BMC Pregnancy and Childbirth*, 14(1). doi: 10.1186/1471-2393-14-183.
- Pawar, L. & Reddy, N. (2020) 'Comparative efficacy of two prophylactic antibiotic regimens on the maternal and neonatal outcomes in pregnancy with preterm premature rupture of membrane', *National Journal of Physiology, Pharmacy and Pharmacology*, 10(0), p. 1. doi: 10.5455/njppp.2020.10.03066202024032020.
- POGI, H. K. F. M. (2016) 'Pedoman Nasional Pelayanan Kedokteran KETUBAN PECAH DINI', *Clinical characteristics and outcome of twin gestation complicated by preterm premature rupture of the membranes*.
- Pradana, T. & Surya, G. (2020) 'Karakteristik Ibu Bersalin Dengan Ketuban Pecah Dini (Aterm & Preterm) Di Rumah Sakit Umum Pusat Sanglah Denpasar Periode Juli 2015-Juni 2016', *Jurnal Medika Udayana*, 9(7), pp. 92–97.
- Rahayu, B. (2018) 'Hubungan Faktor-Faktor Usia Ibu, Paritas, Umur Kehamilan, Dan Over Distensi Dengan Kejadian Ketuban Pecah Dini Di Rumah Sakit Yogyakarta', *Media Ilmu Kesehatan*, 7(2), pp. 137–142. doi: 10.30989/mik.v7i2.282.
- Rasti, S. D., Rochmanti, M. & Primariawan, R. Y. (2020) 'Cefotaxime vs Ceftriaxone for the Management of Preterm Premature Rupture of Membranes', *The International Arabic Journal of Antimicrobial Agents*, 10(1), pp. 1–9. doi: 10.3823/839.
- Reygaert, W. C. (2018) 'An overview of the antimicrobial resistance mechanisms of bacteria', *AIMS Microbiology*. AIMS Press, 4(3), p. 482. doi: 10.3934/MICROBIOL.2018.3.482.
- Rodloff, A., Bauer, T., Ewig, S., Kujath, P. & Müller, E. (2008) 'Übersichtsarbeit: Sensibel, intermediär und resistent - Wirkintensität von antibiotika', *Deutsches Arzteblatt*, 105(39), pp. 657–662. doi: 10.3238/arztebl.2008.0657.
- Romero, R., Gomez-Lopez, N., Winters, A. D., Jung, E., Shaman, M., Bieda, J., Panaitescu, B., *et al.* (2019) 'Evidence that intra-amniotic infections are often the result of an ascending invasion - A molecular microbiological study', *Journal of Perinatal Medicine*, 47(9), pp. 915–931. doi: 10.1515/jpm-2019-0297.
- Sabaruddin, H., Muthaher, C. & AR, M. R. (2019) 'Karakteristik Kehamilan Dengan Ketuban Pecah Dini Preterm Di RSUD Ulin Banjarmasin', *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 6(1), pp. 36–39. doi: 10.20527/jpkmi.v6i1.6883.

- Saghafi, N., Pournali, L., Ghazvini, K., Maleki, A., Ghavidel, M. & Babaki, M. K. (2018) 'Cervical bacterial colonization in women with preterm premature rupture of membrane and pregnancy outcomes: A cohort study', *International Journal of Reproductive BioMedicine*, 16(5), pp. 341–348. doi: 10.29252/ijrm.16.5.341.
- Shafia, S., Chandluri, P., Ganpiseti, R., Lakshmi, B. V. . & Swami, P. A. (2016) 'Erythromycin use as broad spectrum anti biotic', *World Journal of Phamaceutical and Medical Research*, 2(6), pp. 23–26.
- Sharland, M., Pulcini, C., Harbarth, S., Zeng, M., Gandra, S., Mathur, S. & Magrini, N. (2018) 'Classifying antibiotics in the WHO Essential Medicines List for optimal use—be AWaRe', *The Lancet Infectious Diseases*. Lancet Publishing Group, 18(1), pp. 18–20. doi: 10.1016/S1473-3099(17)30724-7.
- Sharma, S. K., Singh, L. & Singh, S. (2013) 'Comparative Study between Penicillin and Ampicillin', *Scholars Journal of Applied Medical Sciences (SJAMS) Sch. J. App. Med. Sci*, 1(4), pp. 291–294.
- Shi, J. W., Lai, Z. Z., Yang, H. L., Yang, S. L., Wang, C. J., Ao, D., Ruan, L. Y., *et al.* (2020) 'Collagen at the maternal-fetal interface in human pregnancy', *International Journal of Biological Sciences*, 16(12), pp. 2220–2234. doi: 10.7150/ijbs.45586.
- Solomon, S. L. & Oliver, K. B. (2014) 'Antibiotic Resistance Threats in the United States: Stepping Back from the Brink', *American Academy of Family Physicians*, 89(12), p. 939.
- Son, K. A., Kim, M., Kim, Y. M., Kim, S. H., Choi, S. J., Oh, S. Y., Roh, C. R., *et al.* (2018) 'Prevalence of vaginal microorganisms among pregnant women according to trimester and association with preterm birth', *Obstetrics and Gynecology Science*, 61(1), pp. 38–47. doi: 10.5468/ogs.2018.61.1.38.
- Stoll, B. J., Puopolo, K. M., Hansen, N. I., Sánchez, P. J., Bell, E. F., Carlo, W. A., Cotten, C. M., *et al.* (2020) 'Early-Onset Neonatal Sepsis 2015 to 2017, the Rise of Escherichia coli, and the Need for Novel Prevention Strategies', *JAMA Pediatrics*, 174(7), pp. 1–12. doi: 10.1001/jamapediatrics.2020.0593.
- Sukertiasih, N. K., Megawati, F., Meriyani, H. & Sanjaya, D. A. (2021) 'Studi Retrospektif Gambaran Resistensi Bakteri terhadap Antibiotik', *Jurnal Ilmiah Medicamento*, 7(2), pp. 108–111. doi: 10.36733/medicamento.v7i2.2177.
- Sunjaya, D. B., Lennon, R. J., Shah, V. H., Kamath, P. S. & Simonetto, D. A. (2019) 'Prevalence and Predictors of Third-Generation Cephalosporin Resistance in the Empirical Treatment of Spontaneous Bacterial Peritonitis', *Mayo Clinic proceedings*. Mayo Clin Proc, 94(8), pp. 1499–1508. doi: 10.1016/J.MAYOCP.2018.12.036.
- Thomson, A. J. (2019) 'Care of Women Presenting with Suspected Preterm Prelabour Rupture of Membranes from 24+0 Weeks of Gestation: Green-top Guideline No.

73', *BJOG: An International Journal of Obstetrics and Gynaecology*, 126(9), pp. e152–e166. doi: 10.1111/1471-0528.15803.

- Tiruye, G., Shiferaw, K., Tura, A. K., Debella, A. & Musa, A. (2021) 'Prevalence of premature rupture of membrane and its associated factors among pregnant women in Ethiopia: A systematic review and meta-analysis', *SAGE Open Medicine*, 9. doi: 10.1177/20503121211053912.
- Tsai, M. H., Hsu, J. F., Lai, M. Y., Lin, L. C., Chu, S. M., Huang, H. R., Chiang, M. C., *et al.* (2019) 'Molecular characteristics and antimicrobial resistance of group B streptococcus strains causing invasive disease in neonates and adults', *Frontiers in Microbiology*, 10(FEB). doi: 10.3389/fmicb.2019.00264.
- Tuem, K. B., Gebre, A. K., Atey, T. M., Bitew, H., Yimer, E. M. & Berhe, D. F. (2018) 'Drug Resistance Patterns of Escherichia coli in Ethiopia: A Meta-Analysis', *BioMed Research International*, 2018. doi: 10.1155/2018/4536905.
- Vanessa, V., Wantania, J. J. E. & Lengkong, R. A. (2021) 'Vaginal Microorganism Pattern in Premature Rupture of Membrane', pp. 198–203.
- Yanuar, W., Puspitasari, I. & Nuryastuti, T. (2016) 'Evaluasi Kesesuaian Antibiotik Definitif Terhadap Clinical Outcome Pada Pasien Anak Dengan Meningitis Bakterial Di Bangsal Rawat Inap Rumas Sakit Umum Pusat', *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 6(3), pp. 187–204.
- Yefet, E., Schwartz, N., Chazan, B., Salim, R., Romano, S. & Nachum, Z. (2018) 'The safety of quinolones and fluoroquinolones in pregnancy: a meta-analysis', *BJOG: An International Journal of Obstetrics and Gynaecology*, 125(9), pp. 1069–1076. doi: 10.1111/1471-0528.15119.
- Zeng, L. nan, Zhang, L. li, Shi, J., Gu, L. ling, Grogan, W., Gargano, M. M. & Chen, C. (2014) 'The primary microbial pathogens associated with premature rupture of the membranes in China: A systematic review', *Taiwanese Journal of Obstetrics and Gynecology*. Elsevier Ltd, 53(4), pp. 443–451. doi: 10.1016/j.tjog.2014.02.003.