

## DAFTAR PUSTAKA

- Abedini, A., Daud, A., Hamid, M., Othman, M.A.A., and Kamil, N. (2014) 'Radiolytic formation of Fe<sub>3</sub>O<sub>4</sub> nanoparticles: Influence of radiation dose on structure and magnetic properties', *Plos One*, 9(3). Available at: <https://doi.org/10.1371/journal.pone.0090055>.
- Acharya, D., Rani, A., Agarwal, S., & Singh, V. (2016). Application of adaptive Savitzky–Golay filter for EEG signal processing. *Perspectives in Science*, 8, 677–679. doi: 10.1016/j.pisc.2016.06.056.
- Adeyeye, A.O., and Shimon, G. (2015) *Growth and Characterization of Magnetic Thin Film and Nanostructures*. 1st edn, *Handbook of Surface Science*. 1st edn. Elsevier B.V. Available at: <https://doi.org/10.1016/B978-0-444-62634-9.00001-1>.
- Agnihotri, S., Mukherji, S., and Mukherji, Suparna (2013) 'Immobilized silver nanoparticles enhance contact killing and show highest efficacy: Elucidation of the mechanism of bactericidal action of silver', *Nanoscale*, 5(16), pp. 7328–7340. Available at: <https://doi.org/10.1039/c3nr00024a>.
- Akhtar, M.S., Panwar, J., and Yun, Y.S. (2013) 'Biogenic synthesis of metallic nanoparticles by plant extracts', *ACS Sustainable Chemistry and Engineering*, 1(6), pp. 591–602. Available at: <https://doi.org/10.1021/sc300118u>.
- Algarni, T.S., Ali, M.H.H., and Al-mohaimed, A.M. (2022) 'Green biosynthesis of Fe<sub>3</sub>O<sub>4</sub> nanoparticles using *Chlorella vulgaris* extract for enhancing degradation of 2,4 dinitrophenol', *Journal of King Saud University - Science*, p. 102426. Available at: <https://doi.org/10.1016/j.jksus.2022.102426>.
- Amirjani, A., and Haghshenas, D.F. (2018) 'Ag nanostructures as the surface plasmon resonance (SPR)-based sensors: A mechanistic study with an emphasis on heavy metallic ions detection', *Sensors and Actuators, B: Chemical*, 273(November 2017), pp. 1768–1779. Available at: <https://doi.org/10.1016/j.snb.2018.07.089>.
- Ananthi, S., Kavitha, M., Kumar, E.R., Balamurugan, A., Al-douri, Y., El-metwaly., and Nashwa, M. (2022) 'Natural tannic acid (green tea) mediated synthesis of ethanol sensor based Fe<sub>3</sub>O<sub>4</sub> nanoparticles : Investigation of structural , morphological , optical properties and colloidal stability for gas sensor application', *Sensors and Actuators: B. Chemical*, 352(P2), p. 131071. Available at: <https://doi.org/10.1016/j.snb.2021.131071>.
- Arista, D., Rachmawati, A., Ramadhani, N., Saputro, R.E.T., and Ahmad., S. (2019) 'Antibacterial Performance of Fe<sub>3</sub>O<sub>4</sub>/PEG-4000 Prepared by Co-precipitation Route',

- IOP Conference Series: Materials Science and Engineering*, 515(1). Available at: <https://doi.org/10.1088/1757-899X/515/1/012085>.
- Asadabad, M.A. and Eskandari, M.J. (2016) ‘Modern Electron Microscopy in Physical and Life Sciences’, *Modern Electron Microscopy in Physical and Life Sciences*, pp. 3–26. Available at: <https://doi.org/10.5772/60494>.
- Ates, B., Ulu, A.K., Suleymain, A.N., Samir, A.K., Veli, S.I., and Tekin (2018) ‘Magnetic-propelled Fe<sub>3</sub>O<sub>4</sub>-chitosan carriers enhance l-asparaginase catalytic activity: A promising strategy for enzyme immobilization’, *RSC Advances*, 8(63), pp. 36063–36075. Available at: <https://doi.org/10.1039/c8ra06346j>.
- Baghayeri, M., Mehdi, Veisi., Hojat, F., Samaneh, B., Hadi, Maleki., and Behrooz (2018) ‘Ag nanoparticles decorated Fe<sub>3</sub>O<sub>4</sub>/chitosan nanocomposite: synthesis, characterization and application toward electrochemical sensing of hydrogen peroxide’, *Journal of the Iranian Chemical Society*, 15(5), pp. 1015–1022. Available at: <https://doi.org/10.1007/s13738-018-1298-y>.
- Bankole, O.E., Verma, D., Monica, C.G., Ceferino, J.G., and Sandoval., C.J. (2022) ‘Recent trends and technical advancements in biosensors and their emerging applications in food and bioscience’, *Food Bioscience*, 47(March). Available at: <https://doi.org/10.1016/j.fbio.2022.101695>.
- Baral, B., Dutta, J. and Subudhi, U. (2021) ‘Biophysical interaction between self-assembled branched DNA nanostructures with bovine serum albumin and bovine liver catalase’, *International Journal of Biological Macromolecules*, 177, pp. 119–128. Available at: <https://doi.org/10.1016/j.ijbiomac.2021.02.095>.
- Baselt, D.R., Lee, G.U., Natesan, M.M., Steven, W.S., Paul E.C., and Richard, J. (1998) ‘A biosensor based on magnetoresistance technology’, *Biosensors and Bioelectronics*, 13(7–8), pp. 731–739. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0956566398000372>.
- Belinskaia, D.A., Voronina, P.A., Shmurak, V. I., Jenkins, R.O., and Goncharov, N.V. (2021) ‘Serum albumin in health and disease: Esterase, antioxidant, transporting and signaling properties’, *International Journal of Molecular Sciences*, 22(19). Available at: <https://doi.org/10.3390/ijms221910318>.
- Bhardwaj, N. and Kundu, S.C. (2010) ‘Electrospinning: A fascinating fiber fabrication technique’, *Biotechnology Advances*, 28(3), pp. 325–347. Available at: <https://doi.org/10.1016/j.biotechadv.2010.01.004>.
- Bhatia, E., Barber, Z.H., Maasilta, I.J., Senapati, K. (2019) ‘Domain wall induced modulation of low field H-T phase diagram in patterned superconductor-ferromagnet stripes’, *AIP Advances*, 9(4). Available at: <https://doi.org/10.1063/1.5087925>.

- Bronze-Uhle, E. S., Costa, B. C., Ximenes, V. F., and Lisboa-Filho, P. N. (2017) 'Synthetic nanoparticles of bovine serum albumin with entrapped salicylic acid', *Nanotechnology, Science and Applications*, 10, pp. 11–21. Available at: <https://doi.org/10.2147/NSA.S117018>.
- Brown, K.A., Vassiliou, C.C., Issadore, D., Berezovsky, Jess, C., and Michael, J. W. (2010) 'Scaling of transverse nuclear magnetic relaxation due to magnetic nanoparticle aggregation', *Journal of Magnetism and Magnetic Materials*, 322(20), pp. 3122–3126. Available at: <https://doi.org/10.1016/j.jmmm.2010.05.044>.
- Callister Jr, W.D. and Rethwisch, D.G. (2018) *Structures and Properties of Ceramics, Materials Science and Engineering - An Introduction*.
- Castro, H.F., Correia, V., Pereira, N., Costab, P., Oliveiraa, J., and Lanceros-Méndez, S. (2018) 'Printed Wheatstone bridge with embedded polymer based piezoresistive sensors for strain sensing applications', *Additive Manufacturing*, 20 (March 2017), pp. 119–125. Available at: <https://doi.org/10.1016/j.addma.2018.01.004>.
- Chaki, S.H., Malek, T. J., Chaudhary, M. D., Tailor, J. P., and Deshpande, M. P. (2015) 'Magnetite Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesis by wet chemical reduction and their characterization', *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 6(3). Available at: <https://doi.org/10.1088/2043-6262/6/3/035009>.
- Chesworth, W., Perez-Alberti, A., Arnaud, E., Morel-Seytoux, H. J., Morel-Seytoux, H. J., & Schwertmann, U. (2008) 'Imbibition', *Encyclopedia of Earth Sciences Series*, pp. 339–350. Available at: [https://doi.org/10.1142/9781786342102\\_0007](https://doi.org/10.1142/9781786342102_0007).
- Chongthanaphisut, P., Bac, S. K., Choi, S., Lee, K. J., Chang, J., Choi, S., Lee, S., Nnaji, M., Liu, X., Dobrowolska, M., and Furdyna, J. K. (2019) 'Interlayer exchange coupling in ferromagnetic semiconductor trilayers with out-of-plane magnetic anisotropy', *Scientific Reports*, 9(1), pp. 3–10. Available at: <https://doi.org/10.1038/s41598-019-41138-9>.
- Chuang, V.T.G. and Otagiri, M. (2013) 'Photoaffinity labeling of plasma proteins', *Molecules*, 18(11), pp. 13831–13859. Available at: <https://doi.org/10.3390/molecules181113831>.
- Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Sunaryono, W., Sigit, T., and Suharyadi, E. (2022) 'Green Synthesis of Fe<sub>3</sub>O<sub>4</sub> /Chitosan Nanoparticles Utilizing Moringa Oleifera Extracts and Their Surface Plasmon Resonance Properties', *ECS Journal of Solid State Science and Technology*, 11(8), p. 083015. Available at: <https://doi.org/10.1149/2162-8777/ac8b36>.

- Cui, D., Huang, P., Li, Z., Hu, H. (2010) 'Synthesis and characterization of bovine serum albumin-conjugated copper sulfide nanocomposites', *Journal of Nanomaterials*, 2010. Available at: <https://doi.org/10.1155/2010/641545>.
- Darmanwan, M. Y., Istiqomah, N. I., Adrianto, N., Tumbelaka., R.M., Dwi, N.A., and Suharyadi, E (2023) 'Green synthesis of Fe<sub>3</sub>O<sub>4</sub>/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications', *Results in Chemistry*, 6 (June), p. 100999. Available at: <https://doi.org/10.1016/j.rechem.2023.100999>.
- Dehghan, Z., Ranjbar, M., Govahi, M., and Khakdan, F. (2022) 'Green synthesis of Ag/Fe<sub>3</sub>O<sub>4</sub> nanocomposite utilizing Eryngium planum L. leaf extract and its potential applications in medicine', *Journal of Drug Delivery Science and Technology*, 67(November 2021), p. 102941. Available at: <https://doi.org/10.1016/j.jddst.2021.102941>.
- Dizaji, A.N., Yilmaz, M. and Piskin, E. (2016) 'Silver or gold deposition onto magnetite nanoparticles by using plant extracts as reducing and stabilizing agents', *Artificial Cells, Nanomedicine and Biotechnology*, 44(4), pp. 1109–1115. Available at: <https://doi.org/10.3109/21691401.2015.1019672>.
- Djamal, M. and Ramli, R. (2017) 'Giant Magnetoresistance Sensors Based on Ferrite Material and Its Applications', *Magnetic Sensors - Development Trends and Applications*, pp. 111–132. Available at: <https://doi.org/10.5772/intechopen.70548>.
- Elda Swastika, P., Antarnusa, G., Suharyadi, E., Kato, T., and Iwata, S. (2018) 'Biomolecule detection using wheatstone bridge giant magnetoresistance (GMR) sensors based on CoFeB spin-valve thin film', *Journal of Physics: Conference Series*, 1011(1). Available at: <https://doi.org/10.1088/1742-6596/1011/1/012060>.
- Esfahan, Z.M., Izhar, S., Ismail, M. H.S., and Yoshida, H. (2021) 'Subcritical water treatment of bovine serum albumin pathway to produce superabsorbent biomaterial as green technology', *Materials Today Sustainability*, 16, p. 100087. Available at: <https://doi.org/10.1016/j.mtsust.2021.100087>.
- Fan, Y., Smith, K. J., Lüpke, G., Hanbicki, A. T., Goswami, R., Li, C. H., Zhao, H. B., and Jonker, B.T. (2013) 'Exchange bias of the interface spin system at the Fe/MgO interface', *Nature Nanotechnology*, 8(6), pp. 438–444. Available at: <https://doi.org/10.1038/nano.2013.94>.
- Fu, C.C., Tran, H. N., Chen, X. H., and Juang, R. S. (2020) 'Preparation of polyaminated Fe<sub>3</sub>O<sub>4</sub>@chitosan core-shell magnetic nanoparticles for efficient adsorption of phosphate in aqueous solutions', *Journal of Industrial and Engineering Chemistry*, 83, pp. 235–246. Available at: <https://doi.org/10.1016/j.jiec.2019.11.033>.

- Gao, Yang., Huo, W., Zhang, L., Lian, J., Tao, W., Song, C., Tang, J., Shi, S., and Gao, Y. (2019) 'Multiplex measurement of twelve tumor markers using a GMR multi-biomarker immunoassay biosensor', *Biosensors and Bioelectronics*, 123(June 2018), pp. 204–210. Available at: <https://doi.org/10.1016/j.bios.2018.08.060>.
- Gebregeorgis, A., Bhan, C., Wilson, O., and Raghavan, D. (2013) 'Characterization of Silver/Bovine Serum Albumin (Ag/BSA) nanoparticles structure: Morphological, compositional, and interaction studies', *Journal of Colloid and Interface Science*, 389(1), pp. 31–41. Available at: <https://doi.org/10.1016/j.jcis.2012.08.041>.
- Getzlaff, M. (2016) 'Fundamentals of magnetism', *In Angewandte Chemie International Edition*, 6(11), pp. 1–49. Available at: <https://doi.org/10.4032/9789814669597>.
- Ghaseminezhad, S.M. and Shojaosadati, S.A. (2016) 'Evaluation of the antibacterial activity of Ag/Fe<sub>3</sub>O<sub>4</sub> nanocomposites synthesized using starch', *Carbohydrate Polymers*. Elsevier Ltd. Available at: <https://doi.org/10.1016/j.carbpol.2016.03.007>.
- Goudarzi, M., Mir, N., Mousavi, K. M., Bagheri, S., and Salavati, N.M. (2016) 'Biosynthesis and characterization of silver nanoparticles prepared from two novel natural precursors by facile thermal decomposition methods', *Scientific Reports*, 6(February), pp. 1–13. Available at: <https://doi.org/10.1038/srep32539>.
- Guo, J., Zheng, Z., Lu, X., Zeng, S., Chen, C., Zhang, L., and Zheng, B. (2018) 'Purification and Characterisation of κ-Carrageenan Oligosaccharides Prepared by κ-Carrageenase from *Thalassospira* sp. Fjfst-332', *Carbohydrate Polymers*, 180(October 2017), pp. 314–327. Available at: <https://doi.org/10.1016/j.carbpol.2017.10.043>.
- Gupta, S. and Kakkar, V. (2019) 'DARPin based GMR Biosensor for the detection of ESAT-6 Tuberculosis Protein', *Tuberculosis*, 118(July), p. 101852. Available at: <https://doi.org/10.1016/j.tube.2019.07.003>.
- Haddad, P. S., Santos, M. C., de Guzzi Cassago, C. A., Bernardes, J. S., de Jesus, M. B., and Seabra, A. B. (2016) 'Synthesis, characterization, and cytotoxicity of glutathione-PEG-iron oxide magnetic nanoparticles', *Journal of Nanoparticle Research*, 18(12). Available at: <https://doi.org/10.1007/s11051-016-3680-y>.
- Halliday, Resnick and Walker (2011) 'Fundamentals of Physics-Halliday & Resnick', *Antimicrobial Agents and Chemotherapy*, 53(12), p. 160. Available at: [www.wileyplus.com](http://www.wileyplus.com).
- Hefnawy, A., Khalil, I. H., Arafa, K., Emara, M., and El-Sherbiny, I. M. (2020) 'Dual-ligand functionalized core-shell chitosan-based nanocarrier for hepatocellular carcinoma-

- targeted drug delivery', *International Journal of Nanomedicine*, 15, pp. 821–837. Available at: <https://doi.org/10.2147/IJN.S240359>.
- Hosni, N., Zehani, K., Brazuna, R., Pires, M.J., and Bessais, L. (2018) 'Synthesis of (2D) MNPs nanosheets of nickel ferrite using a low-cost co-precipitation process', *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 232–235(April), pp. 48–54. Available at: <https://doi.org/10.1016/j.mseb.2018.10.012>.
- Iacovacci, V., Lucarini, G., Ricotti, L., and Menciassi, A. (2016) 'Magnetic Field-Based Technologies for Lab-on-a-Chip Applications', *Lab-on-a-Chip Fabrication and Application* [Preprint]. Available at: <https://doi.org/10.5772/62865>.
- Ibrahim, H.M. and El-Zairy, E.M.R. (2015) 'Chitosan as a Biomaterial — Structure, Properties, and Electrospun Nanofibers', *Concepts, Compounds and the Alternatives of Antibacterials* [Preprint]. Available at: <https://doi.org/10.5772/61300>.
- Iglesias, S. E., Rivas, J., León, I. L. M., and López-Quintela, M. A. (2007) 'Synthesis of silver-coated magnetite nanoparticles', *Journal of Non-Crystalline Solids*, 353(8–10), pp. 829–831. Available at: <https://doi.org/10.1016/j.jnoncrysol.2006.12.050>.
- Indrayana, I. P. T., Tuny, M. T., Putra, R. A., Istiqomah, N. I., Juharni, dan Suharyadi, E. (2021). Optical properties of Fe<sub>3</sub>O<sub>4</sub>/chitosan and its applications for signal amplifier in surface plasmon resonance sensor. *Proceedings of the 2nd International Conference on Science, Technology, and Modern Society (ICSTMS 2020)*, 576(Icstms 2020), 424–429.
- Inoue, J. ichiro (2009) GMR, TMR and BMR, *Nanomagnetism and Spintronics*. Available at: <https://doi.org/10.1016/B978-0-444-53114-8.00002-9>.
- Iskandar, D., Suprpto, Y.K. and Purnama, I.K.E. (2017) 'Determination of priority parameter for classification of poverty using chi-square method and crammer's V correlation', *Proceedings - 2016 International Seminar on Application of Technology for Information and Communication, ISEMANTIC 2016*, pp. 247–252. Available at: <https://doi.org/10.1109/ISEMANTIC.2016.7873846>.
- Issadore, D., Park, Y. I., Shao, H., Min, C., Lee, K., Liang, M., Weissleder, R., and Lee, H. (2014) 'Magnetic sensing technology for molecular analyses', *Lab on a Chip*, 14(14), pp. 2385–2397. Available at: <https://doi.org/10.1039/c4lc00314d>.
- Jafari, A., Farjami Shayesteh, S., Salouti, M., and Boustani, K. (2015) 'Dependence of structural phase transition and lattice strain of Fe<sub>3</sub>O<sub>4</sub> nanoparticles on calcination temperature', *Indian Journal of Physics*, 89(6), pp. 551–560. Available at: <https://doi.org/10.1007/s12648-014-0627-y>.

- Jamir, M., Borgohain, C. and Borah, J.P. (2022) 'Chitosan modified Fe<sub>3</sub>O<sub>4</sub> nanoparticles for hyperthermia application', *Materials Today: Proceedings*, 65, pp. 2484–2489. Available at: <https://doi.org/10.1016/j.matpr.2022.04.176>.
- Javed, R., Zia, M., Naz, S., Aisida, S. O., Ain, N., and Ao, Q. (2020) 'Role of capping agents in the application of nanoparticles in biomedicine and environmental remediation : recent trends and future prospects', *Journal of Nanobiotechnology*, pp. 1–15. Available at: <https://doi.org/10.1186/s12951-020-00704-4>.
- Jiang, C., Chan, P. H., Leung, C. W., and Pong, P.W. T. (2017) 'CoFe<sub>2</sub>O<sub>4</sub> nanoparticle integrated spin-valve thin films prepared by interfacial self-assembly', *The Journal of Physical Chemistry*, 121, pp. 22508–22516. Available at: <https://doi.org/10.1021/acs.jpcc.7b07242>.
- Johnson, A. (2004) 'Spin Valve Systems for Angle Sensor Applications', *Technischen Universität Darmstadt* [Preprint].
- Jordán, D., González-Chávez, D., Laura, D., León Hilario, L. M., Montebanco, E., Gutarra, A., and Avilés-Félix, L. (2018) 'Detection of magnetic moment in thin films with a home-made vibrating sample magnetometer', *Journal of Magnetism and Magnetic Materials*, 456, pp. 56–61. Available at: <https://doi.org/10.1016/j.jmmm.2018.01.088>.
- Kim, T.H., Jiang, H. L., Jere, D., Park, I. K., Cho, M. H., Nah, J. W., Choi, Y. J., Akaike, T., and Cho, C. S. (2007) 'Chemical modification of chitosan as a gene carrier in vitro and in vivo', *Progress in Polymer Science (Oxford)*, 32(7), pp. 726–753. Available at: <https://doi.org/10.1016/j.progpolymsci.2007.05.001>.
- Krishna, V.D., Wu, K., Perez, A. M., and Wang, J. P. (2016) 'Giant magnetoresistance-based biosensor for detection of influenza A virus', *Frontiers in Microbiology*, 7(MAR), pp. 1–8. Available at: <https://doi.org/10.3389/fmicb.2016.00400>.
- Kurtan, U. and Baykal, A. (2014) 'Fabrication and characterization of Fe<sub>3</sub>O<sub>4</sub>@APTES@PAMAM-Ag highly active and recyclable magnetic nanocatalyst: Catalytic reduction of 4-nitrophenol', *Materials Research Bulletin*, 60, pp. 79–87.
- Lee, J.R., Haddon, D. J., Gupta, N., Price, J. V., Credo, G. M., Diep, V. K., Kim, K., Hall, D. A., Baechler, E. C., Petri, M., Varma, M., Utz, P. J., and Wang, S. X. (2016) 'High-Resolution Analysis of Antibodies to Post-Translational Modifications Using Peptide Nanosensor Microarrays', *ACS Nano*, 10(12), pp. 10652–10660. Available at: <https://doi.org/10.1021/acsnano.6b03786>.
- Lee, S., Myers, W. R., Grossman, H. L., Cho, H. M., Chemla, Y. R., and Clarke, John (2002) 'Magnetic gradiometer based on a high-transition temperature superconducting

- quantum interference device for improved sensitivity of a biosensor', *Applied Physics Letters*, 81(16), pp. 3094–3096. Available at: <https://doi.org/10.1063/1.1515122>.
- Li, G.Y., Myers, W. R., Grossman, H. L., Cho, H. M., Chemla, Y. R., and Clarke, John (2008) 'Preparation and properties of magnetic Fe<sub>3</sub>O<sub>4</sub>-chitosan nanoparticles', *Journal of Alloys and Compounds*, 466(1–2), pp. 451–456. Available at: <https://doi.org/10.1016/j.jallcom.2007.11.100>.
- Li, L., Myers, W. R., Grossman, H. L., Cho, H. M., Chemla, Y. R., and Clarke, John (2013) 'Detection of 10-nm superparamagnetic iron oxide nanoparticles using exchange-biased GMR sensors in wheatstone bridge', *IEEE Transactions on Magnetics*, 49(7), pp. 4056–4059. Available at: <https://doi.org/10.1109/TMAG.2013.2237889>.
- Li, Z. and Li, D. (2022) 'A comparative study of magnetic seals by ferrofluids, magnetorheological fluids and magnetic powders', *Frontiers in Materials*, 9(September), pp. 1–11. Available at: <https://doi.org/10.3389/fmats.2022.984761>.
- Lim, S.A. and Ahmed, M.U. (2016) 'Electrochemical immunosensors and their recent nanomaterial-based signal amplification strategies: A review', *RSC Advances*, 6(30), pp. 24995–25014. Available at: <https://doi.org/10.1039/c6ra00333h>.
- Lubis, K. (2015) 'Manajemen Sumber Daya Manusia', *Jurnal Pengabdian Kepada Masyarakat*, 21(79), pp. 50–55.
- Luong, V.S., Tuan, A., Khanh, Q., and Nga, T. (2018) 'Journal of Science: Advanced Materials and Devices Magnetoresistive performances in exchange-biased spin valves and their roles in low- field magnetic sensing applications', *Journal of Science: Advanced Materials and Devices*, 3(4), pp. 399–405. Available at: <https://doi.org/10.1016/j.jsamd.2018.09.004>.
- Luong, V.S., Tuan, A. K., Quoc Nga, T. (2018) 'Magnetoresistive performances in exchange-biased spin valves and their roles in low-field magnetic sensing applications', *Journal of Science: Advanced Materials and Devices*, 3(4), pp. 399–405. Available at: <https://doi.org/10.1016/j.jsamd.2018.09.004>.
- Mabarroh, N., Alfansuri, T., Wibowo, A. N., Istiqomah, N. I., Tumbelaka., and Suharyadi, E. (2022) 'Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels', *Journal of Magnetism and Magnetic Materials*, 560(July), p. 169645. Available at: <https://doi.org/10.1016/j.jmmm.2022.169645>.
- Madubuonu, N., Aisida, S. O., Ali, A., Ahmad, I., Zhao, T. K., Botha, S., Maaza, M., and Ezema, F. I. (2019) 'Biosynthesis of iron oxide nanoparticles via a composite of

- Psidium guavaja-Moringa oleifera and their antibacterial and photocatalytic study', *Journal of Photochemistry and Photobiology B: Biology*, 199(June), p. 111601. Available at: <https://doi.org/10.1016/j.jphotobiol.2019.111601>.
- Malik, P., Shankar, R., Malik, V., Sharma, N., and Mukherjee, T. K. (2014) 'Green Chemistry Based Benign Routes for Nanoparticle Synthesis', *Journal of Nanoparticles*, 2014, pp. 1–14. Available at: <https://doi.org/10.1155/2014/302429>.
- Manojkumar, M.S., Jeyajothi, K., Jagadheesan, A., and Jeevanantham, V. (2022) 'Magnetic separation of green synthesized Fe<sub>3</sub>O<sub>4</sub> nanoparticles on photocatalytic activity of methyl orange dye removal', *Journal of the Indian Chemical Society*, 99(8), p. 100559. Available at: <https://doi.org/10.1016/j.jics.2022.100559>.
- Matula, R.A. (1979) 'Electrical resistivity of copper, gold, palladium, and silver', *Journal of Physical and Chemical Reference Data*, 8(4), pp. 1147–1298. Available at: <https://doi.org/10.1063/1.555614>.
- Mazumdar, D. (2017) 'Coherent magnetotunneling based on (001) magnesium oxide barrier', *Journal of Photochemistry and Photobiology B: Biology*, p. 111601.
- Min, C., Shao, H., Liong, M., Yoon, T.J., Weissleder, R., and Lee, H. ACS Nano 6 (2012) 6821–6828. (2012) 'Mechanism of magnetic relaxation switching sensing', *ACS Nano*, 6(8), pp. 6821–6828. Available at: <https://doi.org/10.1021/nn301615b>.
- Mirhashemi, F. and Ali Amrollahi, M. (2019) 'Decoration of β-CD on Fe<sub>3</sub>O<sub>4</sub>@Ag core–shell nanoparticles as a new magnetically recoverable and reusable catalyst for the synthesis of 3,4-dihydropyrimidinones and 2,4-dihydropyrano[2,3-c]pyrazoles in H<sub>2</sub>O', *Inorganica Chimica Acta*, 486(October 2018), pp. 568–575. Available at: <https://doi.org/10.1016/j.ica.2018.11.009>.
- Mittal, A.K., Chisti, Y. and Banerjee, U.C. (2013) 'Synthesis of metallic nanoparticles using plant extracts', *Biotechnology Advances*, 31(2), pp. 346–356. Available at: <https://doi.org/10.1016/j.biotechadv.2013.01.003>.
- Mohapatra, B., Kuriakose, S. and Mohapatra, S. (2015) 'Rapid green synthesis of silver nanoparticles and nanorods using Piper nigrum extract', *Journal of Alloys and Compounds*, 637, pp. 119–126.
- Morgunov, R.B., Koplak, O. V., Allayarov, R. S., Kunitsyna, E. I., Mangin, S. (2020) 'Effect of the stray field of Fe/Fe<sub>3</sub>O<sub>4</sub> nanoparticles on the surface of the CoFeB thin films', *Applied Surface Science*, 527(June). Available at: <https://doi.org/10.1016/j.apsusc.2020.146836>.
- Nabiyouni, G.R. (2009) 'Design and fabrication of Nanomagnetic sensors based on electrodeposited GMR materials', *Metrology and Measurement Systems*, 16(3), pp. 1–11.

- Nagarajan, P.R., George, B. and Kumar, V.J. (2017) 'A Linearizing Digitizer for Wheatstone Bridge Based Signal Conditioning of Resistive Sensors', *IEEE Sensors Journal*, 17(6), pp. 1696–1705. Available at: <https://doi.org/10.1109/JSEN.2017.2653227>.
- Nnadozie, E.C. and Ajibade, P.A. (2020) 'Green synthesis and characterization of magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanoparticles using Chromolaena odorata root extract for smart nanocomposite', *Materials Letters*, 263, p. 127145. Available at: <https://doi.org/10.1016/j.matlet.2019.127145>.
- Olajire, A.A. and Bamigbade, L.A. (2021) 'Green synthesis of chitosan-based iron@silver nanocomposite as adsorbent for wastewater treatment', *Water Resources and Industry*, 26(July), p. 100158. Available at: <https://doi.org/10.1016/j.wri.2021.100158>.
- Ouyang, Y., Wang, Z., Zhao, G., Hu, J., Ji, S., He, J., and Wang, S. X (2019) 'Current sensors based on GMR effect for smart grid applications', *Sensors & Actuators: A. Physical*, 294, pp. 8–16. Available at: <https://doi.org/10.1016/j.sna.2019.05.002>.
- Palomino-marcelo, L., Gakiya, M. and Rodriguez-Reyes, J.C.F. (2019) 'Protocol for studying the interaction of silver nanoparticles with biomolecules: The case for bovine serum albumin (BSA)', *White Papers in Nanomaterials*, (June), pp. 1–8. Available at: <https://doi.org/10.13140/RG.2.2.23518.28485>.
- Parkin, S.S.P., More, N. and Roche, K.P. (1990) 'Oscillations in exchange coupling and magnetoresistance in metallic superlattice structures: Co/Ru, Co/Cr, and Fe/Cr', *Physical Review Letters*, 64(19), pp. 2304–2307. Available at: <https://doi.org/10.1103/PhysRevLett.64.2304>.
- Patil, S., Tandon, R. and Tandon, N. (2021) 'A current research on silica coated ferrite nanoparticle and their application: Review', *Current Research in Green and Sustainable Chemistry*, 4(October 2020), p. 100063. Available at: <https://doi.org/10.1016/j.crgsc.2021.100063>.
- Patrizi, B., De Cumis, M. S., Viciani, S., and D'Amato, F. (2019) 'Dioxin and related compound detection: Perspectives for optical monitoring', *International Journal of Molecular Sciences*, 20(11), pp. 1–20. Available at: <https://doi.org/10.3390/ijms20112671>.
- Petit, S. and Madejova, J. (2013) *Fourier Transform Infrared Spectroscopy*. 2nd edn, *Developments in Clay Science*. 2nd edn. Elsevier Ltd. Available at: <https://doi.org/10.1016/B978-0-08-098259-5.00009-3>.
- Qiu, Z.Q., Pearson, J. and Bader, S.D. (1992) 'Oscillatory interlayer magnetic coupling of wedged Co/Cu/Co sandwiches grown on Cu(100) by molecular beam epitaxy', *Physical Review B*, 46(13), pp. 8659–8662. Available at: <https://doi.org/10.1103/PhysRevB.46.8659>.

- Quynh, L.K., Tu, B. D., Dang, D. X., Viet, D. Q., Hien, L. T., Huong Giang, D. T., and Duc, N. H. (2016) 'Detection of magnetic nanoparticles using simple AMR sensors in Wheatstone bridge', *Journal of Science: Advanced Materials and Devices*, 1(1), pp. 98–102. Available at: <https://doi.org/10.1016/j.jsamd.2016.04.006>.
- Radoń, A., Drygała, A., Hawełek, Ł., and Łukowiec, D. (2017) 'Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers', *Materials Characterization*, 131(April), pp. 148–156. Available at: <https://doi.org/10.1016/j.matchar.2017.06.034>.
- Rahman, H., Arini, S.F. and Utomo, V. (2020) 'Tannins Extraction of Tea Leaves by Ultrasonic Method: Comparison with The Conventional Method', *Jurnal Teknologi*, 8(1), pp. 84–95. Available at: <https://doi.org/10.31479/jtek.v1i8.62>.
- Rahmayanti, M. (2020) 'Sintesis dan Karakterisasi Magnetit (Fe<sub>3</sub>O<sub>4</sub>): Studi Komparasi Metode Konvensional dan Metode Sonokimia', *Al Ulum Sains dan Teknologi*, 6(1), pp. 26–31.
- Ramalingam, B., Khan, M.M.R., Mondal, B., Mandal, A.B., and Das, S.K. (2015) Facile Synthesis of Silver Nanoparticles Decorated Magnetic-Chitosan Microsphere for Efficient Removal of Dyes and Microbial Contaminants, *ACS Sustainable Chemistry and Engineering*. Available at: <https://doi.org/10.1021/acssuschemeng.5b00577>.
- Ramesh, A. V., Devi, D. R., Botsa, S. M., and Basavaiah, K (2018) 'Facile green synthesis of Fe<sub>3</sub>O<sub>4</sub> nanoparticles using aqueous leaf extract of Zanthoxylum armatum DC . for efficient adsorption of methylene blue', *Journal of Asian Ceramic Societies*, 6(2), pp. 145–155. Available at: <https://doi.org/10.1080/21870764.2018.1459335>.
- Ravi, N., Rizzi, G., Chang, S. E., Cheung, P., Utz, P. J., and Wang, S. X. (2019) 'Quantification of cDNA on GMR biosensor array towards point-of-care gene expression analysis', *Biosensors and Bioelectronics*, 130(September 2018), pp. 338–343. Available at: <https://doi.org/10.1016/j.bios.2018.09.050>.
- Ravi, N., Chang, S. E., Franco, L. M., Nagamani, S. C.S., Khatri, P., Utz, P. J., Wang, S. X. (2022) 'A GMR-based assay for quantification of the human response to influenza', *Biosensors and Bioelectronics*, 205(October 2021), p. 114086. Available at: <https://doi.org/10.1016/j.bios.2022.114086>.
- Ravindran, A., Singh, A., Raichur, A. M., Chandrasekaran, N., and Mukherjee, A. (2010) 'Studies on interaction of colloidal Ag nanoparticles with Bovine Serum Albumin (BSA)', *Colloids and Surfaces B: Biointerfaces*, 76(1), pp. 32–37. Available at: <https://doi.org/10.1016/j.colsurfb.2009.10.005>.

- Rawat, R.S. and Wang, Y. (2017) Plasma Nanotechnology for Nanophase Magnetic Material Synthesis, *Advances in Magnetic Materials*. Available at: <https://doi.org/10.4324/9781315371573-4>.
- Rinaudo, M. (2006) 'Chitin and chitosan: Properties and applications', *Progress in Polymer Science (Oxford)*, 31(7), pp. 603–632. Available at: <https://doi.org/10.1016/j.progpolymsci.2006.06.001>.
- Rizwan, M., Mohd-Naim, N.F. and Ahmed, M.U. (2018) 'Trends and advances in electrochemiluminescence nanobiosensors', *Sensors*, 18(1). Available at: <https://doi.org/10.3390/s18010166>.
- Roy, S., Nikhita, H. R., Varshini, G. V., Kumar, P. A., Gangineni, R. B., and Angappane, S. (2022) 'Enhancement of room-temperature magnetoresistance in polyvinyl acetate encapsulated Fe<sub>3</sub>O<sub>4</sub> nanoparticles', *Journal of Magnetism and Magnetic Materials*, 557(January), p. 169468. Available at: <https://doi.org/10.1016/j.jmmm.2022.169468>.
- Sajjadi, M., Nasrollahzadeh, M. and Mohammad Sajadi, S. (2017) 'Green synthesis of Ag/Fe<sub>3</sub>O<sub>4</sub> nanocomposite using Euphorbia peplus Linn leaf extract and evaluation of its catalytic activity', *Journal of Colloid and Interface Science*, 497, pp. 1–13. Available at: <https://doi.org/10.1016/j.jcis.2017.02.037>.
- Sashiwa, H. and Aiba, S.I. (2004) 'Chemically modified chitin and chitosan as biomaterials', *Progress in Polymer Science (Oxford)*, 29(9), pp. 887–908. Available at: <https://doi.org/10.1016/j.progpolymsci.2004.04.001>.
- Seenuvasan, M., Kumar, K. S., Malar, C. G., Preethi, S., Kumar, M. A., and Balaji, N. (2014) 'Characterization, analysis, and application of fabricated Fe<sub>3</sub>O<sub>4</sub>-chitosan-pectinase nanobiocatalyst', *Applied Biochemistry and Biotechnology*, 172(5), pp. 2706–2719. Available at: <https://doi.org/10.1007/s12010-014-0725-5>.
- Selzer, S.M., Vico, R. V., and Ferreyra, N.F. (2022) 'Immobilization of Concanavalin A on iron oxide magnetic nanoparticles. Effect of Bovine Serum Albumin in the recognition interactions of the lectin', *Surfaces and Interfaces*, 30, p. 101908. Available at: <https://doi.org/10.1016/j.surfin.2022.101908>.
- Serrate, D., Teresa, J. M. D., Marquina, C., Marzo, J., Saurel, D., Cardoso, F. A., Cardoso, S., Freitas, P. P., and Ibarra, M. R. (2012) 'Biosensors and Bioelectronics Quantitative biomolecular sensing station based on magnetoresistive patterned arrays', *Biosensors and Bioelectronics*, 35(1), pp. 206–212. Available at: <https://doi.org/10.1016/j.bios.2012.02.048>.

- Shah, M., Fawcett, D., Sharma, S., Tripathy, S. K., and Poinern, G. E. J. (2015) Green synthesis of metallic nanoparticles via biological entities, *Materials*. Available at: <https://doi.org/10.3390/ma8115377>.
- Shang, L., Wang, Y., Jiang, J., and Dong, S. (2007) 'PH-dependent protein conformational changes in albumin:Gold nanoparticle bioconjugates: A spectroscopic study', *Langmuir*, 23(5), pp. 2714–2721. Available at: <https://doi.org/10.1021/la062064e>.
- Shirzadfar, H. (2014) 'Design And Evaluation Of A GMR-Biosensor For Magnetic Characterization Of Biological Medium', (January), p. 149. Available at: <https://doi.org/10.13140/RG.2.1.2350.7361>.
- Silvio, D., Silvestri, A., Lay, L., Polito, L., and Moya, S. E. (2018) 'Impact of ConcanavalinA affinity in the intracellular fate of Protein Corona on Glucosamine Au nanoparticles', *Scientific Reports*, 8(1), pp. 1–11. Available at: <https://doi.org/10.1038/s41598-018-27418-w>.
- Singh, J., Wang, Y., Jiang, J., and Dong, S. (2018) 'Green synthesis of metals and their oxide nanoparticles: applications for environmental remediation', *Journal of Nanobiotechnology*, pp. 1–24. Available at: <https://doi.org/10.1186/s12951-018-0408-4>.
- Sogias, I.A., Khutoryanskiy, V. V., and Williams, A.C. (2010) 'Exploring the factors affecting the solubility of chitosan in water', *Macromolecular Chemistry and Physics*, 211(4), pp. 426–433. Available at: <https://doi.org/10.1002/macp.200900385>.
- Song, Y., Chen, J., Yang, X., Zhang, D., Zou, Y., Ni, D., Ye, J., Yu, Z., Chen, Q., Jin, S., and Liang, P. (2022) 'Fabrication of Fe<sub>3</sub>O<sub>4</sub>@Ag magnetic nanoparticles for highly active SERS enhancement and paraquat detection', *Microchemical Journal*, 173(November 2021), p. 107019. Available at: <https://doi.org/10.1016/j.microc.2021.107019>.
- Subedi, N., Lähde, A., Abu-Danso, E., Iqbal, J., Bhatnagar, A. (2019) 'A comparative study of magnetic chitosan (Chi@Fe<sub>3</sub>O<sub>4</sub>) and graphene oxide modified magnetic chitosan (Chi@Fe<sub>3</sub>O<sub>4</sub>-GO) nanocomposites for efficient removal of Cr(VI) from water', *International Journal of Biological Macromolecules*, 137(Vi), pp. 948–959. Available at: <https://doi.org/10.1016/j.ijbiomac.2019.06.151>.
- Suharyadi, E., Alfansuri, T., Handriani, L. S., Wibowo, N. A., and Sabarman, H. (2021) 'Detection of Fe<sub>3</sub>O<sub>4</sub>/PEG nanoparticles using one and two spin-valve GMR sensing elements in wheatstone bridge circuit', *Journal of Materials Science: Materials in Electronics*, 32(19), pp. 23958–23967. Available at: <https://doi.org/10.1007/s10854-021-06859-6>.

- Sun, B., Tang, W., Zeng, Z., Du, W. (2014) 'GMR Biosensing with Magnetic Nanowires as Labels for the Detection of Osteosarcoma Cells', *Earth-Science Reviews*, 5(3), pp. 1–7. Available at: <https://doi.org/10.1016/j.sna.2022.114115>.
- Sun, X., Lei, C., Guo, L., and Zhou, Y. (2016) 'Sensors and Actuators B : Chemical Separable detecting of Escherichia coli O<sub>157</sub>H : H<sub>7</sub> by a giant magneto-resistance-based bio-sensing system', *Sensors & Actuators: B. Chemical*, 234, pp. 485–492. Available at: <https://doi.org/10.1016/j.snb.2016.04.183>.
- Taimoory, S.M., Trant, J. F., Rahdar, A., Aliahmad, M., Sadeghfar, F., and Hashemzaei, M. (2017) 'Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: Synthesis, characterization, computational modelling, and cytotoxicity', *e-Journal of Surface Science and Nanotechnology*, 15(April), pp. 31–39. Available at: <https://doi.org/10.1380/ejssnt.2017.31>.
- Taufiq, A., Susanto, H., Hidayat, N., Sunaryono, S., Amrillah, T., Wijaya, H. W., Mufti, N., and Simanjuntak, F. M. (2020) 'Synthesis of Fe<sub>3</sub>O<sub>4</sub>/Ag nanohybrid ferrofluids and their applications as antimicrobial and antifibrotic agents', *Heliyon*, 6(12). Available at: <https://doi.org/10.1016/j.heliyon.2020.e05813>.
- Tiama, T.M. and Elhaes, H. (2021) 'Application of Chitosan/Fe<sub>3</sub>O<sub>4</sub> Nanocomposite as Biosensor', *Letters in Applied NanoBioScience*, 10(3), pp. 2438–2445.
- Torok, E.J., Olson, A.L. and Oredson, H.N. (1965) 'Transition between Bloch and Néel walls', *Journal of Applied Physics*, 36(4), pp. 1394–1399. Available at: <https://doi.org/10.1063/1.1714317>.
- Trong, H., Kiryukhina, K., Gougeon, M., Baco-Carles, V., Courtade, F., Dareys, S., Tailhades, P. (2017) 'Paramagnetic behaviour of silver nanoparticles generated by decomposition of silver oxalate', *Solid State Sciences*, 69, pp. 44–49. Available at: <https://doi.org/10.1016/j.solidstatesciences.2017.05.009>.
- Vande, V. P. J., Matthew, H.W.T., DeSilva, S. P., Mayton, L., Wu, B., Wooley, P. H. (2002) 'Evaluation of the biocompatibility of a chitosan scaffold in mice', *Journal of Biomedical Materials Research*, 59(3), pp. 585–590. Available at: <https://doi.org/10.1002/jbm.1270>.
- Venkatesan, J. and Kim, S.K. (2010) 'Chitosan composites for bone tissue engineering - An overview', *Marine Drugs*, 8(8), pp. 2252–2266. Available at: <https://doi.org/10.3390/md8082252>.

- Wang, G., Lu, Y., Hou, H., and Liu, Y. (2017) 'Probing the binding behavior and kinetics of silver nanoparticles with bovine serum albumin', *RSC Advances*, 7(15), pp. 9393–9401. Available at: <https://doi.org/10.1039/c6ra26089f>.
- Wang, G.A., Nakashima, S., Arai, S., Kato, T., and Iwata, S. (2010) 'High sensitivity giant magnetoresistance magnetic sensor using oscillatory domain wall displacement', *Journal of Applied Physics*, 107(9), pp. 3–6. Available at: <https://doi.org/10.1063/1.3360585>.
- Wang, W., Wang, Y., Tu, L., Feng, Y., Klein, T., and Wang, J. P. (2014) 'Magnetoresistive performance and comparison of supermagnetic nanoparticles on giant magnetoresistive sensor-based detection system', *Sensors and Biosensors*, 4(5716), pp. 1–5. Available at: <https://doi.org/10.1038/srep05716>.
- Wen, J., Lei, J., Chen, J., Liu, L., Zhang, X., and Li, Lingjie (2020) 'Polyethylenimine wrapped mesoporous silica loaded benzotriazole with high pH-sensitivity for assembling self-healing anti-corrosive coatings', *Materials Chemistry and Physics*, 253(May), p. 123425. Available at: <https://doi.org/10.1016/j.matchemphys.2020.123425>.
- Wibowo, N.A., Harsojo., and Suharyadi, E. (2021) 'A spin-valve GMR based sensor with magnetite@silver core-shell nanoparticles as a tag for bovine serum albumin detection', *ECS Journal of Solid State Science and Technology*, 10(10), p. 107002. Available at: <https://doi.org/10.1149/2162-8777/ac2d4e>.
- Wibowo, N.A., Sabarman, H. and Suharyadi, E. (2022) 'A new platform of iron oxide-based nanoparticles assay using GMR chip-based sensor with microcontroller', *IEEE Sensors Journal*, 22(21), pp. 1–1. Available at: <https://doi.org/10.1109/jsen.2022.3207213>.
- Wu, Y., Qi, L., Zhang, H., Musiu, E. M., Yang, Z., and Wang, Pei (2019) 'Design of UAV downwash airflow field detection system based on strain effect principle', *Sensors*, 19(11). Available at: <https://doi.org/10.3390/s19112630>.
- Xiao, L., Mertens, M., Wortmann, L., Kremer, S., Valldor, M., Lammers, T., Kiessling, F., and Mathur, S. (2015) 'Enhanced in vitro and in vivo cellular imaging with green tea coated water-soluble iron oxide nanocrystals', *ACS Applied Materials and Interfaces*, 7(12), pp. 6530–6540. Available at: <https://doi.org/10.1021/am508404t>.
- Xu, H., Yao, N., Xu, H., Wang, T., Li, Guiying., and Li, Z. (2013) 'Characterization of the interaction between eupatorin and bovine serum albumin by spectroscopic and molecular modeling methods', *International Journal of Molecular Sciences*, 14(7), pp. 14185–14203. Available at: <https://doi.org/10.3390/ijms140714185>.

- Xu, J., Li, Q., Zong, W., Zhang, Y., and Li, S. (2016) 'Ultra-wide detectable concentration range of GMR biosensors using Fe<sub>3</sub>O<sub>4</sub> microspheres', *Journal of Magnetism and Magnetic Materials*, 417, pp. 25–29. Available at: <https://doi.org/10.1016/j.jmmm.2016.05.059>.
- Yakout, S.M. (2020) 'Spintronics: Future Technology for New Data Storage and Communication Devices', *Journal of Superconductivity and Novel Magnetism*, 33(9), pp. 2557–2580. Available at: <https://doi.org/10.1007/s10948-020-05545-8>.
- Yeamsuksawat, T., Zhao, H. and Liang, J. (2021) 'Characterization and antimicrobial performance of magnetic Fe<sub>3</sub>O<sub>4</sub>@Chitosan@Ag nanoparticles synthesized via suspension technique', *Materials Today Communications*, 28(December 2020), p. 102481. Available at: <https://doi.org/10.1016/j.mtcomm.2021.102481>.
- Yew, Y.P., Shameli, K., Miyake, M., Ahmad, K., Nurul, B. B., Mohamad, S. E. B., Naiki, T., and Lee, K. X. (2020) 'Green biosynthesis of superparamagnetic magnetite Fe<sub>3</sub>O<sub>4</sub> nanoparticles and biomedical applications in targeted anticancer drug delivery system: A review', *Arabian Journal of Chemistry*, 13(1), pp. 2287–2308. Available at: <https://doi.org/10.1016/j.arabjc.2018.04.013>.
- Zhang, P., Chen, Y., Li, Y., Zhao, Y., Wang, W., Li, S., and Huang, L. (2019) 'Flexible piezoresistive sensor with the microarray structure based on self-assembly of multi-walled carbon nanotubes', *Sensors*, 19(22). Available at: <https://doi.org/10.3390/s19224985>.
- Zhou, Y., Fang, Y., and Ramasamy, R.P. (2019) 'Non-covalent functionalization of carbon nanotubes for electrochemical biosensor development', *Sensors*, 19(2). Available at: <https://doi.org/10.3390/s19020392>.
- Zhu, F., Li, D., Ding, Q., Lei, C., Ren, L., Ding, X., and Sun, X. (2020) '2D magnetic MoS<sub>2</sub>-Fe<sub>3</sub>O<sub>4</sub> hybrid nanostructures for ultrasensitive exosome detection in GMR sensor', *Biosensors and Bioelectronics*, 147, pp. 1–7. Available at: <https://doi.org/10.1016/j.bios.2019.111787>.
- Zhu, X., Pathakoti, K. and Hwang, H. (2019) Chapter 10 - Green synthesis of titanium dioxide and zinc oxide nanoparticles and their usage for antimicrobial applications and environmental remediation, *Green Synthesis, Characterization and Applications of Nanoparticles*. Elsevier Inc. Available at: <https://doi.org/10.1016/B978-0-08-102579-6.00010-1>.
- Zikalala, N., Matshetshe, K., Parani, S., and Oluwafemi, O. S. (2018) 'Biosynthesis protocols for colloidal metal oxide nanoparticles', *Nano-Structures and Nano-Objects*, 16(July), pp. 288–299. Available at: <https://doi.org/10.1016/j.nanoso.2018.07.010>.

Zouheir, M., Zniber, M., Qudsia, S., & Huynh, T.-P. (2021). Real-time humidity sensing by integration of copper sulfide nanocomposite with low-cost and wireless Arduino platform. *Sensors and Actuators A: Physical*, 319, 112541. doi: 10.1016/j.sna.2021.112541