

DAFTAR PUSTAKA

- Akelma, F. K., Ulubay, Z. Ö., Özmert, S., Aytaç, B. G. and Özmert, G. 2020. Comparison of different fentanyl doses in spinal anesthesia for caesarian delivery. *Jinekoloji-Obstetrik ve Neonatoloji Tıp Dergisi*. 17(1):258–261.
- Arzola, C. and Wiecezorek, P. M. 2011. Efficacy of low-dose bupivacaine in spinal anaesthesia for Caesarean delivery: systematic review and meta-analysis. *British journal of anaesthesia*. 107(3):308–318.
- Aslan, B. and Moraloğlu, Ö. 2020. Addition of Fentanyl or High-Dose Morphine to Bupivacaine Is Superior to Bupivacaine Alone during Single-Shot Spinal Anesthesia. *Gynecologic and Obstetric Investigation*. 85(4):312–317.
- Ayuningtyas, D., Oktarina, R., Misnaniarti, M. and Dwi Sutrisnawati, N. N. 2018. Etika Kesehatan pada Persalinan Melalui Sectio Caesarea Tanpa Indikasi Medis. *Media Kesehatan Masyarakat Indonesia*. 14(1):9.
- Ben-David, B., Miller, G., Gavriel, R. and Gurevitch, A. 2000. Low-dose bupivacaine-fentanyl spinal anesthesia for cesarean delivery. *Regional anesthesia and pain medicine*. 25(3):235–239.
- Białowolska, K., Horosz, B., Sękowska, A. and Malec-Milewska, M. 2020. Fixed Dose versus Height-Adjusted Conventional Dose of Intrathecal Hyperbaric Bupivacaine for Caesarean Delivery: A Prospective, Double-Blinded Randomised Trial. *Journal of Clinical Medicine*. 9(11):3600.
- Blackwelder, W. C. 1982. “Proving the Null Hypothesis” in Clinical Trials. 9.
- Bollag, L., Lim, G., Sultan, P., Habib, A. S., Landau, R., Zakowski, M., Tiouririne, M., Bhambhani, S. and Carvalho, B. 2021. Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. *Anesthesia & Analgesia*. 132(5):1362–1377.
- Braga, A. de F. de A., Braga, F. S. da S., Hirata, E. S., Pereira, R. I. C., Frias, J. A. and Antunes, I. F. 2014. Association of lipophilic opioids and hyperbaric bupivacaine in spinal anesthesia for elective cesarean section. Randomized controlled study. *Acta Cirurgica Brasileira*. 29(11):752–758.
- Bucklin, B. A. and Santos, A. C. 2019. Local Anesthetics and Opioids. In: D.H. Chestnut, C.A. Wong, L.C. Tsen, W.D. Ngan Kee, Y. Beilin, J.M. Mhyre, & B.T. Bateman, eds. 6th edition ed. *Chestnut's obstetric anesthesia: principles and practice*. St. Louis, MO: Elsevier. pp. 271–311.

Bujedo, B. M. 2014. Current Evidence for Spinal Opioid Selection in Postoperative Pain. *The Korean Journal of Pain*. 27(3):200–209.

Butterworth, J. 2017. Clinical Pharmacology of Local Anesthetics. In: A. Hadzic & New York School of Regional Anesthesia, eds. Second edition ed. *Hadzic's textbook of regional anesthesia and acute pain management*. New York: McGraw-Hill Education. pp. 124–137.

Butterworth, J. F., Mackey, D. C., Wasnick, J. D., Morgan, G. E., Mikhail, M. S. and Morgan, G. E. 2018a. Local Anesthetics. In: Sixth ed. *Morgan & Mikhail's clinical anesthesiology*. New York: McGraw-Hill Education. pp. 261–273.
<https://accessanesthesiology.mhmedical.com/book.aspx?bookid=2444>
Date of access: 02 Aug. 2022.

Butterworth, J. F., Mackey, D. C., Wasnick, J. D., Morgan, G. E., Mikhail, M. S. and Morgan, G. E. 2018b. Spinal, Epidural, & Caudal Blocks. In: Sixth ed. *Morgan & Mikhail's clinical anesthesiology*. New York: McGraw-Hill Education. pp. 959--996.
<https://accessanesthesiology.mhmedical.com/book.aspx?bookid=2444>
Date of access: 02 Aug. 2022.

Butterworth, J. F., Mackey, D. C., Wasnick, J. D., Morgan, G. E., Mikhail, M. S. and Morgan, G. E. 2018c. Analgesic Agents. In: Sixth ed. *Morgan & Mikhail's clinical anesthesiology*. New York: McGraw-Hill Education. pp. 187–197.
<https://accessanesthesiology.mhmedical.com/book.aspx?bookid=2444>
Date of access: 02 Aug. 2022.

Carrera, A., Lopez, A. M., Sala-Blanch, X., Kapur, E., Hasanbegovic, I. and Hadzic, A. 2017. Functional Regional Anesthesia Anatomy. In: A. Hadzic & New York School of Regional Anesthesia, eds. Second edition ed. *Hadzic's textbook of regional anesthesia and acute pain management*. New York: McGraw-Hill Education. pp. 39–70.

Cenkowski, M. J., Maguire, D., Kowalski, S., Al Gurashi, F. A. and Funk, D. 2019. Hemodynamic effects of low-dose bupivacaine spinal anesthesia for cesarean section: A randomized controlled trial. *Saudi journal of anaesthesia*. 13(3):208–214.

Chandra, S., Nugroho, A. M., Agus, H. and Susilo, A. P. 2019. How Low Can We Go? A Double-Blinded Randomized Controlled Trial to Compare Bupivacaine 5 mg and Bupivacaine 7.5 mg for Spinal Anesthesia in Cesarean Delivery in Indonesian Population. *Anesthesiology and Pain Medicine*. In Press(In Press).

- Chin, A. and Zundert, A. van. 2017. Spinal Anesthesia. In: A. Hadzic & New York School of Regional Anesthesia, eds. Second edition ed. *Hadzic's textbook of regional anesthesia and acute pain management*. New York: McGraw-Hill Education. pp. 328–369.
- Choi, D. 2000. Bupivacaine-sparing effect of fentanyl in spinal anesthesia for cesarean delivery*1. *Regional Anesthesia and Pain Medicine*. 25(3):240–245.
- Choi, J., Germond, L. and Santos, A. C. 2017. Obstetric Regional Anesthesia. In: A. Hadzic & New York School of Regional Anesthesia, eds. Second edition ed. *Hadzic's textbook of regional anesthesia and acute pain management*. New York: McGraw-Hill Education. pp. 773–795.
- Cummings, K. and Naguib, M. A. 2015. Opioid Agonists and Antagonists. In: P. Flood, J.P. Rathmell, & S. shafer, eds. Fifth edition ed. *Stoelting's pharmacology and physiology in anesthetic practice*. Philadelphia: Wolters Kluwer Health. pp. 217–256.
- Cummings, A., Orgill, B. D. and Fitzgerald, B. M. 2022. Intrathecal Morphine. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK499880/> Date of access: 01 Sep. 2022.
- Dahl, J. B., Jeppesen, I. S., Jørgensen, H., Wetterslev, J. and Møiniche, S. 1999. Intraoperative and Postoperative Analgesic Efficacy and Adverse Effects of Intrathecal Opioids in Patients Undergoing Cesarean Section with Spinal Anesthesia. *Anesthesiology*. 91(6):1919–1919.
- Desai, S., Lim, Y., Tan, C. H. and Sia, A. T. H. 2010. A Randomised Controlled Trial of Hyperbaric Bupivacaine with Opioids, Injected as Either a Mixture or Sequentially, for Spinal Anaesthesia for Caesarean Section. *Anaesthesia and Intensive Care*. 38(2):280–284.
- Flood, P. and Shafer, S. L. 2015. Neurophysiology. In: Fifth edition ed. *Stoelting's pharmacology and physiology in anesthetic practice*. Philadelphia: Wolters Kluwer Health. pp. 45–97.
- Franchi, M., Ghezzi, F., Balestreri, D., Beretta, P., Maymon, E., Miglierina, M. and Bolis, P. 1998. A Randomized Clinical Trial of Two Surgical Techniques for Cesarean Section. *American Journal of Perinatology*. 15(10):589–594.
- Gómez, P. J. H. and Garzón, J. F. 2015. Intrathecal opioids and respiratory depression: Is it myth in obstetrics? *Colombian Journal of Anesthesiology*. 43(1):101–103.

- Gunusen, I., Karaman, S., Sargin, A. and Firat, V. 2011. A randomized comparison of different doses of intrathecal levobupivacaine combined with fentanyl for elective cesarean section: prospective, double-blinded study. *Journal of anesthesia*. 25(2):205–212.
- Jankovic, D. 2004. Neuraxial Anatomy. In: 3rd ed., fully rev. and expanded ed. *Regional nerve blocks and infiltration therapy: textbook and color atlas*. Malden (Mass.): Blackwell. pp. 260–271.
- Kacmar, R. M. and Gaiser, R. 2019. Physiologic Changes of Pregnancy. In: 6th edition ed. *Chestnut's obstetric anesthesia: principles and practice*. St. Louis, MO: Elsevier. pp. 13–37.
- Karaman, S., Günösen, İ., Uyar, M., BiRiCiK, E. and Firat, V. 2011. The effects of morphine and fentanyl alone or in combination added to intrathecal bupivacaine in spinal anesthesia for cesarean section. 7.
- Maheshwari, K. and Naguib, M. A. 2015. Local Anesthetics. In: P. Flood, J.P. Rathmell, & S. shafer, eds. Fifth edition ed. *Stoelting's pharmacology and physiology in anesthetic practice*. Philadelphia: Wolters Kluwer Health. pp. 282–313.
- Massoth, C., Töpel, L. and Wenk, M. 2020. Hypotension after spinal anesthesia for cesarean section: how to approach the iatrogenic sympathectomy. *Current opinion in anaesthesiology*. 33(3):291–298.
- Mebazaa, M. S., Ouerghi, S., Ben Meftah, R., Ben Cheikh, M., Mestiri, T. and Ben Ammar, M. S. 2010. Reduction of bupivacaine dose in spinal anaesthesia for caesarean section may improve maternal satisfaction by reducing incidence of low blood pressure episodes. *Middle East journal of anaesthesiology*. 20(5):673–678.
- Nahakpam, S., Dhanachandra, L., Devi, N. J., Wahab, Z., Samjetsabam, L., Kumaragurubaran, T. R., Thongram, K. and Keishab, B. 2020. A Comparative Study on Three Different Doses of Fentanyl with Bupivacaine in Spinal Anaesthesia in Caesarean Section. *Journal of Evidence Based Medicine and Healthcare*. 7(7):327–332.
- Nathan, N. and Wong, C. A. 2019. Spinal, Epidural, and Caudal Anesthesia: Anatomy, Physiology, and Technique. In: D.H. Chestnut, ed. 6th edition ed. *Chestnut's obstetric anesthesia: principles and practice*. St. Louis, MO: Elsevier. pp. 238–270.
- Navaria, R., Kumar Verma, V., Naithani, U., Goyal, A. and Aditya Das, S. 2020. Low dose spinal anaesthesia for caesarean section in parturients having pregnancy induced hypertension: Effect on haemodynamic response and

vasopressor requirement: A prospective randomized double blind case control study. *Indian Journal of Clinical Anaesthesia*. 7(1):104–111.

Olapour, A., Akhondzadeh, R., Rashidi, M., Gousheh, M. and Homayoon, R. 2020. Comparing the Effect of Bupivacaine and Ropivacaine in Cesarean Delivery with Spinal Anesthesia. *Anesthesiology and Pain Medicine*. 10(1).

Osorio-Gutiérrez, C. I., Ortiz-Gómez, G. A., Valencia-Ríos, J. F. and Arango-Gómez, F. 2020. Comparison among subarachnoid opioid mix for cesarean section – An observational study. *Colombian Journal of Anesthesiology*. (September, 4).

Peralta, F. and Macarthur, A. 2019. Postpartum Headache. In: D.H. Chestnut, ed. 6th edition ed. *Chestnut's obstetric anesthesia: principles and practice*. St. Louis, MO: Elsevier. pp. 724–751.

Regmi, B. D. S., Deo, G. P., Shrestha, S., Shrestha, S. and Mishra, R. T. 2019. Low Dose Hyperbaric Bupivacaine with Fentanyl in Spinal Anesthesia in Elective Cesarean Section. *Journal of Chitwan Medical College*. 9(2):79–82.

Rindarto, R. and Istanto, W. 2014. Pengaruh Penambahan Morfin dan Klonidin pada Bupivakain Dosis Rendah pada Anestesi Spinal untuk Bedah Sesar Ditinjau dari Perubahan Hemodinamik dan Kadar Glukosa Darah. *Medica Hospitalia : Journal of Clinical Medicine*. 2(1).

Salinas, F. V. 2009. Spinal Anesthesia. In: M.F. Mulroy, C.M. Bernards, S.B. McDonald, & F.V. Salinas, eds. 4th ed ed. *A practical approach to regional anesthesia*. Philadelphia: Wolters Kluwer health - Lippincott Williams and Wilkins.

Semiz, A., Akpak, Y. K., Yılanlıoğlu, N. C., Babacan, A., Gönen, G., Çam Gönen, C., Asiliskender, M. and Karaküçük, S. 2017. Prediction of intraoperative nausea and vomiting in caesarean delivery under regional anaesthesia. *The Journal of International Medical Research*. 45(1):332–339.

Stamenkovic, D., Geric, V., Djordjevic, M., Raskovic, J., Slavkovic, Z., Randjelovic, T. and Karanikolas, M. 2009. Subarachnoid morphine, bupivacaine and fentanyl as part of combined spinal-epidural analgesia for low anterior resection. A prospective, randomised, double-blind clinical trial. *Anaesthesia and intensive care*. 37(4):552–560.

Surana, R. N. and Jain, T. 2020. Evaluation of adjunctive analgesia with intrathecal fentanyl along with hyperbaric bupivacaine in spinal anesthesia for elective cesarean section. *International Journal of Research in Medical Sciences*. 8(8):2924.

- Thornton, P., Hanumanthaiah, D., O'Leary, R. A. and Iohom, G. 2015. Effects of fentanyl added to a mixture of intrathecal bupivacaine and morphine for spinal anaesthesia in elective caesarean section. *Romanian journal of anaesthesia and intensive care*. 22(2):97–102.
- Tsen, L. C. and Bateman, B. T. 2019. Anesthesia for Cesarean Delivery. In: D.H. Chestnut, C.A. Wong, L.C. Tsen, W.D. Ngan Kee, Y. Beilin, J.M. Mhyre, & B.T. Bateman, eds. 6th edition ed. *Chestnut's obstetric anesthesia: principles and practice*. St. Louis, MO: Elsevier. pp. 568–626.
- Uppal, V., Retter, S., Casey, M., Sancheti, S., Matheson, K. and McKeen, D. M. 2020. Efficacy of Intrathecal Fentanyl for Cesarean Delivery: A Systematic Review and Meta-analysis of Randomized Controlled Trials With Trial Sequential Analysis. *Anesthesia and analgesia*. 130(1):111–125.
- Van de Velde, M. 2019. Low-dose spinal anesthesia for cesarean section to prevent spinal-induced hypotension. *Current opinion in anaesthesiology*. 32(3):268–270.
- Vercauteren, M. P., Coppejans, H. C., Hoffmann, V. L., Saldien, V. and Adriaensen, H. A. 1998. Small-Dose Hyperbaric Versus Plain Bupivacaine During Spinal Anesthesia for Cesarean Section: *Anesthesia & Analgesia*. 86(5):989–993.
- Weigl, W., Bieryło, A., Wielgus, M., Krzemień-Wiczyńska, Ś., Kołacz, M. and Dąbrowski, M. J. 2017. Perioperative analgesia after intrathecal fentanyl and morphine or morphine alone for cesarean section: A randomized controlled study. *Medicine*. 96(48):e8892.
- WHO. 2015. *WHO statement on caesarean section rates*. <https://www.who.int/publications-detail-redirect/WHO-RHR-15.02> Date of access: 02 Aug. 2022.
- Yesuf, K. A., Gebremedhn, E. G. and Melkie, T. B. 2017. Analgesic Effect of Intrathecal Fentanyl as an Adjuvant to Spinal Anaesthesia in Comparison with Spinal Anaesthesia with Bupivacaine Only for Mothers Delivered by Emergency Cesarean Section. *Journal of Anesthesia & Critical Care: Open Access*. 7(5):1–9.