



TABLE OF CONTENT

TITLE.....	i
LETTER OF LEGITIMACY	ii
DECLARATION OF ORIGINALITY	iii
PREFACE AND ACKNOWLEDGEMENTS	iv
TABLE OF CONTENT	vi
LIST OF TABLES	ix
LIST OF FIGURES	xi
ATTACHMENTS	xiii
ABSTRACT	xiv
CHAPTER I.....	1
1.1. Background.....	1
1.2. Formulation of the Issue	5
1.3. Objective of the Research	5
1.4. Significance of the Research.....	5
CHAPTER II.....	6
2.1. Wild Boar (<i>Sus scrofa</i>)	6
2.1.1. Taxonomy	6
2.1.2. Morphology	6
2.1.3. Habitat and Distribution	7
2.1.4. Diet	7
2.2. Japanese Raccoon Dog (<i>Nyctereutes procyonoides</i>)	7

2.2.1. Taxonomy	7
2.2.2. Morphology	7
2.2.3. Habitat and Distribution	8
2.2.4. Diet	9
2.3. Japanese Badger (<i>Meles anakuma</i>)	9
2.3.1. Taxonomy	9
2.3.2. Morphology	10
2.3.3. Habitat and Distribution	10
2.3.4. Diet	10
2.4. Japanese Macaque (<i>Macaca fuscata</i>)	11
2.4.1. Taxonomy	11
2.4.2. Morphology	11
2.4.3. Habitat and Distribution	12
2.4.4. Diet	12
2.5. Camera Trap.....	12
2.6. Interspecies Interactions	13
CHAPTER III.....	14
3.1. Date and Location of Research	14
3.2. Tools and materials	14
3.3. Data Collection Method	15
3.4. Analyses Method.....	15
3.4.1. Temporal Interactions.....	15



3.4.2. Spatial Interactions	17
CHAPTER IV	21
4.1. Temporal Interaction	21
4.1.1. Activity Pattern.....	24
4.1.2. Temporal Overlap.....	28
4.2. Spatial Interactions	31
4.2.1. Landscape Matrix	31
4.2.2. Resource Selection Function (Generalized Linear Modelling)	37
CHAPTER V	52
5.1. Temporal Interaction	52
5.2. Spatial Interactions	55
5.3. Interspecies Interaction	59
5.4. Overall Review of Discussions	63
CHAPTER VI.....	65
6.1. Conclusions	65
6.2. Recommendations	66
REFERENCES	67



UNIVERSITAS
GADJAH MADA

Temporal Interactions Between Wild Boar (*Sus scrofa*) and Other Omnivorous Mammals Based on Camera Trap in Shonai Area
Demetria Alika Putri, drh. Subeno, m.Sc.; Prof. Dr. Hiroto Enari
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

LIST OF TABLES

Table 1. Home Range Size of Wild boar, Japanese raccoon dog, Japanese badger, and Japanese macaque.....	18
Table 2. Numbers of camera trap records in Shonai area	21
Table 3. Numbers of camera trap records of each season at each monitoring site	22
Table 4. Landscape matrix of Land Use and Land Cover with buffer in Shonai area	31
Table 5. Landscape matrix of aspect with buffer in Shonai area	33
Table 6. Landscape matrix of slope with buffer in Shonai area.....	35
Table 7. Landscape matrix of elevation with buffer in Shonai area	36
Table 8. Spring regression result of wild boar	38
Table 9. Summer regression result of wild boar	39
Table 10. Autumn regression result of wild boar.....	39
Table 11. Overall regression result of wild boar.....	40
Table 12. Spring regression result of Japanese raccoon dog	41
Table 13. Summer regression result of Japanese raccoon dog.....	42
Table 14. Autumn regression result of Japanese raccoon dog	43
Table 15. Overall regression result of Japanese raccoon dog	43
Table 16. Spring regression result of Japanese badger	44
Table 17. Summer regression result of Japanese badger	45
Table 18. Autumn regression result of Japanese badger.....	46
Table 19. Overall regression result of Japanese badger.....	46
Table 20. Spring regression result of Japanese macaque	47



UNIVERSITAS
GADJAH MADA

Temporal Interactions Between Wild Boar (*Sus scrofa*) and Other Omnivorous Mammals Based on Camera

Trap in Shonai Area

Demetria Alika Putri, drh. Subeno, m.Sc.; Prof. Dr. Hiroto Enari

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Table 21. Summer regression result of Japanese macaque	48
Table 22. Autumn regression result of Japanese macaque	49
Table 23. Overall regression result of Japanese macaque.....	50
Table 24. Model performance test for GLM analysis	50



LIST OF FIGURES

Fig 1. Japanese wild boar	6
Fig 2. Japanese raccoon dog.....	8
Fig 3. Japanese badger	10
Fig. 4 Japanese macaque	12
Fig 5. Map of camera trap site in Shonai area.....	14
Fig 6. Graphic of Independent Event (IE): a spring season; b summer season; c autumn season; d overall season	21
Fig 7. Activity pattern of wild boar (<i>Sus scrofa</i>) in Shonai area: a spring season; b summer season; c autumn season; d overall season.....	24
Fig 8. Activity pattern of Japanese raccoon dog (<i>Nyctereutes procyonoides</i>) in Shonai area: a spring season; b summer season; c autumn season; d overall season	25
Fig 9. Activity pattern of Japanese badger (<i>Meles anakuma</i>) in Shonai area: a spring season; b summer season; c autumn season; d overall season	26
Fig 10. Activity pattern of Japanese macaque (<i>Macaca fuscata</i>) in Shonai area: a spring season; b summer season; c autumn season; d overall season	27
Fig 11. Temporal overlap between wild boar and Japanese racoon dog in Shonai area: a spring season; b summer season; c autumn season; d overall season.....	28
Fig 12. Temporal overlap between wild boar and Japanese badger in Shonai area: a spring season; b summer season; c autumn season; d overall season.....	29
Fig 13. Temporal overlap between wild boar and Japanese macaque in Shonai area: a spring season; b summer season; c autumn season; d overall season.....	30
Fig 14. Wild boar at monitoring site filled with Japanese chestnut: (a) day-time; (b) night-time	57



UNIVERSITAS
GADJAH MADA

Temporal Interactions Between Wild Boar (*Sus scrofa*) and Other Omnivorous Mammals Based on

Camera

Trap in Shonai Area

Demetria Alika Putri, drh. Subeno, m.Sc.; Prof. Dr. Hiroto Enari

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Fig 15. Monitoring site filled with Japanese chestnut at night-time: (a) Japanese
raccoon dog; (b) Japanese macaque.....56



UNIVERSITAS
GADJAH MADA

Temporal Interactions Between Wild Boar (*Sus scrofa*) and Other Omnivorous Mammals Based on Camera

Trap in Shonai Area

Demetria Alika Putri, drh. Subeno, m.Sc.; Prof. Dr. Hiroto Enari

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

ATTACHMENTS

Attachment 1. Camera Trap Location at Each Monitoring Site in Shonai Area...	75
Attachment 2. Camera Trap Captures of Wild Boar, Japanese Raccoon Dog, Japanese Badger, and Japanese Macaque During Spring Season	77
Attachment 3. Camera Trap Captures of Wild Boar, Japanese Raccoon Dog, Japanese Badger, and Japanese Macaque During Summer Season	78
Attachment 4. Camera Trap Captures of Wild Boar, Japanese Raccoon Dog, Japanese Badger, and Japanese Macaque During Autumn Season.....	79
Attachment 5. Description of Landscape Overlay With 500 M Radius and 1.000 Radius Buffer Area	80
Attachment 6. Overall Camera Trap Records in Spring Season.....	86
Attachment 7. Overall Camera Trap Records in Summer Season	109
Attachment 8. Overall Camera Trap Records in Autumn Season	138