

DAFTAR PUSTAKA

- Abera,T., Peterson, E.D., Pagidipati, N.J., 2020. The association between triglycerides and incident cardiovascular disease: what is optimal?. *Clin Lipidol.* 14:438–47.e3.
- Aboonabi, A., Meyer, R., and I. Singh, I., 2019. The association between metabolic syndrome components and the development of atherosclerosis. *Journal of Human Hypertension*, vol. 33, no. 12, pp. 844–855.
- Adjedj, J., Xaplanteris, P., Toth, G., et al., 2017. Visual and quantitative assessment of coronary stenoses at angiography versus fractional flow reserve: the impact of risk factors. *Circ Cardiovasc Imaging*.10:e006243.
- Aggarwal, B., Shah, G., Randhawa, M.S., 2018. Patients with newly diagnosed diabetes have comparable long term mortality with known diabetics after ST segment elevation myocardial infarction. *Circulation*. 130.
- Ahmad, M., Mehta, P., Reddivari, A., Mungee, S. 2021. Percutaneous Coronary Intervention. In: *StatPearls. Treasure Island (FL). StatPearls Publishing.*
<https://www.ncbi.nlm.nih.gov/books/NBK556123/>
- Alfaddagh, A., Khraishah, H., Rashed, W., Sharma, G., Blumenthal, R., Zubaid, M.. 2020. Clinical characteristics and outcomes of young adults with first myocardial infarction: results from Gulf COAST. *Int J Cardiol Heart Vasc*.31:100680.
- Alves-Bezerra, M., Cohen, D., et al. 2017. Triglyceride Metabolism in the Liver. *Compr. Physiol.* 8 (1), 1–22.
- Alwi, I., Setiati, S., Sudoyo, A. W., Simadibrata, M., Setiyohadi, B., Syam, A. F., 2014. Infark Miokard Akut dengan Elevasi ST. *Dalam : Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi VI.* Jakarta: Interna Publishing.
- Amiri, P., Jalali-Farahani, S., Karimi, M., et al. 2017. Factors associated with pre-diabetes in Tehranian men and women: A structural equations modeling. *PLoS One*. 12:e0188898.
- American Diabetes Association. 2014. Diagnosis and classification of diabetes mellitus. *Diabetes*

- Angoorani, P., Heshmat, R., Ejtahed, H.S., 2018. Validity of triglyceride-glucose index as an indicator for metabolic syndrome in children and adolescents: the CASPIAN-V study. *Eat Weight Disord.* 10.
- Araújo, S., Juvanhol, L., Bressan, J., Hermsdorff, H., 2022. Triglyceride glucose index: A new biomarker in predicting cardiovascular risk. *Preventive Medicine Reports* 29; 101941.
- Aronis, K.N., Mantzoros, C.S., 2012. A brief history of insulin resistance: From the first insulin radioimmunoassay to selectively targeting protein kinase C pathways. *Metabolism.* 61 (4), 445–449.
- Arnold, S.V., Bhatt, D.L., Barsness, G.W., Beatty, A.L., Deedwania, P.C., Inzucchi, S.E., 2020. Clinical management of stable coronary artery disease in patients with type 2 diabetes mellitus: a scientific statement from the american heart association. *Circulation.* 141:e779–806.
- Aung, H.H., Lane, M.W., Gohil, K., An, C-I., Wilson, D.W., Rutledge, J.C., 2013. Induction of ATF3 gene network by triglyceride-rich lipoprotein lipolysis products increases vascular apoptosis and inflammation. *Arterioscler Thromb Vasc Biol.* 33: 2088–96.
- Babes, E. E., Zaha, D. C., Tit, D. M., Nechifor, A. C., Bungau, S., Andronie-Cioara, F. L., Behl, T., Stoicescu, M., Munteanu, M, A., Rus, M., 2021. Value of hematological and coagulation parameters as prognostic factors in acute coronary syndromes. *Diagnostics, Basel*, p. 11,
- Beauman, G., Vogel, R., et al., 1990. Accuracy of individual and panel visual interpretations of coronary arteriograms: implications for clinical decisions. *J Am Coll Cardiol.*16:108–113.
- Behl, T., Bungau, S., Kumar, K., Zengin, G., Khan, F., Kumar, A., Kaur, A., Venkatachalam, T., Tit, D. M., Vesa, C. M., 2020. Pleotropic effects of polyphenols in cardiovascular system, *Biomed. Pharmacother.* 130, 110714.
- Benjamin, E. J., Virani, S. S., Callaway, C. W., Chamberlain, A. M., Chang, A. R., Cheng, S., 2018. Heart disease and stroke statistics-2018 update: a report from the American Heart Association. *Circulation.* 137(12):e67e492
- Bleda, S., de Haro, J., Varela, C., Ferruelo, A., Acin, F., 2016. Elevated levels of triglycerides and

VLDL-cholesterol provoke activation of nlrp1 inflammasome in endothelial cells. *Intl J Cardiol.* 220:52–5.

Castañer, O., Pintó, X., Subirana, I., 2020 .Remnant cholesterol, not LDL cholesterol, is associated with incident cardiovascular disease. *J Am Coll Cardiol.* 76:2712–24.

Chamroonkiadtikun, P., Ananchaisarp, T., Wanichanon, W., 2019. The triglycerideglucose index, a predictor of type 2 diabetes development: A retrospective cohort study. *Prim Care Diabetes.* 14(2):161–7.

Chen, L., Chester, M., Kaski, J. C., 1995. Clinical factors and angiographic features associated with premature coronary artery disease. *Chest.* 108(2):364-369.

Chen, H., Chen, C., Spanos, M. *et al.* 2022. Exercise training maintains cardiovascular health: signaling pathways involved and potential therapeutics. *Sig Transduct Target Ther* **7**, 306.

Chiha, M., Njeim, M., Chedrawy, E. G., 2012 .Diabetes and coronary heart disease: a risk factor for the global epidemic. *Int J Hypertens.*

Cosentino, F., Grant, P. J., Aboyans, V., Bailey, C. J., Ceriello, A., Delgado, V., Federici, M., Filippatos, G., Grobbee, D. E., Hansen, T. B., 2019 .ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD, *Eur. Heart J.* 4. 255–323.

Dahlan, M. S. 2013. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Jakarta: *Salemba Medika*

Dallmann, R.; Viola, A.U.; Tarokh, L.; Cajochen, C.; Brown S.A. 2012 The human circadian metabolome. *Proc. Natl. Acad. Sci. USA*, 109, 2625–2629.

Daviglus, M. L., Stamler, J., Pirzada, A., 2004. Favorable cardiovascular risk profile in young women and long-term risk of cardiovascular and all-cause mortality. *JAMA.* 292(13):1588-1592.

De Carvalho, C. R., Caramujo, M. J., 2018. The various roles of fatty acids. *Molecules.* 23:2583.

DeFilippis, M., Singh, A., Divakaran, S., Gupta, A., Collins, B., 2018. et al.Cocaine and marijuana use among young adults with myocardial infarction. *J Am Coll Cardiol.*71:2540–2551.

- De Fronzo, R. A., Tobin, J.D., Andres, R., 1979. Glucose clamp technique: a method insulin secretion and resistance for quantifying. *Am. J. Physiol.* 237, E214–E223.
- Ding, X., Wang, X., Wu, J., Zhang, M., Cui, M., 2021. Triglyceride-glucose index and the incidence of atherosclerotic cardiovascular diseases: A meta-analysis of cohort studies. *Cardiovasc Diabetol.* 20:76.
- Ding, Q., Spatz, E., Lipska, K., 2021. Screening for newly diagnosed diabetes in young adults hospitalized with acute myocardial infarction-results from the VIRGO. *Heart.* 107:657-666.
- Di Pino, A., De Fronzo, R. A., 2019. Insulin resistance and atherosclerosis: implications for insulin-sensitizing agents. *Endocr Rev.* 40(6):1447–67.
- Divakaran, S., Singh, A., Biery, D., Yang, J., DeFilippis, E., 2020. Diabetes is associated with worse long-term outcomes in young adults after myocardial infarction: The Partners YOUNG-MI Registry. *Diabetes Care.* 43:1843–1850.
- Do, R., Willer, C.J., Schmidt, E. M., 2013. Common variants associated with plasma triglycerides and risk for coronary artery disease. *Nat Genet.* 45:1345–52.
- Doughty, M., Mehta, R., Bruckman, D., 2002. Acute myocardial infarction in the young: the University of Michigan experience. *Am Heart J.* 143(1):56-62.
- Du, T., Yuan, G., Zhang, M., Zhou, X., Sun, X., Yu, X., 2014. Clinical usefulness of lipid ratios, visceral adiposity indicators, and the triglycerides and glucose index as risk markers of insulin resistance. *Cardiovasc Diabetol.* 13:146
- Duran, E., Pradhan, A., et al., 2021. Triglyceride-rich Lipoprotein Remnants and Cardiovascular Disease. *Clin. Chem.* 67 (1), 183–196.
- Fournier, J. A., Sánchez, A., Quero, J., Fernández-Cortacero, J. A., González-Barrero, A., 1996. Myocardial infarction in men aged 40 years or less: a prospective clinical-angiographic study. *Clin Cardiol.* 19(8):631-636.
- Fukagawa, K.; Gou, H.M.; Wolf, R.; Tso, P. 1994. Circadian rhythm of serum and lymph apolipoprotein AIV in ad libitum-fed and fasted rats. *Am. J. Physiol.* 267, R1385–R1390.
- Gao, H., Wang, Y., Shen, A., Chen, H., Li, H., 2021. Acute Myocardial Infarction in Young Men

Under 50 Years of Age: Clinical Characteristics, Treatment, and Long-Term Prognosis. *Int J Gen Med.*14:9321-9331.

- Glevitzky, I., Dumitrel, G. A., Glevitzky, M., Pasca, B., Otrisal, P., Bungau, S., Cioca, G., Pantis, C., Popa, M., 2019. Statistical analysis of the relationship between antioxidant activity and the structure of flavonoid compounds, *Rev. Chim.* 70. 3103–3107.
- Ghosh, A., Gao, L., Thakur, A., Siu, P. M., Lai, C. W. K., 2017. Role of free fatty acids in endothelial dysfunction. *J Biomed Sci.* 24:50.
- Gnocchi D., Pedrelli M., Hurt-Camejo E., Parini P., 2015. Lipids around the Clock: Focus on Circadian Rhythms and Lipid Metabolism. *Biology*, 4, 104-132.
- Guerrero-Romero E., Rodríguez-Moran, M., 2008. The product of fasting glucose and triglycerides as surrogate for identifying insulin resistance in apparently healthy subjects. *Metab. Syndr. Relat. Disord.* 6 (4), 299–304.
- Gulati, R., Behfar, A., Narula, J., Kanwar, A., Lerman, A., Cooper, L., Singh, M., 2020. Acute Myocardial Infarction in Young Individuals, *Mayo Clin Proc.* 95(1):136-156
- Gupta, A., Wang, Y., Spertus, J. A., 2014. Trends in acute myocardial infarction in young patients and differences by sex and race, 2001 to 2010. *J Am Coll Cardiol.* 64(4):337-345.
- Gurevitz, C., Assali, A., Mohsan, J., Kornowski, R., 2023. The obesity paradox in patients with acute coronary syndrome over 2 decades-the ACIS registry 2000-2018. *Int J of cardiology.* Vol 380, P48-55.
- Hales, C., Fryar, C., Carroll, M., Freedman, D., Ogden, C., 2018. Trends in obesity and severe obesity prevalence in US youth and adults by sex and age, 2007-2008 to 2015-2016. *JAMA.* 319(16):1723-1725
- Hidayat, A. 2009. Metode Penelitian Keperawatan dan Teknik. Analisis Data. Jakarta: *Salemba Medika*
- Higashi, Y., Noma, K., Yoshizumi, M., Kihara, M., 2009. Endothelial function and oxidative stress in cardiovascular diseases, *Circ. J.* 73. 411–418.
- Holmes, M. V., Asselbergs, F. W., Palmer, T. M., et al. 2014. Mendelian randomization of blood

lipids for coronary heart disease. *Eur Heart J.* 36:539–50.

- Hollander, J. E., Hoffman, R. S., Gennis, P., et al. 1994. Cocaine Associated Chest Pain (COCHPA) Study Group. Prospective multicenter evaluation of cocaine-associated chest pain. *Acad Emerg Med.* 1(4):330-339.
- Hong, S., Han, K., Park, C-Y., 2020. The triglyceride glucose index is a simple and low-cost marker associated with atherosclerotic cardiovascular disease: a population-based study. *BMC Medicine.* 18:361 <https://doi.org/10.1186/s12916-020-01824-2>
- Ibanez, B., James, S., Agewall, S., Antunes, M., Bucciarelli-Ducci, C., Bueno, H., Caforio, A., Crea, F., Goudevenos, J., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., Widimský, P. 2018. ESC Scientific Document Group. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). *Eur Heart J.* Jan 7;39(2):119-177
- Irace, C., Carallo, C., Scavelli, F.B., De Franceschi, M.S., Esposito, T., Tripolino, C., et al., 2013. Markers of insulin resistance and carotid atherosclerosis. A comparison of the homeostasis model assessment and triglyceride glucose index. *Int. J. Clin. Pract.* 67 (7), 665–672.
- Izadnegahdar, M., Singer, J., Lee, M. K., et al. 2014. Do younger women fare worse? sex differences in acute myocardial infarction hospitalization and early mortality rates over ten years. *J Womens Health (Larchmt).* 23(1):10-17.
- Jang, Y., Lee, J., Moon, J., et al., 2021. Metabolic syndrome severity score for predicting cardiovascular events: a nationwide population-based study from Korea. *Diabetes and Metabolism Journal*, vol. 45; 4. 569–577.
- Jian, S., Su-Mei, N., Xue, C., Jie, Z., Xue-sen, W., 2017. Association and interaction between triglyceride–glucose index and obesity on risk of hypertension in middle-aged and elderly adults. *Clin Exp Hypertens.* 39:732–9.
- Jin, J. L., Cao, Y. X., Wu, L. G., You, X. D., Guo, Y. L., Wu, N. Q., Zhu, C. G., Gao, Y., Dong, Q. T., Zhang, H. W., et al. 2018. Triglyceride glucose index for predicting cardiovascular

- outcomes in patients with coronary artery disease. *J Thorac Dis.* 10(11):6137–46.
- Jin, J. L., Sun, D., Cao, Y. X., Guo, Y. L., Wu, N. Q., Zhu, C. G., Gao, Y., Dong, Q. T., Zhang, H. W., Liu, G., Dong, Q., Li, J. J., 2018. Triglyceride glucose and hemoglobin glycation index for predicting outcomes in diabetes patients with new-onset, stable coronary artery disease: a nested case–control study. *Ann Med.* 50:7
- Jortveit, J., Pripp, Hugo., Langorgen, J., Halvorsen, S., 2020. Incidence, risk factors and outcome of young patients with myocardial infarction. *Heartjnl*-2019-316067. doi:10.1136/heartjnl-2019-316067
- Joshi, P. H., Khokhar, A. A., Massaro, J. M., et al. 2016. Remnant lipoprotein cholesterol and incident coronary heart disease: the Jackson Heart and Framingham Offspring Cohort Studies. *J Am Heart Assoc.* 5:e002765.
- Kannel, W. B., Abbott, R. D., 1984. Incidence and prognosis of unrecognized myocardial infarction: an update on the Framingham Study. *N Engl J Med.* 311(18):1144-1147.
- Klein, L. W., Agarwal, J. B., Herlich, M. B., Leary, T. M., Helfant, R. H., 1987. Prognosis of symptomatic coronary artery disease in young adults aged 40 years or less. *Am J Cardiol.* 60(16): 1269-1272.
- Krittanawong, C., Luo, Y., Mahtta, D., Narasimhan, B., Wang, Z., Jneid, H., Virani, S., 2020. Non-traditional risk factors and the risk of myocardial infarction in the young in the US population-based cohort. *IJC Heart & Vasculature*, 30, 100634.
- Laakso, M., 2015. Is Insulin Resistance a Feature of or a Primary Risk Factor for Cardiovascular Disease? *Curr. Diab. Rep.* 15 (12), 105.
- Lambrinoudaki, I., Kazani, M. V., Armeni, E., Georgiopoulos, G., Tampakis, K., Rizos, D., et al. 2017. The TyG index as a marker of subclinical atherosclerosis and arterial stiffness in lean and overweight postmenopausal women. *Hear Lung Circ.* 27:716–24.
- Lavie, C. J., Milani, R. V., 2005. Prevalence of hostility in young coronary artery disease patients and effects of cardiac rehabilitation and exercise training. *Mayo Clin Proc.* 80(3):335-342.
- Lavie, C. J., Milani, R. V., 2004. Cardiac rehabilitation and depression [letter]. *Am J Cardiol.* 93(8):1080.

- Lavie, C. J., Milani, R. V., 2004. Prevalence of anxiety in coronary patients with improvement following cardiac rehabilitation and exercise training. *Am J Cardiol.* 93(3):336-339.
- Lavie, C. J., Menezes, A. R., De Schutter, A., Milani, R. V., Blumenthal, J. A., 2016. Impact of cardiac rehabilitation and exercise training on psychological risk factors and subsequent prognosis in patients with cardiovascular disease. *Can J Cardiol.* 32(10, suppl 2):S365-S373.
- Lavie, C., Laddu, D., Arena, R., Ortega, F., Alpert, M., Kushner, R., 2018. Healthy weight and obesity prevention: JACC Health Promotion Series. *J Am Coll Cardiol.* 72(13): 1506-1531
- Lee, M. K., Miles, P. D., Khoursheed., et al. 1994. Metabolic effects of troglitazone on fructose-induced insulin resistance in the rat. *Diabetes* 43:1435-9.
- Lee, S. B., Ahn, C. W., Lee, B. K., Kang, S., Nam, J. S., You, J. H., et al. 2018. Association between triglyceride glucose index and arterial stiffness in Korean adults. *Cardiovasc Diabetol.* 17:41.
- Lee, S. H., Kwon, H. S., Park, Y. M., Ha, H. S., Jeong, S. H., Yang, H. K., Lee, J. H., Yim, H. W., Kang, M. I., Lee, W. C., Son, H. Y., Yoon, K. H., 2014. Predicting the development of diabetes using the product of triglycerides and glucose: the Chungju Metabolic Disease Cohort (CMC) study. *PLoS ONE.* 9(2):e90430.
- Leipsic, J., Abbara, S., Achenbach, S., Cury, R., Earls, J., Mancini, J., et al., 2014. SCCT guidelines for the interpretation and reporting of coronary CT angiography: A report of the Society of Cardiovascular Computed Tomography Guidelines Committee. *Journal of Cardiovascular Computed Tomography* 8.342 e358 3.
- Li, S., Guo, B., Chen, H., Shi, Z., Li, Y., Tian, Q., Shi, S., 2019. The role of the triglyceride (triacylglycerol) glucose index in the development of cardiovascular events: a retrospective cohort analysis. *Sci Rep.* 9(1):7320.
- Li, X. L., Guo, Y. L., Zhu, C. G., et al. 2015. Relationship of high-density lipoprotein cholesterol with periprocedural myocardial injury following elective percutaneous coronary intervention in patients with low-density lipoprotein cholesterol below 70 mg/dL. *J Am Heart Assoc.* 4.
- Libby, P., Plutzky, J., 2002. Diabetic macrovascular disease: the glucose paradox? *Circulation* 106. 2760–2763.

- Lichtman, J. H., Bigger, J. T. Jr., Blumenthal, J. A., et al. 2008. Depression and coronary heart disease: recommendations for screening, referral, and treatment; a science advisory from the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: endorsed by the American Psychiatric Association. *Circulation*. 118(17):1768-1775.
- Liu, X., He, G., Lo, K., Huang, Y., Feng, Y., 2021, The Triglyceride-Glucose Index, an Insulin Resistance Marker, Was Non-linear Associated With All-Cause and Cardiovascular Mortality in the General Population. *Front. Cardiovasc. Med.* 7:628109.
- Low, S., Khoo, K. C. J., Irwan, B., Sum, C. F., Subramaniam, T., Lim, S. C., Wong, T. K. M., 2018. The role of triglyceride glucose index in development of Type 2 diabetes mellitus. *Diabetes Res Clin Pract.* 143(9):43–9.
- Ma, X., Dong, L., Shao, Q., Cheng, Y., Lv, S., Sun, Y., Shen, H., Wang, Z., Zhou, Y., Liu, X.. 2020. Triglyceride glucose index for predicting cardiovascular outcomes after percutaneous coronary intervention in patients with type 2 diabetes mellitus and acute coronary syndrome. *Cardiovasc Diabetol.* 10;19(1):31.
- Maruhashi, T., Higashi, Y., 2021. Pathophysiological association between diabetes mellitus and endothelial dysfunction, *Antioxidants* 10. 1306.
- Mao, Q., Zhou, D., Li, Y., Wang, Y., Xu, S., C, Zhao, X. H., 2019. The Triglyceride-glucose index predicts coronary artery disease severity and cardiovascular outcomes in patients with non-ST-segment elevation acute coronary syndrome. *Dis Markers.* 6891537
- McBride, P., 2008. Triglycerides and risk for coronary artery disease. *Curr Atheroscler Rep.* 10(5):386–90.
- McManus, D. D., Piacentine, S. M., Lessard, D., et al. 2011. Thirty-year (1975 to 2005) trends in the incidence rates, clinical features, treatment practices, and short-term outcomes of patients. *Am J Cardiol.* 108(4): 477-482
- Mendis, S., 2014. Global target 1: A 25% relative reduction in overall mortality from cardiovascular diseases, cancer, diabetes or chronic respiratory diseases. In: Armstrong T,

- Mendoza J. 2007. Circadian clocks: Setting time by food. *Journal of Neuroendocrinology*. 19:127-137.
- Mercado-Lubo, R., Yarzebski, J., Lessard, D., Gore, J., and Robert, J., 2019. Changing Trends in the Landscape of Patients Hospitalized With Acute Myocardial Infarction (2001 to 2011) (from the Worcester Heart Attack Study), Massachusetts, *Elsevier*, 673-677
- Miller, M., Cannon, C. P., Murphy, S. A., Qin, J., Ray, K. K., 2008. Braunwald E. Impact of triglyceride levels beyond low-density lipoprotein cholesterol after acute coronary syndrome in the PROVE IT-TIMI 22 trial. *J Am Coll Cardiol*. 51:724–30.
- Mittleman, M. A., Lewis, R. A., Maclure, M., Sherwood, J. B., Muller, J. E., 2001. Triggering myocardial infarction by marijuana. *Circulation*. 103(23):2805-2809.
- Morgan, L.; Arendt, J.; Owens, D.; Folkard, S.; Hampton, S.; Deacon, S.; English, J.; Ribeiro, D.; Taylor, K. 1998. Effects of the endogenous clock and sleep time on melatonin, insulin, glucose and lipid metabolism. *J. Endocrinol*. 157, 443–451.
- Mozaffarian, D., Benjamin, E. J., et al. 2016. American Heart Association Statistics Committee; Stroke Statistics Subcommittee. Executive summary: heart disease and stroke statisticsd2016 update: a report from the American Heart Association. *Circulation*. 133(4):447-454.
- Murray, C., 2019. Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Institute for Health Metrics*
- Naghavi, M., Libby, P., Falk, E., et al. 2003. From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part I. *Circulation*. 108(14):1664-1672.
- Nallamothu, B., Spertus, J., Lansky, A., et al., 2013. Comparison of clinical interpretation with visual assessment and quantitative coronary angiography in patients undergoing percutaneous coronary intervention in contemporary practice: the Assessing Angiography (A2) project. *Circulation*. 127:1793–1800
- Nam, K.W., Kwon, H.M., Jeong, H.Y., Park, J.H., Kwon, H., Jeong, S.M., 2020. High triglyceride-glucose index is associated with subclinical cerebral small vessel disease in a healthy population: A cross-sectional study. *Cardiovasc. Diabetol*. 19 (1), 53.

- Navarro-Gonzalez, D., Sanchez-Inigo, L., Pastrana-Delgado, J., Fernandez Montero, A., Martinez, J. A., 2016. Triglyceride-glucose index (TyG index) in comparison with fasting plasma glucose improved diabetes prediction in patients with normal fasting glucose: the vascular-metabolic CUN cohort. *Prev Med.* 86:99–105.
- Neumann, F. J., Sousa-Uva, M., Ahlsson, A., Alfonso, F., Banning, A. P., Benedetto, U., Byrne, R. A., Collet, J. P., Falk, V., Head, S. J., Jüni, P., Kastrati, A., Koller, A., Kristensen, S. D., Niebauer, J., Richter, D. J., Seferovic, P. M., Sibbing, D., Stefanini, G. G., Windecker, S., Yadav, R., Zembala, M. O. 2018. ESC/EACTS Guidelines on myocardial revascularization. *Eur Heart J*, 7;40(2):87-165.
- Nordestgaard, B. G., Varbo, A.. 2014. Triglycerides and cardiovascular disease. *Lancet* 384:626–35.
- Ormazabal, V., Nair, S., Elfeky, O., Aguayo, C., Salomon, C., Zuniga, F. A., 2018. Association between insulin resistance and the development of cardiovascular disease. *Cardiovasc Diabetol.* 17(1):122
- Park, K., Ahn, C. W., Lee, S. B., Kang, S., Nam, J. S., Lee, B. K., Kim, J. H., Park, J. S., 2019. Elevated TyG Index Predicts Progression of Coronary Artery Calcification. *Diabetes Care.* 42(8):1569–73.
- Patel, A., Barzi, F., Jamrozik, K., Lam, T. H., Ueshima, H., Whitlock, G., Woodward, M., 2004. Serum triglycerides as a risk factor for cardiovascular diseases in the Asia-Pacific region. *Circulation.* 110:2678–86.
- Patti, G., Cavallari, I., Andreotti, F., Calabro, P., Cirillo, P., Denas, G., Galli, M., Golia, E., Maddaloni, E., Marcucci, R., et al. 2019. Prevention of atherothrombotic events in patients with diabetes mellitus: from antithrombotic therapies to newgeneration glucose-lowering drugs, *Nat. Rev. Car.* 16:113-130.
- PERKENI, 2021. Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. *Perkumpulan Endokrinologi Indonesia. ed 1.* 22-47.
- PERKI, 2017. Pedoman Interpretasi dan Pelaporan Angiografi Koroner dengan Tomografi Komputer. *Perhimpunan Dokter Spesialis Kardiovaskular Indonesia ed 1.* 7-8.

PERKI, 2018. Pedoman Tatalaksana Sindrom Koroner Akut. *Perhimpunan Dokter Spesialis Kardiovasakular Indonesia ed 4*. 3-15.

Petitti, D. B., Wingerd, J., Pellegrin, F., Ramcharan, S., 1979. Risk of vascular disease in women: smoking, oral contraceptives, noncontraceptive estrogens, and other factors. *JAMA*. 242(11):1150-1154.

Pradhan, A. D., Manson, J. E., Rifai, N., Buring, J. E., Ridker, P. M., 2001. C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus, *Jama*. 286. 327–334.

Qureshi, A. I., Suri, M. F., Guterman, L. R., Hopkins, L. N., 2001. Cocaine use and the likelihood of nonfatal myocardial infarction and stroke: data from the Third National Health and Nutrition Examination Survey. *Circulation*. 103(4):502-506.

Raposeiras-Roubin, S., Rosselló, X., Oliva, B., et al. 2021. Triglycerides and residual atherosclerotic risk. *J Am Coll Cardiol*. 77:3031–41.

Rifai N., Chiu R., Young I., Burnharm C., Wittwer C., 2023. Tietz Textbook of Laboratory Medicine. *Elsevier*. 7th Ed.

Roenneberg T, Wirz-Justice A, Mero M. 2003. Life between clocks: Daily temporal patterns of human chronotypes. *Journal of Biological Rhythms*.18:80-90.

Rosenberg, L., Palmer, J. R., Rao, R. S., Shapiro, S., 2001. Low-dose oral contraceptive use and the risk of myocardial infarction. *Arch Intern Med*. 161(8):1065-1070.

Roth, G. A., Huffman, M. D., Moran, A. E., et al. 2015. Global and regional patterns in cardiovascular mortality from 1990 to 2013. *Circulation*. 132(17):1667-1678

Rugulies, R., 2002. Depression as a predictor for coronary heart disease: a review and meta-analysis. *Am J Prev Med*. 23(1): 51-61.

Sanchez-García, ´ A., Rodríguez-Gutiérrez, R., Mancillas-Adame, L., Gonz´alez-Nava, V., Díaz Gonzalez-Colmenero, ´ A., Solis, R.C., et al., 2020. Diagnostic Accuracy of the Triglyceride and Glucose Index for Insulin Resistance: A Systematic Review. *Int. J. Endocrinol*. 4678526.

Sánchez-Íñigo, L., Navarro-González, D., Fernández-Montero, A., Pastrana-Delgado, J., Martínez, J., 2016. The TyG index may predict the development of cardiovascular events.

- Safdar, B., Spatz, E. S., Dreyer, R. P., et al. 2018. Presentation, clinical profile, and prognosis of young patients with myocardial infarction with nonobstructive coronary arteries (MINOCA): results from the VIRGO Study. *J Am Heart Assoc.* 7(13): e009174.
- Sarwar, N., Danesh, J., Eiriksdottir, G., et al. 2007. Triglycerides and the risk of coronary heart disease. *Circulation.* 115:450–8.
- Serhan, C. N., Levy, B. D., 2018. Resolvins in inflammation: emergence of the pro-resolving superfamily of mediators. *J Clin Invest.* 128:2657–69.
- Simental-Mendía, L.E., Guerrero-Romero, F., Gonzalez-Ortiz, M., Martínez-Abundis, E., Ramos-Zavala, M.G., Hernández-Gonzalez, S.O., et al., 2010. The product of triglycerides and glucose, a simple measure of insulin sensitivity. Comparison with the euglycemic-hyperinsulinemic clamp. *J. Clin. Endocrinol. Metab.* 95 (7), 3347–3351.
- Spatz, E. S., Curry, L. A., Masoudi, F. A., et al. 2015. The Variation in Recovery: Role of Gender on Outcomes of Young AMI Patients (VIRGO) Classification System: a taxonomy for young women with acute myocardial infarction. *Circulation.* 132(18):1710-1718.
- Stack, C., Cole, J., 2021. Stroke: The Clinical approach to stroke in young adults. Brisbane: *Exon publications.* 3:53-69.
- Stern, S., Bayes, de Luna, A., 2009. Coronary artery spasm: a 2009 update. *Circulation.* 119(18):2531-2
- Song, S. H., 2015. Complication characteristics between young-onset type 2 versus type 1 diabetes in a UK population. *BMJ Open Diabetes Res Care.* 3:e000044.
- Schwartz, G. G., Abt, M., Bao, W., et al. 2015. Fasting triglycerides predict recurrent ischemic events in patients with acute coronary syndrome treated with statins. *J Am Coll Cardiol.* 65:2267–75.
- Schlierf, G.; Dorow, E. 1973. Diurnal patterns of triglycerides, free fatty acids, blood sugar, and insulin during carbohydrate-induction in man and their modification by nocturnal suppression of lipolysis. *J. Clin. Invest.* 52, 732–740.

- Tan, K. C., Chow, W. S., Ai, V. H., Metz, C., Bucala, R., Lam, R. L., 2002. Advanced glycation end products and endothelial dysfunction in type 2 diabetes, *Diabetes Care* 25. 1055–1059.
- Tao, LC., Xu, J., Wang, T., *et al.* 2022. Triglyceride-glucose index as a marker in cardiovascular diseases: landscape and limitations. *Cardiovasc Diabetol* 21, 68
- Tim Riskesdas. 2018, Laporan Nasional Riset Kesehatan Dasar 2018. *LPB*, Jakarta. 144-151
- Toth, P. P., 2021. Triglycerides and Atherosclerosis, Bringing the Association into Sharper Focus. *JACC*. 3042-5
- Trzeciak, P., Gierlotka, M., Poloński, L., Gąsior, M., 2017. Treatment and outcomes of patients under 40 years of age with acute myocardial infarction in Poland in 2009-2013: An analysis from the PL-ACS registry. *Pol Arch Intern Med*. 127:666–673.
- Trauner, M., Arrese, M., Wagner, M., 2010. Fatty liver and lipotoxicity. *Biochim Biophys Acta*. 1801:299-310.
- Trichon, B. H., Roe, M. T., 2004. Acute coronary syndromes and diabetes mellitus, *Diab Vasc. Dis. Res*. 23–32.
- Vasques, A. C., Novaes, F. S., de Oliveira, M., da S., Souza, J. R., Yamanaka, A., Pareja, J. C., Tambascia, M. A., Saad, M. J., Geloneze, B., 2011. TyG index performs better than HOMA in a Brazilian population: a hyperglycemic clamp validated study. *Diabetes Res Clin Pract*. 93(3):e98–100.
- Wang, L., Gill, R., Pedersen, T. L., Higgins, L. J., Newman, J. W., Rutledge, J. C., 2009. Triglyceride-rich lipoprotein lipolysis releases neutral and oxidized FFAs that induce endothelial cell inflammation. *J Lipid Res*. 50:204–13. 20.
- Wang, L., Cong, Hl., Zhang, Jx. *et al.* 2020. TyG index predicts adverse cardiovascular events in patients with diabetes and acute coronary syndrome. *Cardiovasc Diabetol* 19, 80 .
- Wei, A., Liu, J., Wang, L., *et al.*, 2022. Correlation of triglyceride-glucose index and dyslipidaemia with premature coronary heart diseases and multivessel disease: a cross-sectional study in Tianjin, China. *BMJ Open*.12:e065780.
- WHO. 2006. Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia:

report of a WHO/IDF consultation. Geneva: *World Health Organization*.

- Willer, C. J., Schmidt, E. M., Sengupta, S., et al. 2013. Discovery and refinement of loci associated with lipid levels. *Nat Genet* 45:1274–83.
- Wilson, P. W., Meigs, J. B., Sullivan, L., et al. 2007. Prediction of incident diabetes mellitus in middle-aged adults: the Framingham Offspring Study. *Arch Intern Med* 2007;167:1068-74.
- Won, K. B., Kim, Y. S., Lee, B. K., Heo, R., Han, D., Lee, J. H., Lee, S. E., Sung, J. M., Cho, I., Park, H. B., Cho, I. J., Chang, H. J., 2018. The relationship of insulin resistance estimated by triglyceride glucose index and coronary plaque characteristics. *Medicine* (Baltimore). 97(21):e10726.
- Xu, X., Huang, R., Lin, Y. *et al.* 2022. High triglyceride-glucose index in young adulthood is associated with incident cardiovascular disease and mortality in later life: insight from the CARDIA study. *Cardiovasc Diabetol* 21, 155.
- Yandrapalli, S., Nabors, C., Goyal, A., Aronow, W., Frishman W., 2019. Modifiable risk factors in young adults with myocardial infection. *J Am Coll Cardiol.* 73:573–584
- Yusuf, S., Hawken, S., Ounpuu, S., et al. 2004. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *Lancet.* 364(9438):937-952.
- Zhang, S., Du, T., Zhang, J., Lu, H., Lin, X., Xie, J., et al., 2017. The triglyceride and glucose index (TyG) is an effective biomarker to identify NAFLD. *Lipids Health Dis.* 16 (1), 15.
- Zhang, Y., Ding, X., Hua, B., Liu, Q., Gao, H., Chen, H., Zhao, X. Q., Li, W., Li, H., 2020. High triglyceride-glucose index is associated with adverse cardiovascular outcomes in patients with acute myocardial infarction. *Nutr Metab Cardiovasc Dis.* 27;30(12):2351-2362.
- Zhao, Q., Zhang, T., Cheng, Y., Ma, Y., Xu, Y., Kang, J., et al., 2020. Impacts of TyG index on the prognosis of patients with type 2 DM and non-ST-segment elevation acute coronary syndrome: results from an observational cohort study in China. *Cardiovasc Diabetol.* 19:108.
- Zhao, S., et al. 2019. Association between macro and microvascular damage and the TyG index in community dwelling elderly individuals: the Northern Shanghai Study. *Cardiovasc Diabetol.* 18(1):95