



DAFTAR PUSTAKA

- Abboud, M.R., Ghanem, K., Muwakkit, S., 2014. Acute lymphoblastic leukemia in low and middle income countries: Disease characteristics and treatment results. *Curr Opin Oncol* 26: 650–5.
- Abdelmabood, S., Fouda, A.E., Boujettif, F., Mansour, A., 2018. Treatment outcomes of children with acute lymphoblastic leukemia in a middle-income developing country: high mortalities, early relapses, and poor survival. *J. Pediatr. (Rio. J.)*.
- Alfina, D., Widjajanto, P.H., Patria, S.Y., 2018. The outcomes of childhood acute lymphoblastic leukemia with hyperleukocytosis. *Paediatr Indones* 58: 186–91.
- Bachir, F., Bennani, S., Lahjouji, A., Cherkaoui, S., Harif, M., Khattab, M., Nassereddine, I., Zafad, S., El Aouad, R., 2009. Characterization of acute lymphoblastic leukemia subtypes in moroccan children. *Int. J. Pediatr.* 2009: 674801.
- Bailey, L.C., Lange, B.J., Rheingold, S.R., 2008. Bone-marrow relapse in paediatric acute lymphoblastic leukemia. *Lancet Oncol.* 9: 873–883.
- Bao, P., Zheng, Y., Wang, C., Gu, K., Jin, F., Lu, W., 2009. Time Trends and Characteristics of Childhood Cancer Among Children Age 0 – 14 in Shanghai. *Pediatr. Blood Cancer* 53: 13–16.
- Behl, D., Porrata, L.F., Markovic, S.N., Letendre, L., Pruthi, R.K., Hook, C.C., Tefferi, A., Elliot, M.A., Kaufmann, S.H., Mesa, R.A., Litzow, M.R., 2006. Absolute lymphocyte count recovery after induction chemotherapy predicts superior survival in acute myelogenous leukemia. *Leukemia* 20: 29–34.
- Bhojwani, D., Howard, S.C., Pui, C.-H., 2009. High-risk childhood acute lymphoblastic leukemia. *Clin. Lymphoma Myeloma* 9 Suppl 3: S222–S230.
- Bonaventure, A., Harewood, R., Stiller, C.A., Gatta, G., Clavel, J., Stefan, D.C., Carreira, H., Spika, D., Marcos-Gragera, R., Peris-Bonet, R., Piñeros, M., Sant, M., Kuehni, C.E., G Murphy, M.F., Coleman, M.P., Allemani, C., CONCORD Working Group, T., 2017. Worldwide comparison of survival from childhood leukaemia for 1995–2009, by subtype, age, and sex (CONCORD-2): a population-based study of individual data for 89,828 children from 198 registries in 53 countries. *Artic. Lancet Haematol* 4: 202–219.
- Bottino, C., Moretta, L., Pende, D., Vitale, M., Moretta, A., 2004. Learning How to Discriminate Between Friends and Enemies, a Lesson From Natural Killer Cells. *Mol Immunol* 41: 569–75.
- Brody, T., 2012. Chapter 17 - Hematological Cancers, in: Brody, T.B.T.-C.T. (Ed.), . Academic Press, Boston, pp. 279–325.
- Carroll, W.L., Bhatla, T., 2016. Acute Lymphoblastic Leukemia, in: Lanzkowsky's Manual of Pediatric Hematology and Oncology. Elsevier Ltd, pp. 367–389.
- Chambers, C.A., Krummel, M.E., Boitel, B., Hurwitz, A., Sullivan, T.J., Fournier, S., Cassell, D., Brunner, M., Allison, J.P., 1996. The Role of CTLA-4 in the Regulation and Initiation of T-Cell Responses. *Immunol Rev* 153: 27–46.
- Cooper, S.L., Brown, P.A., 2015. Treatment of pediatric acute lymphoblastic leukemia. *Pediatr Clin North Am* 62: 61–73.



- Corazza, F., Beguin, Y., Bergmann, P., Andre, M., Ferster, A., Devalck, C., Fondu, P., Buyse, M., Sariban, E., 1998. Anemia in children with cancer is associated with decreased erythropoietic activity and not with inadequate erythropoietin production. *Blood* 92: 1793–8.
- De Angulo, G., Hernandez, M., Morales-Arias, J., Herzog, C.E., Anderson, P., Wolff, J., Kleinerman, E.S., 2007. Early lymphocyte recovery as a prognostic indicator for high-risk Ewiger sarcoma. *J Pediatr Hematol Oncol* 29: 48–52.
- De Angulo, G., Yuen, C., Palla, S.L., Anderson, P.M., Zweidler-McKay, P.A., 2008. Absolute lymphocyte count is a novel prognostic indicator in ALL and AML: implications for risk stratification and future studies. *Cancer* 112: 407–15.
- Driscoll, J.J., Rixe, O., 2009. Overall survival: still the gold standard: why overall survival remains the definitive end point in cancer clinical trials. *Cancer J* 15: 401–5.
- European Environment and Health Information System, 2009. Incidence of Childhood Leukaemia 2000: 5.
- Faderl, S., Estrov, Z., 2004. Hematopoietic Recovery Following Induction Therapy of Acute Leukemias: Prognostic Implications and a New Look at the Definition of Remission. *Leuk. Lymphoma* 45: 67–71.
- Farkas, T., Muller, J., Erdelyi, D.J., Csoka, M., Kovacs, G.T., 2017. Absolute lymphocyte count (ALC) after induction treatment predicts survival of pediatric patients with acute lymphoblastic leukemia. *Pathol Oncol Res* 23: 889–97.
- Fauriat, C., Just-Landi, S., Mallet, F., Arnoulet, C., Sainty, D., Olive, D., Costello, R.T., 2007. Deficient expression of NCR in NK cells from acute myeloid leukemia: evolution during leukemia treatment and impact of leukemia cells in NCRdull phenotype induction. *Blood* 109: 323–330.
- Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., Parkin, D.M., Froman, D., Bray, F., 2014. Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *Int. J. Cancer* 136: E359–E386.
- Fridlander, Z.G., Albelda, S.M., 2012. Tumor-associated neutrophils: friend or foe? *Carcinogenesis* 33: 949–55.
- Gerosa, F., Baldani-Guerra, B., Nisii, C., Marchesini, V., Carra, G., Trinchieri, G., 2002. Reciprocal activating interaction between natural killer cells and dendritic cells. *J Exp Med* 195: 327–33.
- Gertner-Dardenne, J., Castellano, R., Mamessier, E., Garbit, S., Kochbati, E., Etienne, A., Charbonnier, A., Collete, Y., Vey, N., Olive, D., 2012. Human Vgamma9Vdelta2 T cells specifically recognize and kill acute myeloid leukemic blasts. *J Immunol* 188: 4701–8.
- Goldberg, J., Silverman, L.D., Donna E, L., Dalton, V., Gelber, R.D., Leslie, L., Harvey J. Cohen, Stephen E. Sallan, and B.L.A., 2003. Childhood acute lymphoblastic leukemia: Update on prognostic factors. *J Clin Oncol* 213616-3622. 21: 3616–3622.
- Gupta, A., Kapoor, G., Jain, S., Bajpai, R., 2015. Absolute Lymphocyte Count Recovery Independently Predicts Outcome in Childhood Acute



- Lymphoblastic Leukemia: Experience From a Tertiary Care Cancer Center of a Developing Country. *J Pediatr Hematol Oncol* 37: 143–9.
- Hanahan, D., Coussens, L.M., 2012. Accessories to the crime: functions of cells recruited to the tumor microenvironment. *Cancer Cell* 21: 309–22.
- Hayday, A., 2000. Gamma delta cells: a right time and a right place for a conserved third way of protection. *Annu Rev Immunol* 18: 975–1026.
- Hedayat, K.M., Lapraz, J., 2019. The Theory of Endobiogeny: Global Systems Thinking and Biological Modeling for Clinical Medicine. Elsevier Inc, Cambridge.
- Hirase, S., Hasegawa, D., Takahashi, H., Moriwaki, K., Saito, A., Kozaki, A., Ishida, T., Yanai, T., Kawasaki, K., Yamamoto, N., Kubokawa, I., Mori, T., Hayakawa, A., Nishimura, N., Nishio, H., Iijima, K., Kosaka, Y., 2015. Absolute lymphocyte count at the end of induction therapy is a prognostic factor in childhood acute lymphoblastic leukemia. *Int. J. Hematol.* 102: 594–601.
- Holmes, L., Hossain, J., desVignes-Kendrick, M., Opara, F., 2012. Sex Variability in Pediatric Leukemia Survival: Large Cohort Evidence. *ISRN Oncol.* 2012: 1–9.
- Hunger, S.P., Lu, X., Devidas, M., Camitta, B.M., Gaynon, P.S., Winick, N.J., Reaman, G.H., Carroll, W.L., 2012. Improved survival for children and adolescents with acute lymphoblastic leukemia between 1990 and 2005: a report from the Children's Oncology Group. *J. Clin. Oncol.* 30: 1663–1669.
- Ishaqi, M.K., Afzal, S., Dupuis, A., Doyle, J., Gassas, A., 2008. Early lymphocyte recovery post-allogeneic hematopoietic stem cell transplantation is associated with significant graft-versus-leukemia effect without increase in graft-versus-host disease in pediatric acute lymphoblastic leukemia. *Bone Marrow Transpl.* 41: 245–52.
- Iuchi, T., Teitz-Tennenbaum, S., Huang, J., Redman, B.G., Hughes, S.D., Li, M., Jiang, G., Chang, A.E., Li, Q., 2008. Interleukin-21 augments the efficacy of T-cell therapy by eliciting concurrent cellular and humoral responses. *Cancer Res* 68: 4431–41.
- Jacquy, C., Delepaut, B., Van Daele, S., Vaerman, J.L., Zenebergh, A., Brichard, B., Vermylen, C., Cornu, G., Martiat, P., 1997. A prospective study of minimal residual disease in childhood B-lineage acute lymphoblastic leukaemia: MRD level at the end of induction is a strong predictive factor of relapse. *Br. J. Haematol.* 98: 140–146.
- Jaime-Pérez, J.C., López-Razo, O.N., García-Arellano, G., Pinzón-Uresti, M.A., Jiménez-Castillo, R.A., González-Llano, O., Gómez-Almaguer, D., 2016. Results of Treating Childhood Acute Lymphoblastic Leukemia in a Low-middle Income Country: 10 Year Experience in Northeast Mexico. *Arch. Med. Res.* 47: 668–676.
- Khazaei, Z., Goodarzi, E., Adineh, H.A., Moradi, Y., Sohrabivafa, M., Darvishi, I., Dehghani, S.L., 2019. Epidemiology, Incidence, and Mortality of Leukemia in Children Early Infancy to 14 Years Old of Age in South-Central Asia: A Global Ecological Study. *J. Compr. Pediatr.* 10: e82258.
- Kong, S.G., Seo, J.H., Jun, S.E., Lee, B.K., Lim, Y.T., 2014. Childhood acute



- lymphoblastic leukemia with hyperleukocytosis at presentation. *Blood Res* 49: 29–35.
- Kumar, S., Chen, M.G., Gastineau, D.A., Gertz, M.A., Inwards, D.J., Lacy, M.Q., Tefferi, A., Litzow, M.R., 2003. Lymphocyte recovery after allogeneic bone marrow transplantation predicts risk relapse in acute lymphoblastic leukemia. *Leukemia* 17: 1865–70.
- Laughton, S.J., Ashton, L.J., Kwan, E., Norris, M.D., Haber, M., Marshall, G.M., 2005. Early responses to chemotherapy of normal and malignant hematologic cells are prognostic in children with acute lymphoblastic leukemia. *J. Clin. Oncol.* 23: 2264–2271.
- Le Jeune, C., Bertoli, S., Elhamri, M., Vergez, F., Borel, C., Huguet, F., Michallet, M., Dumontet, C., Recher, C., Thomas, X., 2014. Initial absolute lymphocyte count as a prognostic factor for outcome in acute myeloid leukemia. *Leuk. Lymphoma* 55: 855–862.
- Lee, J.W., Cho, B., 2017. Prognostic factors and treatment of pediatric acute lymphoblastic leukemia. *Korean J Pediatr* 60: 129–137.
- Lima, S.S.S., França, M.S., Godoi, C.C.G., Martinho, G.H., de Jesus, L.A., Romanelli, R.M. de C., Clemente, W.T., 2013. Neutropenic patients and their infectious complications at a University Hospital. *Rev. Bras. Hematol. Hemoter.* 35: 18–22.
- Liu, F., Li, B., Wei, Y.-G., Chen, X., Ma, Y., Yan, L.-N., Wen, T.-F., Xu, M.-Q., Wang, W.-T., Yang, J.-Y., 2011. IFN- γ +874 A/T polymorphism and cancer risk: An updated analysis based on 32 case-control studies. *Cytokine* 56: 200–207.
- Lundy, S.K., Killer, B., 2009. Lymphocytes: the evidence and the potential. *Inflamm Res* 58: 345–57.
- Mahmoud, S.M., Lee, A.H., Paish, E.C., Macmillan, R.D., Ellis, I.O., Green, A.R., 2012. The prognostic significance of B lymphocytes in invasive carcinoma of the breast. *Breast Cancer Res treat* 132: 545–53.
- Margolin, J.F., Steuber, C.P., Poplack, D.G., 2002. Acute Lymphoblastic Leukemia, in: Pizzo, P.A., Poplack, D.G. (Eds.), *Principles and Practice of Pediatric Oncology*. Lippincott Williams & Wilkins, Philadelphia, pp. 489–544.
- Martin-Orozco, N., Muranski, P., Chung, Y., Yang, X.O., Yamazaki, T., Lu, S., Hwu, P., Restifo, N.P., Overwijk, W.W., Dong, C., 2009. T helper 17 cells promote cytotoxic T cell activation in tumor immunity. *Immunity* 31: 787–98.
- Martinez, A.A., Otero, A.G., de Svarch, G.E., Nunez, A.A., Jaime, J.C., Dorticos, E., Sarduy, S., Gonzalez, L., 2012. Absolute Lymphocyte Count as a Prognostic Factor in Children With Acute Lymphoblastic Leukemia. *An Pediatr* 76: 10e1-6.
- Metzger, M.L., Howard, S.C., Fu, L.C., Peña, A., Stefan, R., Hancock, M.L., Zhang, Z., Pui, C.H., Wilimas, J., Ribeiro, R.C., 2003. Outcome of childhood acute lymphoblastic leukaemia in resource-poor countries. *Lancet* 362: 706–708.
- Miossec, P., Korn, T., Kuchroo, V.K., 2009. Interleukin-17 and type 17 helper T cells. *N Eng J Med* 361: 888–98.



- Mitchell, C.D., Richards, S.M., Kinsey, S.E., Lilleyman, J., Vora, A., Eden, T.O., 2005. Benefit of dexamethasone compared with prednisolone for childhood acute lymphoblastic leukaemia: results of the UK Medical Research Council ALL97 randomized trial. *Br J Haematol* 129: 734–45.
- Moghrabi, A., Levy, D.E., Asselin, B., Barr, R., Clavell, L., Hurwitz, C., Samson, Y., Schorin, M., Dalton, V.K., Lipshultz, S.E., Neuberg, D.S., Gelber, R.D., Cohen, H.J., Sallan, S.E., Silverman, L.B., 2007. Results of the Dana-Farber Cancer Institute ALL Consortium Protocol 95-01 for children with acute lymphoblastic leukemia. *Blood* 109: 896–904.
- Möricken, A., Reiter, A., Zimmermann, M., Gadner, H., Stanulla, M., Dördelmann, M., Löning, L., Beier, R., Ludwig, W.-D., Ratei, R., Harbott, J., Boos, J., Mann, G., Niggli, F., Feldges, A., Henze, G., Welte, K., Beck, J.-D., Klingebiel, T., Niemeyer, C., Zintl, F., Bode, U., Urban, C., Wehinger, H., Niethammer, D., Riehm, H., Schrappe, M., 2008. Risk-adjusted therapy of acute lymphoblastic leukemia can decrease treatment burden and improve survival: treatment results of 2169 unselected pediatric and adolescent patients enrolled in the trial ALL-BFM 95. *Blood* 111: 4477–4489.
- Moricke, A., Zimmermann, M., Reiter, A., Gadner, H., Odenwald, E., Harbott, J., Ludwig, W.D., Riehm, H., Schrappe, M., 2005. Prognostic impact of age in children and adolescents with acute lymphoblastic leukemia: data from the trials ALL-BFM 86, 90, and 95. *Klin Padiatr* 217: 310–20.
- Möricken, A., Zimmermann, M., Reiter, A., Gadner, H., Odenwald, E., Harbott, J., Ludwig, W.D., Riehm, H., Schrappe, M., 2005. Prognostic impact of age in children and adolescents with acute lymphoblastic leukemia: Data from the trials ALL-BFM 86, 90, and 95. *Klin. Padiatr.* 217: 310–320.
- Mostert, S., Sitaresmi, M.N., Gundy, C.M., Veerman, A.J.P., 2015. Influence of Socioeconomic Status on Childhood Acute Lymphoblastic Leukemia Treatment in Indonesia. *Pediatrics* 118: 1600–6.
- Mulatsih, S., Hariningrum, A., Purwanto, I., 2019. Implementing Yogyakarta Pediatric Cancer Registry for 16 years: a report of hospital-based childhood cancer registry. *Paediatr Indones* 59: 188–194.
- Mulatsih, S., Sumadiono, Sutaryo, Purwanto, 2004. The result of treating children's Acute Lymphoblastic Leukemia (ALL) in Dr. Sardjito Hospital with WK-ALL Protocol 1999-2002. *Bul. Ilmu Kesehat. Anak FK UNAIR* 17: 808–819.
- Norell, H., Moretta, A., Silva-Santos, B., Moretta, L., 2013. At the Bench: Preclinical rationale for exploiting NK cells and $\gamma\delta$ T lymphocytes for the treatment of high-risk leukemias. *J Leukoc Biol* 94: 1123–39.
- Ostromov, D., Fekete-Drimusz, N., Saborowski, M., Kühnel, F., Woller, N., 2018. CD4 and CD8 T lymphocyte interplay in controlling tumor growth. *Cell. Mol. Life Sci.* 75: 689–713.
- Oudot, C., Piguet, C., Perel, Y., Gandemer, V., Debre, M., Vermeylen, C., Pautard, B., Berger, C., Schmitt, C., 2008. Prognostic Factors for Leukemic Induction Failure in Children With Acute Lymphoblastic Leukemia and Outcome After Salvage Therapy : The FRALLE 93 Study. *J. Clin. Oncol.* 26: 1496–1503.
- Penafuerte, C., Ng, S., Bautista-Lopez, N., Birman, E., Forner, K., Galipeau, J., 2012. B effector cells activated by a chimeric protein consisting of IL-2 and



- the ectodomain of TGF-beta receptor II induce potent antitumor immunity. *Cancer Res* 72: 1210–20.
- Perdana, A.B., Saputra, F., Aisyi, M., 2020. Update on diagnosis of childhood acute lymphoblastic leukemia (ALL) in Indonesia. *Indones J Cancer* 14: 115–6.
- Pieters, R., Schrappe, M., De Lorenzo, P., Hann, I., De Rossi, G., Felice, M., Hovi, L., LeBlanc, T., Szczepanski, T., Ferster, A., Janka, G., Rubnitz, J., Silverman, L., Stary, J., Campbell, M., Li, C.-K., Mann, G., Suppiah, R., Biondi, A., Vora, A., Valsecchi, M.G., 2007. A treatment protocol for infants younger than 1 year with acute lymphoblastic leukaemia (Interfant-99): an observational study and a multicentre randomised trial. *Lancet (London, England)* 370: 240–250.
- Porrata, L.F., Ingle, J.N., Litzow, M.R., Geyer, S., Markovic, S.N., 2001. Prolonged survival associated with early lymphocyte recovery after autologous hematopoietic stem cell transplantation for patients with metastatic breast cancer. *Bone Marrow Transpl.* 28: 865–71.
- Porrata, L.F., Inwards, D.J., Micallef, I.N., Ansell, S.M., Geyer, S.M., Markovic, S.N., 2002a. Early lymphocyte recovery post-autologous haematopoietic stem cell transplantation is associated with better survival in Hodgkin's disease. *Br J Haematol* 117: 629–33.
- Porrata, L.F., Litzow, M.R., Tefferi, A., Letendre, L., Kumar, S., Geyer, S.M., Markovic, S.N., 2002b. Early lymphocyte recovery is a predictive factor for prolonged survival after autologous hematopoietic stem cell transplantation for acute myelogenous leukemia. *Leukemia* 16: 1311–8.
- Pot, C., Apetoh, L., Kuchroo, V.K., 2011. Type 1 regulatory T cells (Tr1) in autoimmunity. *Semin Immunol* 23: 202–8.
- Pui, C.-H., Boyett, J.M., Relling, M. V, Harrison, P.L., Rivera, G.K., Behm, F.G., Sandlund, J.T., Ribeiro, R.C., Rubnitz, J.E., Gajjar, A., Evans, W.E., 1999. Sex Differences in Prognosis for Children With Acute Lymphoblastic Leukemia. *J. Clin. Oncol.* 17: 818.
- Pui, C.-H., Yang, J.J., Hunger, S.P., Pieters, R., Schrappe, M., Biondi, A., Vora, A., Baruchel, A., Silverman, L.B., Schmiegelow, K., Escherich, G., Horibe, K., Benoit, Y.C.M., Izraeli, S., Yeoh, A.E.J., Liang, D.-C., Downing, J.R., Evans, W.E., Relling, M. V, Mullighan, C.G., 2015. Childhood Acute Lymphoblastic Leukemia: Progress Through Collaboration. *J. Clin. Oncol.* 33: 2938–2948.
- Pui, C.H., Evans, W.E., 1999. Acute lymphoblastic leukemia in infants. *J. Clin. Oncol.*
- Pui, C.H., Yang, J.J., Bhakta, N., Rodriguez-Galindo, C., 2018. Global efforts toward the cure of childhood acute lymphoblastic leukemia. *Lancet Child Adolesc Heal* 2: 440–54.
- Pullarkat, V., Slovak, M.L., Kopecky, K.J., Forman, S.J., Appelbaum, F.R., 2008. Impact of cytogenetics on the outcome of adult acute lymphoblastic leukemia: results of Southwest Oncology Group 9400 study. *Blood* 111: 2563–2572.
- Rabin, K.R., Gramatges, M.M., Borowitz, M.J., Palla, S.L., Shi, X., Margolin, J.F., Zweidler-McKay, P.A., 2012. Absolute lymphocyte counts refine minimal residual disease-based risk stratification in childhood acute lymphoblastic leukemia. *Pediatr Blood Cancer* 59: 468–74.



- Rakhra, K., Bachireddy, P., Zabuawala, T., Zeiser, R., Xu, L., Kopelman, A., Fan, A.C., Yang, Q., Braunstein, L., Crosby, E., Ryeom, S., Felsher, D.W., 2010. CD4(+) T cells contribute to the remodeling of the microenvironment required for sustained tumor regression upon oncogene inactivation. *Cancer Cell* 18: 485–98.
- Rezaei, N. (Ed.), 2015. Cancer Immunology A Translational Medicine Context. Springer Berlin Heidelberg.
- Ribera, J.-M., Oriol, A., Morgades, M., Montesinos, P., Sarrà, J., González-Campos, J., Brunet, S., Tormo, M., Fernández-Abellán, P., Guàrdia, R., Bernal, M.-T., Esteve, J., Barba, P., Moreno, M.-J., Bermúdez, A., Cladera, A., Escoda, L., García-Boyero, R., Del Potro, E., Bergua, J., Amigo, M.-L., Grande, C., Rabuñal, M.-J., Hernández-Rivas, J.-M., Feliu, E., 2014. Treatment of high-risk Philadelphia chromosome-negative acute lymphoblastic leukemia in adolescents and adults according to early cytologic response and minimal residual disease after consolidation assessed by flow cytometry: final results of the PETHEMA. *J. Clin. Oncol. Off. J. Am. Soc. Clin. Oncol.* 32: 1595–1604.
- Rolf, N., Smolen, K.K., Kariminia, A., Velenosi, A., Fidanza, M., Strahlendorf, C., Seif, A.E., Reid, G.S.D., 2018. Absolute lymphocyte counts at end of induction correlate with distinct immune cell compartments in pediatric B cell precursor acute lymphoblastic leukemia. *Cancer Immunol. Immunother.* 67: 225–236.
- Rowe, J.M., 2010. Prognostic factors in adult acute lymphoblastic leukaemia. *Br. J. Haematol.* 150: 389–405.
- Rubnitz, J.E., Campbell, P., Zhou, Y., Sandlund, J.T., Jeha, S., Ribeiro, R.C., Inaba, H., Bhojwani, D., Relling, M. V, Howard, S.C., Campana, D., Pui, C.H., 2013. Prognostic impact of absolute lymphocyte counts at the end of remission induction in childhood acute lymphoblastic leukemia. *Cancer* 119: 1–12.
- Saarinen-Pihkala, U.M., Gustafsson, G., Carlsen, N., Flaegstad, T., Forestier, E., Glomstein, A., Kristinsson, J., Lanning, M., Schroeder, H., Mellander, L., 2004. Outcome of children with high-risk acute lymphoblastic leukemia (HR-ALL): Nordic results on an intensive regimen with restricted central nervous system irradiation. *Pediatr. Blood Cancer* 42: 8–23.
- Savani, B.N., Mielke, S., Rezvani, K., Montero, A., Yong, A.S., Wish, L., Superata, J., Kurlander, R., Singh, A., Childs, R., Barret, A.J., 2007. Absolute lymphocyte count on day 30 is a surrogate for robust hematopoietic recovery and strongly predicts outcome after T cell-depleted allogenic stem cell transplantation. *Biol Blood Marrow Transpl.* 13: 1216–23.
- Schrappe, M., Hunger, S.P., Pui, C.H., Gaynon, P.S., Baruchel, A., Conter, V., Otten, J., Ohara, A., Versluys, A.B., Escherich, G., Heyman, M., Silverman, L.B., Horibe, K., Mann, G., Camitta, B.M., Harbott, J., Riehm, H., Richards, S., Devidas, M., Zimmermann, M., 2012. Outcomes after induction failure in childhood acute lymphoblastic leukemia. *N Engl J Med* 366: 1371–81.
- Settin, A., Al Haggar, M., Al Dosoky, T., Al Baz, R., Abdelrazik, N., Fouda, M., 2006. Prognostic cytogenetic markers in childhood acute lymphoblastic leukemia : Cases from Mansoura, Egypt. *Hematology* 11: 341–9.



- Shibl, A., Gaber, N., Aliedldin, N., Sayed, H., 2019. Prognostic significance of absolute lymphocytic count recovery in pediatric patients with acute lymphoblastic leukemia at South Egypt Cancer Institute. *J. Cancer Ther.* 10: 952–70.
- Sinkovics, J.G., 2005. Human Natural Killer Cells: A Comprehensive Review. *Horvath, J C* 27: 5–47.
- Skok, J., Poudrier, J., Gray, D., 1999. No Title Dendritic cell-derived IL-12 promotes B cell induction of Th2 differentiation: a feedback regulation of Th1 development. *Immunol* 163: 4284–91.
- Smith, M.A., Seibel, N.L., Altekruse, S.F., Ries, L.A.G., Melbert, D.L., O’Leary, M., Smith, F.O., Reaman, G.H., 2010. Outcomes for children and adolescents with cancer: challenges for the twenty-first century. *J. Clin. Oncol.* 28: 2625–34.
- Smyth, M.J., Cretney, E., Takeda, K., Wiltrot, R.H., Sedger, L.M., Kayagaki, N., Yagita, H., Okumura, K., 2001. Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL) Contributes to Interferon Gamma-Dependent Natural Killer Cell Protection From Tumor Metastasis. *J Exp Med* 193: 661–70.
- Spix, C., Spallek, J., Kaatsch, P., Razum, O., Zeeb, H., 2008. Cancer survival among children of Turkish descent in Germany 1980-2005: A registry-based analysis. *BMC Cancer* 8: 355.
- Sun, D., Elson, P., Liedtke, M., Medeiros, B.C., Earl, M., Alizadeh, A., Bates, J., Sekeres, M.A., Coutre, S., Kalaycio, M., Sobecks, R., Copelan, E., Adbvani, A., 2012. Absolute lymphocyte count at day 28 independently predicts event-free and overall survival in adults with newly diagnosed acute lymphoblastic leukemia. *Am J Hematol* 87: 957–60.
- Supriyadi E, Widjajanto PH, Purwanto I, Cloos J, Veerman AJP, S.S., 2011. Incidence of childhood leukemia in Yogyakarta, Indonesia 1998-2009. *Pediatr. Blood Cancer* 57: 588–593.
- Supriyadi, E., Widjajanto, P.H., Purwanto, I., Cloos, J., Veerman, A.J.P., Sutaryo, 2011. Incidence of Childhood Leukemia in Yogyakarta, Indonesia, 1998-2009. *Pediatr. Blood Cancer* 57: 588–593.
- Sutton, R., Venn, N.C., Tolisano, J., Bahar, A.Y., Giles, J.E., Ashton, L.J., Teague, L., Rigutto, G., Waters, K., Marshall, G.M., Haber, M., Norris, M.D., 2009. Clinical significance of minimal residual disease at day 15 and at the end of therapy in childhood acute lymphoblastic leukaemia. *Br. J. Haematol.* 146: 292–299.
- Svendsen, A.L., Feychtig, M., Klaeboe, L., Langman, F., Schuz, J., 2007. Time Trends in the Incidence of Acute Lymphoblastic Leukemia Among Children 1976-2002: A Population-Based Nordic Study. *J Pediatr* 151: 548–50.
- Tedeschi, S.K., Jagasia, M., Engelhardt, B.G., Domm, J., Kassim, A.A., Chinratanalab, W., Greenhut, S.L., Goodman, S., Geer, J.P., Schuening, F., Frangoul, H., Savani, B.N., 2011. Early lymphocyte reconstitution is associated with improved transplant outcome after cord blood transplantation. *Cytotherapy* 13: 78–82.
- Terwilliger, T., Abdul-Hay, M., 2017. Acute lymphoblastic leukemia: a



- comprehensive review and 2017 update. *Blood Cancer J* 7: e577.
- Teuffel, O., Stanulla, M., Cario, G., Ludwig, W.D., Rottgers, S., Schafer, B.W., Zimmermann, M., Schrappe, M., Niggli, F.K., 2008. Anemia and survival in childhood acute lymphoblastic leukemia. *Haematologica* 93: 1652–1657.
- Tomulesa, C., S. F., Berce, C., Anaciu, A., Chira, S., Petrushev, B., Micu, W.T., Moisoiu, V., Osan, C., Constantinescu, C., Pasca, S., Jurj, A., Pop, L., Berindan-Neagoe, I., Dima, D., Kitano, S., 2018. Chimeric antigen receptor T-cells for the treatment of B-cell acute lymphoblastic leukemia. *Front Immunol* 9: 239.
- Toutirais, O., Cabillic, F., Le Friec, G., Salot, S., Loyer, P., Le Gallo, M., Desille, M., de La Pintierre, C.T., Daniel, P.Bouet, F., Catros, V., 2009. DNAX accessory molecule-1 (CD226) promotes human hepatocellular carcinoma cell lysis by Vgamma9VdeltaT cells. *Eur J Immunol* 39: 1361–8.
- Tubergen, D.G., Bleyer, A., 2000. The Leukemias, in: Nelson Textbook of Pediatrics. Saunders, Philadelphia.
- Verma, R., Foster, R.E., Horgan, K., Mounsey, K., Nixon, H., Smalle, N., Hughes, T.A., Carter, C.R.D., 2016. Lymphocyte depletion and repopulation after chemotherapy for primary breast cancer. *Breast Cancer Res.* 18: 10.
- Vrooman, L.M., Silverman, L.B., 2009. Childhood acute lymphoblastic leukemia: Update on prognostic factors. *Curr Opin Pediatr* 21: 1–8.
- Walzer, T., Dalod, M., Robbins, S.H., Zitvogel, L., Vivier, E., 2005. Natural-killer cells and dendritic cells: “l’union fait la force.” *Blood* 106: 2252–8.
- Wang, L., Bhatia, S., Gomez, S.L., Yasui, Y., 2015. Differential inequality trends over time in survival among US children with acute lymphoblastic leukemia by race/ethnicity, age at diagnosis, and sex. *Cancer Epidemiol Biomarkers Prev* 24: 1781–8.
- Ward, E., DeSantis, C., Robbins, A., Kohler, B., Jemal, A., 2014. Childhood and adolescent cancer statistics, 2014. *CA. Cancer J. Clin.* 64: 83–103.
- Widjajanto, P.H., Sutaryo, S., Purwanto, I., Ven, P.M. Vd, Veerman, A.J.P., 2012. Early response to dexamethasone as prognostic factor: Result from Indonesian childhood wk-all protocol in Yogyakarta. *J. Oncol.* 2012.
- Wijayanti, L.P., Eddy, S., 2017. Faktor Prognostik dan Kesintasan Pasien Leukemia Akut Anak di RSUP Dr Sardjito, Yogyakarta, 2010-2015. *Indones. J. Cancer* 11: 145–150.
- Zeidler, L., Zimmermann, M., Möricke, A., Meissner, B., Bartels, D., Tschan, C., Schrauder, A., Cario, G., Goudeva, L., Jäger, S., Ratei, R., Ludwig, W.-D., Teigler-Schlegel, A., Skokowa, J., Koehler, R., Bartram, C.R., Riehm, H., Schrappe, M., Welte, K., Stanulla, M., 2012. Low platelet counts after induction therapy for childhood acute lymphoblastic leukemia are strongly associated with poor early response to treatment as measured by minimal residual disease and are prognostic for treatment outcome. *Haematologica* 97: 402–409.
- Zhang, L., Conejo-Garcia, J.R., Katsaros, D., Gimotty, P.A., Massobrio, M., Regnani, G., Makrigiannakis, A., Gray, H., Schlienger, K., Liebman, M.N., Rubin, S.C., Coukos, G., 2003. Intratumoral T cells, recurrence, and survival in epithelial ovarian cancer. *NEJM* 348: 203–13.



UNIVERSITAS
GADJAH MADA

**ABSOLUTE LYMPHOCYTE COUNT AKHIR FASE INDUKSI SEBAGAI PREDIKTOR KESINTASAN
PASIEN ANAK DENGAN
LEUKEMIA LIMFOBLASTIK AKUT**

Scolastika Dita Kristian, Prof Dr dr Sutaryo, SpA(K); dr. Rina Triasih, M.Med(Paed), Ph.D., SpA(K)

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhou, L., Chong, M.M., Littman, D.R., 2009. Plasticity of CD4+ T cell lineage differentiation. *Immunity* 30: 646–55.