

## DAFTAR PUSTAKA

- Amano, T., Nakamizo, A., Murata, H., Miyamatsu, Y., Mugita, F., Yamashita, K., Noguchi, T., & Nagata, S. (2022). Preoperative Prediction of Intracranial Meningioma Grade Using Conventional CT and MRI. *Cureus*, 14(1). <https://doi.org/10.7759/CUREUS.21610>
- Andriani, F., & Utomo, S. (2019). Does tumor size, peritumoral edema, location and necrosis can be used to predict grading of meningioma? *International Journal of Radiology & Radiation Therapy*, 6(6), 195–198. <https://doi.org/10.15406/ijrrt.2019.06.00246>
- Anvari, K., Hosseini, S., Rahighi, S., Toussi, M. S., Roshani, N., & Torabi-Nami, M. (2016). Intracranial meningiomas: Prognostic factors and treatment outcome in patients undergoing postoperative radiation therapy. *Advanced Biomedical Research*, 5(1), 83. <https://doi.org/10.4103/2277-9175.182214>
- Backer-Grøndahl, T., Moen, B. H., & Torp, S. H. (2012). The histopathological spectrum of human meningiomas. *International Journal of Clinical and Experimental Pathology*, 5(3), 231.
- Baek, J.-U., Cho, Y.-D., & Yoo, J.-C. (2008). An Osteolytic Meningioma en Plaque of the Sphenoid Ridge. *Journal of Korean Neurosurgical Society*, 43(1), 34. <https://doi.org/10.3340/JKNS.2008.43.1.34>
- Basen-Engquist, K., & Chang, M. (2011). Obesity and cancer risk: Recent review and evidence. In *Current Oncology Reports* (Vol. 13, Issue 1). <https://doi.org/10.1007/s11912-010-0139-7>
- behzadmehr, R., & behzadmehr, R. (2021). Are the clinical manifestations of CT scan and location associated with World Health Organization histopathological grades of meningioma?: A retrospective study. *Annals of Medicine and Surgery*, 66(March), 102365. <https://doi.org/10.1016/j.amsu.2021.102365>
- Bergoglio, M. T., Gómez-Balaguer, M., Almonacid Folch, E., Hurtado Murillo, F., & Hernández-Mijares, A. (2013). Symptomatic meningioma induced by cross-sex hormone treatment in a male-to-female transsexual. In *Endocrinologia y Nutricion* (Vol. 60, Issue 5). <https://doi.org/10.1016/j.endonu.2012.07.004>
- Bhat, A. R., Wani, M. A., Kirmani, A. R., & Ramzan, A. U. (2014). Histological-subtypes and anatomical location correlated in meningeal brain tumors (meningiomas). *Journal of Neurosciences in Rural Practice*, 5(3), 244. <https://doi.org/10.4103/0976-3147.133568>
- Blitshteyn, S., Crook, J. E., & Jaeckle, K. A. (2008). Is there an association between meningioma and hormone replacement therapy? *Journal of Clinical Oncology*, 26(2). <https://doi.org/10.1200/JCO.2007.14.2133>
- Buerki, R. A., Horbinski, C. M., Kruser, T., Horowitz, P. M., James, C. D., & Lukas, R. V. (2018). An overview of meningiomas. *Future Oncology*, 14(21), 2161. <https://doi.org/10.2217/FON-2018-0006>
- Cea-Soriano, L., Wallander, M. A., & Garca Rodriguez, L. A. (2012). Epidemiology of

- meningioma in the United Kingdom. *Neuroepidemiology*, 39(1). <https://doi.org/10.1159/000338081>
- Cebula, H., Pham, T. Q., Boyer, P., & Froelich, S. (2010). Regression of meningiomas after discontinuation of cyproterone acetate in a transsexual patient. In *Acta Neurochirurgica* (Vol. 152, Issue 11). <https://doi.org/10.1007/s00701-010-0787-2>
- Combs, S. E., Edler, L., Burkholder, I., Rieken, S., Habermehl, D., Jäkel, O., Haberer, T., Unterberg, A., Wick, W., Debus, J., & Haselmann, R. (2010). Treatment of patients with atypical meningiomas Simpson grade 4 and 5 with a carbon ion boost in combination with postoperative photon radiotherapy: The MARCIE Trial. *BMC Cancer*, 10(1), 615. <https://doi.org/10.1186/1471-2407-10-615>
- Connolly, I. D., Cole, T., Veeravagu, A., Popat, R., Ratliff, J., & Li, G. (2015). Craniotomy for Resection of Meningioma: An Age-Stratified Analysis of the MarketScan Longitudinal Database. *World Neurosurgery*, 84(6), 1864–1870. <https://doi.org/10.1016/J.WNEU.2015.08.018>
- Coroller, T. P., Bi, W. L., Huynh, E., Abedalthagafi, M., Aizer, A. A., Greenwald, N. F., Parmar, C., Narayan, V., Wu, W. W., De Moura, S. M., Gupta, S., Beroukhi, R., Wen, P. Y., Al-Mefty, O., Dunn, I. F., Santagata, S., Alexander, B. M., Huang, R. Y., & Aerts, H. J. W. L. (2017). Radiographic prediction of meningioma grade by semantic and radiomic features. *PLoS ONE*, 12(11). <https://doi.org/10.1371/JOURNAL.PONE.0187908>
- Dahlan, M. S. (2010). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 5*. Epidemiologi Indonesia.
- De Robles, P., Fiest, K. M., Frolkis, A. D., Pringsheim, T., Atta, C., St. Germaine-Smith, C., Day, L., Lam, D., & Jette, N. (2015). The worldwide incidence and prevalence of primary brain tumors: a systematic review and meta-analysis. *Neuro-Oncology*, 17(6), 776. <https://doi.org/10.1093/NEUONC/NOU283>
- Fountain, D. M., Soon, W. C., Matys, T., Guilfoyle, M. R., Kirollos, R., & Santarius, T. (2017). Volumetric growth rates of meningioma and its correlation with histological diagnosis and clinical outcome: a systematic review. *Acta Neurochirurgica*, 159(3), 435–445. <https://doi.org/10.1007/s00701-016-3071-2>
- Gurcay, A. G., Bozkurt, I., Senturk, S., Kazanci, A., Gurcan, O., Turkoglu, O. F., & Beskonakli, E. (2018). Diagnosis, Treatment, and Management Strategy of Meningioma during Pregnancy. *Asian Journal of Neurosurgery*, 13(1), 86. <https://doi.org/10.4103/1793-5482.181115>
- Hale, A. T., Wang, L., Strother, M. K., & Chambless, L. B. (2018). Differentiating meningioma grade by imaging features on magnetic resonance imaging. *Journal of Clinical Neuroscience*, 48, 71–75. <https://doi.org/10.1016/j.jocn.2017.11.013>
- Hou, J., Kshetty, V. R., Selman, W. R., & Bambakidis, N. C. (2013). Peritumoral brain edema in intracranial meningiomas: the emergence of vascular endothelial growth factor-directed therapy. *Neurosurgical Focus*, 35(6). <https://doi.org/10.3171/2013.8.FOCUS13301>
- Hou, W., Ma, Y., Xing, H., & Yin, Y. (2017). Imaging characteristics and surgical

- treatment of invasive meningioma. *Oncology Letters*, 13(5), 2965–2970. <https://doi.org/10.3892/ol.2017.5833>
- Hu, J., Zhao, Y., Li, M., Liu, J., Wang, F., Weng, Q., Wang, X., & Cao, D. (2020). Machine learning-based radiomics analysis in predicting the meningioma grade using multiparametric MRI. *European Journal of Radiology*, 131. <https://doi.org/10.1016/J.EJRAD.2020.109251>
- Ihwan, A., Rafika, R., Cangara, M. H., Sjukur, K. J., & Faruk, M. (2022). Correlation between Radiological Images and Histopathological Type of Meningioma: A Cohort Study. *Ethiopian Journal of Health Sciences*, 32(3), 597–604. <https://doi.org/10.4314/ejhs.v32i3.16>
- Kamenova, M., Guzman, R., & Soleman, J. (2019). Demographics and outcome of histologically confirmed intracranial meningiomas. *Clinical and Translational Neuroscience*, 3(2), 2514183X1989494. <https://doi.org/10.1177/2514183x19894945>
- Kaur, G., Sayegh, E. T., Larson, A., Bloch, O., Madden, M., Sun, M. Z., Barani, I. J., James, C. D., & Parsa, A. T. (2014). Adjuvant radiotherapy for atypical and malignant meningiomas: a systematic review. *Neuro-Oncology*, 16(5), 628. <https://doi.org/10.1093/NEUONC/NOU025>
- Korhonen, K., Raitanen, J., Isola, J., Haapasalo, H., Salminen, T., & Auvinen, A. (2010). Exogenous sex hormone use and risk of meningioma: A population-based case-control study in Finland. *Cancer Causes and Control*, 21(12). <https://doi.org/10.1007/s10552-010-9634-2>
- Krishnan, V., Mittal, M. K., Sinha, M., & Thukral, B. B. (2019). Imaging spectrum of meningiomas: A review of uncommon imaging appearances and their histopathological and prognostic significance. *Polish Journal of Radiology*, 84, e630–e653. <https://doi.org/10.5114/PJR.2019.92421>
- Li, Q., Coulson, H., Klaassen, Z., Sharma, S., Ramalingam, P., Moses, K. A., & Terris, M. K. (2013). Emerging association between androgen deprivation therapy and male meningioma: Significant expression of luteinizing hormone-releasing hormone receptor in male meningioma. *Prostate Cancer and Prostatic Diseases*, 16(4). <https://doi.org/10.1038/pcan.2013.45>
- Lim, Y. S., Kim, M. K., Park, B. J., Kim, T. S., & Lim, Y. J. (2013). Long Term Clinical Outcomes of Malignant Meningiomas. *Brain Tumor Research and Treatment*, 1(2), 85. <https://doi.org/10.14791/BTRT.2013.1.2.85>
- Louis, D. N., Perry, A., Reifenberger, G., von Deimling, A., Figarella-Branger, D., Cavenee, W. K., Ohgaki, H., Wiestler, O. D., Kleihues, P., & Ellison, D. W. (2016). The 2016 World Health Organization Classification of Tumors of the Central Nervous System: a summary. *Acta Neuropathologica*, 131(6), 803–820. <https://doi.org/10.1007/S00401-016-1545-1>
- Lusis, E. A., Scheithauer, B. W., Yachnis, A. T., Fischer, B. R., Chicoine, M. R., Paulus, W., & Perry, A. (2012). Meningiomas in pregnancy: A clinicopathologic study of 17 cases. *Neurosurgery*, 71(5). <https://doi.org/10.1227/NEU.0b013e31826adf65>

- Maggio, I., Franceschi, E., Tosoni, A., Nunno, V. Di, Gatto, L., Lodi, R., & Brandes, A. A. (2021). Meningioma: not always a benign tumor. A review of advances in the treatment of meningiomas. *CNS Oncology*, 10(2). <https://doi.org/10.2217/CNS-2021-0003>
- Magill, S. T., Young, J. S., Chae, R., Aghi, M. K., Theodosopoulos, P. V., & McDermott, M. W. (2018). Relationship between tumor location, size, and WHO grade in meningioma. *Neurosurgical Focus*, 44(4). <https://doi.org/10.3171/2018.1.FOCUS17752>
- Marchand, A. A., & O'Shaughnessy, J. (2014). Subtle clinical signs of a meningioma in an adult: a case report. *Chiropractic & Manual Therapies*, 22(1), 8. <https://doi.org/10.1186/2045-709X-22-8>
- McHugh, M. L. (2012). Lessons in biostatistics interrater reliability : the kappa statistic. *Biochemica Medica*, 22(3), 276–282. <https://hrcak.srce.hr/89395>
- Moliterno, J., & Omuro, A. (2020). *Meningiomas: Comprehensive Strategies for Management*. Springer Nature.
- Nirvana, W. (2022, August). *Meningioma*. Yankes Kemkes.
- Ogasawara, C., Philbrick, B. D., & Adamson, D. C. (2021). Meningioma: A Review of Epidemiology, Pathology, Diagnosis, Treatment, and Future Directions. *Biomedicines*, 9(3). <https://doi.org/10.3390/BIOMEDICINES9030319>
- Opalak, C. F., Parry, M., Rock, A. K., Sima, A. P., Carr, M. T., Chandra, V., Workman, K. G., Somasundaram, A., & Broaddus, W. C. (2019). Comparison of ABC/2 estimation and a volumetric computerized method for measurement of meningiomas using magnetic resonance imaging. *Journal of Neuro-Oncology*, 144(2), 275–282. <https://doi.org/10.1007/s11060-019-03205-z>
- Ostrom, Q. T., Cioffi, G., Gittleman, H., Patil, N., Waite, K., Kruchko, C., & Barnholtz-Sloan, J. S. (2019). CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2012–2016. *Neuro-Oncology*, 21(Suppl 5), v1. <https://doi.org/10.1093/NEUONC/NOZ150>
- Perry, A. (2018). 13 - Meningiomas. *Practical Surgical Neuropathology: A Diagnostic Approach A Volume in the Pattern Recognition Series*, 259–298. <https://doi.org/10.1016/B978-0-323-44941-0.00013-8>
- Puchner, M. J. A., Hans, V. H., Harati, A., Lohmann, F., Glas, M., & Herrlinger, U. (2010). Bevacizumab-induced regression of anaplastic meningioma. *Annals of Oncology: Official Journal of the European Society for Medical Oncology*, 21(12), 2445–2446. <https://doi.org/10.1093/ANNONC/MDQ634>
- Roberts, D. L., Dive, C., & Renehan, A. G. (2010). Biological mechanisms linking obesity and cancer risk: New perspectives. In *Annual Review of Medicine* (Vol. 61). <https://doi.org/10.1146/annurev.med.080708.082713>
- Russo, V. C., Gluckman, P. D., Feldman, E. L., & Werther, G. A. (2005). The insulin-like growth factor system and its pleiotropic functions in brain. In *Endocrine Reviews* (Vol. 26, Issue 7). <https://doi.org/10.1210/er.2004-0024>
- Salah, F., Tabbarah, A., ALArab y, N., Asmar, K., Tamim, H., Makki, M., Sibahi, A., & Hourani, R. (2019). Can CT and MRI features differentiate benign from

- malignant meningiomas? *Clinical Radiology*, 74(11), 898.e15-898.e23. <https://doi.org/10.1016/j.crad.2019.07.020>
- Saloner, D., Uzelac, A., Hetts, S., Martin, A., & Dillon, W. (2010). Modern meningioma imaging techniques. *Journal of Neuro-Oncology*, 99(3), 333–340. <https://doi.org/10.1007/s11060-010-0367-6>
- Seeram, E. (2009). Evolve Student Learning Resources for Seeram: Computed Tomography: Physical Principles, Clinical Applications, and Quality Control, 3rd Edition, offer the following features. In *Saunders Elsevier*. <http://evolve.elsevier.com/Seeram>
- Shao, C., Bai, L. P., Qi, Z. Y., Hui, G. Z., & Wang, Z. (2014). Overweight, Obesity and Meningioma Risk: A Meta-Analysis. *PLoS ONE*, 9(2). <https://doi.org/10.1371/JOURNAL.PONE.0090167>
- Shibuya, M. (2015). Pathology and Molecular Genetics of Meningioma: Recent Advances. *Neurologia Medico-Chirurgica*, 55(1), 14. <https://doi.org/10.2176/NMC.RA.2014-0233>
- Slentz, D. H., Bellur, S., Taheri, M. R., Almira-Suarez, M. I., Sherman, J. H., & Mansour, T. N. (2018). Orbital malignant meningioma: a unique presentation of a rare entity. *Orbit (Amsterdam, Netherlands)*, 37(6), 457–462. <https://doi.org/10.1080/01676830.2018.1437189>
- Soon, W. C., Fountain, D. M., Koczyk, K., Abdulla, M., Giri, S., Allinson, K., Matys, T., Guilfoyle, M. R., Kirollos, R. W., & Santarius, T. (2017). Correlation of volumetric growth and histological grade in 50 meningiomas. *Acta Neurochirurgica*, 159(11), 2169–2177. <https://doi.org/10.1007/s00701-017-3277-y>
- Varlotto, J. M., Flickinger, J., Pavelic, M. T., Specht, C. S., Sheehan, J. M., Timek, D. T., Glantz, M. J., Sogge, S., Dimaio, C., Moser, R., Yunus, S., Fitzgerald, T. J., Upadhyay, U., Rava, P., Tangel, M., Yao, A., & Kanekar, S. (2015). Distinguishing grade I meningioma from higher grade meningiomas without biopsy. *Oncotarget*, 6(35), 38421. <https://doi.org/10.18632/ONCOTARGET.5376>
- Walcott, B. P., Nahed, B. V., Brastianos, P. K., & Loeffler, J. S. (2013). Radiation Treatment for WHO Grade II and III Meningiomas. *Frontiers in Oncology*, 3. <https://doi.org/10.3389/FONC.2013.00227>
- Wang, Y. C., Chuang, C. C., Wei, K. C., Chang, C. N., Lee, S. T., Wu, C. T., Hsu, Y. H., Lin, T. K., Hsu, P. W., Huang, Y. C., Tseng, C. K., Wang, C. C., Chen, Y. L., & Chen, P. Y. (2016). Long Term Surgical Outcome and Prognostic Factors of Atypical and Malignant Meningiomas. *Scientific Reports*, 6. <https://doi.org/10.1038/srep35743>
- Watts, J., Box, G., Galvin, A., Brothie, P., Trost, N., & Sutherland, T. (2014). Magnetic resonance imaging of meningiomas: A pictorial review. *Insights into Imaging*, 5(1), 113–122. <https://doi.org/10.1007/S13244-013-0302-4/FIGURES/21>
- Wiedmann, M., Brunborg, C., Lindemann, K., Johannesen, T. B., Vatten, L., Helseth,



- E., & Zwart, J. A. (2013). Body mass index and the risk of meningioma, glioma and schwannoma in a large prospective cohort study (The HUNT Study). *British Journal of Cancer*, 109(1), 289–294. <https://doi.org/10.1038/bjc.2013.304>
- Wiemels, J., Wrensch, M., & Claus, E. B. (2010). Epidemiology and etiology of meningioma. *Journal of Neuro-Oncology*, 99(3), 307. <https://doi.org/10.1007/S11060-010-0386-3>
- Wilson, T. A., Huang, L., Ramanathan, D., Lopez-Gonzalez, M., Pillai, P., De Los Reyes, K., Kumal, M., & Boling, W. (2020). Review of Atypical and Anaplastic Meningiomas: Classification, Molecular Biology, and Management. *Frontiers in Oncology*, 10(November). <https://doi.org/10.3389/fonc.2020.565582>
- Xiao, D., Liu, J., Hu, T., Shah Nayaz, B. M., Jiang, X., Zhang, F., & Yan, P. (2021). Simple Ways to Estimate Meningioma Volume: Can ABC- And SH-Derived Methods Be Used in Clinical Practice Reliably? *Journal of Oncology*, 2021. <https://doi.org/10.1155/2021/9712287>
- Yamada, S., Kijima, N., Nakagawa, T., Hirayama, R., Kinoshita, M., Kagawa, N., & Kishima, H. (2021). How Much Tumor Volume Is Responsible for Development of Clinical Symptoms in Patients With Convexity, Parasagittal, and Falx Meningiomas? *Frontiers in Neurology*, 12(November), 1–8. <https://doi.org/10.3389/fneur.2021.769656>
- Yao, Y., Xu, Y., Liu, S., Xue, F., Wang, B., Qin, S., Sun, X., & He, J. (2022). Predicting the grade of meningiomas by clinical–radiological features: A comparison of precontrast and postcontrast MRI. *Frontiers in Oncology*, 12(December), 1–12. <https://doi.org/10.3389/fonc.2022.1053089>
- Yu, J., Chen, F. F., Zhang, H. W., Zhang, H., Luo, S. P., Huang, G. D., Lin, F., Lei, Y., & Luo, L. (2020). Comparative Analysis of the MRI Characteristics of Meningiomas According to the 2016 WHO Pathological Classification. *Technology in Cancer Research & Treatment*, 19. <https://doi.org/10.1177/1533033820983287>
- Zhang, S., Chiang, G. C. Y., Knapp, J. M., Zecca, C. M., He, D., Ramakrishna, R., Magge, R. S., Pisapia, D. J., Fine, H. A., Tsiouris, A. J., Zhao, Y., Heier, L. A., Wang, Y., & Kovanlikaya, I. (2020). Grading Meningiomas Utilizing Multiparametric MRI with Inclusion of Susceptibility Weighted Imaging and Quantitative Susceptibility Mapping. *Journal of Neuroradiology = Journal de Neuroradiologie*, 47(4), 272. <https://doi.org/10.1016/J.NEURAD.2019.05.002>