

DAFTAR PUSTAKA

- Abete P, Cacciatore F, Ferrara N, et al. Body mass index and pre-infarction angina in elderly patients with acute myocardial infarction. *Am J Clin Nutr* 2003; 78: 796–801.
- Adamis D, Ball C. Physical morbidity in elderly psychiatric inpatients: Prevalence and possible relations between the major mental disorders and physical illness. *Int J Geriatr Psychiatry*. 2000;15(3):248-53.
- Ahrens T, Deuschle M, Krumm B, et al. (2008) Pituitary-adrenal and sympathetic nervous system responses to stress in women remitted from recurrent major depression. *Psychosomatic Medicine* 70: 461–467.
- Allabadi H, Nicole Probst-Hensch N, Alkaiyat A, et al. Mediators of gender effects on depression among cardiovascular disease patients in Palestine. *BMC Psychiatry* (2019) 19:284.
- Anggana, A. K., Aviliani, A., Badrudin, P. N. R., & Sihaloho, E. D. (2022). Marital Status and Its Effect on Depression in Indonesia: A Case Study of the 2014 Indonesian Family Life Survey. *Disease Prevention and Public Health Journal*, 16(2), 93-99.
- Bayat M, Zabihi S, Karbalaie N, Haghani M. Time-dependent effects of platelet-rich plasma on the memory and hippocampal synaptic plasticity impairment in vascular dementia induced by chronic cerebral hypoperfusion. *Brain Res Bull*. 2020;164:299–306.
- Blum A, Miller H. Pathophysiological role of cytokines in congestive heart failure. *Annu Rev Med* 2001; 52: 15–27.
- Bell, D. S., Goncalves, E. 2019. Heart failure in the patient with diabetes: Epidemiology, aetiology, prognosis, therapy and the effect of glucose-lowering medications. *Diabetes, Obesity and Metabolism*, 21(6), 1277–1290. doi: 10.1111/dom.13652.
- Bhatia SC, Bhatia SK. Depression in women: diagnostic and treatment considerations. *Am Fam Physician*. 1999 Jul;60(1):225-34, 239-40. PMID: 10414640.
- Burnier M, “Medication adherence and persistence as the cornerstone of effective antihypertensive therapy,” *American Journal of Hypertension*, vol. 19, no. 11, pp. 1190–1196, 2006.
- Castren E, Voikar V, Rantamaki T. Role of neurotrophic factors in depression. *Curr Opin Pharmacol* 2007; 7: 18–21.
- Chatila, W.M.; Thomashow, B.M.; Minai, O.A.; Criner, G.J.; Make, B.J. Comorbidities in chronic obstructive pulmonary disease. *Proc. Am. Thorac. Soc*. 2008, 5, 549–555.
- Chen J, Zhai E, Yuan Y, et al. Systemic immune-inflammation index for predicting prognosis of colorectal cancer. *World J Gastroenterol*. 2017; 23(34):6261–6272.

- Cohen SD, Norris L, Acquaviva K, et al. Screening, diagnosis, and treatment of depression in patients with endstage renal disease. *Clin J Am Soc Nephrol*. 2007;2: 1332–1342.
- Cui S, Li J, Liu Y, Yao G, Wu Y, Liu Z, Sun L, Sun L and Liu H (2023) Correlation of systemic immune-inflammation index and moderate/ major depression in patients with depressive disorders: a large sample cross-sectional study. *Front. Psychiatry* 14:1159889.
- Dahlof B (2010) Cardiovascular disease risk factors: epidemiology and risk assessment. *Am J Cardiol* 105(Suppl 1):3A–9A.
- De Bekker A, Geerlings MI, Uitewaal-Poslawsky IE, de Man-van Ginkel JM. Depression in Stroke Survivors: Ten-Year Follow-Up. Determinants of the Natural Course of Depressive Symptoms in Stroke Survivors in the Netherlands: The SMART-Medea Study. *J Stroke Cerebrovasc Dis*. 2022 Mar;31(3):106272. doi: 10.1016/j.jstrokecerebrovasdis.2021.106272.
- De Wit, L.M., van Straten, A., van Herten, M. *et al*. Depression and body mass index, a u-shaped association. *BMC Public Health* 9, 14 (2009).
- Dian CN, Effendy E, Amin MM. The Validation of Indonesian Version of Patient Health Questionnaire-9. *Open-Access Maced J Med Sci*. 2022Mar28; 10(T7):193-198.
- Dietrich-Muszalska A, Wachowicz B. Platelet haemostatic function in psychiatric disorders: effects of antidepressants and antipsychotic drugs. *World J Biol Psychiatry*. (2017) 18:564–74
- Dunlay SM, Roger VL, Weston SA, Jiang R, Redfield MM. Longitudinal changes in ejection fraction in heart failure patients with preserved and reduced ejection fraction. *Circ Heart Fail* 2012; 5:720-726.
- Enfa Z, Yiping C, Chunxiao Y, Huijie L & Xiude F (2023) The systemic immune-inflammation index was non-linear associated with all-cause mortality in individuals with nonalcoholic fatty liver disease, *Annals of Medicine*, 55:1.
- Euteneuer F, Dannehl K, Del Rey A, Engler H, Schedlowski M, Rief W. Immunological effects of behavioral activation with exercise in major depression: an exploratory randomized controlled trial. *Transl Psychiatry*. 2017; 7(5):e1132.
- Eveborn, G.W.; Schirmer, H.; Heggelund, G.; Lundet, P.; Ralsmussen, K. The evolving epidemiology of valvular aortic stenosis. the Tromsø study. *Heart* 2013, 99, 396–400.
- Everson AS, Kaplan GA, Goldberg DE, Salonen JT. Hypertension incidence is predicted by high levels of hopelessness in Finnish men. *Hypertension*. 2000;34(2):561-7.
- Frasere-Smith N, Lesperance F, Juneau M, Talajic M, Bourassa MG. Gender, depression, and one-year prognosis after myocardial infarction. *Psychosom Med* 1999; 61(1): 26-37.
- GBD 2017 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392:1789-1858.

- Ghosh RK, Ball S, Prasad V, Gupta A. Depression in heart failure: Intricate relationship, pathophysiology and most updated evidence of interventions from recent clinical studies. *Int J Cardiol.* 2016 Dec 1;224:170-177.
- Godbout JP, Johnson RW. Age and neuroinflammation: a lifetime of psychoneuroimmune consequences. *Neurol Clin* 2006; 24: 521–538.
- Graham N, Ward J, Mackay D, et al., “Impact of major depression on cardiovascular outcomes for individuals with hypertension: prospective survival analysis in UK Biobank,” *BMJ Open*, vol. 9, no. 9, p. e024433, 2019.
- Guder G, Bauersachs J, Frantz S, et al. Complementary and incremental mortality risk prediction by cortisol and aldosterone in chronic heart failure. *Circulation* 2007; 115: 1754–1761.
- Gunasekaran, K.; Murthi, S.; Elango, K.; Rahi, M.S.; Thilagar, B.; Ramalingam, S.; Voruganti, D.; Paramasivam, V.K.; Kolandaivel, K.P.; Arora, A.; et al. The Impact of Diabetes Mellitus in Patients with Chronic Obstructive Pulmonary Disease (COPD) Hospitalization. *J. Clin. Med.* 2021, 10, 235.
- Hammash MH, Hall LA, Lennie TA, et al. Psychometrics of the PHQ-9 as a measure of depressive symptoms in patients with heart failure. *Eur J Cardiovasc Nurs.* 2013; 12:446–53.
- Han QQ, Yu J. Inflammation: a mechanism of depression? *Neurosci Bull.* 2014; 30(3):515–523.
- Halade, G. V., Kain, V. 2017. Obesity and cardiometabolic defects in heart failure pathology. *Comprehensive Physiology*, 7(4), 1463.
- Hedayati SS, Finkelstein FO. Epidemiology, diagnosis, and management of depression in patients with CKD. *Am J Kidney Dis* 2009;54:741-52.
- Howren MB, Lamkin DM, Suls J. Associations of depression with C-reactive protein, IL-1, and IL-6: a meta-analysis. *Psychosom Med.* 2009; 71:171–86.
- Hu J, Wang L, Fan K, Ren W, Wang Q, Ruan Y, Yuan C, Huang G, He J. The Association Between Systemic Inflammatory Markers and Post-Stroke Depression: A Prospective Stroke Cohort. *Clin Interv Aging.* 2021 Jun 25;16:1231-1239.
- Hu J, Zhou W, Zhou Z, Han J, Dong W. Elevated neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios predict post-stroke depression with acute ischemic stroke. *Exp Ther Med.* 2020;19 (4):2497–2504.
- Klein DN. Classification of depressive disorders in DSM-V: proposal for a two-dimension system. *Abnorm Psychol.* 2008; 117:552–60.
- Kroenke K, Spitzer RL, Williams JBW. The patient health questionnaire-2 validity of a two-item depression screener. *Med Care.* 2003; 41(11):1284–92.
- Leonard BE. (2017) ‘Inflammation and depression: a causal or coincidental link to the pathophysiology’, *Scandinavian College of Neuropsychopharmacology*.
- Li H, Chen C, Wang DW. Inflammatory cytokines, immune cells, and organ interactions in heart failure. *Front Physiol.* (2021) 12:695047.
- Li Z, Li Y, Chen L, Chen P, Hu Y, “Prevalence of depression in patients with hypertension,” *Medicine*, vol. 94, no. 31, p. e1317, 2015.
- Li W, Ling S, Yang Y, et al: Systematic hypothesis for post-stroke depression caused inflammation and neurotransmission and resultant on possible treatments. *Neuroendocrinol Lett* 2014; 35:104–109.

- Liguori I, Russo G, Curcio F, Sasso G, Della-Morte D, Gargiulo G, Pirozzi F, Cacciatore F, Bonaduce D, Abete P, Testa G. Depression and chronic heart failure in the elderly: an intriguing relationship. *J Geriatr Cardiol*. 2018 Jun;15(6):451-459.
- Liu S, Jiang H, Zhang D, Luo J, Zhang H. The association between smoking cessation and depressive symptoms: diet quality plays a mediating role. *Nutrients*. (2022) 14:3047.
- Lolli C, Caffo O, Scarpi E, et al. Systemic immune-inflammation index predicts the clinical outcome in patients with mCRPC treated with abiraterone. *Front Pharmacol*. 2016;7:376.
- Mann DL. Innate immunity and the failing heart: the cytokine hypothesis revisited. *Circ Res*. (2015) 116:1254–68.
- Mbakwem A, Aina F, Amadi C. *Expert Opinion*-Depression in Patients with Heart Failure: Is Enough Being Done? *Card Fail Rev*. 2016 Nov;2(2):110-112. doi: 10.15420/cfr.2016:21:1.
- McDonagh, TA. *et al.* (2021). ‘2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. Developed by the The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). With the special contribution of the Heart Failure Association’. *European Heart Journal* 00, 1-128.
- Miller AH, Maletic V, Raison CL. Inflammation and its discontents: the role of cytokines in the pathophysiology of major depression. *Biol Psychiatry* 2009; 65:732–741.
- Müller N. COX-2 inhibitors, aspirin, and other potential anti-inflammatory treatments for psychiatric disorders. *Front Psychiatry* 2019;10:375.
- Murray CJ, Lopez AD (1997) Global mortality, disability and the contribution of risk factors: global burden of disease study. *Lancet* 349(9063):1436–1442.
- Nair N, Farmer C, Gongora E, et al. Commonality between depression and heart failure. *Am J Cardiol* 2012; 109: 768–772.
- Otte C, Neylan TC, Pipkin SS, et al. Depressive symptoms and 24-hour urinary norepinephrine excretion levels in patients with coronary disease: findings from the Heart and Soul Study. *Am J Psychiatry* 2005; 162: 2139–2145.
- Patria B. The longitudinal effects of education on depression: Finding from the Indonesian national survey. *Front Public Health*. 2022 Oct 20;10:1017995.
- Paulus, C. Tschope, 2013, ‘A novel paradigm for heart failure with preserved ejection fraction: comorbidities drive myocardial dysfunction and remodeling through coronary microvascular endothelial inflammation’, *J. Am. Coll. Cardiol*. 62 (2013) 263–271.
- Piepenburg SM, Faller H, Störk S, Ertl G, Angermann CE. Symptom patterns and clinical outcomes in women versus men with systolic heart failure and depression. *Clin Res Cardiol* 2019; 108: 244–253.
- Pumar, M.I.; Gray, C.R.; Walsh, J.R.; Yang, I.A.; Rolls, T.A.; Ward, D.L. Anxiety and depression-Important psychological comorbidities of COPD. *J. Thorac. Dis*. 2014, 6, 1615–1631.
- Riset Kesehatan Dasar (RISKESDAS) (2018). Jakarta: Kementrian Kesehatan Republik Indonesia. 2018.

- Robinson RG, Jorge RE. Post-Stroke Depression: A Review. *Am J Psychiatry*. 2016 Mar 1;173(3):221-31. doi: 10.1176/appi.ajp.2015.15030363.
- Rodier M, Prigent-Tessier A, Béjot Y, et al. Exogenous t-PA administration increases hippocampal mature BDNF levels. plasmin- or NMDA-dependent mechanism? *PLoS One* 2014; 9: e92416.
- Rutledge T, Reis VA, Linke SE, et al. Depression in heart failure a meta-analytic review of prevalence, intervention effects, and associations with clinical outcomes. *J Am Coll Cardiol* 2006;48(8):1527-37.
- Sandra M. 2012. 'Inflammation and haemostasis'. *Biochemia Medica* 2012;22(1):49-62.
- Savoy C, Van Lieshout RJ, Steiner M. Is plasminogen activator inhibitor-1 a physiological bottleneck bridging major depressive disorder and cardiovascular disease? *Acta Physiol (Oxf)* 2017; 219: 715-727.
- Sbolli M, Fiuzat M, Cani D, O'Connor CM. Depression and heart failure: the lonely comorbidity. *Eur J Heart Fail* 2020; 22:2007-2017.
- Schneider, C.; Jick, S.S.; Bothner, U.; Meier, C.R. COPD and the risk of depression. *Chest* 2010, 137, 341-347.
- Seo M, Yamada T, Morita T, Furukawa Y, Tamaki S, Iwasaki Y, Kawasaki M, Kikuchi A, Kawai T, Ikeda I, et al. Prognostic value of systemic immune-inflammation index in patients with chronic heart failure. *Eur. Heart J*. 2018, 39.
- Shafiee M, Tayefi M, Hassanian SM, et al. Depression and anxiety symptoms are associated with white blood cell count and red cell distribution width: a sex-stratified analysis in a population based study. *Psychoneuroendocrinology*. 2017; 84:101-108.
- Sica DA. Centrally acting antihypertensive agents: an update. *J Clin Hypertens Greenwich Conn*. 2007; 9:399-405.
- Skotzko CE, Krichten C, Zietowski G, et al. Depression is common and precludes accurate assessment of functional status in elderly patients with congestive heart failure. *J Card Fail* 2000; 6: 300-305.
- Sokoreli I, de Vries JJ, Pauws SC, Steyerberg EW. Depression and anxiety as predictors of mortality among heart failure patients: systematic review and meta-analysis. *Heart Fail Rev* 2016; 21:49-63.
- Stordal E, Mykletun A, Dahl AA. The association between age and depression in the general population: a multivariate examination. *Acta Psychiatr Scand*. 2003 Feb;107(2):132-41.
- Tao SH, Ren XQ, Zhang LJ, Liu MY. Association between common cardiovascular drugs and depression. *Chin Med J (Engl)*. 2021 Nov 10;134(22):2656-2665.
- Van den Broek KC, Defilippi CR, Christenson RH, et al. Predictive value of depressive symptoms and B-type natriuretic peptide for new-onset heart failure and mortality. *Am J Cardiol* 2011;107(5): 723-9.
- Van Melle, J.P.; de Jonge, P.; Ormel, J.; Crijns, H.; van Veldhuisen, D.J.; Honig, A.; Schene, A.H.; van den Berg, M.P.; Investigators, M.-I. Relationship between left ventricular dysfunction and depression following myocardial infarction: Data from the MIND-IT. *Eur. Heart J*. 2005, 26, 2650-2656.

- Wang J, Zhou D, Dai Z, Li X. Association Between Systemic Immune-Inflammation Index and Diabetic Depression. *Clin Interv Aging*. 2021 Jan 11; 16: 97-105.
- Wang T, Gao W, Xiao K, Liu Q, Jia R. Interaction between interleukin-6 and angiotensin II receptor 1 in the hypothalamic paraventricular nucleus contributes to progression of heart failure. *Mol Med Rep* 2017;15:4259–4265.
- Wei Y, Feng J, Ma J, Chen D, Xu H, Yin L, et al. Characteristics of platelet-associated parameters and their predictive values in Chinese patients with affective disorders. *BMC Psychiatry*. (2022) 22:150.
- Westman PC, Lipinski MJ, Luger D, et al. Inflammation as a Driver of Adverse Left Ventricular Remodeling After Acute Myocardial Infarction. *J Am Coll Cardiol*. 2016; 67:2050–60.
- Wootton RE, Richmond RC, Stuijzand BG, Lawn RB, Sallis HM, Taylor GMJ, et al. Evidence for causal effects of lifetime smoking on risk for depression and schizophrenia: a Mendelian randomisation study. *Psychol Med*. (2020) 50:2435–43.
- World Health Organization. Depression and Other Common Mental Disorders-Global Health Estimates. Geneva: WHO; 2017.
- White JR, Chang CC, So-Armah KA, et al. Depression and human immunodeficiency virus infection are risk factors for incident heart failure among veterans: Veterans Aging Cohort Study. *Circulation*. 2015; 132:1630-8.
- Yancy CW, Jessup M, Bozkurt B, et al. *2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/ American Heart Association Task Force on Practice Guidelines*. *Journal of the American College of Cardiology* 2013; 62:e147-239.
- Young JJ, Bruno D, Pomara N. A review of the relationship between proinflammatory cytokines and major depressive disorder. *J Affect Disord*. 2014; 169:15–20.
- Zhang L, Bao Y, Tao S, Zhao Y, Liu M. The association between cardiovascular drugs and depression/anxiety in patients with cardiovascular disease: A meta-analysis. *Pharmacol Res*. 2022 Jan;175:106024.
- Zhou L, Ma X, Wang W. Inflammation and Coronary Heart Disease Risk in Patients with Depression in China Mainland: A Cross-Sectional Study. *Neuropsychiatr Dis Treat*. 2020 Jan 9;16:81-86.
- Zunszain PA, Hepgul N and Pariante CM (2013) Inflammation and depression. *Current Topics in Behavioral Neurosciences* 14: 135–151.