



DAFTAR PUSTAKA

- Al-Agamy, M. H., Alhuzani, M. R., Kelany, M. S., and Hamed, M. M. 2021. Production and partial characterization of α -Amylase enzyme from marine Actinomycetes. *BioMed Research International*, ID52898, 1–15. <https://doi.org/10.1155/2021/5289848>
- Araki, T., Higashimoto, Y., and Morishita, T. 1999. Purification and characterization of κ -carrageenase from a marine bacterium, *Vibrio* sp. CA-1004. *Fisheries Science*, 65(6): 937–942.
- Arbi, U. Y. 2016. Populasi dan sebaran jenis moluska dilindungi di perairan Selat Lembeh, Kota Bitung, Sulawesi Utara. *Journal of Tropical Biodiversity and Biotechnology*, 1(2): 31–37. www.jtbb.or.id
- Barbeyron, T., Michel, G., Potin, P., Henrissat, B., and Kloareg, B. 2000. ι -Carrageenases constitute a novel family of glycoside hydrolases, unrelated to that of κ -carrageenases. *Journal of Biological Chemistry*, 275(45): 35499–35505. <https://doi.org/10.1074/jbc.M003404200>
- Barka, E. A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Meier-Kolthoff, J. P., Klenk, H.-P., Clément, C., Ouhdouch, Y., and van Wezel, G. P. 2016. Correction for Barka et al., Taxonomy, Physiology, and Natural Products of Actinobacteria. *Microbiology and Molecular Biology Reviews*, 80(4). <https://doi.org/10.1128/mmbr.00044-16>
- Bayu, A., and Handayani, T. 2018. High-value chemicals from marine macroalgae: Opportunities and challenges for marine-based bioenergy development. *IOP Conference Series: Earth and Environmental Science*, 209(012048): 1–13. <https://doi.org/10.1088/1755-1315/209/1/012046>
- Benhadj, M., Gacemi-Kirane, D., Menasria, T., Guebla, K., and Ahmane, Z. 2019. Screening of rare actinomycetes isolated from natural wetland ecosystem (Fetzara Lake, northeastern Algeria) for hydrolytic enzymes and antimicrobial activities. *Journal of King Saud University - Science*, 31(4): 706–712. <https://doi.org/10.1016/j.jksus.2018.03.008>
- Bharathiraja, S., Suriya, J., Krishnan, M., Manivasagan, P., and Kim, S. K. 2017. Production of enzymes from agricultural wastes and their potential industrial applications. *In Advances in Food and Nutrition Research*, 1(80): 125–148. Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2016.11.003>
- Calvo, G. H., Cosenza, V. A., Sáenz, D. A., Navarro, D. A., Stortz, C. A., Céspedes, M. A., Mamone, L. A., Casas, A. G., and Di Venosa, G. M. 2019. Disaccharides obtained from carrageenan as potential antitumor agents.



UNIVERSITAS
GADJAH MADA

Scientific Reports, 9(1): 1–13. <https://doi.org/10.1038/s41598-019-43238-y>

Campo, V. L., Kawano, D. F., Silva, D. B. da, and Carvalho, I. 2009. Carrageenans: Biological properties, chemical modifications and structural analysis - A review. *Carbohydrate Polymers*, 77(2): 167–180. <https://doi.org/10.1016/j.carbpol.2009.01.020>

Chakraborty, B., Kumar, R. S., Almansour, A. I., Gunasekaran, P., and Nayaka, S. 2022. Bioprospection and secondary metabolites profiling of marine *Streptomyces levis* strain KS46. *Saudi Journal of Biological Sciences*, 29(2): 667–679. <https://doi.org/10.1016/j.sjbs.2021.11.055>

Charoensiddhi, S., Conlon, M. A., Franco, C. M. M., and Zhang, W. 2017. The development of seaweed-derived bioactive compounds for use as prebiotics and nutraceuticals using enzyme technologies. *Trends in Food Science and Technology*, 70: 20–33. <https://doi.org/10.1016/j.tifs.2017.10.002>

Chauhan, P. S., and Saxena, A. 2016. Bacterial carrageenases: an overview of production and biotechnological applications. *3 Biotech*, 6(2): 1–18. <https://doi.org/10.1007/s13205-016-0461-3>

Dilip, C. V, S, M. S., and Chavan, D. V. 2013. a Review on Actinomycetes and Their Biotechnological Application. *International Journal of Pharmaceutical Sciences and Research*, 4(5): 1730. www.ijpsr.com

Duan, F., Yu, Y., Liu, Z., Tian, L., and Mou, H. 2016. An effective method for the preparation of carrageenan oligosaccharides directly from *Eucheuma cottonii* using cellulase and recombinant κ-carrageenase. *Algal Research*, 15: 93–99. <https://doi.org/10.1016/j.algal.2016.02.006>

Embley, T. M. 1994. The molecular phylogeny and systematics of the Actinomycetes. *Annual Review of Microbiology*, 48(1): 257–289. <https://doi.org/10.1146/annurev.micro.48.1.257>

Fujinami, S., and Fujisawa, M. 2010. Industrial applications of alkaliphiles and their enzymes - Past, present and future. *Environmental Technology*, 31(8–9): 845–856. <https://doi.org/10.1080/09593331003762807>

Ghanbarzadeh, M., Golmoradizadeh, A., and Homaei, A. 2018. Carrageenans and carrageenases: versatile polysaccharides and promising marine enzymes. *Phytochemistry Reviews*, 17(3), 535–571. <https://doi.org/10.1007/s11101-018-9548-2>

Gui, Y., Gu, X., Fu, L., Zhang, Q., Zhang, P., and Li, J. 2021. Expression and characterization of a thermostable carrageenase from an Antarctic *Polaribacter* sp. NJDZ03 strain. *Frontiers in Microbiology*, 12(March): 1–



11. <https://doi.org/10.3389/fmicb.2021.631039>
- Guibet, M., Colin, S., Barbeyron, T., Genicot, S., Kloareg, B., Michel, G., and Helbert, W. 2007. Degradation of λ -carrageenan by *Pseudoalteromonas carrageenovora* λ -carrageenase: a new family of glycoside hydrolases unrelated to κ - and ι -carrageenases. *Biochemical Journal*, 404(1): 105–114. <https://doi.org/10.1042/bj20061359>
- Guo, J., Zhang, L., Lu, X., Zeng, S., Zhang, Y., Xu, H., and Zheng, B. 2016. Medium optimization and fermentation kinetics for κ -carrageenase production by *Thalassospira* sp. Fjfst-332. *Molecules*, 21(11): <https://doi.org/10.3390/molecules21111479>
- Guo, J., Zheng, Z., Lu, X., Zeng, S., Chen, C., Zhang, L., and Zheng, B. 2018. Purification and characterisation of κ -carrageenan oligosaccharides prepared by κ -carrageenase from *Thalassospira* sp. Fjfst-332. *Carbohydrate Polymers*, 180(August 2017): 314–327. <https://doi.org/10.1016/j.carbpol.2017.10.043>
- Guo, Z., Wei, Y., Zhang, Y., Xu, Y., Zheng, L., Zhu, B., and Yao, Z. 2022. Carrageenan oligosaccharides: A comprehensive review of preparation, isolation, purification, structure, biological activities and applications. *Algal Research*, 61(December 2021) 102593: 1–14. <https://doi.org/10.1016/j.algal.2021.102593>
- Howlader, M. M., Molz, J., Sachse, N., and Tuvikene, R. 2021. Optimization of fermentation conditions for carrageenase production by *Cellulophaga* species: A comparative study. *Biology*, 10(10): 1–14. <https://doi.org/10.3390/biology10100971>
- Jagtap, A. S., and Manohar, C. S. 2021. Overview on microbial enzymatic production of algal oligosaccharides for nutraceutical applications. *Marine Biotechnology*, 23(2): 159–176. <https://doi.org/10.1007/s10126-021-10027-6>
- Jouanneau, D., Boulenguer, P., Mazoyer, J., and Helbert, W. 2010. Enzymatic degradation of hybrid ι -/ ν -carrageenan by *Alteromonas fortis* ι -carrageenase. *Carbohydrate Research*, 345(7): 934–940. <https://doi.org/10.1016/j.carres.2010.02.014>
- Kalitnik, A. A., Byankina Barabanova, A. O., Nagorskaya, V. P., Reunov, A. V., Glazunov, V. P., Solov'eva, T. F., and Yermak, I. M. 2013. Low molecular weight derivatives of different carrageenan types and their antiviral activity. *Journal of Applied Phycology*, 25(1): 65–72. <https://doi.org/10.1007/s10811-012-9839-8>



Kalra, E. K. 2003. Nutraceutical - Definition and introduction. *AAPS Journal*, 5(3): 1–2.

Kambey, C. S. B., Campbell, I., Sondak, C. F. A., Nor, A. R. M., Lim, P. E., and Cottier-Cook, E. J. 2020. An analysis of the current status and future of biosecurity frameworks for the Indonesian seaweed industry. *Journal of Applied Phycology*, 32(4): 2147–2160. <https://doi.org/10.1007/s10811-019-02020-3>

Kang, S., and Kim, J. K. yu. 2015. Reuse of red seaweed waste by a novel bacterium, *Bacillus* sp. SYR4 isolated from a sandbar. *World Journal of Microbiology & Biotechnology*, 31(1): 209–217. <https://doi.org/10.1007/s11274-014-1778-x>

Khambhaty, Y., Mody, K., Gandhi, M. R., Thampy, S., Maiti, P., Brahmbhatt, H., Eswaran, K., and Ghosh, P. K. 2012. *Kappaphycus alvarezii* as a source of bioethanol. *Bioresource Technology*, 103(1): 180–185. <https://doi.org/10.1016/j.biortech.2011.10.015>

Khotijah, S., Irfan, M., and Muchdar, F. 2020. Komposisi nutrisi pada rumput laut *Kappaphycus alvarezii*. *Agrikan: Jurnal Agribisnis Perikanan*, 13(2): 139–146. <https://doi.org/10.29239/j.agrikan.13.2.139-146>

Kobayashi, T., Uchimura, K., Koide, O., Deguchi, S., and Horikoshi, K. 2012. Genetic and biochemical characterization of the *pseudoalteromonas tetraodonis* alkaline κ -carrageenase. *Bioscience, Biotechnology and Biochemistry*, 76(3): 506–511. <https://doi.org/10.1271/bbb.110809>

Krishnamoorthy, K., and Landge, A. V. 2018. Statistical optimisation of fermentation media for novel *Clostridium novyi*-NT using Response Surface Methodology. *Brazilian Archives of Biology and Technology*, 61: 1–15. <https://doi.org/10.1590/1678-4324-2018180026>

Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of *Bacteriophage T4*. *Nature Publishing Group*, 227: 680–685.

Li, J., Gu, X., Zhang, Q., Fu, L., Tan, J., and Zhao, L. 2022. Biochemical characterization of a carrageenase, Car1383, derived from associated bacteria of Antarctic macroalgae. *Frontiers in Microbiology*, 13:851182. <https://doi.org/10.3389/fmicb.2022.851182>

Li, J., Hu, Q., and Seswita-Zilda, D. 2014. Purification and characterization of a thermostable λ -carrageenase from a hot spring bacterium, *Bacillus* sp. *Biotechnology Letters*, 36(8): 1669–1674. <https://doi.org/10.1007/s10529-014-1520-7>



- Li, S., He, N., Han, Q., Li, X., Jung, S., Suk Lee, B., Kumar Mongre, R., Wang, Z. P., Wang, L., and Lee, M. S. 2021. Production of a thermo-tolerant κ -carrageenase via a food-grade host and anti-oxidant activity of its enzymatic hydrolysate. *Food Chemistry*, 339, 128027: 1–9. <https://doi.org/10.1016/j.foodchem.2020.128027>
- Liu, J. M., Haroun-Bouhedja, F., and Boisson-Vidal, C. 2000. Analysis of the in vitro inhibition of mammary adenocarcinoma cell adhesion by sulphated polysaccharides. *Anticancer Research*, 20(5): 3265–3271.
- Liu, X., and Kokare, C. 2017. Microbial Enzymes of Use in Industry. In *Biotechnology of Microbial Enzymes: Production, Biocatalysis and Industrial Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-803725-6.00011-X>
- Madigan, M. T., Martinko, J.M., Bender, K.S., Buckley, D.H., and Stahl, D.A., 2015. *Brock Biology of Microorganisms 14th E*, Global Edition, Pearson Education, 99 p.
- Maryana, R., Dewi, C., Rosyida, V. T., Wahono, S. K., Pratiwi, D., and Bardant, T. B. 2013. Study of bioethanol production from seaweed waste. *The 3rd ACIKITA International Conference on Science and Technology (AICST), March 2015*, 170–178. <https://doi.org/10.13140/RG.2.1.3167.3449>
- Matard-Mann, M., Bernard, T., Leroux, C., Barbeyron, T., Larocque, R., Préchoux, A., Jeudy, A., Jam, M., Collén, P. N., Michel, G., and Czjzek, M. 2017. Structural insights into marine carbohydrate degradation by family GH16 κ -carrageenases. *Journal of Biological Chemistry*, 292(48): 19919–19934. <https://doi.org/10.1074/jbc.M117.808279>
- Michel, G., Chantalat, L., Duee, E., Barbeyron, T., Henrissat, B., Kloareg, B., and Dideberg, O. 2001. The κ -carrageenase of *P. carrageenovora* Features a Tunnel-Shaped Active Site. *Structure*, 9(6): 513–525. [https://doi.org/10.1016/s0969-2126\(01\)00612-8](https://doi.org/10.1016/s0969-2126(01)00612-8)
- Miller G.L. 1959. Use of Dinitrosalicylic Acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31(3): 426~428.
- Mukhtar, S., Zaheer, A., Aiysha, D., Abdulla Malik, K., and Mehnaz, S. 2017. Actinomycetes: A source of industrially important enzymes. *Journal of Proteomics & Bioinformatics*, 10(12): 316–319. <https://doi.org/10.4172/jpb.1000456>
- Muzyed, S., Howlader, M. M., and Tuvikene, R. 2021. Fermentation optimization, purification and biochemical characterization of ι -carrageenase from marine bacterium *Cellulophaga baltica*. *International Journal of Biological*



Macromolecules, 166: 789–797.
<https://doi.org/10.1016/j.ijbiomac.2020.10.236>

Nadhifah, H., Rahmani, N., Mangunwardoyo, W., Yopi, Atikana, A., Ratnakomala, S., and Lisdiyanti, P. 2023. Xylanopectinolytic enzymes by marine Actinomycetes from sediments of Sarena Kecil, North Sulawesi: high potential to produce galacturonic acid and xylooligosaccharides from raw biomass. *Journal of Genetic Engineering and Biotechnology*, 21(31): 1-11. <https://doi.org/10.1186/s43141-023-00488-8>

Naim, M., Burhanuddin, B., Lapondu, D., and Roslan, R. 2018. Rancang bangun protipe oven pengering rumput laut untuk UKM di wilayah Kabupaten Luwu Timur. *Dinamika: Jurnal Ilmiah Teknik Mesin*, 10(1): 47–54.

Naval, P., and Sainathan, C. 2019. *Alteromonas macleodii* KS62 (MTCC 12606): A novel κ-carrageenase producing microorganism. *International Journal of Microbiology and Biotechnology*, 4(4): 128-132. <https://doi.org/10.11648/j.ijmb.20190404.13>

Nguyen, T. N. T., Chataway, T., Araujo, R., Puri, M., and Franco, C. M. M. 2021. Purification and characterization of a novel alginate lyase from a marine *Streptomyces* species isolated from seaweed. *Marine Drugs*, 19(11): 1–15. <https://doi.org/10.3390/md19110590>

Offei, F., Mensah, M., Thygesen, A., and Kemausuor, F. 2018. Seaweed bioethanol production: A process selection review on hydrolysis and fermentation. *Fermentation*, 4(4): 1–18. <https://doi.org/10.3390/fermentation4040099>

Pereira, L., Amado, A. M., Critchley, A. T., van de Velde, F., and Ribeiro-Claro, P. J. A. 2009. Identification of selected seaweed polysaccharides (phycocolloids) by vibrational spectroscopy (FTIR-ATR and FT-Raman). *Food Hydrocolloids*, 23(7): 1903–1909. <https://doi.org/10.1016/j.foodhyd.2008.11.014>

Potin, P., Sanseau, A., Le Gall, Y., Rochas, C., and Kloareg, B. 1991. Purification and characterization of a new κ-carrageenase from a marine Cytophaga-like bacterium. *European Journal of Biochemistry*, 201(1): 241–247. <https://doi.org/10.1111/j.1432-1033.1991.tb16280.x>

Prasetyaningrum, A., Praptyana, I. R., Nurfiningsih, and Ratnawati. 2019. Carrageenan: Nutraceutical and functional food as future food. *IOP Conference Series: Earth and Environmental Science*, 292(012068): 1-8. <https://doi.org/10.1088/1755-1315/292/1/012068>

Putri, A. M., Uju, and Hardiningtyas, S. D. 2021. Pengaruh jenis pelarut dan ultrasonikasi terhadap ekstrak fikoeritrin dari *Kappaphycus alvarezii*.



Jurnal Pengolahan Hasil Perikanan Indonesia, 24(2): 269–283.
<https://doi.org/10.17844/jphpi.v24i2.37182>

Rahmani, N., Apriliana, P., Jannah, A. M., Ratnakomala, S., Lisdiyanti, P., Hermiati, E., Prasetya, B., and Yopi. 2019. Endo-xylanase enzyme from marine Actinomycetes and its potential for xylooligosaccharide production. *IOP Conference Series: Earth and Environmental Science*, 251(012028):1-8. <https://doi.org/10.1088/1755-1315/251/1/012053>

Rahmani, N., Kahar, P., Lisdiyanti, P., Hermiati, E., Lee, J., Yopi, Prasetya, B., Ogino, C., and Kondo, A. 2018. Xylanase and feruloyl esterase from Actinomycetes cultures could enhance sugarcane bagasse hydrolysis in the production of fermentable sugars. *Bioscience, Biotechnology and Biochemistry*, 82(5): 904–915. <https://doi.org/10.1080/09168451.2018.1438169>

Rahmani, N., Kashiwagi, N., Lee, J. M., Niimi-Nakamura, S., Matsumoto, H., Kahar, P., Lisdiyanti, P., Yopi, Prasetya, B., Ogino, C., and Kondo, A. 2017. Mannan endo-1,4- β -mannosidase from *Kitasatospora* sp. isolated in Indonesia and its potential for production of mannooligosaccharides from mannan polymers. *AMB Express*, 7(1): 1–11. <https://doi.org/10.1186/s13568-017-0401-6>

Rajendran, K., Krishnamoorthy, M., Karuppiah, K., Ethiraj, K., and Sekar, S. 2023. Chitinase from *Streptomyces mutabilis* as an effective eco-friendly biocontrol agent. *Applied Biochemistry and Biotechnology*, 0123456789. <https://doi.org/10.1007/s12010-023-04489-8>

Ramesh, S., and Mathivanan, N. 2009. Screening of marine Actinomycetes isolated from the Bay of Bengal, India for antimicrobial activity and industrial enzymes. *World Journal of Microbiology and Biotechnology*, 25(12): 2103–2111. <https://doi.org/10.1007/s11274-009-0113-4>

Reiffová, K. 2014. Analysis of food bioactive oligosaccharides by Thin-Layer Chromatography. *Food Oligosaccharides: Production, Analysis and Bioactivity*, 9781118426: 350–369. <https://doi.org/10.1002/9781118817360.ch19>

Rhein-Knudsen, N., Ale, M. T., and Meyer, A. S. 2015. Seaweed hydrocolloid production: An update on enzyme assisted extraction and modification technologies. *Marine Drugs*, 13(6): 3340–3359. <https://doi.org/10.3390/md13063340>

Riskawati, R., and Syarifuddin, S. 2019. PKM teknologi *Kappaphycus Alvarezii* dryer bagi Pengusaha rumput laut di Kabupaten Bantaeng. *Sewagati*, 3(3): 45–50. <https://doi.org/10.12962/j26139960.v3i3.6112>



- Rukisah, Ihsan, B., and Gunawan, A. 2019. Pengaruh kedalaman terhadap pertumbuhan dan produksi serta warna rumput laut (*Kappaphycus alvarezii*) di perairan Pantai Amal Kota Tarakan. *Jurnal Agroqua*, 18(1): 65–74. <https://doi.org/10.32663/ja.v%vi%.1148>
- Sakhtiselvan, P., Meenambiga, S.S., and Madhumathi, R., 2019, Cell Growth, Chapter: Kinetic Studies on Cell Growth, IntechOpen, London. DOI: 10.5772/intechopen.84353\
- Sarkar, S., Pramanik, A., Mitra, A., and Mukherjee, J. 2010. Bioprocessing data for the production of marine enzymes. *Marine Drugs*, 8(4): 1323–1372. <https://doi.org/10.3390/md8041323>
- Šegan, S., Opsenica, D., and Milojković-Opsenica, D. 2019. Thin-layer chromatography in medicinal chemistry. *Journal of Liquid Chromatography and Related Technologies*, 42(9–10): 238–248. <https://doi.org/10.1080/10826076.2019.1585615>
- Singh, V., Haque, S., Niwas, R., Srivastava, A., Pasupuleti, M., and Tripathi, C. K. M. 2017. Strategies for fermentation medium optimization: An in-depth review. *Frontiers in Microbiology*, 7 1087: 1-16. <https://doi.org/10.3389/fmicb.2016.02087>
- Subaryono. 2018. Carrageenan oligosaccharides: Biological activity and its development opportunities in Indonesia. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 13(1): 35–43.
- Subramani, R., and Sipkema, D. 2019. Marine rare actinomycetes: A promising source of structurally diverse and unique novel natural products. *Marine Drugs*, 17(249): 1-40. <https://doi.org/10.3390/md17050249>
- Sun, Y., Yang, B., Wu, Y., Liu, Y., Gu, X., Zhang, H., Wang, C., Cao, H., Huang, L., and Wang, Z. 2015. Structural characterization and antioxidant activities of κ-carrageenan oligosaccharides degraded by different methods. *Food Chemistry*, 178: 311–318. <https://doi.org/10.1016/j.foodchem.2015.01.105>
- Tipton, K. F., and Dixon, H. B. F. 1979. [9] Effects of pH on Enzymes. In Methods in Enzymology (Vol. 63, Issue C). [https://doi.org/10.1016/0076-6879\(79\)63011-2](https://doi.org/10.1016/0076-6879(79)63011-2)
- Tuiyo, R., and MoO, Z. A. 2023. Kandungan karagenan dan kekuatan gel *Kappaphycus alvarezii* hasil budidaya teknologi kultur jaringan. *Fish Jambura Processing Journal*, 5(1): 27–35.
- Waters, T., Jones, R., Theuerkauf, S., Lionata, H., Prasetyo, T., Subhan, W.,



Muhammad, U., Amin, I., and Muhammad, I. 2019. Coastal conservation and sustainable livelihoods through seaweed aquaculture in Indonesia: A guide for buyers, conservation practitioners, and farmers, Version 1. The Nature Conservancy (Issue V1). Arlington VA, USA and Jakarta, Indonesia.

Xiao, Q., Zhu, Y., Li, J., Wu, C., Ni, H., and Xiao, A. 2018. Fermentation optimization and enzyme characterization of a new ι -carrageenase from *Pseudoalteromonas carrageenovora* ASY5. *Electronic Journal of Biotechnology*, 32: 26–34. <https://doi.org/10.1016/j.ejbt.2017.12.005>

Yao, Z., Wang, F., Gao, Z., Jin, L., and Wu, H. 2013. Characterization of a κ -carrageenase from marine *Cellulophaga lytica* strain N5-2 and analysis of its degradation products. *International Journal of Molecular Sciences*, 14(12): 24592–24602. <https://doi.org/10.3390/ijms141224592>

Yao, Z., Wang, T., Wang, Y., and Lu, R. 2022. κ -Carrageenan oligosaccharides postpone the progression of Alzheimer's disease by inhibiting neuronal damage caused by microglial overactivation. *Research Square*, 1–20. <https://doi.org/https://doi.org/10.21203/rs.3.rs-1588494/v1>

Yao, Z., Wu, H., Zhang, S., and Du, Y. 2014. Enzymatic preparation of κ -carrageenan oligosaccharides and their anti-angiogenic activity. *Carbohydrate Polymers*, 101(1): 359–367. <https://doi.org/10.1016/j.carbpol.2013.09.055>

Youssef, A. S., Beltagy, E. A., El-Shenawy, M. A., and El-Assar, S. A. 2012. Production of κ -carrageenase by *Cellulosimicrobium cellulans* isolated from Egyptian Mediterranean coast. *African Journal of Microbiology Research*, 6(37), 6618–6628. <https://doi.org/10.5897/AJMR12.517>

Zainal Ariffin, S. H., Yeen, W. W., Zainol Abidin, I. Z., Megat Abdul Wahab, R., Zainal Ariffin, Z., and Senafi, S. 2014. Cytotoxicity effect of degraded and undegraded kappa and iota carrageenan in human intestine and liver cell lines. *BMC Complementary and Alternative Medicine*, 14(1): 1–16. <https://doi.org/10.1186/1472-6882-14-508>

Zhao, D., Jiang, B., Zhang, Y., Sun, W., Pu, Z., and Bao, Y. 2021. Purification and characterization of a cold-adapted κ -carrageenase from *Pseudoalteromonas* sp. ZDY3. *Protein Expression and Purification*, 178(2): 105768. <https://doi.org/10.1016/j.pep.2020.105768>

Zhu, B. W., Xiong, Q., Ni, F., Sun, Y., and Yao, Z. 2018. High-level expression and characterization of a new κ -carrageenase from marine bacterium *Pedobacter hainanensis* NJ-02. *Letters in Applied Microbiology*, 66(5): 409–415. <https://doi.org/10.1111/lam.12865>



Ziayoddin, M., Lalitha, J., and Shinde, M. 2014. Increased production of carrageenase by *Pseudomonas aeruginosa* ZSL-2 using Taguchi experimental design. *International Letters of Natural Sciences*, 17: 194–207. <https://doi.org/10.18052/www.scipress.com/ilns.17.194>