



DAFTAR PUSTAKA

- Ardika, M., Meilano, I., & Gunawan, E. (2015). Postseismic deformation parameters of the 2010 M7.8 Mentawai, Indonesia, earthquake inferred from continuous GPS observations. *Asian Journal of Earth Sciences*, 8(4), 127–133. <https://doi.org/10.3923/ajes.2015.127.133>
- Aris, W. A. W., Musa, T. A., & Omar, K. (2016). Estimation of co- and postseismic deformation after the mw 8.6 nias-semeulue and mw 8.5 bengkulu earthquakes from continuous GPS data. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4W1), 61–64. <https://doi.org/10.5194/isprs-archives-XLII-4-W1-61-2016>
- Avouac, J. P. (2015). From geodetic imaging of seismic and aseismic fault slip to dynamic modeling of the seismic cycle. *Annual Review of Earth and Planetary Sciences*, 43, 233–271. <https://doi.org/10.1146/annurev-earth-060614-105302>
- Bamler, R., & Hartl, P. (1998). Synthetic aperture radar interferometry. *IOP Conference Series: Earth and Environmental Science*, 14(September), 1–55.
- Bedford, J., Moreno, M., Baez, J. C., Lange, D., Tilman, F., Rosenau, M., Heidbach, O., Oncken, O., Bartsch, M., Rietbrock, A., Tassara, A., Bevis, M., & Vigny, C. (2013). A high-resolution, time-variable afterslip model for the 2010 Maule Mw = 8.8, Chile megathrust earthquake. *Earth and Planetary Science Letters*, 383, 26–36. <https://doi.org/10.1016/j.epsl.2013.09.020>
- Behr, W. M., & Bürgmann, R. (2021). What's down there? The structures, materials and environment of deep-seated slow slip and tremor. In *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* (Vol. 379, Issue 2193). <https://doi.org/10.1098/rsta.2020.0218>
- BMKG. (2018). Akibat Gempabumi Donggala. *Badan Meteorologi, Klimatologi, Dan Geofisika, September*.
- Borgia, A., Tizzani, P., Solaro, G., Manzo, M., Casu, F., Luongo, G., Pepe, A., Berardino, P., Fornaro, G., Sansosti, E., Ricciardi, G. P., Fusi, N., Di Donna, G., & Lanari, R. (2005). Volcanic spreading of Vesuvius, a new paradigm for interpreting its volcanic activity. *Geophysical Research Letters*, 32(3), 1–4. <https://doi.org/10.1029/2004GL022155>
- Chen, S. K., Wu, Y. M., & Chan, Y. C. (2018). Episodic Slow Slip Events and Overlying Plate Seismicity at the Southernmost Ryukyu Trench. *Geophysical Research Letters*, 45(19), 10,369-10,377. <https://doi.org/10.1029/2018GL079740>
- Chen, S. K., Wu, Y. M., & Chan, Y. C. (2022). Slow slip events following the afterslip of the 2002 Mw 7.1 Hualien offshore earthquake, Taiwan. *Earth, Planets and Space*, 74(1). <https://doi.org/10.1186/s40623-022-01629-y>
- Chlieh, M., Avouac, J. P., Hjorleifsdottir, V., Song, T. R. A., Ji, C., Sieh, K., Sladen,



- A., Hebert, H., Prawirodirdjo, L., Bock, Y., & Galetzka, J. (2007). Coseismic slip and afterslip of the great Mw 9.15 Sumatra-Andaman earthquake of 2004. *Bulletin of the Seismological Society of America*, 97(1 A SUPPL.), 152–173. <https://doi.org/10.1785/0120050631>
- Davis, G. H., 1993. Basic science planning initiative in “active tectonics.” EOS: Transactions, American Geophysical Union, 74(43):59
- Diao, F., Xiong, X., Wang, R., Zheng, Y., Walter, T. R., Weng, H., & Li, J. (2013). Overlapping post-seismic deformation processes: Afterslip and viscoelastic relaxation following the 2011Mw 9.0 tohoku (Japan) earthquake. *Geophysical Journal International*, 196(1), 218–229. <https://doi.org/10.1093/gji/ggt376>
- Even, M., & Schulz, K. (2018). InSAR deformation analysis with distributed scatterers: A review complemented by new advances. *Remote Sensing*, 10(5). <https://doi.org/10.3390/rs10050744>
- Fang, J., Xu, C., Wen, Y., Wang, S., Xu, G., Zhao, Y., & Yi, L. (2019a). The 2018 Mw 7.5 Palu earthquake: A supershear rupture event constrained by InSAR and broadband regional seismograms. *Remote Sensing*, 11(11), 1–15. <https://doi.org/10.3390/rs11111330>
- Fang, J., Xu, C., Wen, Y., Wang, S., Xu, G., Zhao, Y., & Yi, L. (2019b). The 2018 Mw 7.5 Palu earthquake: A supershear rupture event constrained by InSAR and broadband regional seismograms. *Remote Sensing*, 11(11). <https://doi.org/10.3390/rs11111330>
- Fernandez, J., Prieto, J. F., Escayo, J., Camacho, A. G., Luzón, F., Tiampo, K. F., Palano, M., Abajo, T., Pérez, E., Velasco, J., Herrero, T., Bru, G., Molina, I., López, J., Rodríguez-Velasco, G., Gómez, I., & Mallorquí, J. J. (2018). Modeling the two- and three-dimensional displacement field in Lorca, Spain, subsidence and the global implications. *Scientific Reports*, 8(1). <https://doi.org/10.1038/s41598-018-33128-0>
- Fuhrmann, T., & Garthwaite, M. C. (2019). Resolving three-dimensional surface motion with InSAR: Constraints from multi-geometry data fusion. *Remote Sensing*, 11(3). <https://doi.org/10.3390/rs11030241>
- Fujiwara, S., Nishimura, T., Murakami, M., Nakagawa, H., Tobita, M., & Rosen, P. A. (2000). 2.5-D surface deformation of M6.1 earthquake near Mt Iwate detected by SAR interferometry. *Geophysical Research Letters*, 27(14), 2049–2052.
- Fujiwara, S., Tobita, M., & Ozawa, S. (2022). Spatiotemporal functional modeling of postseismic deformations after the 2011 Tohoku-Oki earthquake. In *Earth, Planets and Space* (Vol. 74, Issue 1). <https://doi.org/10.1186/s40623-021-01568-0>
- Hansen, P. C. (2002). The L-curve and its Use in The Numerical Treatment of Inverse Problems. *Technical University of Denmark, DK-2800 Lyngby, Denmark*, 35(1), 51. [https://doi.org/10.1016/s1532-0464\(02\)00008-4](https://doi.org/10.1016/s1532-0464(02)00008-4)
- Hanssen, R. F. (2002). *Radar Interferometry, Data Interpretation and Error Analysis*.



UNIVERSITAS
GADJAH MADA

Pemodelan Deformasi Postseismic Berdasarkan Variasi Spatiotemporal Setelah Gempa Palu Magnitudo 7,4

Menggunakan Data Time-Series InSAR 2,5D Tahun 2018-2021

Irma Yusiyanti, Cecep Pratama, S.Si., M.Si., D.Sc.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

KLUWER ACADEMIC PUBLISHERS.

- He, L., Feng, G., Li, Z., Feng, Z., Gao, H., & Wu, X. (2019). Source parameters and slip distribution of the 2018 Mw 7.5 Palu, Indonesia earthquake estimated from space-based geodesy. *Tectonophysics*, 772(May), 228216. <https://doi.org/10.1016/j.tecto.2019.228216>
- Hsu, Y.-J., Bechor, N., Segall, P., Yu, S.-B., & Kuo, L.-C. (2003). *Geophysical Research Letters - 2002 - Hsu - Rapid afterslip following the 1999 Chi-Chi Taiwan Earthquake.pdf*.
- Hsu, Y.-J., Simons, M., Avouac, J.-P., Galetzka, J., Sieh, K., Chlieh, M., Natawidjaja, D., Prawirodirdjo, L., & Bock, Y. (2006). Frictional Afterslip Following the 2005. *Environmental Protection*, 312(June), 1921–1926.
- Hu, J., Li, Z. W., Ding, X. L., Zhu, J. J., Zhang, L., & Sun, Q. (2014). Resolving three-dimensional surface displacements from InSAR measurements: A review. *Earth-Science Reviews*, 133, 1–17. <https://doi.org/10.1016/j.earscirev.2014.02.005>
- Huang, M. H., Tung, H., Fielding, E. J., Huang, H. H., Liang, C., Huang, C., & Hu, J. C. (2016). Multiple fault slip triggered above the 2016 Mw 6.4 MeiNong earthquake in Taiwan. *Geophysical Research Letters*, 43(14), 7459–7467. <https://doi.org/10.1002/2016GL069351>
- Ikari, M. J., Marone, C., Saffer, D. M., & Kopf, A. J. (2013). Slip weakening as a mechanism for slow earthquakes. *Nature Geoscience*, 6(6), 468–472. <https://doi.org/10.1038/ngeo1818>
- Itoh, Y., & Nishimura, T. (2016). Characteristics of postseismic deformation following the 2003 Tokachi-oki earthquake and estimation of the viscoelastic structure in Hokkaido, northern Japan 6. Geodesy. *Earth, Planets and Space*, 68(1). <https://doi.org/10.1186/s40623-016-0533-y>
- Jaya, A., Nishikawa, O., & Jumadil, S. (2019). Distribution and morphology of the surface ruptures of the 2018 Donggala–Palu earthquake, Central Sulawesi, Indonesia. *Earth, Planets and Space*, 71(1). <https://doi.org/10.1186/s40623-019-1126-3>
- Jónsson, S., Segall, P., Pedersen, R., & Björnsson, G. (2003). Post-earthquake ground movements correlated to pore-pressure transients. *Nature*, 424(6945), 179–183. <https://doi.org/10.1038/nature01776>
- Kaharuddin, M. .., Hutagalung, R., & Nurhamdan. (2011). Terhadap Potensi Gempa Dan Tsunami. *PROCEEDINGS JCM MAKASSAR 2011 The 36th HAGI and 40th IAGI Annual Convention and Exhibition Makassar, September*, 26–29.
- Keller, E. A., & Pinter, N. (2002). *Active Tectonics Active Tectonics Edition*. Prentice Hall Earth Science Series.
- Lanari, R., Casu, F., Manzo, M., Zeni, G., Berardino, P., Manunta, M., & Pepe, A. (2007). An overview of the Small Baseline Subset algorithm: A DInSAR technique for surface deformation analysis. *Pure and Applied Geophysics*,



164(4), 637–661. <https://doi.org/10.1007/s00024-007-0192-9>

Lazecky, M., Spaans, K., González, P. J., Maghsoudi, Y., Morishita, Y., Albino, F., Elliott, J., Greenall, N., Hatton, E., Hooper, A., Juncu, D., McDougall, A., Walters, R. J., Watson, C. S., Weiss, J. R., & Wright, T. J. (2020). LiCSAR: An automatic InSAR tool for measuring and monitoring tectonic and volcanic activity. *Remote Sensing*, 12(15). <https://doi.org/10.3390/RS12152430>

Lin, Y. N. N., Sladen, A., Ortega-Culaciati, F., Simons, M., Avouac, J. P., Fielding, E. J., Brooks, B. A., Bevis, M., Genrich, J., Rietbroek, A., Vigny, C., Smalley, R., & Socquet, A. (2013). Coseismic and postseismic slip associated with the 2010 Maule Earthquake, Chile: Characterizing the Arauco Peninsula barrier effect. *Journal of Geophysical Research: Solid Earth*, 118(6), 3142–3159. <https://doi.org/10.1002/jgrb.50207>

Lundgren, P., Casu, F., Manzo, M., Pepe, A., Berardino, P., Sansosti, E., & Lanari, R. (2004). Gravity and magma induced spreading of Mount Etna volcano revealed by satellite radar interferometry. *Geophysical Research Letters*, 31(4), 1–4. <https://doi.org/10.1029/2003GL018736>

Mahendra, G., & Panuntun, H. (2021). Ekstraksi Deformasi Koseismik 2.5-D Menggunakan Data Multiple SAR Sentinel- 1 (Studi Kasus Gempa Bumi Iran 14 November 2021). *Journal of Geospatial Information Science and Engineering*, 4(1), 81–86. <https://doi.org/10.22146/jgise.78205>

Manzo, M., Ricciardi, G. P., Casu, F., Ventura, G., Zeni, G., Borgström, S., Berardino, P., Del Gaudio, C., & Lanari, R. (2006). Surface deformation analysis in the Ischia Island (Italy) based on spaceborne radar interferometry. *Journal of Volcanology and Geothermal Research*, 151(4), 399–416. <https://doi.org/10.1016/j.jvolgeores.2005.09.010>

Mardhatillah, E., Anggraini, A., & Nukman, M. (2020). Tinjauan Perubahan Stress Coulomb Ko-Seismik Pada Sekuens Gempa Palu M 7,5 28 September 2018. *Jurnal Fisika Indonesia*, 24(3), 175. <https://doi.org/10.22146/jfi.v24i3.58237>

Marone, C. J., Scholtz, C. H., & Bilham, R. (1991). On the mechanics of earthquake afterslip. *Journal of Geophysical Research*, 96(B5), 8441–8452. <https://doi.org/10.1029/91JB00275>

Massonnet, D., & Feigl, K. L. (1998). Radar interferometry and its application to changes in the earth's surface. *Reviews of Geophysics*, 36(4), 441–500. <https://doi.org/10.1029/97RG03139>

Matsu'ura, M., & Sato, T. (1989). A dislocation model for the earthquake cycle at convergent plate boundaries. *Geophysical Journal International*, 96(1), 23–32. <https://doi.org/10.1111/j.1365-246X.1989.tb05247.x>

Melosh, H. J., & Raefsky, A. (1983). Anelastic response of the earth to a dip slip earthquake. *Journal of Geophysical Research*, 88(B1), 515–526. <https://doi.org/10.1029/JB088iB01p00515>

Molugaram, K., & Rao, G. S. (2017). Analysis of Time Series. *Statistical Techniques*



for Transportation Engineering, 463–489. <https://doi.org/10.1016/b978-0-12-811555-8.00012-x>

Morishita, Y., Lazecky, M., Wright, T. J., Weiss, J. R., Elliott, J. R., & Hooper, A. (2020). LiCSBAS: An open-source insar time series analysis package integrated with the LiCSAR automated sentinel-1 InSAR processor. *Remote Sensing*, 12(3), 5–8. <https://doi.org/10.3390/rs12030424>

Nijholt, N., Simons, W. J. F., Efendi, J., Sarsito, D. A., & Riva, R. E. M. (2021). A Transient in Surface Motions Dominated by Deep Afterslip Subsequent to a Shallow Supershear Earthquake: The 2018 Mw7.5 Palu Case. *Geochemistry, Geophysics, Geosystems*, 22(4). <https://doi.org/10.1029/2020GC009491>

Nur, A., & Mavko, G. (1974). Postseismic Viscoelastic Rebound. *Science*, 183(10).

Ozawa, S., Nishimura, T., Munekane, H., Suito, H., Kobayashi, T., Tobita, M., & Imakiire, T. (2012). Preceding, coseismic, and postseismic slips of the 2011 Tohoku earthquake, Japan. *Journal of Geophysical Research: Solid Earth*, 117(7). <https://doi.org/10.1029/2011JB009120>

Panuntun, H. (2021). 2.5-D Surface Deformation due to the 24 January 2020 Elazig, Turkey Earthquake Estimated by Multiple Sentinel-1 InSAR Data. *Proceedings - 2021 7th Asia-Pacific Conference on Synthetic Aperture Radar, APSAR 2021, January 2020*, 2–6. <https://doi.org/10.1109/APSAR52370.2021.9688500>

Pepe, A., & Calò, F. (2017). A review of interferometric synthetic aperture RADAR (InSAR) multi-track approaches for the retrieval of Earth's Surface displacements. *Applied Sciences (Switzerland)*, 7(12). <https://doi.org/10.3390/app7121264>

Pino, N. A., Carlino, S., Beccaro, L., & De Martino, P. (2023). Aseismic Creep, Coseismic Slip, and Postseismic Relaxation on Faults in Volcanic Areas: The Case of Ischia Island. *Remote Sensing*, 15(7). <https://doi.org/10.3390/rs15071791>

Potin, P., Rosich, B., Miranda, N., & Grimont, P. (2016). Sentinel-1 Mission Status. *Procedia Computer Science*, 100, 1297–1304. <https://doi.org/10.1016/j.procs.2016.09.245>

Prajardi, T. W. K. (2022). Analisis Fungsi Logaritma dan Eksponensial pada Deformasi Postseismic Berdasarkan Data Pengamatan Geodetik (Studi Kasus: Gempabumi Palu Tahun 2018). In *Skripsi* (Issue 8.5.2017).

Pritchard, M. E., & Simons, M. (2006). An aseismic slip pulse in northern Chile and along-strike variations in seismogenic behavior. *Journal of Geophysical Research: Solid Earth*, 111(8), 1–14. <https://doi.org/10.1029/2006JB004258>

Raharja, R., Gunawan, E., Meilano, I., Abidin, H. Z., & Efendi, J. (2016). Long aseismic slip duration of the 2006 Java tsunami earthquake based on GPS data. *Earthquake Science*, 29(5), 291–298. <https://doi.org/10.1007/s11589-016-0167-y>

Rosen, P. A. (2000). Synthetic aperture radar interferometry. *Proceedings of the IEEE*,



88(3), 333–380. <https://doi.org/10.1109/5.838084>

Sarsito, D. A., Andreas, H., Irwan, M., Abidin, H. Z., Darmawan, D., & Gamal, M. (2004). Implikasi Co-Seismic dan Post-Seismic Horizontal Displacement Gempa Aceh 2004 Terhadap Status Geomtrik Data Spasial Wilayah Aceh dan Sekitarnya. *Jurnal, Kelompok Keahlian Geodesi, Departemen Teknik Geodesi, Institut Teknologi Bandung, Bandung, December 2013.*

Sarsito, D. A., Andreas, H., Irwan, M., Abidin, H. Z., Darmawan, D., & Gamal, M. (2005). *Implikasi Co-seismic dan Post-seismic Horizontal Displacement Gempa Aceh 2004 Terhadap Status Geometrik Data Spasial Wilayah Aceh.*

Savage, J. C. (1983). A Dislocation Model of Strain Accumulation and Release at a Subduction Zone. *Journal of Geophysical Research*, 88(3), 4984–4996.

Savage, J. C., & Svart, J. L. (2010). Postseismic relaxation following the 1989 MS7.1 Loma Prieta earthquake, central California. *Journal of Geophysical Research: Solid Earth*, 115(8), 1–15. <https://doi.org/10.1029/2009JB006919>

Scholz, C. H. (2002). The Mechanics of Earthquakes and Faulting. *The Mechanics of Earthquakes and Faulting, May 2002.* <https://doi.org/10.1017/cbo9780511818516>

Schwartz, S. Y., & Rokosky, J. M. (2007). *CIRCUM-PACIFIC SUBDUCTION ZONES. 2006.* <https://doi.org/10.1029/2006RG000208.1>.

Seiler, M. C., & Seiler, F. A. (1989). Numerical Recipes in C: The Art of Scientific Computing. In *Risk Analysis* (Vol. 9, Issue 3). <https://doi.org/10.1111/j.1539-6924.1989.tb01007.x>

Sobrero, F. S., Bevis, M., Gómez, D. D., & Wang, F. (2020). Logarithmic and exponential transients in GNSS trajectory models as indicators of dominant processes in postseismic deformation. *Journal of Geodesy*, 94(9), 1–10. <https://doi.org/10.1007/s00190-020-01413-4>

Socquet, A., Hollingsworth, J., Pathier, E., & Bouchon, M. (2019). Evidence of supershear during the 2018 magnitude 7.5 Palu earthquake from space geodesy. *Nature Geoscience*, 12(3), 192–199. <https://doi.org/10.1038/s41561-018-0296-0>

Socquet, A., Simons, W., Vigny, C., McCaffrey, R., Subarya, C., Sarsito, D., Ambrosius, B., & Spakman, W. (2006). Microblock rotations and fault coupling in SE Asia triple junction (Sulawesi, Indonesia) from GPS and earthquake slip vector data. *Journal of Geophysical Research: Solid Earth*, 111(8), 1–15. <https://doi.org/10.1029/2005JB003963>

Su, L., Shi, F., Gan, W., Su, X., & Yan, J. (2020). Probing time-dependent afterslip and viscoelastic relaxation following the 2015 Mw7.8 Gorkha earthquake based on the 3-D finite-element model. *Earth, Planets and Space*, 72(1). <https://doi.org/10.1186/s40623-020-01296-x>

Suenaga, N., Banay, Y. A., Yoshioka, S., Sato, K., Tanaka, M., & Ji, Y. (2023). Spatiotemporal distributions of afterslip and locking on the plate interface



associated with the 2011 Tohoku-Oki earthquake using a 3-D temperature and strain rate-dependent heterogeneous viscosity model. *Physics of the Earth and Planetary Interiors*, 334(December 2022), 106971.
<https://doi.org/10.1016/j.pepi.2022.106971>

Suhadha, A. G. (2023). *Analysis of Multidimensional Displacement of Parallel-SBAS InSAR in Anthropogenic, Tectonic, and Volcanic Regions*.

Sun, T., & Wang, K. (2015). Viscoelastic relaxation following subduction earthquakes and its effects on afterslip determination. *Journal of Geophysical Research: Solid Earth*, 120(2), 1329–1344. <https://doi.org/10.1002/2014JB011707>

Thatcher, W., Matsuda, T., Kato, T., & Rundle, J. B. (1980). Lithospheric loading by the 1896 Riku-u earthquake, northern Japan: implications for plate flexure and asthenospheric rheology. *Journal of Geophysical Research*, 85(B11), 6429–6435. <https://doi.org/10.1029/JB085iB11p06429>

Thatcher, W., & Rundle, J. B. (1984). A viscoelastic coupling model for the cyclic deformation due to periodically repeated earthquakes at subduction zones,. *J. Geophys. Res.*, 89(4), 7631–7640.

Tian, Z., Freymueller, J. T., & Yang, Z. (2020a). Spatio-temporal variations of afterslip and viscoelastic relaxation following the Mw 7.8 Gorkha (Nepal) earthquake. *Earth and Planetary Science Letters*, 532, 116031. <https://doi.org/10.1016/j.epsl.2019.116031>

Tian, Z., Freymueller, J. T., & Yang, Z. (2020b). Spatio-temporal variations of afterslip and viscoelastic relaxation following the Mw 7.8 Gorkha (Nepal) earthquake. *Earth and Planetary Science Letters*, 532. <https://doi.org/10.1016/j.epsl.2019.116031>

Tobita, M. (2016). Combined logarithmic and exponential function model for fitting postseismic GNSS time series after 2011 Tohoku-Oki earthquake 6. *Geodesy. Earth, Planets and Space*, 68(1). <https://doi.org/10.1186/s40623-016-0422-4>

Torres, R., Snoeij, P., Geudtner, D., Bibby, D., Davidson, M., Attema, E., Potin, P., Rommen, B. Ö., Flory, N., Brown, M., Traver, I. N., Deghaye, P., Duesmann, B., Rosich, B., Miranda, N., Bruno, C., L'Abbate, M., Croci, R., Pietropaolo, A., ... Rostan, F. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment*, 120, 9–24. <https://doi.org/10.1016/j.rse.2011.05.028>

Ulrich, T., Vater, S., Madden, E. H., Behrens, J., van Dinther, Y., van Zelst, I., Fielding, E. J., Liang, C., & Gabriel, A. A. (2019). Coupled, Physics-Based Modeling Reveals Earthquake Displacements are Critical to the 2018 Palu, Sulawesi Tsunami. *Pure and Applied Geophysics*, 176(10), 4069–4109. <https://doi.org/10.1007/s00024-019-02290-5>

Verdecchia, A., Pace, B., Visini, F., Scotti, O., Peruzza, L., & Benedetti, L. (2018). The Role of Viscoelastic Stress Transfer in Long-Term Earthquake Cascades: Insights After the Central Italy 2016–2017 Seismic Sequence. *Tectonics*, 37(10), 3411–3428. <https://doi.org/10.1029/2018TC005110>



Wahr, J., & Wyss, M. (1980). Interpretation of Postseismic Deformation With a Viscoelastic Relaxation Model. *JOURNAL OF GEOPHYSICAL RESEARCH*, 85, 6471–6477.

Walpersdorf, A., Vigny, C., Manurung, P., Subarya, C., & Sutisna, S. (1998). Determining the Sula block kinematics in the triple junction area in Indonesia by GPS. *Geophysical Journal International*, 135(2), 351–361. <https://doi.org/10.1046/j.1365-246X.1998.00641.x>

Wang, K., Hu, Y., & He, J. (2012a). Deformation cycles of subduction earthquakes in a viscoelastic Earth. *Nature*, 484(7394), 327–332. <https://doi.org/10.1038/nature11032>

Wang, K., Hu, Y., & He, J. (2012b). Deformation cycles of subduction earthquakes in a viscoelastic Earth. *Nature*, 484(7394), 327–332. <https://doi.org/10.1038/nature11032>

Wang, L., Wang, R., Roth, F., Enescu, B., Hainzl, S., & Ergintav, S. (2009). Afterslip and viscoelastic relaxation following the 1999 M 7.4 Izmit earthquake from GPS measurements. *Geophysical Journal International*, 178(3), 1220–1237. <https://doi.org/10.1111/j.1365-246X.2009.04228.x>

Wang, R., Diao, F. aq., & Hoechner, A. (2013a). SDM-A geodetic inversion code incorporating with layered crust structure and curved fault geometry. *EGU General Assembly Conference Abstracts*, 15(April), 2411.

Wang, R., Diao, F., & Hoechner, A. (2013b). SDM-A geodetic inversion code incorporating with layered crust structure and curved fault geometry. *EGU General Assembly Conference Abstracts*, 15(April), 2411.

Wang, R., Lorenzo-Martín, F., & Roth, F. (2006). PSGRN/PSCMP - A new code for calculating co- and post-seismic deformation, geoid and gravity changes based on the viscoelastic-gravitational dislocation theory. *Computers and Geosciences*, 32(4), 527–541. <https://doi.org/10.1016/j.cageo.2005.08.006>

Wang, R., Parolai, S., Ge, M., Jin, M., Walter, T. R., & Zschau, J. (2013). The 2011 Mw 9.0 Tohoku earthquake: Comparison of GPS and strong-motion data. *Bulletin of the Seismological Society of America*, 103(2 B), 1336–1347. <https://doi.org/10.1785/0120110264>

Wang, R., Schurr, B., Milkereit, C., Shao, Z., & Jin, M. (2011). An improved automatic scheme for empirical baseline correction of digital strong-motion records. *Bulletin of the Seismological Society of America*, 101(5), 2029–2044. <https://doi.org/10.1785/0120110039>

Wang, S., Zhang, Y., Wang, Y., Jiao, J., Ji, Z., & Han, M. (2020). Post-seismic deformation mechanism of the July 2015 MW 6.5 Pishan earthquake revealed by Sentinel-1A InSAR observation. *Scientific Reports*, 10(1), 1–12. <https://doi.org/10.1038/s41598-020-75278-0>

Wang, Y., Feng, W., Chen, K., & Samsonov, S. (2019). Source characteristics of the 28 September 2018 Mw 7.4 Palu, Indonesia, earthquake derived from the



UNIVERSITAS
GADJAH MADA

Pemodelan Deformasi Postseismic Berdasarkan Variasi Spatiotemporal Setelah Gempa Palu

Magnitudo 7,4

Menggunakan Data Time-Series Insar 2,5D Tahun 2018-2021

Irma Yusiyanti, Cecep Pratama, S.Si., M.Si., D.Sc.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

advanced land observation satellite 2 data. *Remote Sensing*, 11(17), 1–16.
<https://doi.org/10.3390/rs11171999>

Wibowo, A., Supendi, P., & Nugraha, A. D. (2020). Coulomb Stress Change of Mw 7.5 Palu-Donggala Earthquake, Sulawesi (28 September 2018). *Jurnal Geofisika*, 18(1), 19. <https://doi.org/10.36435/jgf.v18i1.423>

Wright, T. J., Parsons, B. E., & Lu, Z. (2004). Toward mapping surface deformation in three dimensions using InSAR. *Geophysical Research Letters*, 31(1), 1–5. <https://doi.org/10.1029/2003GL018827>

Xiang, Y., Yue, J., Jiang, Z., & Xing, Y. (2021). Spatial–temporal properties of afterslip associated with the 2015 Mw 8.3 Illapel earthquake, Chile. *Earth, Planets and Space*, 73(1). <https://doi.org/10.1186/s40623-021-01367-7>

Xu, G., Xu, C., Wen, Y., & Yin, Z. (2019). Coseismic and Postseismic Deformation of the 2016 MW 6.2 Lampa Earthquake, Southern Peru, Constrained by Interferometric Synthetic Aperture Radar. *Journal of Geophysical Research: Solid Earth*, 124(4), 4250–4272. <https://doi.org/10.1029/2018JB016572>

Yang, C., Han, B., Zhao, C., Du, J., Zhang, D., & Zhu, S. (2019). Co- and post-seismic deformation mechanisms of the MW 7.3 Iran earthquake (2017) revealed by Sentinel-1 InSAR observations. *Remote Sensing*, 11(4), 1–17. <https://doi.org/10.3390/rs11040418>

Yusiyanti, I., Prajardi, T. W. K., Saputri, Y. I., & Pratama, C. (2023). *Geodesy and Geodynamics Vertical deformation model on postseismic phase using exponential and logarithmic function based on InSAR*. March, 1–10. <https://doi.org/10.1016/j.geog.2023.01.003>