

DAFTAR PUSTAKA

1. Cross M, Smith E, Hoy D, Nolte S, Ackerman I, Fransen M, et al. The global burden of hip and knee osteoarthritis: estimates from the global burden of disease 2010 study. *Ann Rheum Dis* [Internet]. 2014;73(7):1323–30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24553908>
2. Soeroso J, Dans LF, Amarillo ML, Santoso GH, Kalim H. Risk factors of symptomatic osteoarthritis of the knee at a hospital in Indonesia. *APLAR J Rheumatol* [Internet]. 2005 Aug;8(2):106–13. Available from: <http://dx.doi.org/10.1111/j.1479-8077.2005.00134.x>
3. Darmanto D, Novriansyah R, Ismail R, Jamari J, Bayuseno AP, Anggoro PW. Computer-aided design for analyzing the influence of anteroposterior translation on artificial knee joint stability. *Mater Today* [Internet]. 2022;63:S159–65. Available from: <http://dx.doi.org/10.1016/j.matpr.2022.02.120>
4. Acker SM, Cockburn RA, Krevolin J, Li RM, Tarabichi S, Wyss UP. Knee kinematics of high-flexion activities of daily living performed by male Muslims in the Middle East. *J Arthroplasty* [Internet]. 2011 Feb;26(2):319–27. Available from: <http://dx.doi.org/10.1016/j.arth.2010.08.003>
5. Darmanto D, Novriansyah R, Anggoro PW, Ismail R, Jamari J, Bayuseno AP. A review on flexion angle in high-flexion total knee arthroplasty for indonesian's need. *Front Mech Eng* [Internet]. 2022 Nov 1;8. Available from: <http://dx.doi.org/10.3389/fmech.2022.1049796>
6. Palazzo C, Nguyen C, Lefevre-Colau MM, Rannou F, Poiraudreau S. Risk factors and burden of osteoarthritis. *Ann Phys Rehabil Med* [Internet]. 2016;59(3):134–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26904959>
7. Ishiguro N, Kojima T, Poole AR. Mechanism of cartilage destruction in osteoarthritis. *Nagoya J Med Sci* [Internet]. 2002;65(3–4):73–84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12580533>
8. Jordan KP, Joud A, Bergknut C, Croft P, Edwards JJ, Peat G, et al. International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. *Ann Rheum Dis* [Internet]. 2014;73(1):212–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23345602>
9. Palazzo C, Ravaud JF, Papelard A, Ravaud P, Poiraudreau S. The burden of musculoskeletal conditions. *PLoS One* [Internet]. 2014;9(3):e90633. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24595187>
10. Helmick CG, Felson DT, Lawrence RC, Gabriel S, Hirsch R, Kwoh CK, et al. Estimates of the prevalence of arthritis and other rheumatic conditions in the

United States. Part I. Arthritis Rheum [Internet]. 2008;58(1):15–25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18163481>

11. Prieto-Alhambra D, Judge A, Javaid MK, Cooper C, Diez-Perez A, Arden NK. Incidence and risk factors for clinically diagnosed knee, hip and hand osteoarthritis: influences of age, gender and osteoarthritis affecting other joints. *Ann Rheum Dis* [Internet]. 2014;73(9):1659–64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23744977>

12. Chopra A. The COPCORD world of musculoskeletal pain and arthritis. *Rheumatology (Oxford)* [Internet]. 2013;52(11):1925–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23843110>

13. Vos T, Flaxman AD, Naghavi M, Lozano R, Michaud C, Ezzati M, et al. Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet* [Internet]. 2012;380(9859):2163–96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23245607>

14. Nuesch E, Dieppe P, Reichenbach S, Williams S, Iff S, Juni P. All cause and disease specific mortality in patients with knee or hip osteoarthritis: population based cohort study. *BMJ* [Internet]. 2011;342:d1165. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21385807>

15. Hawker GA, Croxford R, Bierman AS, Harvey PJ, Ravi B, Stanaitis I, et al. All-cause mortality and serious cardiovascular events in people with hip and knee osteoarthritis: a population based cohort study. *PLoS One* [Internet]. 2014;9(3):e91286. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24608134>

16. Le Pen C, Reygrobelle C, Gerentes I. Financial cost of osteoarthritis in France. The “COART” France study. *Joint Bone Spine* [Internet]. 2005;72(6):567–70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16226481>

17. Chen A, Gupte C, Akhtar K, Smith P, Cobb J. The Global Economic Cost of Osteoarthritis: How the UK Compares. *Arthritis* [Internet]. 2012;2012:698709. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23082249>

18. Kotlarz H, Gunnarsson CL, Fang H, Rizzo JA. Osteoarthritis and absenteeism costs: evidence from US National Survey Data. *J Occup Environ Med* [Internet]. 2010;52(3):263–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20190656>

19. Zhang W, Moskowitz RW, Nuki G, Abramson S, Altman RD, Arden N, et al. OARSI recommendations for the management of hip and knee osteoarthritis, part I: critical appraisal of existing treatment guidelines and systematic review of current research evidence. *Osteoarthritis Cartilage* [Internet]. 2007;15(9):981–1000. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17719803>

20. Gerwin N, Hops C, Lucke A. Intraarticular drug delivery in osteoarthritis. *Adv Drug Deliv Rev* [Internet]. 2006;58(2):226–42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16574267>
21. Hochberg MC, Altman RD, Brandt KD, Clark BM, Dieppe PA, Griffin MR, et al. Guidelines for the medical management of osteoarthritis. Part II. Osteoarthritis of the knee. American College of Rheumatology. *Arthritis Rheum* [Internet]. 1995;38(11):1541–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/7488273>
22. Gunther KP. Surgical approaches for osteoarthritis. *Best Pract Res Clin Rheumatol* [Internet]. 2001;15(4):627–43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11567544>
23. Bartlett W, Skinner JA, Gooding CR, Carrington RW, Flanagan AM, Briggs TW, et al. Autologous chondrocyte implantation versus matrix-induced autologous chondrocyte implantation for osteochondral defects of the knee: a prospective, randomised study. *J Bone Joint Surg Br* [Internet]. 2005;87(5):640–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15855365>
24. Steinert AF, Ghivizzani SC, Rethwilm A, Tuan RS, Evans CH, Noth U. Major biological obstacles for persistent cell-based regeneration of articular cartilage. *Arthritis Res Ther* [Internet]. 2007;9(3):213. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17561986>
25. Chen FH, Rousche KT, Tuan RS. Technology Insight: adult stem cells in cartilage regeneration and tissue engineering. *Nat Clin Pract Rheumatol* [Internet]. 2006;2(7):373–82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16932723>
26. Pittenger MF, Mackay AM, Beck SC, Jaiswal RK, Douglas R, Mosca JD, et al. Multilineage potential of adult human mesenchymal stem cells. *Science* [Internet]. 1999;284(5411):143–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10102814>
27. Davatchi F, Sadeghi Abdollahi B, Mohyeddin M, Nikbin B. Mesenchymal stem cell therapy for knee osteoarthritis: 5 years follow-up of three patients. *Int J Rheum Dis* [Internet]. 2016;19(3):219–25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25990685>
28. Gupta PK, Das AK, Chullikana A, Majumdar AS. Mesenchymal stem cells for cartilage repair in osteoarthritis. *Stem Cell Res Ther* [Internet]. 2012;3(4):25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22776206>
29. Lamo-Espinosa JM, Mora G, Blanco JF, Granero-Molto F, Nunez-Cordoba JM, Sanchez-Echenique C, et al. Intra-articular injection of two different doses of autologous bone marrow mesenchymal stem cells versus hyaluronic acid in the treatment of knee osteoarthritis: multicenter randomized controlled clinical trial

- (phase I/II). *J Transl Med* [Internet]. 2016;14(1):246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27565858>
30. Ziadlou R, Shahhoseini M, Safari F, Sayahpour FA, Nemati S, Eslaminejad MB. Comparative analysis of neural differentiation potential in human mesenchymal stem cells derived from chorion and adult bone marrow. *Cell Tissue Res* [Internet]. 2015;362(2):367–77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26022335>
 31. Hassan Famian M, Montazer Saheb S, Montaseri A. Conditioned Medium of Wharton's Jelly Derived Stem Cells Can Enhance the Cartilage Specific Genes Expression by Chondrocytes in Monolayer and Mass Culture Systems. *Adv Pharm Bull* [Internet]. 2017;7(1):123–30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28507946>
 32. Sadlik B, Jaroslawski G, Puszkarski M, Blasiak A, Oldak T, Gladysz D, et al. Cartilage Repair in the Knee Using Umbilical Cord Wharton's Jelly-Derived Mesenchymal Stem Cells Embedded Onto Collagen Scaffolding and Implanted Under Dry Arthroscopy. *Arthrosc Tech* [Internet]. 2018;7(1):e57–63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29552470>
 33. Maldonado M, Nam J. The role of changes in extracellular matrix of cartilage in the presence of inflammation on the pathology of osteoarthritis. *Biomed Res Int* [Internet]. 2013 Aug 28;2013:284873. Available from: <http://dx.doi.org/10.1155/2013/284873>
 34. Vangsness CT Jr, Farr J 2nd, Boyd J, Dellaero DT, Mills CR, LeRoux-Williams M. Adult human mesenchymal stem cells delivered via intra-articular injection to the knee following partial medial meniscectomy: a randomized, double-blind, controlled study. *J Bone Joint Surg Am* [Internet]. 2014 Jan 15;96(2):90–8. Available from: <http://dx.doi.org/10.2106/JBJS.M.00058>
 35. Uccelli A, Moretta L, Pistoia V. Mesenchymal stem cells in health and disease. *Nat Rev Immunol* [Internet]. 2008 Sep;8(9):726–36. Available from: <http://dx.doi.org/10.1038/nri2395>
 36. Sakti YM, Malueka RG, Dwianingsih EK, Kusumaatmaja A, Mafaza A, Emiri DM. Diamond Concept as principle for the development of spinal cord scaffold: A literature review. *Open Access Maced J Med Sci* [Internet]. 2021 Nov 29;9(F):754–69. Available from: <http://dx.doi.org/10.3889/oamjms.2021.7438>
 37. Wei ZJ, Wang QQ, Cui ZG, Inadera H, Jiang X, Wu CA. Which is the most effective one in knee osteoarthritis treatment from mesenchymal stem cells obtained from different sources?-A systematic review with conventional and network meta-analyses of randomized controlled trials. *Ann Transl Med* [Internet]. 2021 Mar;9(6):452. Available from: <http://dx.doi.org/10.21037/atm-20-5116>

38. Fossett E, Khan WS. Optimising human mesenchymal stem cell numbers for clinical application: a literature review. *Stem Cells Int* [Internet]. 2012 Jan 31;2012:465259. Available from: <http://dx.doi.org/10.1155/2012/465259>
39. Dell'Isola A, Allan R, Smith SL, Marreiros SSP, Steultjens M. Identification of clinical phenotypes in knee osteoarthritis: a systematic review of the literature. *BMC Musculoskelet Disord* [Internet]. 2016 Oct 12;17(1):425. Available from: <http://dx.doi.org/10.1186/s12891-016-1286-2>
40. Okada S, Ishii K, Yamane J, Iwanami A, Ikegami T, Katoh H, et al. In vivo imaging of engrafted neural stem cells: its application in evaluating the optimal timing of transplantation for spinal cord injury. *FASEB J* [Internet]. 2005 Nov;19(13):1839–41. Available from: <http://dx.doi.org/10.1096/fj.05-4082fje>
41. Copp G, Robb KP, Viswanathan S. Culture-expanded mesenchymal stromal cell therapy: does it work in knee osteoarthritis? A pathway to clinical success. *Cell Mol Immunol* [Internet]. 2023 Jun;20(6):626–50. Available from: <http://dx.doi.org/10.1038/s41423-023-01020-1>
42. Kuah D, Sivell S, Longworth T, James K, Guermazi A, Cicuttini F, et al. Safety, tolerability and efficacy of intra-articular Progenza in knee osteoarthritis: a randomized double-blind placebo-controlled single ascending dose study. *J Transl Med* [Internet]. 2018 Dec;16(1). Available from: <http://dx.doi.org/10.1186/s12967-018-1420-z>
43. Berkoff DJ, Miller LE, Block JE. Clinical utility of ultrasound guidance for intra-articular knee injections: a review. *Clin Interv Aging* [Internet]. 2012 Mar 20;7:89–95. Available from: <http://dx.doi.org/10.2147/CIA.S29265>
44. Samara O, Jafar H, Hamdan M, Al-Ta'mari A, Rahmeh R, Hourani B, et al. Ultrasound-guided intra-articular injection of expanded umbilical cord mesenchymal stem cells in knee osteoarthritis: a safety/efficacy study with MRI data. *Regen Med* [Internet]. 2022 May;17(5):299–312. Available from: <http://dx.doi.org/10.2217/rme-2021-0121>
45. Li L, Duan X, Fan Z, Chen L, Xing F, Xu Z, et al. Mesenchymal stem cells in combination with hyaluronic acid for articular cartilage defects. *Sci Rep* [Internet]. 2018 Jul 2;8(1). Available from: <http://dx.doi.org/10.1038/s41598-018-27737-y>
46. Dilogio IH, Canintika AF, Hanitya AL, Pawitan JA, Liem IK, Pandelaki J. Umbilical cord-derived mesenchymal stem cells for treating osteoarthritis of the knee: a single-arm, open-label study. *Eur J Orthop Surg Traumatol* [Internet]. 2020 Jul;30(5):799–807. Available from: <http://dx.doi.org/10.1007/s00590-020-02630-5>
47. Lamo-Espinosa JM, Mora G, Blanco JF, Granero-Moltó F, Núñez-Córdoba JM, López-Elío S, et al. Intra-articular injection of two different doses of autologous bone marrow mesenchymal stem cells versus hyaluronic acid in the treatment of knee osteoarthritis: long-term follow up of a multicenter randomized controlled

clinical trial (phase I/II). J Transl Med [Internet]. 2018 Dec;16(1). Available from:
<http://dx.doi.org/10.1186/s12967-018-1591-7>