



## DAFTAR PUSTAKA

- Choudhary, R., Mohan Makwana., Harish Kumar. (2018) Evaluation of platelet and its indices as a marker of neonatal sepsis: a prospective case control study. *International Journal of Contemporary Pediatrics*, 5(5):1898-1903. <https://dx.doi.org/10.18203/2349-3291.ijcp20183527>
- Cruz A., Roni D.L., Fran B., Paul L.A et al. (2020). Updates on Pediatric Sepsis, *J Am Coll Emerg Physicians Open*. 2020 Oct; 1(5): 981–993.
- Deka A., Aravin P. (2020). Red cell distribution width as a diagnostic marker in neonatal sepsis. *International Journal of Contemporary Pediatrics*, 7(4), 820-825. <https://dx.doi.org/10.18203/2349-3291.ijcp20201137>
- Devina, T., Lubis, M., Mutiara, E., Yanni, G. N., Saragih, R. A. C., Trisnawati, Y., Lubis, A. D., & Amelia, P. (2017). Red cell distribution width and mortality in pediatric sepsis. *Paediatrica Indonesiana*, 56(6), 320. <https://doi.org/10.14238/pi56.6.2016.320-4>
- Djuang, M. Hendriani, Fransiscus Ginting, Herman Hariman. (2018). *Clinical Pathology and Majalah Patologi Klinik Indonesia dan Laboratorium Medik*. 24(3).
- Endang Retnowati K., Wiyanda Hidayati S, L. (2010). Aktivitas Fosfolipase-A2 Sekretoris Plasma Trombositopenia Demam Berdarah Dengue. *Indonesia Journal of Clinical Pathology and Medical Laboratory*, 17(1), 12–20.
- Fardholi, A., Yogyakarta, U. M., & Yogyakarta, U. M. (n.d.). *Antibiotika Empiris Pada Kasus Sepsis*. October 2014, 33–41.
- Fernandez, R., Cano, S., Catalan, I., Rubio, O., Subira, C., Masclans, J., Rognoni, G., Ventura, L., Macharete, C., Winfield, L., & Alcoverro, J. M. (2018). High red blood cell distribution width as a marker of hospital mortality after ICU discharge: A cohort study. *Journal of Intensive Care*, 6(1), 1–7. <https://doi.org/10.1186/s40560-018-0343-3>
- Fitriadi, B., Putra, K., & Bintoro, U. Y. (2019). *Red cell Distribution Width sebagai Prediktor Penyakit Kardiovaskuler*. 46(11), 692–696.
- Fouad Hakiem, Tetty Yuniati, S. S. (2019). *Hubungan antara Nilai C-Reactive Protein, Immature To Total Neutrophil Ratio, dan Red Cell Distribution Width dengan Kejadian Sepsis Neonatorum Bayi Prematur*.
- Guclu, E., Durmaz, Y., & Karabay, O. (n.d.). *Effect of severe sepsis on platelet count and their indices*. 333–338.
- Gogia P, Koreti S, Patel GS. SOFA (Sequential Organ Failure Assessment) and PELOD (Pediatric Logistic Organ Dysfunction). Sch J App Med Sci 2015;3:1645-8.
- Hodeib M., Morgan D., Hedaya A., et.al., (2022). A study of elevated red cell distribution width (RDW) in early-onset neonatal sepsis. Egyptian Pediatric Association Gazette. 2022;70:1581-21
- Humoodi M., Mona A., Maher M., Yousef M., Sara M. (2021). Epidemiology of pediatric sepsis in the pediatric intensive care unit of king Abdulaziz Medical City, Jeddah, Saudi Arabia. *BMC Pediatr*. 2021; 21: 222. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8103596/>



- Jandial, A., Susheel K., Ashish B., Navneet S., Neelam V., Subhash V. (2017). *Elevated Red Cell Distribution Width as a Prognostic Marker in Severe Sepsis: A Prospective Observational Study.* Indian J Crit Care Med, (9), 552-562. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5613605/>
- Kawasaki, T. (2017). Update on pediatric sepsis: A review. *Journal of Intensive Care*, 5(1), 1–12. <https://doi.org/10.1186/s40560-017-0240-1>
- Khanbabaei, G., Hashemi, S. M., Salarian, S., Fariborzi, M. R., & Kiumarsi, A. (2018). Red cell distribution width elevation and sepsis in pediatric critically ill patients. *Archives of Pediatric Infectious Diseases*, 6(2), 6–10. <https://doi.org/10.5812/pedinfec.12210>
- Kristianto, W. (2018). Red-cell distribution width dan Mean Platelet Volume sebagai biomarker keparahan Pneumonia Anak. *Sari Pediatri*, 19(6), 335–341. <https://doi.org/10.1177/1479972314525057>
- Leclerc, Francis; Duhamel, Alain; Deken, Valérie; Grandbastien, Bruno; Leteurtre, S. (2017). Can the Pediatric Logistic Organ Dysfunction-2 Score on Day 1 Be Used in Clinical Criteria for Sepsis in Children?. *Pediatric Critical Care Medicine, Volume 18*(8).
- Lestari, R. P. (2017). *Mean Platelet Volume ( MPV ) Sebagai Faktor Prognosis Pada Anak dengan Sepsis.*
- Leteurtre S, Duhamel A, Grandbastien B, Lacroix J, et al. 2013. Paediatric logistic organ dysfunction (PELOD) score [letter]. Lancet.
- Li N., Heng Zhou., Qizhu Tang. (2017). Red Blood Cell Distribution Width : A Novel Predictive Indicator for Cardiovascular and Cerebrovascular Diseases. Hindawi Volume 2017 | Article ID 7089493 | <https://doi.org/10.1155/2017/7089493>
- Lubis, F. I. M., Loesnihari, R., & Sungkar, T. (2019). Perbedaan hitung trombosit, Mean Platelet Volume (MPV), dan Platelet Distribution Width (PDW) antara pasien dengan infeksi Helicobacter pylori positif dan negatif di RSUP H. Adam Malik, Medan, Indonesia. *Intisari Sains Medis*, 10(3), 575–579. <https://doi.org/10.15562/ism.v10i3.466>
- Matics TJ, Sanches-Pinto N. Adaptation and validation of a Pediatric Sequential Organ Failure Asessment score and evaluation of sepsis-3 definitions in critically ill children. *JAMA Pediatrics* 2017;E1-9.
- Mayliana, L., Irdha H., Agus A., Mansyur A. (2022). The Correlation between RDW, PDW, and NLR with the SOFA Score in Septic Patients. *Indonesian Journal of Clinical Pathology and Medical Laboratory*. November; 29(1): 6-10
- Mittal A., Sugandha Arya., Laxman S., et.al. (2018). Evaluation of platelet indicces as additional diagnostic tool for neonatal sepsis. *Astrocyte* 2018, 4, 205-9. [https://doi.org/10.4103/astrocyte.astrocyte\\_8\\_18](https://doi.org/10.4103/astrocyte.astrocyte_8_18)
- Nader A Mahmood, Jacob Mathew, Balwinder Kang, Vincent A DeBari, and M. A. K. (2014). Broadening of the red blood cell distribution width is associated with increased severity of illness in patients with sepsis. *Int J Crit Illn Inj Sci.*, 4, 278–282.



- Ogston, S. A., Lemeshow, S., Hosmer, D. W., Klar, J., & Lwanga, S. K. (1991). Adequacy of Sample Size in Health Studies. *Biometrics*, 47(1), 347. <https://doi.org/10.2307/2532527>
- Orfanu, A., Popescu, C., Tilişcan, C., Streinu-Cercel, A., Aramă, V., & Aramă, Ş. S. (2020). The usefulness of neutrophil/lymphocyte count ratio in the diagnosis and prognosis of bacterial sepsis – An old parameter with new implications. *Revista Romana de Medicina de Laborator*, 28(1), 39–48. <https://doi.org/10.2478/rrlm-2020-0002>
- Purba A.K., Nina M., Gestina A., Sonny H.W., (2020). The burden and costs of sepsis and reimbursement of its treatment in a developing country: An observational study on focal infections in Indonesia. International Journal of Infectious Diseases 96 (2020) 211–218
- Purwanto D.S., Dalima A.W. (2018). Mekanisme Kompleks Sepsis dan Syok Septik. Jurnal Biomedik (JBM), Volume 10, Nomor 3, November 2018, hlm. 143-151
- Roudhoh P., & Yanni G. (2019). Profil Pasien Sepsis di Ruang Rawat Intensif Anak RSUP Haji Adam Malik Medan dan RS Universitas Sumatera Utara Tahun 2018. Repotori Institusi Universitas Sumatera Utara (RI-USU)
- Rusmawatiningsyah, D., & Nurnaningsih, N. (2017). Mortality rates in pediatric septic shock. *Paediatrica Indonesiana*, 56(5), 304. <https://doi.org/10.14238/pi56.5.2016.304-10>
- Sayed, S.Z., Mohamed M.Mahmoud. Hend M.Moness., et.,al. (2020). Admission platelet count and indices as predictors of outcome in children with severe sepsis: a prospective hospital-based study. *BMC Pediatrics* 20:387. <https://doi.org/10.1186/s12887-020-02278-4>
- Shao L.N., Shu-Ting Z., Ni Wang., Wei J.Y ., et al. (2020). Platelet indices significantly correlate with liver fibrosis in HCV-infected patients. PLoS ONE 15(1): e0227544. <https://doi.org/10.1371/journal.pone.0227544>
- Spadaro, S. Fabio S., Alberto F., Frederico F. (2018). The effects of blood transfusion on red blood cell distribution width in critically ill patients: a pilot study. Pubmed Transfusion. 2018 Aug;58(8):1863-1869. doi: 10.1111/trf.14759.
- Sriram, S. M., Aroor, S., Kini, P. G., Kanaparthi, S., & Chakravarthy, K. (2018). *Platelet indices in children with sepsis and their relation to the outcome*. 47(4), 301–305.
- Sukewanti, N. M., I Wayan Darma Artana, I. M. K., & Made Sukmawati, P. J. P. (2019). Red Cell Distribution Width (RDW) sebagai prediktor mortalitas pada sepsis neonatorum. *Directory of Open Access Journals*, 50(3), 522–526.
- Sunusi, G. M., Muhadi, D., & Arif, M. (2019). Analisis Mean Platelet Volume (Mpv), Platelet Distribution Width (Pdw), Dan Jumlah Trombosit Pada Stroke Hemoragik Dan Non Hemoragik. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 25(2), 202. <https://doi.org/10.24293/ijcpml.v25i2.1392>
- Vijayan, A. L., Ravindran, S., Saikant, R., Lakshmi, S., Kartik, R., & Manoj, G. (2017). Procalcitonin: A promising diagnostic marker for sepsis and



antibiotic therapy. *Journal of Intensive Care*, 5(1), 1–7.  
<https://doi.org/10.1186/s40560-017-0246-8>

Wang, F., Meng, Z., Li, S., Zhang, Y., & Wu, H. (2017). Platelet Distribution Width Levels Can Be a Predictor in the Diagnosis of Persistent Organ Failure in Acute Pancreatitis. *Gastroenterology Research and Practice*, 2017. <https://doi.org/10.1155/2017/8374215>

Warouw, R., Susi S., Tetty Y., (2020). Sepsis, RDW, Mortality, SIRS. Sepsis, RDW, Mortality, SIRS. *Sari Pediatri* 22 (2):104-8.

Wati, Dyah Kanya, I NYoman Budi Hartawan, Ida Bagus Gede, et al. (2019). *Profil Sepsis Anak di*. 21(3).

Wulandari, A., Pudjiastuti, P., & Martuti, S. (2019). Severe sepsis criteria, PELOD-2, and pSOFA as predictors of mortality in critically ill children with sepsis. *Paediatrica Indonesiana*, 59(6), 318–324. <https://doi.org/10.14238/pi59.6.2019.318-24>

Wulandari, A., Martuti, S., & Kaswadi, P. (2018). Perkembangan diagnosis sepsis pada anak. *Sari Pediatri*, 19(4), 237. <https://doi.org/10.14238/sp19.4.2017.237-44>

Zhang, H. B., Chen, J., Lan, Q. F., Ma, X. J., & Zhang, S. Y. (2016). Diagnostic values of red cell distribution width, platelet distribution width and neutrophil-lymphocyte count ratio for sepsis. *Experimental and Therapeutic Medicine*, 12(4), 2215–2219. <https://doi.org/10.3892/etm.2016.3583>