

## DAFTAR PUSTAKA

- Antoniewicz, M.A., W.W. Heinemann, and E.M. Hanks. 1979. Factors affecting allantoin excretion in sheep urine. *Ann Rech. Vet* 10: 300 – 302.
- AOAC, 2005. Official method of analysis of the association of official analytical chemists. Published by the Association of Official Analytical Chemists, Maryland.
- Aslimah, M. Yamin, dan D.A. Astuti. 2014. Produktivitas karkas domba garut jantan pada pemberian jenis pakan dan waktu yang berbeda. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*. 2 (1): 251 - 256.
- Astuti, D.A. and E. Wina. 2002. Pengaruh pakan limbah tempe terhadap ekskresi derivat purin dan pasokan N-mikroba pada kambing Peranakan Etawah laktasi. *Jurnal Ilmu Ternak dan Veteriner*. 7(3): 162 - 165.
- Astuti, M. 2005. Pengantar ilmu statistik untuk peternakan dan kesehatan hewan. Binasti Publisher, Bogor.
- Aulyani, T.L. 2016. Estimasi Sintesis protein mikrobia rumen berdasarkan derivat purin dalam urin dengan metode *spot sampling* pada domba Ekor Tipis dan Gemuk serta aplikasinya di tingkat peternak. Tesis. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta.
- Cahyono, B. D., E. Sulistyowati, dan I. 2015. Kecernaan nutrisi konsentrat- pufa yang mengandung curmiyeast pada sapi perah laktasi. *Jurnal Sain Peternakan Indonesia*. 10 (1): 59 – 70.
- Carro, M.D., G. Cantalapiedra-Hijar, M.J. Ranilla, and E. Molina-Alcaide. 2012. Urinary excretion of purine derivatives, microbial protein synthesis, nitrogen use, and ruminal fermentation in sheep and goats fed diets of different quality. *Journal of Animal Science*. 90(11): 3963 - 3972
- Cetinkaya, N., S. Yaman, and N.H.O., Baber. 2006. The use of purine derivatives/creatinin ratio in spot samples as an index of microbial protein supply in yerli kara crossbred cattle. *J. Liv. Sci*. 100: 91 - 98.
- Chen, X.B. and E.R. Ørskov. 2003. Research on urinary excretion of purine derivatives in ruminant: Past present and future. International Feed Resources Unit. Macaulay Land Use Research Institute, Craigiebuckler, Aberdeen.
- Chen, X.B. and M.J. Gomes. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives. An overview of the technical details. Rowett Research Institute, Bucksburn. Aberdeen

- Chen, X.B., G. Grubic, E.R. Ørskov, and P. Osuji. 1992. Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. *Anim. Prod.* 55(2): 185 - 191.
- Chizzotti, M.L., Filho, S.C.V., Valadarez, F.D.V., Chizzotti, F.H.M., Tedeschi, L.O. 2008. Determination of creatinin excretion and evaluation spot urine sampling in Holstein cattle. *J.Liv.Sci.* 113: 218 - 225
- Csapo, Z.C.J., J. Schmidt, and T.G. Martin. 2001. Quantitative determination of protein of bacterial origin. *Trends in Analytical Chemistry.* 20(1): 42 - 48.
- Dipu, M.T., S.K. George, P. Singh, A.K. Verma, and U.R. Mehra. 2006. Measurment of microbial protein supply in Murrah buffaloes using urinary purine derivatives excretion and PDC index. *Asian-Aust. J. Anim. Sci.* 19(3): 347 - 355.
- George, S.K., M.T. Dipu, U.R. Mehra, A.K. Verma and P. Singh. 2006. Influence of level feed intake on concentration of purine derivatives in urinary spot samplings and microbial nitrogen supply in crossbred bulls. *Asian-Aust. J. Anim. Sci.* 19(9): 1291 - 1297.
- George, S.K., M.T., Dipu, A.K., Vermam, P. Singh, dan U.R., Mehra. 2011. Species differnces in the concentration of purine derivates and creatinine in spot urine samples. *JIVA.* 9(2): 24 - 26.
- Guerouali, A., Y.E. Gass, J. Balcells, A. Belenguer, and J. Nolan. 2004. Urinary excretion of purine derivatives as an index of microbial protein synthesis in the camel (*Camelus dromedarius*). *British Journal of Nutrition.* 92 (1): 225 – 232.
- Hanim, C., and Muhlisin. 2017. Nutrient intake and digestibility in Merino sheep fed peanut straw. *IOP Conf. Series: Earth and Environmental Science* 119.
- Heriyadi, D. 2005. Identifikasi sifat-sifat kualitatif domba Garut jantan tipe tangkas. *Jurnal Ilmu Ternak.* 5 (2): 47 - 52.
- Jayanegara, A., M. Ridla, D.A. Astuti, K.G. Wiryawan, E.B. Laconi, and Nahrowi. 2017. Determination of energy and protein requirements of sheep in indonesia using a meta-analytical approach. *Media Peternakan.* 40 (2) :118 – 127.
- Kamal, M. 1997. Kontrol kualitas pakan. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta.
- Kearl, L.C. 1982. Nutrition requirement of ruminant in developing countries. Utah State University.
- Kertz A.F., L.R. Prewitt, A.G. Lane, and J.R. Campbell. 1970. Effect of dietary intake on creatinine excretion and the creatinine-nitrogen ratio in bovine urine. *J. Anim. Sci.* 30(2): 278 - 282.

- Khan, L. P, and J. V. Nolan. 1992. Prediction of microbial yield from the rumen using urinary excretion of purine derivatives and studies of the kinetics of labelled purines. Pages 109-121 in Proceedings of a Final Research Coordination Meeting of an FAO/IAEA Coordinated Research Programme organized by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture and held in Vienna. Vienna.
- Kustantinah. 2008. Ransum ruminansia. Bagian Nutrisi dan Makanan Ternak. Fakultas Peternakan UGM, Yogyakarta.
- Lamid, M. 2010. Penggunaan jerami padi, jerami padi amoniaksi dan jerami kedelai sebagai pakan tunggal terhadap sintesis protein mikrobia pada sapi Peranakan Ongole. *Veterinaria Medika*. 3 (2): 115 -116.
- Lee, C., D.L. Morris, and P.A. Dieter. 2019. Validating and optimizing spot sampling of urine to estimate urine output with creatinine as a marker in dairy cows. *J. Dairy Sci*. 102 (1): 236 – 245.
- Lewis, R. M. & G. C. Emmans. 2010. Feed intake of sheep as affected by body weight, breed, sex, and feed composition. *J. Anim. Sci*. 88: 467 - 480.
- Liang, J.B., M. Matsumoto, and B.A. Young. 1994. Purine derivative excretion and ruminal microbial yield in Malaysian cattle and buffalo. *Anim Feed Sci. and Technol*. 47 (1): 189 - 199.
- Maan, R., and N. Kataria. 2012. Serum xanthine oxidase profile in stressed Marwari sheep from arid tracts in India. *J. Stress Physiol. Biochem*. 8(3): 189 - 195.
- Mahanani, M.M.P., C. Hanim, and L.M., Yusiati. 2022. Excretion of endogenous purine derivatives in male and female Garut sheep. 9th International Seminar on Tropical Animal Production. 18 (1): 45 - 48.
- Mbewe, M.R., V.R. Hamandishe, V.E. Imbayarwo-Chikosi, and B. Masunda. 2014. Nitrogen balance and rumen microbial protein synthesis in goats fed diets containing soaked and roasted Mucuna bean (*Mucuna pruriens*). *Online Journal of Animal and Feed Research*. 4(1): 06 - 09.
- Natsir, A. 2008. Rumen microbial protein supply as estimated from purine derivative excretion on sheep receiving faba beans (*Vicia faba*) as supplement delivered at different feeding frequencies. *JITV*. 113 (2): 103 - 108.
- Nelson, D.L. and M.M. Cox. 2008. *Lehninger principles of biochemistry*. 5th ed. Freeman Publishers. Wisconsin.
- Nuraini, I.G.S. Budisatria, dan A. Agus. 2014. pengaruh tingkat penggunaan pakan penguat terhadap performa induk kambing Bligon di peternak rakyat. *Buletin Peternakan*. 38 (1): 34 - 41.

- Orden, E.A., Yamaki, K., Orden, M.E.M., Abdulrazak, S.A., Ichimohe, T., Fujihara. 2000. Effect of leucaena and gliricidia supplementation on N balance and urinary purine derivative excretion of sheep fed ammonia treated rice straw. *Asian-Aust. J. Anim. Sci.* 13(12): 1659 - 1666.
- Orskov, E.R. 1992. Protein nutrition in ruminants. Edisi ke-2. Harcourt Brace Jovanovich, Publishers, London.
- Ørskov, E.R. 2002. Trails and trials in livestock research. Halcon Printing.
- Pereira, M.L.A., T.C.J. Pereira, H.G.O. Silva, J.F. Cruz, P.J.P. Almeida, A.B. Santos, E.J. Santos, and C.A.M. Peixoto. 2013. Substitution of corn by mesquite pod meal in pellet diets for lambs: Nitrogen compounds metabolism. In 4th International Symposium on Energy and Protein Metabolism and Nutrition in Sustainable Animal Production, EAAP Publication: Sacramento, CA, USA. 34(1): 93 - 94.
- Pond, W.G., D.C. Church, K.R. Pond, and P.A. Schoknecht. 2005. Basic animal nutrition and feeding. 5th ed. John Wiley & Sons, Inc. USA. pp 126 - 127.
- Putra, D., L.M. Yusiati, dan R. Utomo. 2016. Estimasi sintesis protein mikrobia rumen menggunakan ekskresi derivat purin dalam urin dengan teknik *spot sampling* pada kambing Bligon dan kambing Kejobong. *Buletin Peternakan.* 40(3): 178 - 186.
- Riznaya, P., A. Rochana, D. Latipudin, and I. Hernaman. 2019. The effect of energy and protein balance ration to the Garut ewes' growth. *Journal of Livestock Science and Production.* 3(1):158 - 156.
- Russel, J.B., R.E. Muck, and P.J., Weimer. 2009. Quantitative analysis of cellulose degradation and growth of cellulolytic bacteria in the rumen. *FEMS Microbiol. Ecol.* 67:183 - 197.
- Salman, M., Cetinkaya, N., Selcuk, Z., Cenc. 2014. The effects of seasonal variation on the microbial-N flow to the small intestine and prediction of feed intake in grazing Karayaka sheep. *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering.* 8(5): 453 - 458.
- Sari, D.D.K., M.H., Astuti, dan L.S., Asi. 2016. Pengaruh pakan tambahan berupa ampas tahu dan limbah bioetanol berbahan singkong (*Manihot utilissima*) terhadap penampilan sapi Bali (*Bos sondaicus*). *Buletin Peternakan.* 40 (2): 107 - 112.
- Somanjaya, R., U.I.L. Rahmah, dan Rohman. 2018. Karakteristik kuantitatif panjang badan dan tinggi pundak domba Garut betina calon induk di uptd bpptd margawati Garut. *Jurnal Ilmu Pertanian dan Peternakan.* 6 (1): 74 - 79.
- Storm, E., and E.R. Orskov. 1982. Biological value and digestibility of rumen microbial protein in lamb intestine. *Proc. Nutr. Soc.* 41: 78A.

- Surra, J.C., J.A. Guanda, J. Balcells, and S. Castrillo. 1997. Effect of post ruminal fermentation on the faecal and urinary excretion of purines. *J. Anim. Sci.* 65: 383 -390.
- Suryani, N.N., I.G. Mahardika, S. Putra, dan N. Sujaya. 2015. Sifat fisik dan pencernaan ransum sapi Bali yang mengandung hijauan beragam. *Jurnal Peternakan Indonesia*. 17 (1): 39 - 45.
- Suwignyo, B., U.A. Wijaya, R. Indriani, A. Kurniawati, I. Widiyono, dan Sarmin. 2016. Konsumsi, pencernaan nutrisi, perubahan berat badan dan status fisiologis kambing Bligon jantan dengan pembatasan pakan. *Jurnal Sain Veteriner*. 34 (2): 210 – 219.
- Tamminga, S., and X.B. Chen. 2000. Animal-based techniques for the estimation of protein value of forages. Pages 215-231 in *Forage Evaluation in Ruminant Nutrition*. D.I., Givens, E. Owen, R.F.E. Axford, and H.M. Omed. CAB International, Wallingford, UK.
- Teti, N., R. Latvia, I. Hernaman, B. Ayuningsih, D. Ramdani, dan Siswoyo. 2018. Pengaruh imbalanced protein dan energi terhadap pencernaan nutrisi ransum domba garut betina. *JITP*. 6 (2): 97 - 101.
- Thaksala S., K.K., Pahirana, M.C.N., Jayasuriya. 2004. Urinary excretion of purine derivatives as an indicator of microbial protein supply in Sri Lanka local zebu cattle and crossbreed milking cows. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdoesoekojo. 2005. Ilmu makanan ternak dasar. Gadjah Mada University Press, Yogyakarta
- Uddin, M.J. Khandaker, Z.H. Khan, M. Jasimuddin, and M.M.H. Khan. 2015. Dynamic of microbial protein synthesis in the rumen- A review. *Annals of Veterinary and Animal Science*. 2(5): 116 - 131.
- Upeksha, I.G.N.D., N.N. Suryani, dan N.P., Sarini. 2016. Pengaruh pemberian level energi terhadap pencernaan nutrisi ransum sapi Bali bunting 7 bulan. *Journal of Tropical Animal Science*. 4 (1): 196 – 207.
- Wijaya, G.H., M. Yamin, H. Nuraini, dan A. Esfandiari. 2016. Performans produksi dan profil metabolik darah domba Garut dan Jonggol yang diberi limbah tauge dan Pmaga-3. *Jurnal Veteriner*. 17(2): 246 - 256.
- Young, E. G. dan C.F. Conway. 1942. On the estimation of allantoin by the rimini-schryver reaction. *J. Biol. Chem.* 142(1942): 839 - 853.
- Yusiati, L.M. 2005. Pengembangan metode sintesis protein mikrobia rumen menggunakan ekskresi derivat purin dalam urin berbagai ternak ruminansia Indonesia. Disertasi. Fakultas Peternakan UGM. Yogyakarta

Yusiati, L.M., and C. Hanim. 2013. Estimation of rumen microbial nitrogen supply based on purine derivatives excreted in the urine of Kejobong and Bligon goat feed by king grass and peanut straw. Pages 38 - 42 in Proc. 3<sup>rd</sup> AINI International Seminar. Faculty of Animals Science. University of Andalas, Pang West Sumatera