

DAFTAR PUSTAKA

- Admassu, H., Gasmalla, M. A. A., Yang, R., dan Zhao, W. (2018). Bioactive peptides derived from seaweed protein and their health benefits: antihypertensive, antioxidant, and antidiabetic properties. *Journal of Food Science*, 83(1), 6–16. <https://doi.org/10.1111/1750-3841.14011>
- Aertgeerts, K. M. G. (2004). Crystal structure of human dipeptidyl peptidase IV in complex with a decapeptide reveals details on substrate specificity and tetrahedral intermediate formation. *Protein Science*, 13(2), 412–421. <https://doi.org/10.1110/ps.03460604.De>
- Afify, A. E. M. M. R., El-Beltagi, H. S., El-Salam, S. M., dan Omran, A. A. (2012). Protein solubility, digestibility and fractionation after germination of sorghum varieties. *PLoS ONE*, 7(2), 1–6. <https://doi.org/10.1371/journal.pone.0031154>
- Aguilera, Y., Díaz, M. F., Jiménez, T., Benítez, V., Herrera, T., Cuadrado, C., Martín-Pedrosa, M., dan Martín-Cabrejas, M. A. (2013). Changes in nonnutritional factors and antioxidant activity during germination of nonconventional legumes. *Journal of Agricultural and Food Chemistry*, 61(34), 8120–8125. <https://doi.org/10.1021/jf4022652>
- Ahirwar, R., dan Nahar, P. (2015). Development of an aptamer-affinity chromatography for efficient single step purification of Concanavalin A from *Canavalia ensiformis*. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 997, 105–109. <https://doi.org/10.1016/j.jchromb.2015.06.003>
- Akrapunam, M. A., dan Sefa-Dedeh, S. (1997). Some physicochemical properties and anti-nutritional factors of raw, cooked and germinated jack bean (*Canavalia ensiformis*). *Food Chemistry*, 59(1), 121–125. [https://doi.org/10.1016/S0308-8146\(96\)00248-8](https://doi.org/10.1016/S0308-8146(96)00248-8)
- Ali, A. S., dan Elozeiri, A. A. (2017). Metabolic processes during seed germination. *Advances in Seed Biology*. <https://doi.org/10.5772/intechopen.70653>
- Amenta, F., Buccioni, M., Ben, D. D., Lambertucci, C., Navia, A. M., Ngouadjeu Ngnintedem, M. A., Ricciutelli, M., Spinaci, A., Volpini, R., dan Marucci, G. (2018). Ex-vivo absorption study of lysine R-lipoate salt, a new pharmaceutical form of R-ALA. *European Journal of Pharmaceutical Sciences*, 118, 200–207. <https://doi.org/10.1016/j.ejps.2018.03.025>
- Andriamihaja, M., Guillot, A., Svendsen, A., Hagedorn, J., Rakotondratohanina, S., Tomé, D., dan Blachier, F. (2013). Comparative efficiency of microbial enzyme preparations versus pancreatin for in vitro alimentary protein digestion. *Amino Acids*, 44(2), 563–572. <https://doi.org/10.1007/s00726-012-1373-0>
- Anonim. (2019). Official Methods of Analysis of AOAC International (G.W. Latimer). ed 21st: 8 dan 33-35.

- Arianto, A., Nohong, B., dan Nurhaedah. (2014). Analisis kandungan asam sianida (HCN) pada kacang koro pedang (*Canavalia ensiformis*) dengan menggunakan lama perendaman NaCl yang berbeda. *Jurnal Galung Tropika*, 3(September), 186–191.
- Astawan, M., dan Hazmi, K. (2016). Karakteristik fisikokimia tepung tempe kecambah kedelai. *Jurnal Gizi Dan Pangan*, 11(1), 105–112. <https://doi.org/10.25182/jgp.2016.11.1.%p>
- Benincasa, P., Falcinelli, B., Lutts, S., Stagnari, F., dan Galieni, A. (2019). Sprouted grains: A comprehensive review. *Nutrients*, 11(2), 1–29. <https://doi.org/10.3390/nu11020421>
- Bertorelli, L.O., dan Ramírez A. (2000). Electrophoretic study of albumins and globulins of 4 genotypes of *Canavalia ensiformis*. *Arch Latinoam Nutr*, 50(1), 74–80.
- Botcha, S., dan Prattipati, S. (2020). Role of amylase and protease in germinating *Sterculia urens* Roxb. *Bangladesh Journal of Scientific and Industrial Research*, 55(2), 107–112. <https://doi.org/10.3329/bjsir.v55i2.47631>
- Carles, M., Hubert, S., Massa, H., dan Raucoules-Aimé, M. (2008). Use of oral antidiabetic agents. *Praticien En Anesthesie Reanimation*, 12(6), 448–455. <https://doi.org/10.1016/j.pratan.2008.10.010>
- Caron, J., Domenger, D., Dhulster, P., Ravallec, R., dan Cudennec, B. (2017). Using Caco-2 cells as novel identification tool for food-derived DPP-IV inhibitors. *Food Research International*, 92, 113–118. <https://doi.org/10.1016/j.foodres.2017.01.002>
- Chanwitheesuk, A., Teerawutgulrag, A., dan Rakariyatham, N. (2005). Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry*, 92(3), 491–497. <https://doi.org/10.1016/j.foodchem.2004.07.035>
- Chauhan, A., Kumari, N., Saxena, D. C., dan Singh, S. (2022). Effect of germination on fatty acid profile, amino acid profile and minerals of amaranth (*Amaranthus* spp.) grain. *Journal of Food Measurement and Characterization*, 16(3), 1777–1786. <https://doi.org/10.1007/s11694-022-01292-7>
- Chukwu, O., dan Abdullahi, H. (2015). Effects of moisture content and storage period on proximate composition, microbial counts, and total carotenoids of cassava flour. *International Journal of Innovative Science, Engineering and Technology*, 2(11), 753–763.
- Chun, H., Sasaki, M., Fujiyama, Y., dan Bamba, T. (1999). Small peptide of soybean hydrolysate is absorbed more rapidly than large peptide in the perfused rat small intestine. *J. Clin. Biochem. Nutr.*, 26, 183–191.
- Daliri, E. B. M., Oh, D. H., dan Lee, B. H. (2017). Bioactive peptides. *Foods*, 6(5), 1–21. <https://doi.org/10.3390/foods6050032>

- Damayanti, I. D. A. B., Wisaniyasa, N. W., dan Widarta, I. W. R. (2019). Studi sifat fisik, kimia, fungsional, dan kadar asam sianida tepung kecambah kacang koro pedang (*Canavalia ensiformis* L.). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 8(3), 238. <https://doi.org/10.24843/itepa.2019.v08.i03.p02>
- de Castro, R. J. S., dan Sato, H. H. (2015). Biologically active peptides: processes for their generation, purification and identification and applications as natural additives in the food and pharmaceutical industries. *Food Research International*, 74, 185–198. <https://doi.org/10.1016/j.foodres.2015.05.013>
- de Souza Rocha, T., Hernandez, L. M. R., Chang, Y. K., dan de Mejía, E. G. (2014). Impact of germination and enzymatic hydrolysis of cowpea bean (*Vigna unguiculata*) on the generation of peptides capable of inhibiting dipeptidyl peptidase IV. *Food Research International*, 64, 799–809. <https://doi.org/10.1016/j.foodres.2014.08.016>
- de Souza Rocha, T., Hernandez, L. M. R., Mojica, L., Johnson, M. H., Chang, Y. K., dan González de Mejía, E. (2015). Germination of *Phaseolus vulgaris* and alcalase hydrolysis of its proteins produced bioactive peptides capable of improving markers related to type-2 diabetes in vitro. *Food Research International*, 76(P1), 150–159. <https://doi.org/10.1016/j.foodres.2015.04.041>
- Deacon, C. F. (2004). Circulation and degradation of GIP and GLP-1. *Hormone and Metabolic Research*, 36(11–12), 761–765. <https://doi.org/10.1055/s-2004-826160>
- Deacon, C. F. (2016). Dipeptidyl peptidase-4 inhibitors. *Handbook of incretin-based therapies in type 2 diabetes*, 45–60. https://doi.org/10.1007/978-3-319-08982-9_4
- DeFronzo, R. A., Ferrannini, E., Groop, L., Henry, R. R., Herman, W. H., Holst, J. J., Hu, F. B., Kahn, C. R., Raz, I., Shulman, G. I., Simonson, D. C., Testa, M. A., dan Weiss, R. (2015). Type 2 diabetes mellitus. *Nature Reviews Disease Primers*, 1(July), 1–23. <https://doi.org/10.1038/nrdp.2015.19>
- Devi, C. B., Kushwaha, A., dan Kumar, A. (2015). Sprouting characteristics and associated changes in nutritional composition of cowpea (*Vigna unguiculata*). *Journal of Food Science and Technology*, 52(10), 6821–6827. <https://doi.org/10.1007/s13197-015-1832-1>
- Di Stefano, E., Tsopmo, A., Oliviero, T., Fogliano, V., dan Udenigwe, C. C. (2019). Bioprocessing of common pulses changed seed microstructures, and improved dipeptidyl peptidase-IV and α -glucosidase inhibitory activities. *Scientific Reports*, 9(1), 1–13. <https://doi.org/10.1038/s41598-019-51547-5>
- Ding, L., Ma, R., You, H., Li, J., Ge, Q., Yu, Z., dan Wang, L. (2022). Identification and characterization of dipeptidyl peptidase IV inhibitory peptides from wheat gluten proteins. *Journal of Cereal Science* (Vol. 103). <https://doi.org/10.1016/j.jcs.2021.103396>
- Djazuli, M., dan Bradbury, J. H. (1999). Cyanogen content of cassava roots and flour in indonesia. *Food Chemistry*, 65(4), 523–525.

[https://doi.org/10.1016/S0308-8146\(98\)00218-0](https://doi.org/10.1016/S0308-8146(98)00218-0)

- Donowitz, M., Singh, S., Salahuddin, F. F., Hogema, B. M., Chen, Y., Gucek, M., Cole, R. N., Zachos, N. C., Kovbasnjuk, O., Lapierre, L. A., Broere, N., Goldenring, J., Dejonge, H., dan Li, X. (2007). Proteome of murine jejunal brush border membrane vesicles. *Journal of Proteome Research*, 6(10), 4068–4079. <https://doi.org/10.1021/pr0701761>
- Fitriani, A., Indrati, R., Marsono, Y., dan Supriyadi, S. (2022). Impact of Gastrointestinal Digestion Simulation on the Formation of Angiotensin-I-Converting Enzyme Inhibitory (ACE-I) Peptides from Germinated Lamtore Gung Flour. *Foods*, 11(23). <https://doi.org/10.3390/foods11233769>
- Fitriani, A., Santoso, U., dan Supriyadi, S. (2021). Conventional Processing Affects Nutritional and Antinutritional Components and in Vitro Protein Digestibility in Kabau (*Archidendron bubalinum*). *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/3057805>
- Fitzgerald, R. J., dan Murray, B. A. (2006). Bioactive peptides and lactic fermentations. *International Journal of Dairy Technology*, 59(2), 118–125. <https://doi.org/10.1111/j.1471-0307.2006.00250.x>
- Ghumman, A., Kaur, A., dan Singh, N. (2016). Impact of germination on flour, protein and starch characteristics of lentil (*Lens culinari*) and horsegram (*Macrotyloma uniflorum* L.) lines. *LWT - Food Science and Technology*, 65, 137–144. <https://doi.org/10.1016/j.lwt.2015.07.075>
- González-Montoya, M., Hernández-Ledesma, B., Mora-Escobedo, R., dan Martínez-Villaluenga, C. (2018). Bioactive peptides from germinated soybean with anti-diabetic potential by inhibition of dipeptidyl peptidase-IV, α -amylase, and α -glucosidase enzymes. In *International Journal of Molecular Sciences*, 19(10). <https://doi.org/10.3390/ijms19102883>
- Haddad, Y., Adam, V., dan Heger, Z. (2020). Ten quick tips for homology modeling of high-resolution protein 3D structures. *PLoS Computational Biology*, 16(4), 1–19. <https://doi.org/10.1371/journal.pcbi.1007449>
- Harnedy, P. A., O’Keeffe, M. B., dan Fitzgerald, R. J. (2015). Purification and identification of dipeptidyl peptidase (DPP) IV inhibitory peptides from the macroalga *Palmaria palmata*. *Food Chemistry*, 172, 400–406. <https://doi.org/10.1016/j.foodchem.2014.09.083>
- Harvian, Z.A., Andriati, N., Sri, A., dan Widiastuti, S. (2019). In silico approach in evaluation of jack bean (*Canavalia ensiformis*) canavalin protein as precursors of bioactive peptides with dual antioxidant and angiotensin i-converting enzyme inhibitor. *Materials Science Forum*, 948 MSF, 85–94. <https://doi.org/10.4028/www.scientific.net/MSF.948.85>
- Hassan, M., Abbas, Q., Ashraf, Z., Moustafa, A.A., dan Seo, S-Y, 2017. Pharmacoinformatics exploration of polyphenol oxidases leading to novel inhibitors by virtual screening and molecular dynamic simulation study. *Computational Biology and Chemistry*, 68, pp. 131-142.

- Hernández-Ledesma, B., Del Mar Contreras, M., dan Recio, I. (2011). Antihypertensive peptides: production, bioavailability and incorporation into foods. *Advances in Colloid and Interface Science*, 165(1), 23–35. <https://doi.org/10.1016/j.cis.2010.11.001>
- Higuchi, N., Hira, T., Yamada, N., dan Hara, H. (2013). Oral administration of corn zein hydrolysate stimulates GLP-1 and GIP secretion and improves glucose tolerance in male normal rats and Goto-Kakizaki rats. *Endocrinology*, 154(9), 3089–3098. <https://doi.org/10.1210/en.2012-2275>
- Horner, K., Drummond, E., dan Brennan, L. (2016). Bioavailability of milk protein-derived bioactive peptides: A glycaemic management perspective. *Nutrition Research Reviews*, 29(1), 91–101. <https://doi.org/10.1017/S0954422416000032>
- Indrati R. Bioactive peptides from legumes and their bioavailability. Vol. 2, pp. 1-27. In: Legumes Research. Jimenez-Lopez JC, Clemente A. (Eds.). IntechOpen (2021)
- Inobe, T., dan Matouschek, A. (2014). Paradigms of protein degradation by the proteasome. *Current Opinion in Structural Biology*, 24(1), 156–164. <https://doi.org/10.1016/j.sbi.2014.02.002>
- Jensen, F., 2007. Introduction to Computational Chemistry, 2nd Ed, Chichester: John Wiley & Sons Ltd
- Joye, I. (2019). Protein digestibility of cereal products. *Foods*, 8(6), 1–14. <https://doi.org/10.3390/foods8060199>
- Kanetro, B. 2017. *Teknologi Pengolahan dan Pangan Fungsional Kacangkacangan*. Yogyakarta, Plantaxia
- Kanetro, B., Riyanto, M., Pujimulyani, D., dan Huda, N. (2021). Improvement of functional properties of jack bean (*Canavalia ensiformis*) flour by germination and its relation to amino acids profile. *Current Research in Nutrition and Food Science*, 9(3), 812–822. <https://doi.org/10.12944/CRNFSJ.9.3.09>
- Karmous, I., Khadija, J., Chaoui, A., dan El Ferjani, E. (2012). Proteolytic activities in *Phaseolus vulgaris* cotyledons under copper stress. *Physiology and Molecular Biology of Plants*, 18(4), 337–343. <https://doi.org/10.1007/s12298-012-0128-4>
- Kehinde, B. A., dan Sharma, P. (2020). Recently isolated antidiabetic hydrolysates and peptides from multiple food sources: a review. *Critical Reviews in Food Science and Nutrition*, 60(2), 322–340. <https://doi.org/10.1080/10408398.2018.1528206>
- Kesari, V., dan Rangan, L. (2011). Coordinated changes in storage proteins during development and germination of elite seeds of *Pongamia pinnata*, aversatile biodiesel legume. *AoB PLANTS*, 11(1), 1–16. <https://doi.org/10.1093/aobpla/plr026>
- Kimura, S., Inoguchi, T., Yamasaki, T., Yamato, M., Ide, M., Sonoda, N., Yamada,

- K., dan Takayanagi, R. (2016). A novel DPP-4 inhibitor teneligliptin scavenges hydroxyl radicals: In vitro study evaluated by electron spin resonance spectroscopy and in vivo study using DPP-4 deficient rats. *Metabolism: Clinical and Experimental*, 65(3), 138–145. <https://doi.org/10.1016/j.metabol.2015.10.030>
- Kirmizi, S., dan Güleriyüz, G. (2006). Protein mobilization and proteolytic enzyme activities during seed germination of broad bean (*Vicia faba* L.). *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*, 61(3–4), 222–226. <https://doi.org/10.1515/znc-2006-3-411>
- Knudsen, L. B., dan Pridal, L. (1996). Glucagon-like peptide-1-(9-36) amide is a major metabolite of glucagon-like peptide-1-(7-36) amide after in vivo administration to dogs, and it acts as an antagonist on the pancreatic receptor. *European Journal of Pharmacology*, 318(2–3), 429–435. [https://doi.org/10.1016/S0014-2999\(96\)00795-9](https://doi.org/10.1016/S0014-2999(96)00795-9)
- Koo, S. C., Kim, S. G., Bae, D. W., Kim, H. Y., Kim, H. T., Lee, Y. H., Kang, B. K., Baek, S. B., Baek, I. Y., Yun, H. T., dan Choi, M. S. (2015). Biochemical and proteomic analysis of soybean sprouts at different germination temperatures. *Journal of the Korean Society for Applied Biological Chemistry*, 58(3), 397–407. <https://doi.org/10.1007/s13765-015-0053-7>
- Korhonen, H., dan Pihlanto, A. (2005). Food-derived bioactive peptides - opportunities for designing future foods. *Current Pharmaceutical Design*, 9(16), 1297–1308. <https://doi.org/10.2174/1381612033454892>
- Kristin, E. (2016). Dipeptidyl Peptidase 4 (Dpp-4) inhibitors for the Treatment of Type 2 Diabetes Mellitus. *Journal of Thee Medical Sciences (Berkala Ilmu Kedokteran)*, 48(02), 119–130. <https://doi.org/10.19106/jmedsci004802201606>
- Kuo, Y. H., Rozan, P., Lambein, F., Frias, J., dan Vidal-Valverde, C. (2004). Effects of different germination conditions on the contents of free protein and non-protein amino acids of commercial legumes. *Food Chemistry*, 86(4), 537–545. <https://doi.org/10.1016/j.foodchem.2003.09.042>
- Lacroix, I. M. E., Chen, X. M., Kitts, D. D., dan Li-Chan, E. C. Y. (2017). Investigation into the bioavailability of milk protein-derived peptides with dipeptidyl-peptidase IV inhibitory activity using Caco-2 cell monolayers. *Food and Function*, 8(2), 701–709. <https://doi.org/10.1039/c6fo01411a>
- Lacroix, I. M. E., dan Li-Chan, E. C. Y. (2015). Comparison of the susceptibility of porcine and human dipeptidyl-peptidase IV to inhibition by protein-derived peptides. *Peptides*, 69, 19–25. <https://doi.org/10.1016/j.peptides.2015.03.016>
- Lemmens, E., Moroni, A. V., Pagand, J., Heirbaut, P., Ritala, A., Karlen, Y., Kim-Anne, L., Van den Broeck, H. C., Brouns, F. J. P. H., De Brier, N., dan Delcour, J. A. (2019). Impact of cereal seed sprouting on its nutritional and technological properties: a critical review. *Comprehensive Reviews in Food Science and Food Safety*, 18(1), 305–328. <https://doi.org/10.1111/1541->

4337.12414

- Lin, H. C., Alashi, A. M., Aluko, R. E., Pan, B. S., dan Chang, Y. W. (2017). Antihypertensive properties of tilapia (*Oreochromis* spp.) frame and skin enzymatic protein hydrolysates. *Food and Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1391666>
- Liu, R., Cheng, J., dan Wu, H. (2019). Discovery of food-derived dipeptidyl peptidase IV inhibitory peptides: A review. *International Journal of Molecular Sciences*, 20(3). <https://doi.org/10.3390/ijms20030463>
- Luna-Vital, D. A., Mojica, L., González de Mejía, E., Mendoza, S., dan Loarca-Piña, G. (2015). Biological potential of protein hydrolysates and peptides from common bean (*Phaseolus vulgaris* L.): A review. *Food Research International*, 76(P1), 39–50. <https://doi.org/10.1016/j.foodres.2014.11.024>
- Majid, A., Lakshmikanth, M., Lokanath, N. K., dan Poornima Priyadarshini, C. G. (2022). Generation, characterization and molecular binding mechanism of novel dipeptidyl peptidase-4 inhibitory peptides from sorghum bicolor seed protein. *Food Chemistry*, 369(July 2021), 130888. <https://doi.org/10.1016/j.foodchem.2021.130888>
- Marathe, C. S., Rayner, C. K., Jones, K. L., dan Horowitz, M. (2013). Glucagon-like peptides 1 and 2 in health and disease: A review. *Peptides*, 44, 75–86. <https://doi.org/10.1016/j.peptides.2013.01.014>
- McConnell, R. E., Benesh, A. E., Mao, S., Tabb, D. L., dan Tyska, M. J. (2011). Proteomic analysis of the enterocyte brush border. *American Journal of Physiology - Gastrointestinal and Liver Physiology*, 300(5), 914–927. <https://doi.org/10.1152/ajpgi.00005.2011>
- Mehanni, A. A., Sci, B. F., Mehanni, A. E., Sorour, M. A., El-galel, H. A., dan Ahmed, W. K. (2017). *BAOJ Food sciences dan Technology Polyphenols , Tannins and Phytate Contents in Some Egyptian Legumes as Affected by. March 2019*, 1–7.
- Mihafu, F. (2017). Influence of soaking and germination on the iron, phytate and phenolic contents of maize used for complementary feeding in rural tanzania. *International Journal of Nutrition and Food Sciences*, 6(2), 111. <https://doi.org/10.11648/j.ijnfs.20170602.18>
- Miner-Williams, W. M., Stevens, B. R., dan Moughan, P. J. (2014). Are intact peptides absorbed from the healthy gut in the adult human? *Nutrition Research Reviews*, 27(2), 308–329. <https://doi.org/10.1017/S0954422414000225>
- Mojica, L., Chen, K., dan de Mejía, E. G. (2015). Impact of Commercial precooking of common bean (*Phaseolus vulgaris*) on the generation of peptides, after pepsin-pancreatin hydrolysis, capable to inhibit dipeptidyl peptidase-IV. *Journal of Food Science*, 80(1), H188–H198. <https://doi.org/10.1111/1750-3841.12726>
- Monika, G., Sarbjot, S., dan Punam, G. (2009). Dipeptidyl peptidase-4 inhibitors:

- a new approach in diabetes treatment. *Int J Drug Dev Res*, 1(1), 146–156.
<http://ijddr.in/old/Documents/vol.1, issue 1, sept-dec 2009/17.pdf>
- Moulton, C. D., Pickup, J. C., Amiel, S. A., Winkley, K., dan Ismail, K. (2016). Investigating incretin-based therapies as a novel treatment for depression in type 2 diabetes: findings from the south london diabetes (SOUL-D) study. *Primary Care Diabetes*, 10(2), 156–159.
<https://doi.org/10.1016/j.pcd.2015.06.003>
- Mulvihill, E. E., dan Drucker, D. J. (2014). Pharmacology, physiology, and mechanisms of action of dipeptidyl peptidase-4 inhibitors. *Endocrine Reviews*, 35(6), 992–1019. <https://doi.org/10.1210/er.2014-1035>
- Mundi, S., dan Aluko, R. E. (2014). Inhibitory properties of kidney bean protein hydrolysate and its membrane fractions against renin, angiotensin converting enzyme, and free radicals. *Austin Journal of Nutrition and Food Sciences*, 2(1), 1008–1019.
- Murdiati, A., Wijatniko, B.D, dan Canti, M. 2019. *Koro pedang (Canavalia Ensiformis L. DC) : budidaya, kandungan gizi, manfaat bagi kesehatan dan produk olahannya*. PT Kanisius, Yogyakarta
- Nafisah, W., Fatchiyah, F., Widyananda, M. H., Christina, Y. I., Rifa’I, M., Widodo, N., dan Djati, M. S. (2022). Potential of bioactive compound of *Cyperus rotundus* L. rhizome extract as inhibitor of PD-L1/PD-1 interaction: An in silico study. *Agriculture and Natural Resources*, 56(4), 751–760. <https://doi.org/10.34044/J.ANRES.2022.56.4.09>
- Nastiti, A., Murdiati, A., dan Marsono, Y. (2017). The Effect of autoclaved – cooled jack bean (*Canavalia Ensiformis* (L.) Dc.) high RS-4 starch on lowering glucose level and characteristics of digesta of Stz-Na Induced type-2 diabetes mellitus rats. *Indonesian Food and Nutrition Progress*, 14(2), 77. <https://doi.org/10.22146/ifnp.28539>
- Ndubuisi, N. D., dan Chidiebere, A. C. U. (2018). Cyanide in cassava: a review. *International Journal of Genomics and Data Mining*, 3(1). <https://doi.org/10.29011/2577-0616.000118>
- Nielsen, C. U., Andersen, R., Brodin, B., Frokjaer, S., Taub, M. E., dan Steffansen, B. (2001). Dipeptide model prodrugs for the intestinal oligopeptide transporter. Affinity for and transport via hPepT1 in the human intestinal Caco-2 cell line. *Journal of Controlled Release*, 76(1–2), 129–138. [https://doi.org/10.1016/S0168-3659\(01\)00427-8](https://doi.org/10.1016/S0168-3659(01)00427-8)
- Nongonierma, A. B., Cadamuro, C., Le Gouic, A., Mudgil, P., Maqsood, S., dan FitzGerald, R. J. (2019). Dipeptidyl peptidase IV (DPP-IV) inhibitory properties of a camel whey protein enriched hydrolysate preparation. *Food Chemistry*, 279, 70–79. <https://doi.org/10.1016/j.foodchem.2018.11.142>
- Nongonierma, A. B., Dellafiora, L., Paoletta, S., Galaverna, G., Cozzini, P., dan FitzGerald, R. J. (2018a). In silico approaches applied to the study of peptide analogs of Ile-Pro-Ile in relation to their dipeptidyl peptidase IV inhibitory

- properties. *Frontiers in Endocrinology*, 9(JUN), 1–15. <https://doi.org/10.3389/fendo.2018.00329>
- Nongonierma, A. B., dan FitzGerald, R. J. (2013). Inhibition of dipeptidyl peptidase IV (DPP-IV) by proline containing casein-derived peptides. *Journal of Functional Foods*, 5(4), 1909–1917. <https://doi.org/10.1016/j.jff.2013.09.012>
- Nongonierma, A. B., dan FitzGerald, R. J. (2014). An in silico model to predict the potential of dietary proteins as sources of dipeptidyl peptidase IV (DPP-IV) inhibitory peptides. *Food Chemistry*, 165, 489–498. <https://doi.org/10.1016/j.foodchem.2014.05.090>
- Nongonierma, A. B., dan FitzGerald, R. J. (2015). The scientific evidence for the role of milk protein-derived bioactive peptides in humans: A Review. *Journal of Functional Food*, 17, 640–656. <http://dx.doi.org/10.1016/j.jff.2015.06.021>
- Nongonierma, A. B., dan FitzGerald, R. J. (2016). Structure activity relationship modelling of milk protein-derived peptides with dipeptidyl peptidase IV (DPP-IV) inhibitory activity. *Peptides*, 79, 1–7. <http://dx.doi.org/10.1016/j.peptides.2016.03.005>
- Nongonierma, A. B., Paoletta, S., Mudgil, P., Maqsood, S., dan FitzGerald, R. J. (2018b). Identification of novel dipeptidyl peptidase IV (DPP-IV) inhibitory peptides in camel milk protein hydrolysates. *Food Chemistry*, 244, 340–348. <https://doi.org/10.1016/j.foodchem.2017.10.033>
- Nur, A. M., Dwiloka, B., dan Hintono, A. (2019). Pengaruh lama waktu germinasi terhadap mutu fisik dan mutu kimia tepung kacang koro benguk (*Mucuna pruriens*). *Jurnal Teknologi Pangan*, 3(2), 332–339. <https://ejournal3.undip.ac.id/index.php/tekpangan/article/download/24171/23122>
- Ohanenye, I. C., Sun, X., Sarteshnizi, R. A., dan Udenigwe, C. C. (2021). Germination alters the microstructure, in vitro protein digestibility, α -glucosidase and dipeptidyl peptidase-IV inhibitory activities of bioaccessible fraction of pigeon pea (*Cajanus cajan*) seeds. *Legume Science*, 3(1). <https://doi.org/10.1002/leg3.79>
- Ojeda-Montes, M. J., Gimeno, A., Tomas-Hernández, S., Cereto-Massagué, A., Beltrán-Debón, R., Valls, C., Mulero, M., Pujadas, G., dan Garcia-Vallvé, S. (2018). Activity and selectivity cliffs for DPP-IV inhibitors: Lessons we can learn from SAR studies and their application to virtual screening. *Medicinal Research Reviews*, 38(6), 1874–1915. <https://doi.org/10.1002/med.21499>
- Ollivier de Oliveira, L., Andres Retamal, C., da Cunha, M., Elenir Amancio Oliveira, A., dos Santos Teixeira Pinto, M., dan Valevski Sales Fernandes, K. (2012). Mobilization of reserve proteins and activities of cysteine peptidases during germinative and post-germinative events of cowpea seeds. *Protein dan Peptide Letters*, 19(12), 1281–1288. <https://doi.org/10.2174/092986612803521648>
- Olu, M., Alamu, E. A., dan Oluwajoba, S. O. (2014). Effect of germination on the

- anti nutritional and toxic factors of cowpea. *International Journal of Food Science and Nutrition Engineering*, 4(2), 49–53. <https://doi.org/10.5923/j.food.20140402.04>
- Parmar, H. S., Jain, P., Chauhan, D. S., Bhinchar, M. K., Munjal, V., Yusuf, M., Choube, K., Tawani, A., Tiwari, V., Manivannan, E., dan Kumar, A. (2012). DPP-IV inhibitory potential of naringin: An in silico, in vitro and in vivo study. *Diabetes Research and Clinical Practice*, 97(1), 105–111. <https://doi.org/10.1016/j.diabres.2012.02.011>
- Patil, P., Mandal, S., Tomar, S. K., dan Anand, S. (2015). Food protein-derived bioactive peptides in management of type 2 diabetes. *European Journal of Nutrition*, 54(6), 863–880. <https://doi.org/10.1007/s00394-015-0974-2>
- Pertiwi, M. G. P., Marsono, Y., dan Indrati, R. (2020). In vitro gastrointestinal simulation of tempe prepared from koro kratok (*Phaseolus lunatus* L.) as an angiotensin-converting enzyme inhibitor. *Journal of Food Science and Technology*, 57(5), 1847–1855. <https://doi.org/10.1007/s13197-019-04219-1>
- Picariello, G., Ferranti, P., dan Addeo, F. (2016). Use of brush border membrane vesicles to simulate the human intestinal digestion. *Food Research International*, 88(Part B), 327–335. <https://doi.org/10.1016/j.foodres.2015.11.002>
- Power, O., Nongonierma, A. B., Jakeman, P., dan Fitzgerald, R. J. (2014). Food protein hydrolysates as a source of dipeptidyl peptidase IV inhibitory peptides for the management of type 2 diabetes. *Proceedings of the Nutrition Society*, 73(1), 34–46. <https://doi.org/10.1017/S0029665113003601>
- Puspitojati, E., Cahyanto, M. N., Marsono, Y., dan Indrati, R. (2019a). Changes in amino acid composition during fermentation and its effects on the inhibitory activity of angiotensin-i-converting enzyme of jack bean tempe following in vitro gastrointestinal digestion. *Journal of Food and Nutrition Research*, 58(4), 319–327.
- Puspitojati, E., Cahyanto, M. N., Marsono, Y., dan Indrati, R. (2019b). Production of angiotensin-i-converting enzyme (ACE) inhibitory peptides during the fermentation of jack bean (*Canavalia ensiformis*) Tempe. *Pakistan Journal of Nutrition*, 18(5), 464–470. <https://doi.org/10.3923/pjn.2019.464.470>
- Ramli, N. A. M., Chen, Y. H., Mohd Zin, Z., Abdullah, M. A. A., Rusli, N. D., dan Zainol, M. K. (2021). Effect of soaking time and fermentation on the nutrient and antinutrients composition of *Canavalia ensiformis* (Kacang Koro). *IOP Conference Series: Earth and Environmental Science*, 756(1). <https://doi.org/10.1088/1755-1315/756/1/012033>
- Ratnayani, K., Suter, I. K., Antara, N. S., dan Putra, I. N. K. (2019). Angiotensin converting enzyme (ACE) inhibitory activity of peptide fraction of germinated pigeon pea (*Cajanus cajan* (L.) Millsp.). *Indonesian Journal of Chemistry*, 19(4), 900–906. <https://doi.org/10.22146/ijc.37513>
- Rivero-pino, F., Espejo-carpio, F. J., dan Guadix, E. M. (2020). Antidiabetic Food-

Derived Peptides for Functional Feeding: Production, Functionality and In Vivo Evidnces. *Foods*, 9(983).

- Rizkaprilisa, W., Marsono, Y., dan Indrati, R. (2020). Bioactive peptide tempe made from *Mucuna pruriens* L. DC as an inhibitor of angiotensin-i-converting enzyme ace in a digestion simulation. *Preventive Nutrition and Food Science*, 25(1), 93–97. <https://doi.org/10.3746/pnf.2020.25.1.93>
- Rizzello, C. G., Tagliazucchi, D., Babini, E., Sefora Rutella, G., Taneyo Saa, D. L., dan Gianotti, A. (2016). Bioactive peptides from vegetable food matrices: Research trends and novel biotechnologies for synthesis and recovery. *Journal of Functional Foods*, 27, 549–569. <https://doi.org/10.1016/j.jff.2016.09.023>
- Saadi, S., Saari, N., Anwar, F., Abdul Hamid, A., dan Ghazali, H. M. (2015). Recent advances in food biopeptides: Production, biological functionalities and therapeutic applications. *Biotechnology Advances*, 33(1), 80–116. <https://doi.org/10.1016/j.biotechadv.2014.12.003>
- Sattar, D. e. shahwa., Ali, T. M., dan Hasnain, A. (2017). Effect of germination on enzymatic, functional and bioactive attributes of different Pakistani legume cultivars. *Journal of Food Measurement and Characterization*, 11(4), 2076–2086. <https://doi.org/10.1007/s11694-017-9591-5>
- Schlick, T., 2010. Molecular Modeling and Simulation, An Interdisciplinary Guide. 2nd ed., New York: Springer Science+Business Media.
- Schönfeldt, H. C., Pretorius, B., dan Hall, N. (2015). Bioavailability of Nutrients. *Encyclopedia of Food and Health*, 401–406. <https://doi.org/10.1016/B978-0-12-384947-2.00068-4>
- Shah, S. A., Zeb, A., Masood, T., Noreen, N., Abbas, S. J., Samiullah, M., Alim, M. A., dan Muhammad, A. (2011). Effects of sprouting time on biochemical and nutritional qualities of mungbean varieties. *African Journal of Agricultural Research*, 6(22), 5091–5098. <https://doi.org/10.5897/AJAR11.480>
- Sharma, S., Singh, A., dan Singh, B. (2019). Effect on germination time and temperature on techno-functional properties and protein solubility of pigeon pea (*Cajanus cajan*) flour. *Quality Assurance and Safety of Crops and Foods*, 11(3), 305–312. <https://doi.org/10.3920/QAS2018.1357>
- Shen, W., dan Matsui, T. (2019). Intestinal absorption of small peptides: a review. *International Journal of Food Science and Technology*, 54(6), 1942–1948. <https://doi.org/10.1111/ijfs.14048>
- Shreeja, K., Devi, S. S., Suneetha, W. J., dan Prabhakar, B. N. (2021). Effect of germination on nutritional composition of common buckwheat (*Fagopyrum esculentum* Moench). *International Research Journal of Pure and Applied Chemistry*, January, 1–7. <https://doi.org/10.9734/irjpac/2021/v22i130350>
- Sila, A., Alvarez, O. M., Haddar, A., Frikha, F., Dhulster, P., Nedjar-Arroume, N., dan Bougatef, A. (2016). Purification, identification and structural modelling

- of DPP-IV inhibiting peptides from barbel protein hydrolysate. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1008, 260–269. <https://doi.org/10.1016/j.jchromb.2015.11.054>
- Silva, A. L. Da, Pinheiro, D. T., De Lima E Borges, E. E., Da Silva, L. J., dan Santos Dias, D. C. F. Dos. (2019). Effect of cyanide by sodium nitroprusside (Snp) application on germination, antioxidative system and lipid peroxidation of *Senna macranthera* seeds under saline stress. *Journal of Seed Science*, 41(1), 69–75. <https://doi.org/10.1590/2317-1545v41n1210486>
- Silveira, S. T., Martínez-Maqueda, D., Recio, I., dan Hernández-Ledesma, B. (2013). Dipeptidyl peptidase-IV inhibitory peptides generated by tryptic hydrolysis of a whey protein concentrate rich in β -lactoglobulin. *Food Chemistry*, 141(2), 1072–1077. <https://doi.org/10.1016/j.foodchem.2013.03.056>
- Silvestre, M. P. C., Morais, H. A., Silva, V. D. M., dan Silva, M. R. (2013). Degree of hydrolysis and peptide profile of whey proteins using pancreatin. *Nutrire*, 38(3), 278–290. <https://doi.org/10.4322/nutrire.2013.026>
- Simpkins, L. M., Bolton, S., Pi, Z., Sutton, J. C., Kwon, C., Zhao, G., Magnin, D. R., Augeri, D. J., Gungor, T., Rotella, D. P., Sun, Z., Liu, Y., Slusarchyk, W. S., Marcinkeviciene, J., Robertson, J. G., Wang, A., Robl, J. A., Atwal, K. S., Zahler, R. L., ..., dan Hamann, L. G. (2007). Potent non-nitrile dipeptidic dipeptidyl peptidase IV inhibitors. *Bioorganic and Medicinal Chemistry Letters*, 17(23), 6476–6480. <https://doi.org/10.1016/j.bmcl.2007.09.090>
- Singh, A., Sharma, S., dan Singh, B. (2017). Effect of germination time and temperature on the functionality and protein solubility of sorghum flour. *Journal of Cereal Science*, 76, 131–139. <https://doi.org/10.1016/j.jcs.2017.06.003>
- Sola, D., Rossi, L., Schianca, G. P. C., Maffioli, P., Bigliocca, M., Mella, R., Corliano, F., Paolo Fra, G., Bartoli, E., dan Derosa, G. (2015). Sulfonylureas and their use in clinical practice. *Archives of Medical Science*, 11(4), 840–848. <https://doi.org/10.5114/aoms.2015.53304>
- Solomon, S. G., Okomoda, V. T., dan Oguiche, O. (2018). Nutritional value of raw *Canavalia ensiformis* and its utilization as partial replacement for soybean meal in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Food Science and Nutrition*, 6(1), 207–213. <https://doi.org/10.1002/fsn3.548>
- Song, J. J., Wang, Q., Du, M., Ji, X. M., dan Mao, X. Y. (2017). Identification of dipeptidyl peptidase-IV inhibitory peptides from mare whey protein hydrolysates. *Journal of Dairy Science*, 100(9), 6885–6894. <https://doi.org/10.3168/jds.2016-11828>
- Sridhar, K. R., dan Seena, S. (2006). Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* - A comparative study. *Food Chemistry*, 99(2), 267–288. <https://doi.org/10.1016/j.foodchem.2005.07.049>

- Sutedja, A. M., Yanase, E., Batubara, I., Fardiaz, D., dan Lioe, H. N. (2020). Identification and characterization of α -Glucosidase inhibition flavonol glycosides from jack bean (*Canavalia ensiformis* (L.) DC. *Molecules*, 25(11), 1–16. <https://doi.org/10.3390/molecules25112481>
- Tan, S. Y., Mei Wong, J. L., Sim, Y. J., Wong, S. S., Mohamed Elhassan, S. A., Tan, S. H., Ling Lim, G. P., Rong Tay, N. W., Annan, N. C., Bhattamisra, S. K., dan Candasamy, M. (2019). Type 1 and 2 diabetes mellitus: A review on current treatment approach and gene therapy as potential intervention. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 13(1), 364–372. <https://doi.org/10.1016/j.dsx.2018.10.008>
- Tulipano, G., Sibilia, V., Caroli, A. M., dan Cocchi, D. (2011). Whey proteins as source of dipeptidyl dipeptidase IV (dipeptidyl peptidase-4) inhibitors. *Peptides*, 32(4), 835–838. <https://doi.org/10.1016/j.peptides.2011.01.002>
- Urbano, G., Aranda, P., Vélchez, A., Aranda, C., Cabrera, L., Porres, J. M., dan López-Jurado, M. (2005). Effects of germination on the composition and nutritive value of proteins in *Pisum sativum*, L. *Food Chemistry*, 93(4), 671–679. <https://doi.org/10.1016/j.foodchem.2004.10.045>
- Vilcacundo, R., Martínez-Villaluenga, C., dan Hernández-Ledesma, B. (2017). Release of dipeptidyl peptidase IV, α -amylase and α -glucosidase inhibitory peptides from quinoa (*Chenopodium quinoa* Willd.) during in vitro simulated gastrointestinal digestion. *Journal of Functional Foods*, 35, 531–539. <https://doi.org/10.1016/j.jff.2017.06.024>
- Wang, B., dan Li, B. (2018). Charge and hydrophobicity of casein peptides influence transepithelial transport and bioavailability. *Food Chemistry*, 245(September), 646–652. <https://doi.org/10.1016/j.foodchem.2017.09.032>
- Wang, B., Xie, N., dan Li, B. (2019a). Influence of peptide characteristics on their stability, intestinal transport, and in vitro bioavailability: A review. *Journal of Food Biochemistry*, 43(1), 1–6. <https://doi.org/10.1111/jfbc.12571>
- Wang, L., Ding, L., Du, Z., Yu, Z., dan Liu, J. (2019b). Hydrolysis and Transport of Egg White-Derived Peptides in Caco-2 Cell Monolayers and Everted Rat Sacs. *Journal of Agricultural and Food Chemistry*, 67(17), 4839–4848. <https://doi.org/10.1021/acs.jafc.9b01904>
- Webb, K. E. (1990). Intestinal absorption of protein hydrolysis products: A Review. *Journal of Animal Science*, 68(9), 3011. <https://doi.org/10.2527/1990.6893011x>
- Wisaniyasa, N. (2015). Germination effect on functional properties and antitrypsin activities of pigeon pea (*Cajanus cajan* (L.) Millsp.) sprout flour. *Food Science and Quality Management*, 43, 2224–6088. <https://pdfs.semanticscholar.org/ab79/7ef7f6584484496e582852382c3916cbb50.pdf>
- Wongsiri, S., Ohshima, T., dan Duangmal, K. (2015). Chemical Composition, Amino Acid Profile and Antioxidant Activities of Germinated Mung Beans

- (*Vigna radiata*). *Journal of Food Processing and Preservation*, 39(6), 1956–1964. <https://doi.org/10.1111/jfpp.12434>
- Xu, Q., Hong, H., Wu, J., dan Yan, X. (2019). Bioavailability of bioactive peptides derived from food proteins across the intestinal epithelial membrane: A review. *Trends in Food Science and Technology*, 86(December 2018), 399–411. <https://doi.org/10.1016/j.tifs.2019.02.050>
- Xue, Z., Wang, C., Zhai, L., Yu, W., Chang, H., Kou, X., dan Zhou, F. (2016). Bioactive compounds and antioxidant activity of mung bean (*Vigna radiata* L.), soybean (*Glycine max* L.) and black bean (*Phaseolus vulgaris* L.) during the germination process. *Czech Journal of Food Sciences*, 34(1), 68–78. <https://doi.org/10.17221/434/2015-CJFS>
- Yan, J., Zhao, J., Yang, R., dan Zhao, W. (2019). Bioactive peptides with antidiabetic properties: a review. *International Journal of Food Science and Technology*, 54(6), 1909–1919. <https://doi.org/10.1111/ijfs.14090>
- Yoshii, K., Ogasawara, M., Wada, J., Yamamoto, Y., dan Inouye, K. (2020). Exploration of dipeptidyl-peptidase IV (DPP IV) inhibitors in a low-molecular mass extract of the earthworm *Eisenia fetida* and identification of the inhibitors as amino acids like methionine, leucine, histidine, and isoleucine. *Enzyme and Microbial Technology*, 137(February), 109534. <https://doi.org/10.1016/j.enzmictec.2020.109534>
- You, H., Wu, T., Wang, W., Li, Y., Liu, X., dan Ding, L. (2022). Preparation and identification of dipeptidyl peptidase IV inhibitory peptides from quinoa protein. *Food Research International*, 156(January), 111176. <https://doi.org/10.1016/j.foodres.2022.111176>
- Zafar, S., . M. Y. A., dan . M. A. (2004). Protease Activity and Associated Changes During Germination and Early Seedling Stages of *Cotton* grown under Saline Conditions. In *International Journal of Botany* (Vol. 1, Issue 1, pp. 103–107). <https://doi.org/10.3923/ijb.2005.103.107>
- Zou, Y., dan Hou, X. (2017). Effects of germination conditions on peptides accumulation in soybean (*Glycine max* L. Merr.). *Acta Alimentaria*, 46(3), 346–354. <https://doi.org/10.1556/066.2017.46.3.10>