

## DAFTAR PUSTAKA

- Abdeldayem, H. (2015). Recent Advances in Liver Diseases and Surgery. <https://doi.org/10.5772/59737>
- Afifi, I., Abayazeed, S., El-Menyar, A., Abdelrahman, H., Peralta, R., & Al-Thani, H. (2018). Blunt liver trauma: A descriptive analysis from a level i trauma center. *BMC Surgery*, 18(1). <https://doi.org/10.1186/s12893-018-0369-4>
- Badger, S.A., Barclay, R., Campbell, P., Mole, D.J., & Diamond, T. (2009). Management of liver trauma. *World J. Surg.* 33 : 2522–2537.
- Baekgaard, J.S., Eskesen, T.G., Lee, J.M., Yeh, D.D., Kaafarani, H.M.A., Fagenholz, P.J., *et al.* (2019). Spontaneous Retroperitoneal and Rectus Sheath Hemorrhage-Management, Risk Factors and Outcomes. *World J. Surg.* 43 : 1890–1897.
- Bernardo, C. G. (2010). Treatment of Liver Trauma: Operative or Conservative Management. *Gastroenterology Research*. <https://doi.org/10.4021/gr2010.02.165w>
- Buci, S., Torba, M., Gjata, A., Kajo, I., Bushi, G., & Kagjini, K. (2017). The rate of success of the conservative management of liver trauma in a developing country. *World J. Emerg. Surg.* 12 : 1–7.
- Caleo, O., Bocchini, G., Paoletta, S., Ierardi, A.M., Scionti, A., Tonerini, M., *et al.* (2015). Spontaneous non-aortic retroperitoneal hemorrhage: etiology, imaging characterization and impact of MDCT on management. A multicentric study. *Radiol. Med.* 120 : 133–148.
- Chien, L.C., Lo, S.S., & Yeh, S.Y. (2013). Incidence of liver trauma and relative risk factors for mortality: Apopulation-based study. *J. Chinese Med. Assoc.* 76 : 576–582.
- Coccolini, F., Montori, G., Catena, F., Di Saverio, S., Biffl, W., Moore, E.E., *et al.* (2015). Liver trauma: WSES position paper. *World J. Emerg. Surg.* 10 : 1–10.
- Dahlan, M. S. (2010a). Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 5. Jakarta: Epidemiologi Indonesia.
- Dahlan, M. S. (2010b). Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 5. Jakarta: Epidemiologi Indonesia.
- De la Torre, J., Puig, D., & Valls, A. (2018). Weighted kappa loss function for multi-class classification of ordinal data in deep learning. *Pattern Recognit. Lett.* 105 : 144–154.
- Doklešić, K., Stefanović, Branislav, Gregorić, P., Ivančević, N., Lončar, Z., Jovanović, B., *et al.* (2015). Surgical management of AAST grades III-V hepatic trauma by Damage control surgery with perihepatic packing and Definitive hepatic repair-single centre experience. *World J. Emerg. Surg.* 10 : 4–11.
- Dorosh, J., & Lin, J.C. (2022). Retroperitoneal Bleeding. *StatPearls*.
- Dreizin, D., Zhou, Y., Fu, S., Wang, Y., Li, G., Champ, K., *et al.* (2020). A multiscale deep learning method for quantitative visualization of traumatic hemoperitoneum at ct: Assessment of feasibility and comparison with subjective categorical estimation. *Radiol. Artif. Intell.* 2 : 1–9.
- El-Menyar, A., Abdelrahman, H., Al-Thani, H., Zarour, A., Parchani, A., Peralta, R., *et al.* (2014). Compartmental anatomical classification of traumatic abdominal injuries from the academic point of view and its potential clinical implication. *J. Trauma Manag. Outcomes* 8 : 14.
- Fujimura, N., Takahara, M., Isogai, N., Yashiro, H., Shibutani, S., Inoue, M., *et al.*

- (2018). Retroperitoneal hematoma volume is a good predictor of perioperative mortality after endovascular aneurysm repair for ruptured abdominal aortic aneurysm. *J. Vasc. Surg.* 68 : 998-1006.e2.
- Gad, M.A., Saber, A., Farrag, S., Shams, M.E., & Ellabban, G.M. (2012). Incidence, patterns, and factors predicting mortality of abdominal injuries in trauma patients. *N. Am. J. Med. Sci.* 4 : 129–134.
- Georgievaa, M., Beyera, L., Goeczab, I., Stroszczynskia, C., Wiggermanna, P., & Jung, E.M. (2017). Contrast-enhanced ultrasound (CEUS) in an interdisciplinary intensive care unit (ICU): Diagnostic efficacy in the assessment of post-operative complications compared to contrast-enhanced computed tomography (CECT): First results. *Clin. Hemorheol. Microcirc.* 66 : 277–282.
- Geravandi, M. (2023). AAST liver injury scale. *Radiopaedia.org*.
- Gilyard, S., Shinn, K., Nezami, N., Findeiss, L. K., Dariushnia, S., Grant, A. A., ... Kokabi, N. (2020). Contemporary Management of Hepatic Trauma: What IRs Need to Know. *Seminars in Interventional Radiology*, 37(1). <https://doi.org/10.1055/s-0039-3401838>
- Goenka, A.H., Shah, S.N., & Remer, E.M. (2012). Imaging of the retroperitoneum. *Radiol. Clin. North Am.* 50 : 333–355.
- Grange, R., Dignonnet, L.E., Mayaud, A., Chaleur, C., Boutet, C., Raia-Barjat, T., *et al.* (2023). Uterine transarterial embolization as nonsurgical management for uterine rupture following vaginal delivery: A report of two cases. *Radiol. Case Reports* 18 : 322–325.
- Hamidi, M.I., Aldaoud, K.M., & Qtaish, I. (2007). The role of computed tomography in blunt abdominal trauma. *Sultan Qaboos Univ. Med. J.* 7 : 41–46.
- Hu, W., Xu, Z., Shen, X., Gu, Y., Dai, Z., Chen, J., ... Chen, C. (2021). Accident-related hepatic trauma in a medical clinical center in eastern China: a cross-sectional study. *BMC Surgery*, 21(1). <https://doi.org/10.1186/s12893-020-01043-9>
- Iacobellis, F., Di Serafino, M., Brillantino, A., Mottola, A., Del Giudice, S., Stavolo, C., *et al.* (2021). Role of MRI in early follow-up of patients with solid organ injuries: How and why we do it? *Radiol. Medica* 126 : 1328–1334.
- Jeavons, C., Hacking, C., Beenen, L. F., & Gunn, M. L. (2018). A review of split-bolus single-pass CT in the assessment of trauma patients. *Emergency Radiology*, 25(4). <https://doi.org/10.1007/s10140-018-1591-1>
- Jin, W., Deng, L., Lv, H., Zhang, Q., & Zhu, J. (2013). Mechanisms of blunt liver trauma patterns: An analysis of 53 cases. *Exp. Ther. Med.* 5 : 395–398.
- Jones J, Hirano Y, Bell D, et al. Couinaud classification of hepatic segments. Reference article, Radiopaedia.org (Accessed on 09 May 2023) <https://doi.org/10.5334/rID-4474>
- Joshua, A.A. (2014). Abdominal trauma, imaging. *Rosen Barkin's 5-Minute Emerg. Med. Consult Fifth Ed.* 3–52.
- Karim, T., Topno, M., Reza, A., Patil, K., Gautam, R., Talreja, M., & Tiwari, A. (2010). Hepatic trauma management and outcome; Our experience. *Indian Journal of Surgery*, 72(3). <https://doi.org/10.1007/s12262-010-0054-z>
- Kasotakis, G. (2014). Retroperitoneal and rectus sheath hematomas. *Surg. Clin. North Am.* 94 : 71–76.
- Kendall, J.L., Faragher, J., Hewitt, G.J., Burcham, G., & Haukoos, J.S. (2009). Emergency Department Ultrasound Is not a Sensitive Detector of Solid Organ Injury. *West. J. Emerg. Med.* 10 : 1–5.

- Knudson, M. M., Lim, R. C., Jr, Oakes, D. D., & Jeffrey, R. B., Jr. (1990). Nonoperative management of blunt liver injuries in adults: the need for continued surveillance. *The Journal of trauma*, 30(12), 1494–1500. <https://doi.org/10.1097/00005373-199012000-00009>
- Kozar, R.A., Crandall, M., Shanmuganathan, K., Zarzaur, B.L., Coburn, M., Cribari, C., *et al.* (2018). Organ injury scaling 2018 update: Spleen, liver, and kidney. *J. Trauma Acute Care Surg.* 85 : 1119–1122.
- LeBedis, C.A., Bates, D.D.B., & Soto, J.A. (2017). Iatrogenic, blunt, and penetrating trauma to the biliary tract. *Abdom. Radiol.* 42 : 28–45.
- Lee, K., Ryu, D., Kim, H., Jeon, C.H., Kim, J.H., Park, C.Y., *et al.* (2022). Validity of the scoring system for traumatic liver injury: a generalized estimating equation analysis. *J. Trauma Inj.* 35 : 25–33.
- Liu, J., Varghese, B., Taravat, F., Eibschutz, L.S., & Gholamrezanezhad, A. (2022). An Extra Set of Intelligent Eyes: Application of Artificial Intelligence in Imaging of Abdominopelvic Pathologies in Emergency Radiology. *Diagnostics* 12.
- Loor, G., Bassiouny, H., Valentin, C., Shao, M.Y., Funaki, B., & Desai, T. (2009). Local and systemic consequences of large retroperitoneal clot burdens. *World J. Surg.* 33 : 1618–1625.
- Love L, Meyers MA, Churchill RJ, Reynes CJ, Moncada R, Gibson D. (1981). Computed tomography of extraperitoneal spaces. *Am J Roentgenol* 136:781–789
- Lubner, M., Menias, C., Rucker, C., Bhalla, S., Peterson, C.M., Wang, L., *et al.* (2007). Blood in the belly: CT findings of hemoperitoneum. *Radiographics* 27 : 109–125.
- Mahadevan, V. (2020). Anatomy of the liver. *Surg. (United Kingdom)* 38 : 427–431.
- Massalou, D., Baqué-Juston, M., Foti, P., Staccini, P., & Baqué, P. (2013). CT quantification of hemoperitoneum volume in abdominal haemorrhage: A new method. *Surg. Radiol. Anat.* 35 : 481–486.
- Miele, V., Andreoli, C., De Cicco, M.L., Adami, L., & David, V. (2002). Hemoretroperitoneum associated with liver bare area injuries: CT evaluation. *Eur. Radiol.* 12 : 765–769.
- Montoya, J., Stawicki, S.P., Evans, D.C., Bahner, D.P., Sparks, S., Sharpe, R.P., *et al.* (2016). From FAST to E-FAST: an overview of the evolution of ultrasound-based traumatic injury assessment. *Eur. J. Trauma Emerg. Surg.* 42 : 119–126.
- Moon, L., & Federl, P. (2013). Computed Tomography Hepatic Trauma in. *AJR. American journal of roentgenology*, 141(2), 309–314. <https://doi.org/10.2214/ajr.141.2.309>
- Newton, M., Subramanyam, S. (2023) Predicting and grading liver injury in the absence of computed tomographic imaging. *J Family Med Prim Care.* 2023 Feb;12(2):326-331. doi: 10.4103/jfmpc.jfmpc\_1532\_22.
- Ordoñez, C.A., Parra, M.W., Millán, M., Caicedo, Y., Guzmán-Rodríguez, M., Padilla, N., *et al.* (2020). Damage Control in Penetrating Liver Trauma: Fear of the Unknown TT - Control de Daños en Trauma Hepático Penetrante: El Miedo a Lo Desconocido. *Colomb. med* 51 : e4134365–e4134365.
- Rogers, C. B., & Devera, R. (2018). The Forensic Pathology of Liver Trauma. *Academic Forensic Pathology.* <https://doi.org/10.1177/1925362118781607>
- Romano, L., Giovine, S., Guidi, G., Tortora, G., Cinque, T., & Romano, S. (2004). Hepatic trauma: CT findings and considerations based on our experience in emergency diagnostic imaging. *Eur. J. Radiol.* 50 : 59–66.
- Rubano, E., Mehta, N., Caputo, W., Paladino, L., & Sinert, R. (2013). Systematic review: emergency department bedside ultrasonography for diagnosing suspected

- abdominal aortic aneurysm. *Acad. Emerg. Med.* 20 : 128–138.
- Sahu, K.K., Mishra, A.K., Lal, A., George, S. V., & Siddiqui, A.D. (2020). Clinical spectrum, risk factors, management and outcome of patients with retroperitoneal hematoma: a retrospective analysis of 3-year experience. *Expert Rev. Hematol.* 13 : 545–555.
- Salimi, J., Bakhtavar, K., Solimani, M., Khashayar, P., Meysamie, A. P., & Zargar, M. (2009). Diagnostic accuracy of CT scan in abdominal blunt trauma. *Chinese journal of traumatology = Zhonghua chuang shang za zhi*, 12(2), 67–70.
- Saviano, A., Ojetti, V., Zanza, C., Franceschi, F., Longhitano, Y., Martuscelli, E., *et al.* (2022). Liver Trauma: Management in the Emergency Setting and Medico-Legal Implications. *Diagnostics* 12.
- Sastroasmoro, S dan Ismael, S. 2011. Dasar-dasar Metodologi Penelitian Klinis. Binarupa Aksara : Jakarta.
- Segalini, E., Morello, A., Leati, G., Di Saverio, S., & Aseni, P. (2022). Primary angioembolization in liver trauma: major hepatic necrosis as a severe complication of a minimally invasive treatment—a narrative review. *Updates in Surgery*. <https://doi.org/10.1007/s13304-022-01372-9>
- Sibulesky, L. (2013a). Normal liver anatomy. *Clin. Liver Dis.* 2 : 2012–2014.
- Sibulesky, L. (2013b). Normal liver anatomy. *Clin. Liver Dis.* 2 : 2012–2014.
- Sinha, Y., Khajanchi, M. U., Prajapati, R. P., Dharap, S., Soni, K. D., Kumar, V., ... Roy, N. (2020). Management of liver trauma in urban university hospitals in India: an observational multicentre cohort study. *World Journal of Emergency Surgery*, 15(1). <https://doi.org/10.1186/s13017-020-00338-9>
- Slotta, J.E., Justinger, C., Kollmar, O., Kollmar, C., Schäfer, T., & Schilling, M.K. (2014). Liver injury following blunt abdominal trauma: A new mechanism-driven classification. *Surg. Today* 44 : 241–246.
- Sunga, K.L., Bellolio, M.F., Gilmore, R.M., & Cabrera, D. (2012). Spontaneous retroperitoneal hematoma: etiology, characteristics, management, and outcome. *J. Emerg. Med.* 43.
- Stawicki SP. (2017). Trends in nonoperative management of traumatic injuries - A synopsis. *Int J Crit Illn Inj Sci.* Jan-Mar;7(1):38-57. doi: 10.4103/IJCIIS.IJCIIS\_7\_17. PMID: 28382258; PMCID: PMC5364768
- Taghavi S, Askari R. Liver Trauma. [Updated 2022 Jul 19]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK513236/>
- Tani, R., Sofue, K., Sugimoto, K., Katayama, N., Hamada, M.A.S., Maruyama, K., *et al.* (2019). The utility of transarterial embolization and computed tomography for life-threatening spontaneous retroperitoneal hemorrhage. *Jpn. J. Radiol.* 37 : 328–335.
- Vanbelle, S. (2009). Agreement between raters and groups of raters. *Universite De Liege.* 40-43.
- Vos, C.G., & Hoksbergen, A.W.J. (2011). Fatal retroperitoneal bleeding caused by metastasis of a sigmoid carcinoma. *Case Rep. Med.* 2011.
- Wang, Z. wei, Xue, H. dan, Li, X. guang, Pan, J., Zhang, X. bo, & Jin, Z. yu (2016). Life-threatening Spontaneous Retroperitoneal Haemorrhage: Role of Multidetector CT-angiography for the Emergency Management. *Chinese Med. Sci. J. = Chung-kuo i hsueh k'o hsueh tsa chih* 31 : 43–48.
- Willmann, J., Roos, J., Platz, A., Pfammatter, T., Hilfiker, P., Marincek, B., *et al.* (2002). Multidetector CT: detection of active hemorrhage in patients with blunt



abdominal trauma. *AJR. American journal of roentgenology*, 179(2), 437–444.  
<https://doi.org/10.2214/ajr.179.2.1790437>

Yang, L.L. (2020). Anatomy and physiology of the liver. *Anesth. Hepatico-Pancreatic-Biliary Surg. Transplant.* 15–40.

Yoon, W., Jeong, Y.Y., Kim, J.K., Seo, J.J., Lim, H.S., Shin, S.S., *et al.* (2005). CT in Blunt Liver Trauma. *Radiographics* 25 : 87–104.

Yumoto, T., Kosaki, Y., Yamakawa, Y., Iida, A., Yamamoto, H., Yamada, T., *et al.* (2017). Occult Sources of Bleeding in Blunt Trauma : A Narrative Review. *Acta Med. Okayama* 71 : 363–368.