



DAFTAR PUSTAKA

- Adeli, A., Hess, K., Mawrin, C., Streckert, E. M. S., Stummer, W., Paulus, W., Kemmling, A., Holling, M., Heindel, W., Schmidt, R., Spille, D. C., Sporns, P. B., & Brokinkel, B. (2018). Prediction of brain invasion in patients with meningiomas using preoperative magnetic resonance imaging. *Oncotarget*, 9(89), 35974–35982. <https://doi.org/10.18632/oncotarget.26313>
- Amano, T., Nakamizo, A., Murata, H., Miyamatsu, Y., Mugita, F., Yamashita, K., Noguchi, T., & Nagata, S. (2022). Preoperative Prediction of Intracranial Meningioma Grade Using Conventional CT and MRI. *Cureus*, 14(1). <https://doi.org/10.7759/CUREUS.21610>
- Bendszus, M., Martin-Schrader, I., Schlake, H. P., & Solymosi, L. (2003). Embolisation of intracranial meningiomas without subsequent surgery. *Neuroradiology*, 45(7), 451–455. <https://doi.org/10.1007/s00234-003-1005-1>
- Buerki, R. A., Horbinski, C. M., Kruser, T., Horowitz, P. M., James, C. D., & Lukas, R. V. (2018). An overview of meningiomas. *Future Oncology*, 14(21), 2161. <https://doi.org/10.2217/FON-2018-0006>
- Champeaux, C., & Dunn, L. (2016). World Health Organization Grade II Meningioma: A 10-Year Retrospective Study for Recurrence and Prognostic Factor Assessment. *World Neurosurgery*, 89, 180–186. <https://doi.org/10.1016/j.wneu.2016.01.055>
- Cucu, A. I., Cosman, M., Dobrovat, B., Dascalu, C., Jitaru, I., Sandu, R. B., Tudor, A., Costea, C., Turliuc, M., Dumitrescu, G., Sava, A., & Poeata, I. (2021). Meningioma in shape. *Romanian Neurosurgery*, 135–142. <https://doi.org/10.33962/roneuro-2021-021>
- Dahlan, M. S. (2010). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 5*. Epidemiologi Indonesia.
- Goyal, L. K., Suh, J. H., Mohan, D. S., Prayson, R. A., Lee, J., & Barnett, G. H. (2000). Local control and overall survival in atypical meningioma: A retrospective study. *International Journal of Radiation Oncology Biology Physics*, 46(1), 57–61. [https://doi.org/10.1016/S0360-3016\(99\)00349-1](https://doi.org/10.1016/S0360-3016(99)00349-1)
- Gruber, A., Killer, M., Mazal, P., Bavinzski, G., & Richling, B. (2000). Preoperative embolization of intracranial meningiomas: A 17-years single center experience. *Minimally Invasive Neurosurgery*, 43(1), 18–29. <https://doi.org/10.1055/s-2000-8812>
- Hanft, S., Canoll, P., & Bruce, J. N. (2010). A review of malignant meningiomas: Diagnosis, characteristics, and treatment. In *Journal of Neuro-Oncology* (Vol. 99, Issue 3). <https://doi.org/10.1007/s11060-010-0348-9>
- Hug, E. B., DeVries, A., Thornton, A. F., Munzenrider, J. E., Pardo, F. S., Hedley-Whyte, E. T., Bussiere, M. R., & Ojemann, R. (2000). Management of atypical and malignant meningiomas: Role of high-dose, 3D-conformal radiation therapy. *Journal of Neuro-Oncology*, 48(2), 151–160. <https://doi.org/10.1023/A:1006434124794>
- Ihwan, A., Rafika, R., Cangara, M. H., Sjukur, K. J., & Faruk, M. (2022). Correlation between Radiological Images and Histopathological Type of Meningioma: A Cohort Study. *Ethiopian Journal of Health Sciences*, 32(3), 597–604. <https://doi.org/10.4314/ejhs.v32i3.16>
- Kunimatsu, A., Kunimatsu, N., Kamiya, K., Katsura, M., Mori, H., & Ohtomo, K. (2016). Variants of meningiomas: a review of imaging findings and clinical features. *Japanese*



- Journal of Radiology*, 34(7), 459–469. <https://doi.org/10.1007/s11604-016-0550-6>
- Lieu, A. S., & Howng, S. L. (1999). Intracranial meningiomas and epilepsy: Incidence, prognosis and influencing factors. *Epilepsy Research*, 38(1), 45–52. [https://doi.org/10.1016/S0920-1211\(99\)00066-2](https://doi.org/10.1016/S0920-1211(99)00066-2)
- Lobato, R. D., Alday, R., Gómez, P. A., Rivas, J. J., Domínguez, J., Cabrera, A., Madero, S., & Ayerbe, J. (1996). Brain Oedema in Patients with Intracranial Meningioma: Correlation between Clinical, Radiological, and Histological Factors and the Presence and Intensity of Oedema. *Acta Neurochirurgica*, 138(5), 485–494. <https://doi.org/10.1007/BF01411166>
- Louis, D. N., Perry, A., Reifenberger, G., von Deimling, A., Figarella-Branger, D., Cavenee, W. K., Ohgaki, H., Wiestler, O. D., Kleihues, P., & Ellison, D. W. (2016). The 2016 World Health Organization Classification of Tumors of the Central Nervous System: a summary. *Acta Neuropathologica*, 131(6), 803–820. <https://doi.org/10.1007/S00401-016-1545-1>
- Maggio, I., Franceschi, E., Tosoni, A., Nunno, V. Di, Gatto, L., Lodi, R., & Brandes, A. A. (2021). Meningioma: not always a benign tumor. A review of advances in the treatment of meningiomas. *CNS Oncology*, 10(2). <https://doi.org/10.2217/CNS-2021-0003>
- Magill, S. T., Young, J. S., Chae, R., Aghi, M. K., Theodosopoulos, P. V., & McDermott, M. W. (2018). Relationship between tumor location, size, and WHO grade in meningioma. *Neurosurgical Focus*, 44(4). <https://doi.org/10.3171/2018.1.FOCUS17752>
- McHugh, M. L. (2012). Lessons in biostatistics interrater reliability : the kappa statistic. *Biochemica Medica*, 22(3), 276–282. <https://hrcak.srce.hr/89395>
- Mehdorn, H. M. (2016). Intracranial Meningiomas: A 30-Year Experience and Literature Review. In *Advances and technical standards in neurosurgery* (Issue 43). https://doi.org/10.1007/978-3-319-21359-0_6
- Moliterno, J., & Omuro, A. (2020). *Meningiomas: Comprehensive Strategies for Management*. Springer Nature.
- Nakasu, S., Nakasu, Y., Nakajima, M., Matsuda, M., & Handa, J. (1999). Preoperative identification of meningiomas that are highly likely to recur. *Journal of Neurosurgery*, 90(3), 455–462. <https://doi.org/10.3171/jns.1999.90.3.0455>
- Nanda, A., Bir, S. C., Maiti, T. K., Konar, S. K., Missios, S., & Guthikonda, B. (2017). Relevance of Simpson grading system and recurrence-free survival after surgery for World Health Organization Grade I meningioma. *Journal of Neurosurgery*, 126(1), 201–211. <https://doi.org/10.3171/2016.1.JNS151842>
- Niryana, W. (2922, August). *Meningioma*. Yankes Kemkes.
- Nowak, A., Dziedzic, T., Krych, P., Czernicki, T., Kunert, P., & Marchel, A. (2015). Benign versus atypical meningiomas: Risk factors predicting recurrence. *Neurologia i Neurochirurgia Polska*, 49(1), 1–10. <https://doi.org/10.1016/j.pjnns.2014.11.003>
- Ostrom, Q. T., Cioffi, G., Gittleman, H., Patil, N., Waite, K., Kruchko, C., & Barnholtz-Sloan, J. S. (2019). CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2012–2016. *Neuro-Oncology*, 21(Suppl 5), v1. <https://doi.org/10.1093/NEUONC/NOZ150>
- Perry, A. (2018). 13 - Meningiomas. *Practical Surgical Neuropathology: A Diagnostic Approach A Volume in the Pattern Recognition Series*, 259–298. <https://doi.org/10.1016/B978-0-323-44941-0.00013-8>



- Puchner, M. J. A., Hans, V. H., Harati, A., Lohmann, F., Glas, M., & Herrlinger, U. (2010). Bevacizumab-induced regression of anaplastic meningioma. *Annals of Oncology: Official Journal of the European Society for Medical Oncology*, 21(12), 2445–2446. <https://doi.org/10.1093/ANNONC/MDQ634>
- Rosen, C. L., Ammerman, J. M., Sekhar, L. N., & Bank, W. O. (2002). Outcome analysis of preoperative embolization in cranial base surgery. *Acta Neurochirurgica*, 144(11), 1157–1164. <https://doi.org/10.1007/s00701-002-0965-y>
- Salah, F., Tabbarah, A., ALAraby, N., Asmar, K., Tamim, H., Makki, M., Sibahi, A., & Hourani, R. (2019). Can CT and MRI features differentiate benign from malignant meningiomas? *Clinical Radiology*, 74(11), 898.e15–898.e23. <https://doi.org/10.1016/j.crad.2019.07.020>
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis Edisi ke-4*. Sagung Seto.
- Sharma, P., & Gupta, R. (2017). Meningioma. *PET/MR Imaging: A Case-Based Approach*, 363, 293–294. https://doi.org/10.1007/978-3-319-65106-4_118
- Wang, Y. C., Chuang, C. C., Wei, K. C., Chang, C. N., Lee, S. T., Wu, C. T., Hsu, Y. H., Lin, T. K., Hsu, P. W., Huang, Y. C., Tseng, C. K., Wang, C. C., Chen, Y. L., & Chen, P. Y. (2016). Long Term Surgical Outcome and Prognostic Factors of Atypical and Malignant Meningiomas. *Scientific Reports*, 6. <https://doi.org/10.1038/srep35743>
- Watts, J., Box, G., Galvin, A., Brotchie, P., Trost, N., & Sutherland, T. (2014). Magnetic resonance imaging of meningiomas: A pictorial review. *Insights into Imaging*, 5(1), 113–122. <https://doi.org/10.1007/S13244-013-0302-4/FIGURES/21>
- Whittle, I. R., Smith, C., Navoo, P., & Collie, D. (2004). *Meningiomas*. 363, 1535–1543.
- Wiemels, J., Wrensch, M., & Claus, E. B. (2010). Epidemiology and etiology of meningioma. *Journal of Neuro-Oncology*, 99(3), 307. <https://doi.org/10.1007/S11060-010-0386-3>
- Yao, Y., Xu, Y., Liu, S., Xue, F., Wang, B., Qin, S., Sun, X., & He, J. (2022). Predicting the grade of meningiomas by clinical–radiological features: A comparison of precontrast and postcontrast MRI. *Frontiers in Oncology*, 12(December), 1–12. <https://doi.org/10.3389/fonc.2022.1053089>
- Zhang, Q., Jia, G. J., Zhang, G. Bin, Wang, L., Wu, Z., Jia, W., Hao, S. Y., Ni, M., Li, D., Wang, K., & Zhang, J. T. (2019). A Logistic Regression Model for Detecting the Presence of Malignant Progression in Atypical Meningiomas. *World Neurosurgery*, 126, e392–e401. <https://doi.org/10.1016/j.wneu.2019.02.062>