

## DAFTAR PUSTAKA

- Agustono, B., I. Rahmadiyah, F. Fikri, and R. A. Prastiya. 2022. Potential of sappan wood extract as a feed additive on the feed conversion on organic matter digestibility on the buck exposed to heat stress. IOP Conf. Ser.: Earth Environ. Sci. 1036: 012051.
- Alara, O. R., N. H. Abdurahman, dan C. I. Ukaegbu. 2021. Extraction of phenolic compounds: a review. Curr. Res. Food Sci. Vol. 4: 200-214.
- Amalia, R.T., Tukiran, F. I. Sabila and Suyatno. 2021. Phytochemical screening and total phenolic compounds of red ginger (*Zingiber officinale*) and secang wood (*Caesalpinia sappan*) as preliminary test of antiarthritis. Chimica et Natura Acta 9(1): 8-13.
- AOAC. 2005. Official Method Of Analysis Of The Association Of Official Analytical Chemist. 18<sup>th</sup> ed. Maryland: AOAC International. William Harwitz (ed). USA.
- Arsiningtyas, I. S. 2021. Antioxidant profile of heartwood and sapwood of *Caesalpinia sappan* L. tree's part grown in Imogiri nature preserve, Yogyakarta. IOP Conf. Ser.: Earth Environ. Sci. 810: 012040.
- Chaney, A. L. and E. P. Marbach. 1962. Modified reagents for determination of urea and ammonia. Clin. Chem. 8(2):130-132.
- Chanwitheesuk, A., Teerawutgulrag, A., Rakariyatham, N., 2005. Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. Food Chem. 92(3), 491-497.
- Diaz, A., M. Avendano and A. Escobar. 1993. Evaluation of *Sapindus Saponaria* as a defaunating agent and its effects on different ruminal digestion parameters. Livest. Res. for Rural. Dev. 5(2):1-6.
- Filipek, J. and R. Dvorak. 2009. Determination of the volatile fatty acid content in the rumen liquid: Comparison of gas chromatography and capillary isotachopheresis. Acta Vet. Brno. 78(4):627-633.
- Getachew, G., M. Blummel, H. P. S. Makkar dan K. Becker. 1998. In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review. Anim. Feed Sci. Technol. 72: 261-281.
- Grandón S, A., Espinosa B, M., Ríos L, D., Sánchez O, M., Sáez C, K., Hernández S, V., Becerra A, J., 2013. Variations of saponin contents and physiological status in *Quillaja saponaria* under different environmental conditions. Nat. Prod. Commun. 8(12), 1697-1700.
- Gunun, P., N. Gunun, A. Cherdthong, M. Wanapat, S. Polyorach, S. Sirilaophaisan, C. Wachirapakorn, and S. Kang. 2018. In vitro rumen fermentation and methane production as affected by rambutan peel powder. J. Appl. Anim. Res. 46(1): 626-631.

- Hess, H. D., M. Kreuzer, T. E. Diaz, C. E. Lascano, J. E. Carulla, C. R. Soliva, and A. Machmüller. 2003. Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid. *Anim. Feed Sci. Technol.* 109: 79-94.
- Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. *Jurnal Sain Peternakan Indonesia*. 11(2): 89-98.
- Jayanegara, A., A. Sofyan, H. P. S. Makkar dan K. Becker. 2009. Kinetika produksi gas, pencernaan bahan organik dan produksi gas metana in vitro pada hay dan jerami yang disuplementasi hijauan mengandung tanin. *Media Peternakan*. 32(2): 120-129.
- Jayanegara, A., E. Wina, and J. Takahashi. 2014. Meta-analysis on methane mitigating properties of saponin-rich sources in the rumen: influence of addition levels and plant sources. *Asian Australas. J. Anim. Sci.* 27(10): 1426-1435.
- Kamalak, A., O. Canbolat, Y. Gurbuz dan O. Ozay. 2005. Comparison of in vitro gas production technique with in situ nylon bag technique to estimate dry matter degradation. *Czech J. Anim. Sci.* 50(2): 60-67.
- Lestari, E. S., A. Muktiani dan D. W. Harjanti. 2020. Kecernaan serat dan total digestible nutrients pakan akibat suplementasi daun katuk, jintan hitam dan mineral dalam rumen sapi perah secara *in vitro*. *Bulletin of Applied Animal Research Vol.2*(2): 67-71.
- McDonald, P., R.A. Erdwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, and R.G. Wilkinson. 2011. *Animal Nutrition*. 7th ed. Pearson Education Ltd., Essex.
- Menke, K. H., and H. Steingass. 1983. Estimation of the energetic feed value obtained from chemical analysis and *in vitro* gas production using rumen fluid. *Anim. Res. Dev.* 28:7-55.
- Muchlas, M., Kusmartono dan Marjuki. 2014. Pengaruh penambahan daun pohon terhadap kadar vfa dan pencernaan secara in-vitro ransum berbasis ketela pohon. *Jurnal Ilmu-Ilmu Peternakan Vol.24*(2): 8-19.
- Mutha, R. E., A. U. Tatiya, and S. J. Surana. 2021. Flavonoids as natural phenolic compounds and their role in therapeutics: an overview. *Future J. Pharm. Sci.* 7: 25.
- Molino, S., N. A. Casanova, J. A. R. Henares, and M. E. F. Miyakawa. 2020. Natural tannin wood extracts as a potential food ingredient in the food industry. *J. Agric. Food Chem.* 68:2836-2848.
- Nurullita, U. dan E. Irawati. 2022. Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan* L). *Jurnal MIPA* 11(2): 47-50.

- Oskoueian, E., N. Abdullah and A. Oskoueian. 2013. Effects of flavonoids on rumen fermentation activity, methane production and microbial population. *BioMed Res. Int.* 2013: 1-8.
- Owens, F. N. dan R. Zinn. 1988. Protein Metabolism in Ruminant Animals. Dalam *Animal Digestive Physiology*. D. C. Church, ed. Reston Book Prentice Hall, Englewood Cliffs, New Jersey.
- Phesatcha, B., K. Phesatcha, B. Viennaxay, M. Matra, P. Totakul dan M. Wanapat. 2022. Cricket meal (*gryllus bimaculatus*) as a protein supplement on in vitro fermentation characteristics and methane mitigation. *Insects* 13(2): 129.
- Phuyal, N., Jha, P.K., Raturi, P.P., Rajbhandary, S., 2020. Total phenolic, flavonoid contents, and antioxidant activities of fruit, seed, and bark extracts of *Zanthoxylum armatum* DC. *Sci. World J.* 2020, 8780704.
- Pitta, D., N. Indugu, K. Narayan, and M. Hennessy. 2022. Symposium review: understanding the role of the rumen microbiome in enteric methane mitigation and productivity in dairy cows. *J. Dairy Sci.* 105(10): 8569-8585.
- Plummer, D. 1987. *An Introduction to Practical Biochemistry*. McGraw-Hill book, London.
- Santoso, B. dan B. T. Hariadi. 2009. Evaluation of nutritive value and in vitro methane production of feedstuffs from agricultural and food industry by-products. *J. Indones. Trop. Anim. Agric.* 34(3): 189-195.
- Sari, N. F., R. Ridwan, Rohmatussolihat, R. Fidriyanto, W. D. Astuti, and Y. Widyastuti. 2019. The effect of probiotics on high fiber diet in rumen fermentation characteristics. *IOP Conf. Ser.: Earth Environ. Sci.* 251: 012057.
- Sinz, S., C. Kunz, A. Liesegang, U. Braun, S. Marquardt, C. Soliva and M. Kreuzer. 2018. In vitro bioactivity of various pure flavonoids in ruminal fermentation, with special reference to methane formation. *Czech J. Anim. Sci.* 63(8): 293-304.
- Tilley, J. M. A. and R. A. Terry. 1963. A two stage technique for the in vitro digestion of forage crops. *Grass Forage Sci.* 18(2):104-111.
- Ungerfeld, E. M. 2015. Shifts in metabolic hydrogen sinks in the methanogenesis-inhibited ruminal fermentation: a meta-analysis. *Front. Microbiol.* 6(37).
- Vij, T., P. P. Anil, R. Shams, K. K. Dash, R. Kalsi, V. K. Pandey, E. Harsányi, B. Kovács, and A. M. Shaikh. 2023. A comprehensive review on bioactive compounds found in *Caesalpinia sappan*. *Molecules* 28(17): 6247.
- Wulandari, W. P. Widyobroto, C. T. Noviandi dan A. Agus. 2017. In vitro degradation and rumen fermentation characteristics of soybean meal protected with different levels of formaldehyde. Pages 73-78 in *Proc. The 7<sup>th</sup>*

International Seminar on Tropical Animal Production (ISTAP). Faculty of  
Animal Science, Gadjah Mada University, Yogyakarta.

Yan, H.-X., L.-S. Sun, and G.-Q. Zhao. 2007. Effect of  $\beta$ -carotene on selected  
indices of *in vitro* rumen fermentation in goats. J. Anim. Feed Sci. 16(Suppl.  
2): 581-585.

Yang, L., K-S Wen, X. Ruan, Y-X Zhao, F. Wei, Q. Wang. 2018. Response of  
plant secondary metabolites to environmental factors. Molecules 23(4): 762.