

DAFTAR PUSTAKA

- Ahmeti, H., Caliebe, A., Röcken, C., Jansen, O., Mehdorn, M.H., & Synowitz, M. (2023). Impact of peritumoral brain edema on pre- and postoperative clinical conditions and on long-term outcomes in patients with intracranial meningiomas. *Eur. J. Med. Res.* 28 : 1–15.
- Amoo, M., Henry, J., Farrell, M., Javadpour, M., College, R., Hospital, B., *et al.* (2023). Neuro-Oncology Advances Meningioma in the elderly 5 : 13–25.
- Antoniades, E., Stamatiou, S., Papadopoulou, K., & Patsalas, I. (2020). Perioperative Brain Edema in Meningioma Resection Procedures: Case Series and Experience of a Single Center. *J. Neurol. Exp. Neurosci.* 6 : 62–66.
- Barton, B., & Peat, J. (2014). Medical Statistics A Guide to SPSS, Data Analysis And Critical Appraisal, 2nd ed. West Sussex : BMJ Publishing Group Limited.
- Ben-Zion Berliner, M., Katz, L.H., Derazne, E., Levine, H., Keinan-Boker, L., Benouaich-Amiel, A., *et al.* (2020). Height as a risk factor in meningioma: A study of 2 million Israeli adolescents. *BMC Cancer* 20 : 1–8.
- Berhouma, M., Jacquesson, T., Jouanneau, E., & Cotton, F. (2019). Pathogenesis of peri-tumoral edema in intracranial meningiomas. *Neurosurg. Rev.* 42 : 59–71.
- Bitzer, M., Wöckel, L., Morgalla, M., Keller, C., Friese, S., Heiss, E., *et al.* (1997). Peritumoural Brain Oedema in Intracranial Meningiomas: Influence of Tumour Size, Location and Histology, *Acta Neurochir.*
- Buerki, R.A., Horbinski, C.M., Kruser, T., Horowitz, P.M., James, C.D., & Lukas, R. V. (2018). An overview of meningiomas. *Futur. Oncol.* 14 : 2161–2177.
- Butta, S., Gupta, M.K., V., S.B., Pal, M., & Saha, S.K. (2020). The role of peritumoural brain edema in ascertaining the high risk meningiomas. *Int. J. Res. Med. Sci.* 8 : 3938.
- Dahlan, S. (2018). Penelitian Diagnostik, Validitas dan Reliabilitas: Dasar-dasar Teoretis dan Aplikasi dengan Program SPSS dan Stata. Jakarta : Epidemiologi Indonesia.
- Dos, J., Silva, S., Pinheiro, C.E., Brigido, L., Wilson, C.D., Mcveigh, L., *et al.* (2022). Volumetric measurement of intracranial meningiomas: a comparison between linear, planimetric, and machine learning with multiparametric voxel-based morphometry methods. *Res. Sq.* 1–17.
- Esquenazi, Y., Lo, V.P., & Lee, K. (2017). Critical Care Management of Cerebral Edema in Brain Tumors. *J. Intensive Care Med.* 32 : 15–24.
- Fiani, B., Jarrah, R., Bhandarkar, A.R., De Stefano, F., Amare, A., Aljameey, U.A., *et al.* (2022). Peritumoral edema in meningiomas: pathophysiology, predictors, and principles for treatment. *Clin. Transl. Oncol.* 1–8.
- Frati, A., Armocida, D., Arcidiacono, U.A., Pesce, A., D’Andrea, G., Cofano, F., *et al.* (2022). Peritumoral Brain Edema in Relation to Tumor Size Is a Variable That Influences the Risk of Recurrence in Intracranial Meningiomas. *Tomography* 8 : 1987–1996.
- Gawlitza, M., Fiedler, E., Schob, S., Hoffmann, K.T., & Surov, A. (2017). Peritumoral

- Brain Edema in Meningiomas Depends on Aquaporin-4 Expression and Not on Tumor Grade, Tumor Volume, Cell Count, or Ki-67 Labeling Index. *Mol. Imaging Biol.* 19 : 298–304.
- Goldbrunner, R., Stavrinou, P., Jenkinson, M.D., Sahm, F., Mawrin, C., Weber, D.C., *et al.* (2021). EANO guideline on the diagnosis and management of meningiomas. *Neuro. Oncol.* 23 : 1821–1834.
- Gunadi, S.V., Suryanti, S., & Yohana, R. (2018). The Distribution of Meningioma in Dr. Hasan Sadikin General Hospital Bandung Period 2010–2013. *Althea Med. J.* 5 : 157–160.
- Gurkanlar, D., Er, U., Sanli, M., Özkan, M., & Sekerci, Z. (2005). Peritumoral brain edema in intracranial meningiomas. *J. Clin. Neurosci.* 12 : 750–753.
- Ho, M.-L., Rojas, R., & Eisenberg, R.L. (2012). Cerebral Edema. *Am. J. Roentgenol.* 199 : 258–273.
- Hou, J., Kshetry, V.R., Selman, W.R., & Bambakidis, N.C. (2013). Peritumoral brain edema in intracranial meningiomas: The emergence of vascular endothelial growth factor-directed therapy. *Neurosurg. Focus* 35 : 1–10.
- Huang, R.Y., Bi, W.L., Griffith, B., Kaufmann, T.J., La Fougère, C., Schmidt, N.O., *et al.* (2019). Imaging and diagnostic advances for intracranial meningiomas. *Neuro. Oncol.* 21 : I44–I61.
- Huntoon, K., Toland, A.M.S., & Dahiya, S. (2020). Meningioma: A Review of Clinicopathological and Molecular Aspects. *Front. Oncol.* 10 : 1–14.
- Ishi, Y., Terasaka, S., Yamaguchi, S., Yoshida, M., Endo, S., Kobayashi, H., *et al.* (2016). Reliability of the Size Evaluation Method for Meningiomas: Maximum Diameter, ABC/2 Formula, and Planimetry Method. *World Neurosurg.* 94 : 80–88.
- Kim, B.W., Kim, M.S., Kim, S.W., Chang, C.H., & Kim, O.L. (2011). Peritumoral brain edema in meningiomas: Correlation of radiologic and pathologic features. *J. Korean Neurosurg. Soc.* 49 : 26–30.
- Krishnan, V., Mittal, M.K., Sinha, M., & Thukral, B.B. (2019). Imaging spectrum of meningiomas: A review of uncommon imaging appearances and their histopathological and prognostic significance. *Polish J. Radiol.* 84 : 630–653.
- Kunimatsu, A., Kunimatsu, N., Kamiya, K., Katsura, M., Mori, H., & Ohtomo, K. (2016). Variants of meningiomas: a review of imaging findings and clinical features. *Jpn. J. Radiol.* 34 : 459–469.
- Lee, K.J., Joo, W. Il, Rha, H.K., Park, H.K., Chough, J.K., Hong, Y.K., *et al.* (2008). Peritumoral brain edema in meningiomas: correlations between magnetic resonance imaging, angiography, and pathology. *Surg. Neurol.* 69 : 350–355.
- Lindberg, K., Kouti, A., Ziegelitz, D., Hallén, T., Skoglund, T., & Farahmand, D. (2018). Three-Dimensional Volumetric Segmentation of Pituitary Tumors: Assessment of Inter-rater Agreement and Comparison with Conventional Geometric Equations. *J. Neurol. Surgery, Part B Skull Base* 79 : 475–481.
- Liyanage, U.A., Mathangasinghe, Y., Wijerathne, P.K., Vithoosan, S., & Pallewatte, A. (2020). Location and Diameter of Intracranial Meningioma as Predictors of

- Peritumoral Brain Oedema and Mass Effect. *J. Med. Imaging Radiat. Sci.* 51 : 411–416.
- Magill, S.T., Young, J.S., Chae, R., Aghi, M.K., Theodosopoulos, P. V., & McDermott, M.W. (2018). Relationship between tumor location, size, and WHO grade in meningioma. *Neurosurg. Focus* 44.
- Manrique-Carmona, L.P., & Pérez-Neri, I. (2018). Pathophysiology and Treatment of Peritumoral Brain Edema: Possible Effect of Lidocaine. *Neurochem. J.* 12 : 9–14.
- Mohindra, N., & Neyaz, Z. (2015). Magnetic resonance sequences: Practical neurological applications. *Neurol. India* 63 : 241–249.
- Mubeen, B., Makhdoomi, R., Nayil, K., Rafiq, D., Kirmani, A., Salim, O., *et al.* (2019). Clinicopathological characteristics of meningiomas: Experience from a tertiary care hospital in the Kashmir Valley. *Asian J. Neurosurg.* 14 : 41–46.
- Nakano, T., Asano, K., Miura, H., Itoh, S., & Suzuki, S. (2002). Meningiomas with brain edema: Radiological characteristics on MRI and review of the literature. *Clin. Imaging* 26 : 243–249.
- Nakasu, S., Nakasu, Y., Nakajima, M., Matsuda, M., & Handa, J. (1999). Preoperative identification of meningiomas that are highly likely to recur. *J. Neurosurg.* 90 : 455–462.
- Nanda, A., Bir, S.C., Maiti, T.K., Konar, S.K., Missios, S., & Guthikonda, B. (2017). Relevance of Simpson grading system and recurrence-free survival after surgery for World Health Organization Grade I meningioma. *J. Neurosurg.* 126 : 201–211.
- Ogasawara, C., Philbrick, B.D., & Adamson, D.C. (2021). Meningioma: A review of epidemiology, pathology, diagnosis, treatment, and future directions. *Biomedicines* 9 : 1–23.
- Orge, J., Alvernia, E., & Sindou, M.P. (2004). Characteristics of Tumors in the Series Preoperative neuroimaging findings as a predictor of the surgical plane of cleavage: prospective study of 100 consecutive cases of intracranial meningioma. *J. Neurosurg* 100 : 422–430.
- Osawa, T., Tosaka, M., Nagaishi, M., & Yoshimoto, Y. (2013). Factors affecting peritumoral brain edema in meningioma: Special histological subtypes with prominently extensive edema. *J. Neurooncol.* 111 : 49–57.
- Osborn, A.G., Hedlund, G.L., & Salzman, K.L. (2018). *Osborn Brain Imaging Pathology And Anatomy*, 2ND ed. Philadelphia : ELSEIVER.
- Ostrom, Q.T., Cioffi, G., Gittleman, H., Patil, N., Waite, K., Kruchko, C., *et al.* (2019). CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2012-2016. *Neuro. Oncol.* 21 : V1–V100.
- Palaniandy, K., Mohammad Haspani, M.S., & Mohd Zain, N.R. (2017). Prediction of Histological Grade and Completeness of Resection of Intracranial Meningiomas: Role of Peritumoural Brain Edema. *Malaysian J. Med. Sci.* 24 : 33–43.
- Pangestu, R.D., Faisal, A., & Utomo, B.P. (2023). Hubungan Ukuran Tumor Dengan Kejadian Peritumoral Edema Pada MRI Kepala Penderita Meningioma. Tesis S2.

Gadjah mada University.

- Puri, L., Supriatna, Y., & Supriyadi, B. (2021a). Korelasi Antara Nilai Apparent Diffusion Coefficient (ADC) Edema Otak Peritumoral Meningioma Pada MRI Dengan Derajat Agresivitas Histopatologi. Tesis S2. Gadjah Mada University.
- Puri, L., Supriatna, Y., & Supriyadi, B. (2021b). Korelasi Antara Edema Otak Peritumoral Meningioma Pada MRI Dengan Derajat Histopatologi. Tesis PPDS. Gadjah Mada University.
- Rogers, L., & Mehta, M. (2007). Role of radiation therapy in treating intracranial meningiomas. *Neurosurg. Focus* 23 : 1–13.
- Salah, F., Tabbarah, A., ALArab y, N., Asmar, K., Tamim, H., Makki, M., *et al.* (2019). Can CT and MRI features differentiate benign from malignant meningiomas? *Clin. Radiol.* 74 : 898.e15-898.e23.
- Saloner, D., Uzelac, A., Hetts, S., Martin, A., & Dillon, W. (2010). Modern meningioma imaging techniques. *J. Neurooncol.* 99 : 333–340.
- Sapkota, M.R., Yang, Z., Zhu, D., Zhang, Y., Yuan, T., Gao, J., *et al.* (2020). Evaluation of Epidemiologic Factors, Radiographic Features, and Pathologic Findings for Predicting Peritumoral Brain Edema in Meningiomas. *J. Magn. Reson. Imaging.*
- Shin, C., Kim, J.M., Cheong, J.H., Ryu, J. Il, Won, Y.D., Ko, Y., *et al.* (2021). Association between tumor size and peritumoral brain edema in patients with convexity and parasagittal meningiomas. *PLoS One* 16 : 1–12.
- Simis, A., Pires de Aguiar, P.H., Leite, C.C., Santana, P.A., Rosemberg, S., & Teixeira, M.J. (2008). Peritumoral brain edema in benign meningiomas: correlation with clinical, radiologic, and surgical factors and possible role on recurrence. *Surg. Neurol.* 70 : 471–477.
- Tamiya, T., Ono, Y., Matsumoto, K., & Ohmoto, T. (2001). Peritumoral Brain Edema in Intracranial Meningiomas: Effects of Radiological and Histological Factors. *Neurosurgery* 49 : 1046–1052.
- Upton, M.L., & Weller, R.O. (1985). The morphology of cerebrospinal fluid drainage pathways in human arachnoid granulations. *J. Neurosurg.* 63 : 867–875.
- Wahyuhadi, J., Pratama, M.F.R., Wathoni, R.T.Z., & Basuki, H. (2021). The Indonesian Central Nervous System Tumors Registry (Ina-CTR) : 7 years result from single institution of primary brain tumor epidemiology. *Indones. J. Neurosurg.* 4 : 25–35.
- Watts, J., Box, G., Galvin, A., Brotchie, P., Trost, N., & Sutherland, T. (2014). Magnetic resonance imaging of meningiomas: A pictorial review. *Insights Imaging* 5 : 113–122.
- Xiao, D., Liu, J., Hu, T., Shah Nayaz, B.M., Jiang, X., Zhang, F., *et al.* (2021). Simple Ways to Estimate Meningioma Volume: Can ABC- And SH-Derived Methods Be Used in Clinical Practice Reliably? *J. Oncol.* 2021 : 1–11.
- Zhang, J., & Yu, K.F. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *J. Am. Med. Assoc.* 280 : 1690–1691.