



DAFTAR PUSTAKA

- Abdel-Misih, S.R.Z. and Bloomston, M. (2010) ‘Liver Anatomy’, *Surgical Clinics of North America*. W.B. Saunders, pp. 643–653. Available at: <https://doi.org/10.1016/j.suc.2010.04.017>.
- Al-Sabbahi, M.S. (2021) ‘Laparoscopic Liver Resection’. Available at: <https://www.researchgate.net/publication/272168197>.
- Aman M, A.M. et al. (2019) ‘Pengelolaan dislipidemia di Indonesia’, *PB Perkeni* [Preprint].
- Anonim (2016) *Couinaud’s Segmental Anatomy of the Liver and Proposed Classification of Pediatric Liver Tumors*, International Liver Transplantation Society. Available at: <https://ilts.org/insights/couinauds-segmental-anatomy-of-the-liver-and-proposed-classification-of-pediatric-liver-tumors/> (Accessed: 20 February 2023).
- Briseño-Bass, P., Chávez-Pérez, R. and López-Zendejas, M. (2018) *Prevalence of hepatic steatosis and its relation to liver function tests and lipid profile in patients at medical check-up*, *Revista de Gastroenterología de México*. Available at: www.elsevier.es/rgmx.
- Dahlan, S. (2016) *Besar sampel dalam penelitian kedokteran dan kesehatan*. 4th edn. Jakarta: Epidemiolog Indonesia.
- De De Mexico, R. et al. (2019) *Prevalence of hepatic steatosis and its relation to liver function tests and lipid profile in patients at medical check-up*, *Revista de Gastroenterología de México*. Available at: www.elsevier.es/rgmx.
- Esterson, Y.B. and Grimaldi, G.M. (2018) ‘Radiologic Imaging in Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis’, *Clinics in Liver Disease*. W.B. Saunders, pp. 93–108. Available at: <https://doi.org/10.1016/j.cld.2017.08.005>.
- Ferraioli, G. and Monteiro, L.B.S. (2019) ‘Ultrasound-based techniques for the diagnosis of liver steatosis’, *World Journal of Gastroenterology*. Baishideng Publishing Group Co, pp. 6053–6062. Available at: <https://doi.org/10.3748/wjg.v25.i40.6053>.
- Goel, A., Jones, J. and Di Muzio B (2021) *Diffuse hepatic steatosis (grading)*, *Radiopaedia.org*. Available at: <https://radiopaedia.org/articles/33279> (Accessed: 14 March 2023).



- Han, J.M. *et al.* (2019) ‘Differing Associations between Fatty Liver and Dyslipidemia According to the Degree of Hepatic Steatosis in Korea’, *Journal of Lipid and Atherosclerosis*, 8(2), p. 258. Available at: <https://doi.org/10.12997/jla.2019.8.2.258>.
- Jones, J. and Chieng, R. (2023) *Liver*. Available at: <https://doi.org/10.53347/rID-5726> (Accessed: 17 February 2023).
- Jong, F.H.H. and Mellow, A. (2019) ‘The association between risk factor and untrasound-based grade of non-alcoholic fatty liver disease in type-2 diabetes patients’, *Jurnal Widya Medika*, 5(1).
- Khov, N., Sharma, A. and Riley, T.R. (2014) ‘Bedside ultrasound in the diagnosis of nonalcoholic fatty liver disease’, *World Journal of Gastroenterology*. Baishideng Publishing Group Co, pp. 6821–6825. Available at: <https://doi.org/10.3748/wjg.v20.i22.6821>.
- Lin, Y. *et al.* (2022) ‘Age patterns of nonalcoholic fatty liver disease incidence: heterogeneous associations with metabolic changes’, *Diabetology and Metabolic Syndrome*, 14(1). Available at: <https://doi.org/10.1186/s13098-022-00930-w>.
- Al Mahtab, M. *et al.* (2022) ‘Gender Differences in Nonalcoholic Fatty Liver Disease’, *Euroasian Journal of Hepato-Gastroenterology*, 12(S1), pp. S19–S25. Available at: <https://doi.org/10.5005/jp-journals-10018-1370>.
- Maurice, J. and Manousou, P. (2018) *Non-alcoholic fatty liver disease, CME GASTROENTEROLOGY*.
- Petzold, G. (2022) ‘Role of Ultrasound Methods for the Assessment of NAFLD’, *Journal of Clinical Medicine*. MDPI. Available at: <https://doi.org/10.3390/jcm11154581>.
- Polyzos, S.A., Kountouras, J. and Mantzoros, C.S. (2019) ‘Obesity and nonalcoholic fatty liver disease: From pathophysiology to therapeutics’, *Metabolism: Clinical and Experimental*. W.B. Saunders, pp. 82–97. Available at: <https://doi.org/10.1016/j.metabol.2018.11.014>.
- Pouwels, S. *et al.* (2022) ‘Non-alcoholic fatty liver disease (NAFLD): a review of pathophysiology, clinical management and effects of weight loss’, *BMC Endocrine Disorders*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s12902-022-00980-1>.
- Powell, E.E., Wong, V.W.S. and Rinella, M. (2021) ‘Non-alcoholic fatty liver disease’, *The Lancet*. Elsevier B.V., pp. 2212–2224. Available at: [https://doi.org/10.1016/S0140-6736\(20\)32511-3](https://doi.org/10.1016/S0140-6736(20)32511-3).
- Rocha, R. *et al.* (2005) *Body mass index and waist circumference in non-alcoholic fatty liver disease*.
- Sastroasmoro, S. and Ismael, S. (2011) *Dasar dasar metodologi penelitian klinis*. 4th edn. Jakarta : Sagung Seto.



Siregar, H.S. and Brama Ihsan Sazli (2022) ‘The Correlation Between Grade of Non-Alcoholic Fatty Liver Disease and Lipid Profile in Type 2 Diabetes Mellitus’, *Journal of Endocrinology, Tropical Medicine, and Infectious Disease (JETROMI)*, 4(1), pp. 22–27. Available at: <https://doi.org/10.32734/jetromi.v4i1.8488>.

Tanwani, B.M. *et al.* (2018) ‘Non Alcoholic Fatty Liver Disease: Assessment of Lipid Profile Estimation in Different Grades of Fatty Liver on Ultrasound’, *Open Journal of Preventive Medicine*, 08(03), pp. 70–83. Available at: <https://doi.org/10.4236/ojpm.2018.83007>.

Zhang, Q.Q. and Lu, L.G. (2015) ‘Nonalcoholic fatty liver disease: Dyslipidemia, risk for cardiovascular complications, and treatment strategy’, *Journal of Clinical and Translational Hepatology*. Xia and He Publishing Inc., pp. 78–84. Available at: <https://doi.org/10.14218/JCTH.2014.00037>.