



REFERENCE

- Akula, R., Mukherjee, S., (2020). New insights on neurotransmitters signaling mechanisms in plants. *Plant Signal Behav* **15**: 1-21.
- AOAC International, (2016). Guidelines for Standard Method Performance Requirements : Appendix F. AOAC Official Methods Of Analysis 1–18.
- Aziz, A.R.A., Aziz, S.A., (2018). Application of Box Behnken Design to Optimize the Parameters for Kenaf-Epoxy as Noise Absorber. *IOP Conf Ser Mater Sci Eng* **454**: 1-11.
- Badawy, A.A.B., (2018). Hypothesis kynurenic and quinolinic acids: The main players of the kynurenine pathway and opponents in inflammatory disease. *Medical Hypotheses* **118**: 129–138.
- Barik, S., (2020). The uniqueness of tryptophan in biology: Properties, metabolism, interactions and localization in proteins. *Int J Mol Sci* **21**: 1–22.
- Carrera, C., Ruiz-Rodríguez, A., Palma, M., Barroso, C.G., (2015). Ultrasound-assisted extraction of amino acids from grapes. *Ultrason Sonochem* **22**: 499–505.
- Chaudhary, P., Sharma, A., Singh, B., Nagpal, A.K., (2018). Bioactivities of phytochemicals present in tomato. *J Food Sci Technol* **55**: 2833–2849.
- Commissio, M., Negri, S., Gecchele, E., Fazion, E., Pontoriero, C., Avesani, L., Guzzo, F., (2022). Indolamine accumulation and TDC/T5H expression profiles reveal the complex and dynamic regulation of serotonin biosynthesis in tomato (*Solanum lycopersicum L.*). *Front Plant Sci* **13**: 1–16.
- Cuq, J.C., Cheftel, J.C., (1983). Tryptophan degradation during heat treatments: Part 1-The degradation of free tryptophan. *Food Chem* **12**: 1–14.
- Diraz-Yildirim, E., Karaman, S., Kulak, M., Ilcim, A., (2021). Tryptophan Derivatives, Phenolic Compounds and Antioxidant Potential of Some Wild Tanacetum Taxa From Turkey. *Studia Universitatis Babes-Bolyai Chemia* **66**: 107–122.
- Dorais, M., Ehret, D.L., Papadopoulos, A.P., (2008). Tomato (*Solanum lycopersicum*) health components: From the seed to the consumer. *Phytochemistry Reviews* **7**: 231–250.
- European Medicines Agency (EMEA), (2006). International Conference on Harmonisation Q2 (R1) Validation of Analytical Procedures: Text and Methodology. EMEA November 1, 1–15.
- FAO-STAT, (2021). *World Food and Agriculture - Statistical Yearbook 2021*. Rome.
- Ferreira, S.L.C., Bruns, R.E., Ferreira, H.S., Matos, G.D., David, J.M., Brandão, G.C., da Silva, E.G.P., Portugal, L.A., dos Reis, P.S., Souza, A.S., dos Santos, W.N.L., (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Anal Chim Acta* **597**: 179–186.
- Franca-Oliveira, G., Fornari, T., Hernández-Ledesma, B., (2021). A review on the extraction and processing of natural source-derived proteins through eco-innovative approaches. *Processes* **9**: 1–24.
- Friedman, M., (2018). Analysis, Nutrition, and Health Benefits of Tryptophan. *International Journal of Tryptophan Research* **11**: 1–12.



- Garcia, P.L.G., Buffoni, E.B., Gomes, F.P., Quero, J.L.V., (2011). *Chapter 1 Analytical Method Validation* In: Wide Spectra of Quality Control, 1–544. InTech, Croatia,
- Gómez-Romero, M., Segura-Carretero, A., Fernández-Gutiérrez, A., (2010). Metabolite profiling and quantification of phenolic compounds in methanol extracts of tomato fruit. *Phytochemistry* **71**: 1848–1864.
- Gonzalez-Gonzalez, M., Yerena-Prieto, B.J., Carrera, C., Vázquez-Espinosa, M., González-de-Peredo, A.V., García-Alvarado, M.Á., Palma, M., Rodríguez-Jimenes, G. del C., Barbero, G.F., (2023). Optimization of an Ultrasound-Assisted Extraction Method for the Extraction of Gingerols and Shogaols from Ginger (*Zingiber officinale*). *Agronomy* **13**: 1–16.
- Hano, S., Shibuya, T., Imoto, N., Ito, A., Imanishi, S., Aso, H., Kanayama, Y., (2017). Serotonin content in fresh and processed tomatoes and its accumulation during fruit development. *Sci Hortic* **214**: 107–113.
- Hansen, F.A., Pedersen-Bjergaard, S., (2020). Emerging Extraction Strategies in Analytical Chemistry. *Anal Chem* **92**, 2–15.
- Heuvelink, E., (2018). *Tomatoes* 2nd Edition. Crop Production Science in Horticulture, Second Edition. ed. CAB International, UK.
- ICH, (2005). *ICH Topic Q2 (R1) Validation of Analytical Procedures : Text and Methodology Guidance*. Geneva, Switzerland.
- Islam, J., Shirakawa, H., Nguyen, T.K., Aso, H., Komai, M., (2016). Simultaneous analysis of serotonin, tryptophan and tryptamine levels in common fresh fruits and vegetables in Japan using fluorescence HPLC. *Food Biosci* **13**: 56–59.
- Kobus, Z., Krzywicka, M., Starek-Wójcicka, A., Sagan, A., (2022). Effect of the duty cycle of the ultrasonic processor on the efficiency of extraction of phenolic compounds from Sorbus intermedia. *Sci Rep* **12**: 1–12.
- Kocadağlı, T., Yilmaz, C., Gökmən, V., (2014). Determination of melatonin and its isomer in foods by liquid chromatography tandem mass spectrometry. *Food Chem* **153**: 151–156.
- Kumar, K., Srivastav, S., Sharanagat, V.S., (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason Sonochem* **70**: 1–11.
- Lavilla, I., Bendicho, C., (2017). *Chapter 11 Fundamentals of Ultrasound-Assisted Extraction*. 291–316. In: Water Extraction of Bioactive Compounds: From Plants to Drug Development. Elsevier Inc, Amsterdam, Netherlands.
- Lee, J.H.J., Jayaprakasha, G.K., Enciso, J., Avila, C.A., Crosby, K.M., Patil, B.S., (2021). Production system influences tomato phenolics and indoleamines in a cultivar-specific manner. *Food Research International* **140**: 1–9.
- Li, Y., Wang, H., Zhang, Y., Martin, C., (2018). Can the world's favorite fruit, tomato, provide an effective biosynthetic chassis for high-value metabolites? *Plant Cell Rep* **37**: 1443–1450.
- Lima, G.P.P., Gómez, H.A.G., Seabra Junior, S., Maraschin, M., Tecchio, M.A., Borges, C.V., (2022). Functional and Nutraceutical Compounds of Tomatoes as Affected by Agronomic Practices, Postharvest Management, and Processing Methods: A Mini Review. *Front Nutr* **9**: 1–7.



- Ly, D., Kang, K., Choi, J.Y., Ishihara, A., Back, K., Lee, S.G., (2008). HPLC analysis of serotonin, tryptamine, tyramine, and the hydroxycinnamic acid amides of serotonin and tyramine in food vegetables. *J Med Food* **11**: 385–389.
- Manahan, S.E., (2001). FUNDAMENTALS OF ANALYTICAL CHEMISTRY. CRC Press LLC. Boca Raton.
- Mason, T.J., Lorimer, J.P., (2002). Applied Sonochemistry: The Uses of Power Ultrasound in Chemistry and Processing, Applied Sonochemistry. Wiley-VCH Verlag GmbH & Co. KGaA. Weinheim, Germany.
- McClements, D.J., (1995). Advances in the application of ultrasound in food analysis and processing. *Trends Food Sci Technol* **6**: 293–299.
- Ministry of Agriculture of the Republic of Indonesia. (2022). *Statistik Konsumsi Pangan Tahun 2022*, Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian Republik Indonesia.
- Mishra, V., Sarkar, A.K., (2023). Serotonin: A frontline player in plant growth and stress responses. *Physiol Plant* **175**: 5336-5355.
- Moussaoui, E., Hassane, A. El, Bendriss, A., Science, C., Box, P.O., Arabia, S., (2015). Melatonin Stability at Diferent Storage Conditions and during The Ultrasound – Assisted Extraction (UAE). *International Journal of Current Research* **7**: 15526-15530.
- Nayak, B.N., Singh, R.B., Buttar, H.S., (2019). Role of tryptophan in health and disease: Systematic review of the anti-oxidant, anti-inflammation, and nutritional aspects of tryptophan and its metabolites. *World Heart J* **11**: 161–178.
- Negri, S., Comisso, M., Avesani, L., Guzzo, F., (2021). The case of tryptamine and serotonin in plants: A mysterious precursor for an illustrious metabolite. *J Exp Bot* **72**: 5336–5355.
- Pingret, D., Fabiano-Tixier, A.S., Chemat, F., (2013). Chapter 3 - Ultrasound-assisted extraction 89–112. In: Natural Product Extraction: Principles and Applications. The Royal Society of Chemistry, Piccadilly, London.
- Pranil, T., Moongngarm, A., Maniwattanakul, G., Loypimai, P., Kerr, W.L., (2021). Melatonin and its derivative contents in tropical fruits and fruit tablets. *Journal of Food Composition and Analysis* **103**: 1–9.
- Rahman, M.M., Dutta, S., Lamsal, B.P., (2021). High-power sonication-assisted extraction of soy protein from defatted soy meals: Influence of important process parameters. *J Food Process Eng* **44**: 1–11.
- Rahman, M.M., Lamsal, B.P., (2021). Ultrasound-assisted extraction and modification of plant-based proteins: Impact on physicochemical, functional, and nutritional properties. *Compr Rev Food Sci Food Saf* **20**: 1457–1480.
- Rajewski, J., Dobrzyńska-Inger, A., (2021). Application of response surface methodology (RSM) for the optimization of chromium(III) synergistic extraction by supported liquid membrane. *Membranes* **11**: 1–17.
- Raposo, F., Ibelli-Bianco, C., (2020). Performance parameters for analytical method validation: Controversies and discrepancies among numerous guidelines. *TrAC - Trends in Analytical Chemistry* **129**: 115913.



- Reinholds, I., Pugajeva, I., Radenkovs, V., Rjabova, J., Bartkevics, V., (2016). Development and Validation of New Ultra-High-Performance Liquid Chromatography-Hybrid Quadrupole-Orbitrap Mass Spectrometry Method for Determination of Melatonin in Fruits. *J Chromatogr Sci* **54**: 977–984.
- Richard, D.M., Dawes, M.A., Mathias, C.W., Acheson, A., Hill-Kapturczak, N., Dougherty, D.M., (2009). L-tryptophan: Basic metabolic functions, behavioral research and therapeutic indications. *International Journal of Tryptophan Research* **2**: 45–60.
- Sadek, P.C., (2002). *The HPLC solvent guide* Second Edition. John Wiley & Sons Inc. Publication, United States of America.
- Setyaningsih, W., Saputro, I.E., Palma, M., Barroso, C.G., (2017). Optimization of the ultrasound-assisted extraction of tryptophan and its derivatives from rice (*Oryza sativa*) grains through a response surface methodology. *J Cereal Sci* **75**, 192–197.
- Siddiqui, M.H., Alamri, S., Al-Khaishany, M.Y., Khan, M.N., Al-Amri, A., Ali, H.M., Alaraidh, I.A., Alsahli, A.A., (2019). Exogenous melatonin counteracts NaCl-induced damage by regulating the antioxidant system, proline and carbohydrates metabolism in tomato seedlings. *Int J Mol Sci* **20**: 1–23.
- Simat, T.J., Kleeberg, K.K., Müller, B., Sierts, A., (2003). Contamination of commercially available L-tryptophan by related substances. *European Food Research and Technology* **216**: 241–252.
- Srinivasa Babu, P., Chowdary, L.G., Kumar, A.G., Babu, S.P., (2020). Analytical Method Validation Parameters An Updated Review. *Int. J Pharm Sci Rev Res* **61**: 1–7.
- Stürtz, M., Cerezo, A.B., Cantos-Villar, E., Garcia-Parrilla, M.C., (2011). Determination of the melatonin content of different varieties of tomatoes (*Lycopersicon esculentum*) and strawberries (*Fragaria ananassa*). *Food Chem* **127**: 1329–1334.
- Sukor, N., Jusoh, R., Rahim, S.A., Kamarudin, N., (2018). Ultrasound assisted methods for enhanced extraction of phenolic acids from *Quercus Infectoria* galls. *Mater Today Proc* **5**: 21990–21999.
- Tiwari, B.K., (2015). Ultrasound: A clean, green extraction technology. *TrAC - Trends in Analytical Chemistry* **71**: 100–109.
- Vitalini, S., Cas, M.D., Rubino, F.M., Vigentini, I., Foschino, R., Iriti, M., Paroni, R., (2020). LC-MS/MS-Based Profiling of Tryptophan-Related Metabolites in Healthy Plant Foods. *Molecules* **25**: 1–14.
- Wang, S., Jin, N., Jin, L., Xiao, X., Hu, L., Liu, Z., Wu, Y., Xie, Y., Zhu, W., Lyu, J., Yu, J., (2022). Response of Tomato Fruit Quality Depends on Period of LED Supplementary Light. *Front Nutr* **9**: 1–13.
- Yan, Y., Shi, Q., Gong, B., (2020). *Melatonin: The Hormone of Darkness and its Therapeutic Potential and Perspectives*. IntechOpen Book Series, London, UK.
- Young, S.N., Leyton, M., (2002). The role of serotonin in human mood and social interaction: Insight from altered tryptophan levels. *Pharmacol Biochem Behav* **71**: 857–865.



Zhang, Q.W., Lin, L.G., Ye, W.C., (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)* **13**: 1–26.

Zhu, W., Fan, Y., Xu, Q., Liu, X., Heng, B., Yang, W., Hu, Y., (2019). Saturated solubility and thermodynamic evaluation of 1 -Tryptophan in Eight Pure Solvents and Three Groups of Binary Mixed Solvents by the Gravimetric Method at $T = 278.15\text{--}333.15\text{ K}$. *J Chem Eng Data* **64**: 4154–4168.