UNIVERSITAS
GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abiddin, Z., A., Y., & N., A. (2015). Optimisation of reaction conditions of octenyl succinic anhydride (OSA) modified sago starch using response surface methodology (RSM). *International Food Research Journal*, *22*(3), 930–935.

Abraham, T. E. (1993). Stabilization of Paste Viscosity of Cassava Starch by Heat Moisture Treatment. *Starch/Stärke*, *45*(4), 131–135.

Acevedo, B. A., Villanueva, M., Chaves, M. G., Avanza, M. V., & Ronda, F. (2022). Modification of structural and physicochemical properties of cowpea (*Vigna unguiculata*) starch by hydrothermal and ultrasound treatments. *Food Hydrocolloids*, *124*, 107266. DOI : 10.1016/j.foodhyd.2021.107266.

Adawiyah, D. R., Akuzawa, S., Sasaki, T., & Kohyama, K. (2017). A comparison of the effects of heat moisture treatment (HMT) on rheological properties and amylopectin structure in sago (*Metroxylon sago*) and arenga (*Arenga pinnata*) starches. *Journal of Food Science and Technology*, *54*(11), 3404–3410. DOI : 10.1007/s13197-017-2787-1.

Adawiyah, D. R., Sasaki, T., & Kohyama, K. (2013). Characterization of arenga starch in comparison with sago starch. *Carbohydrate Polymers*, *92*(2), 2306–2313. DOI : 10.1016/j.carbpol.2012.12.014

Adebowale, K. O., Henle, T., Schwarzenbolz, U., & Doert, T. (2009). Modification and properties of African yam bean (Sphenostylis stenocarpa Hochst. Ex A. Rich.) Harms starch I: Heat moisture treatments and annealing. *Food Hydrocolloids*, *23*(7), 1947–1957. DOI : 10.1016/j.foodhyd.2009.01.002.

Adilah, A. N., Jamilah, B., Noranizan, M. A., & Hanani, Z. A. N. (2018). Utilization of mango peel extracts on the biodegradable films for active packaging. *Food Packaging and Shelf Life*, *16*, 1–7. DOI : 10.1016/j.fpsl.2018.01.006.

Altuna, L., Lidia, M., & Laura, M. (2018). Synthesis and characterization of octenyl succinic anhydride modified starches for food applications . A review of recent literature. *Food Hydrocolloids*, *80*, 97–110.

Amni, C., Ismet, Aprilia, S., & Mariana. (2019). Study on biodegradable plastic from sago with addition of glycerol and sorbitol. *IOP Conf. Series: Earth and Environmental Science*, *365*, 012052. DOI : 10.1088/1755-1315/365/1/012052.

AOAC. (1995). *Official Methods of Analysis of the Associaion Analytical Chemist.* Official Methods of Analysis of the Associaion Analytical Chemist. Inc,.

UNIVERSITAS
GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Arezoo, E., Mohammadreza, E., Maryam, M., & Abdorreza, M. N. (2020). The synergistic effects of cinnamon essential oil and nano TiO2 on antimicrobial and functional properties of sago starch films. *International Journal of Biological Macromolecules*, *157*, 743–751. DOI : 10.1016/j.ijbiomac.2019.11.244.

Assis, R. Q., Lopes, S. M., Costa, T. M. H., Flôres, S. H., & Rios, A. de O. (2017). Active biodegradable cassava starch films incorporated lycopene nanocapsules. *Industrial Crops and Products*, *109*, 818–827. DOI : 10.1016/j.indcrop.2017.09.043.

August, R., & February, A. (2010). Isolation of kaempferol-3-rutinoside from the leaf extract of *Sideroxylon foetidissimum* SUBSP . GAUMERI. *Rev. Latinoamer. Quím.*, *38*, 7–11.

Baek, S. K., Kim, S., & Song, K. Bin. (2019). Cowpea starch films containing maqui berry extract and their application in salmon packaging. *Food Packaging and Shelf Life*, *22*, 100394. DOI : 10.1016/j.fpsl.2019.100394.

Bai, Y., & Shi, Y. C. (2011). Structure and preparation of octenyl succinic esters of granular starch, microporous starch and soluble maltodextrin. *Carbohydrate Polymers*, *83*(2), 520–527. DOI : 10.1016/j.carbpol.2010.08.012.

Basiak, E., Lenart, A., & Debeaufort, F. (2017). Effect of starch type on the physico-chemical properties of edible films. *International Journal of Biological Macromolecules*, *98*, 348–356. DOI : 10.1016/j.ijbiomac.2017.01.122.

Bemiller, J. N., & Huber, K. C. (2015). Physical modification of food starch functionalities. *Annual Review of Food Science and Technology*, *6*, 19–69. DOI : 10.1146/annurev-food-022814-015552.

Bertollini, A. (2010). *Starch Characterization, Properties and Applications*. CRC Press, Boca Raton, USA.

Bhargava, N., Sharanagat, V. S., Mor, R. S., & Kumar, K. (2020). Active and intelligent biodegradable packaging films using food and food waste-derived bioactive compounds: A review. *Trends in Food Science & Technology*, *105*, 385–401. DOI : 10.1016/j.tifs.2020.09.015.

Bharti, I., Singh, S., & Saxena, D. C. (2019). Exploring the influence of heat moisture treatment on physicochemical, pasting, structural and morphological properties of mango kernel starches from Indian cultivars. *Lwt-Food Science and Technology*, *110*, 197–206. DOI : 10.1016/j.lwt.2019.04.082.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Bhosale, R., & Singhal, R. (2006). Process optimization for the synthesis of octenyl succinyl derivative of waxy corn and amaranth starches. *Carbohydrate Polymers*, *66*(4), 521–527. DOI : 10.1016/j.carbpol.2006.04.007.

Biduski, B., Max, W., Colussi, R., Lisie, S., El, D. M., Lim, L., Renato, Á., Dias, G., & Zavareze, R. (2018). Starch hydrogels : The influence of the amylose content and gelatinization method. *International Journal of Biological Macromolecules*, *113*, 443–449.

Bruno, E., Almeida, M. F., Carmelo, C., Souza, E., Vilela, J., Soares, L., & Martins, C. (2022). Development of starch-based bioplastics of green plantain banana (Musa paradisiaca L .) modified with heat-moisture treatment (HMT). *Food Packaging and Shelf Life*, *31*, 100776.

Careda, M., P., Henrique, C., M., de Oliveira, M., A., Ferraz, M., V., & Vincentini, N., M. (2000). Characterization o Edible FIlms of Cassava Starch by Electron Microscopy. *Brazilian Journal of Food Technology*, *3*, 91–95.

Ceballos, R. L., Ochoa-yepes, O., Goyanes, S., Bernal, C., & Famá, L. (2020). E ff ect of yerba mate extract on the performance of starch fi lms obtained by extrusion and compression molding as active and smart packaging. *Carbohydrate Polymers*, *244*, 116495.

Cepeda, G., N., Santoso, B., Lisangan, M., M., & Silamba, I. (2011). Komposisi Kimia Minyak Atsiri Kulit Kayu Akway (*Drymis piperita* Hook F.). *Bionatura - Jurnal Ilmu-Ilmu Hayati Dan Fisik*, *13*(2), 118–124.

Cepeda, G. N., Lisangan, M. M., Roreng, M. K., Permatasari, E. I., Manalu, D. C., & Tanlain, W. (2019). Aktivitas Penangkalan Radikal Bebas dan Kemampuan Reduksi Ekstrak Kulit Kayu Akway (*Drimys piperita* Hook. f.). *Jurnal Aplikasi Teknologi Pangan*, *7*(4), 168–173. DOI : 10.17728/jatp.3239.

Cepeda, G. N., Lisangan, M. M., & Silamba, I. (2019). Aktivitas Antibakteri Minyak Atsiri Kulit Kayu Akway (*Drimys piperita* Hook. f.) pada Beberapa Tingkat Konsentrasi, Keasaman (pH) dan Kandungan Garam. *Jurnal Aplikasi Teknologi Pangan*, *8*(4), 149. DOI : 10.17728/jatp.4692.

Cepeda, G. N., Lisangan, M. M., Silamba, I., Nilawati, N., & Syartika, E. (2020). Aktivitas Antibakteri Ekstrak Etilasetat Kulit Kayu Akway (*Drimys piperita* Hook f.) Pada Bakso Daging Sapi Selama Penyimpanan. *Jurnal Aplikasi Teknologi Pangan*, *9*(2), 50–56. DOI : 10.17728/jatp.6097.

Chandini, S., K., Ganesan, P., & Bhaskar, N. (2008). In vitro antioxidant activities of the selected brown seaweeds of India. *Food Chemistry*, *107*(2), 707–713.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, M., Yin, T., Chen, Y., Xiong, S., & Zhao, S. (2014). Preparation and characterization of octenyl succinic anhydride modified waxy rice starch by dry media milling. *Starch/Staerke*, *66*(11–12), 985–991. DOI : 10.1002/star.201400015.

Chen, X., He, X., Fu, X., & Huang, Q. (2015). In vitro digestion and physicochemical properties of wheat starch/flour modified by heat-moisture treatment. *Journal of Cereal Science*, *63*, 109–115. DOI : 10.1016/j.jcs.2015.03.003.

Chen, X., He, X., & Huang, Q. (2014). Effects of hydrothermal pretreatment on subsequent octenylsuccinic anhydride (OSA) modification of cornstarch. *Carbohydrate Polymers*, *101*(1), 493–498. DOI : 10.1016/j.carbpol.2013.09.079.

Chen, Y., Yang, Q., Xu, X., Qi, L., Dong, Z., Luo, Z., Lu, X., & Peng, X. (2017). Structural changes of waxy and normal maize starches modified by heat moisture treatment and their relationship with starch digestibility. *Carbohydrate Polymers*, *177*, 232–240. DOI : 10.1016/j.carbpol.2017.08.121.

Chinnaswamy, R., & Hanna, M., A. (1988). Relationship between amylose content and extrusion-expansion properties of corn starches. *Cereal Chemistry*, *65*(2), 138–143.

Chollakup, R., Pongburoos, S., Boonsong, W., Khanoonkon, N., Kongsin, K., Sothornvit, R., Sukyai, P., Sukatta, U., & Harnkarnsujarit, N. (2020). Antioxidant and antibacterial activities of cassava starch and whey protein blend films containing rambutan peel extract and cinnamon oil for active packaging. *Lwt-Food Science and Technology*, *130*, 109573. DOI : 10.1016/j.lwt.2020.109573.

Clerici, Maria T., P, S., & Schmiele, M. (2019). *Starches for Food Application : Chemical, Technological and Health Properties*. Andre Gerhard Wolf.

Cooke, D., & Gidley, M. J. (1992). Loss of crystalline and molecular order during starch gelatinisation: origin of the enthalpic transition. *Carbohydrate Research*, *227*, 103–112. DOI : 10.1016/0008-6215(92)85063-6.

da Silva Filipini, G., Romani, V. P., & Guimarães Martins, V. (2020). Biodegradable and active-intelligent films based on methylcellulose and jambolão (*Syzygium cumini*) skins extract for food packaging. *Food Hydrocolloids*, *109*, 106139. DOI : 10.1016/j.foodhyd.2020.106139.

Das, A. B., Singh, G., Singh, S., & Riar, C. S. (2010). Effect of acetylation and dual modification on physico-chemical, rheological and morphological characteristics of sweet potato (*Ipomoea batatas*) starch. *Carbohydrate*

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Polymers, *80*(3), 725–732. DOI : 10.1016/j.carbpol.2009.12.018.

Demirgöz, D., Elvira, C., Mano, J., F., Cunha, A., M., Piskin, E., & Reis, R., L. (2000). Chemical modification of starch based biodegradable polymeric blends: Effects on water uptake, degradation behaviour and mechanical properties. *Polymer Degradation and Stability*, *70*, 161–170. DOI : 10.1080/02652039709374585.

Detduangchan, N., & Wittaya, T. (2011). Effect of UV-Treatment on Properties of Biodegradable Film From Rice Starch. *World Academy of Science, Engineering and Technology*, *57*(3), 464–469.

Dewi, A. M. P., Santoso, U., Pranoto, Y., & Marseno, D. W. (2022). Dual Modification of Sago Starch via Heat Moisture Treatment and Octenyl Succinylation to Improve Starch Hydrophobicity. *Polymers*, *14*(6), 1–17. DOI : 10.3390/polym14061086.

Direktorat Jenderal Perkebunan. (2021). *Statistik Perkebunan Unggulan Nasional 2020-2022*. Kementerian Pertanian, Jakarta, Indonesia.

Du, C., Jiang, F., Jiang, W., Ge, W., & Du, S. kui. (2020). Physicochemical and structural properties of sago starch. *International Journal of Biological Macromolecules*, *164*, 1785–1793. DOI : 10.1016/j.ijbiomac.2020.07.310.

Du, M., Cao, T., Yu, M., Zhang, C., & Xu, W. (2023). Effect of heat-moisture treatment on physicochemical properties of chickpea starch. *Food Science and Technology (Brazil)*, *43*, 1–9. DOI : 10.1590/fst.108822.

Feng, M., Yu, L., Zhu, P., Zhou, X., Liu, H., Yang, Y., Zhou, J., Gao, C., Bao, X., & Chen, P. (2018). Development and preparation of active starch films carrying tea polyphenol. *Carbohydrate Polymers*, *196*, 162–167. DOI : 10.1016/j.carbpol.2018.05.043.

Flach, M. (1997). Sago Palm (*Metroxylon sagu* Rottb.). In *Sago Palm*. International Plant Genetic Resource Institute, Rome, Italia.

Fonseca, L. M., Lisie, S., El, M., Renato, A., Dias, G., & Zavareze, R. (2021). Physical modification of starch by heat-moisture treatment and annealing and their applications : A review. *Carbohydrate Polymers*, *274*, 118665.

Franco, C. M. L., Ciacco, C. F., & Tavares, D. Q. (1995). Effect of the Heat-Moisture Treatment on the Enzymatic Susceptibility of Corn Starch Granules. *Starch - Stärke*, *47*(6), 223–228. DOI : 10.1002/star.19950470607.

Galanakis, C. M., Laboratories, G., Goulas, V., Tsakona, S., & Manganaris, G. (2013). A Knowledge Base for The Recovery of Natural Phenols with

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Different Solvents. *International Journal of Food Properties*, *16*, 382–396. DOI : 10.1080/10942912.2010.522750.

Gao, W., Liu, P., Wang, B., Kang, X., Zhu, J., Cui, B., & El-, A. M. A. (2021). Synthesis , physicochemical and emulsifying properties of C-3 octenyl succinic anhydride-modified corn starch. *Food Hydrocolloids*, *120*, 106961.

Gaspersz, F., Sahupala, A., Ririmasse, H. C., Teknik, J., Fakultas, P., & Universitas, T. (2018). Analisa Sifat Fisik dan Sifat Kimia Material Batang Kulit Pohon Sagu (Cortex *Metroxylon Sago*) Sebagai Material Alternatif Bangunan Kapal. *Prosiding Seminar Nasional "Archipelago Engineering" 2018*, 38–42.

Gil, M., & Wianowska, D. (2017). Chlorogenic acids – their properties , occurrence and analysis. *Annales Universitatis Mariae Curie-Sklodowska*, *LXXII*, 61–104.

Gonzalez, C., M., M., O., Schelegueda, L., I., Ruiz-Henestrosa, V., M., P., Campos, C., A., Basanta, M., F., & Gerschenson, L. N. (2022). Cassava Starch Films with Anthocyanins and Betalains from Agroindustrial by-Products : Their Use for Intelligent Label Development. *Foods*, *11*(21), 3361.

González, P., Medina, C., Famá, L., & Goyanes, S. (2016). Biodegradable and non-retrogradable eco-films based on starch – glycerol with citric acid as crosslinking agent. *Carbohydrate Polymers*, *138*, 66–74.

Hallik, N., Pratiwi, R. D., & Gunawan, E. (2021). Pengembangan Produk Minuman Tonikum Kulit Kayu Akway (*Drymis piperita*): Prospek Penambah Stamina Tubuh Secara In Vivo. *Jurnal Biologi Papua*, *13*(1), 44–51. DOI : 10.31957/jbp.1342.

Han, L., Cao, S., Yu, Y., Xu, X., Cao, X., & Chen, W. (2021). Modification in physicochemical , structural and digestive properties of pea starch during heat-moisture process assisted by pre- and post-treatment of ultrasound. *Food Chemistry*, *360*, 129929.

Han, S., Zhu, X., & Zhang, B. (2011). Optimization of Reaction Conditions of Octenyl Succinic Anhydride Potato Starch and Its Morphology , Crystalline Structure and Thermal Characterization. *Advanced Materials Research*, *238*, 2279–2289. DOI : 10.4028/www.scientific.net/AMR.236-238.2279.

Haryanto, B., & Pangloli, P. (1991). *Potensi dan Pemanfaatan Sagu*. Kanisius. Jakarta, Indonesia.

Hu, H., Liu, W., Shi, J., Huang, Z., Zhang, Y., Huang, A., Yang, M., Qin, X., & Shen, F. (2016). Structure and functional properties of octenyl succinic anhydride modified starch prepared by a non-conventional technology.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Starch/Staerke, *68*(1–2), 151–159. DOI : 10.1002/star.201500195.

Huang, T. T., Zhou, D. N., Jin, Z. Y., Xu, X. M., & Chen, H. Q. (2016). Effect of repeated heat-moisture treatments on digestibility, physicochemical and structural properties of sweet potato starch. *Food Hydrocolloids*, *54*, 202–210. DOI : 10.1016/j.foodhyd.2015.10.002.

Hutapea, F., J. (2014). Tumbuhan Obat Endemik Asal Papua. *FORPRO*, *3*(1), 14–19.

Indrianti, N., & Pranoto, Y. (2018). Physicochemical properties of modified sweet potato starch through heat moisture treatment. *AIP Conference Proceedings*, *2024*, 1-8. DOI : 10.1063/1.5064339.

Jansen, B. J. M., & Groot, A. De. (2004). Occurrence , biological activity and synthesis of drimane sesquiterpenoids. *Natural Product Reports*, *21*(4), 449–477.

Jaramillo, C. M., González Seligra, P., Goyanes, S., Bernal, C., & Famá, L. (2015). Biofilms based on cassava starch containing extract of yerba mate as antioxidant and plasticizer. *Starch/Staerke*, *67*(9–10), 780–789. DOI : 10.1002/star.201500033.

Jiranuntakul, W., Puncha-arnon, S., & Uttapap, D. (2014). Enhancement of octenyl succinylation of cassava starch by prior modification with heat-moisture treatment. *Starch/Staerke*, *66*(11–12), 1071–1078. DOI : 10.1002/star.201400115.

Kang, X., Liu, P., Gao, W., Wu, Z., Yu, B., Wang, R., Cui, B., Qiu, L., & Sun, C. (2020). Preparation of starch-lipid complex by ultrasonication and its film forming capacity. *Food Hydrocolloids*, *99*, 105340. DOI : 10.1016/j.foodhyd.2019.105340.

Karim, A. A., Pei-Lang Tie, A., Manan, D. M. A., & Zaidul, I. S. . (2008). Starch from the Sago (*Metroxylon sagu*) Palm Tree – Properties, Prospects and Challenges as a New Industrial Source for Food and Other Uses. *Food Science and Food Safety*, *7*, 215–228. DOI : 10.1111/j.1541-4337.2008.00042.x.

Kasote, D. M., Katyare, S. S., Hegde, M. V, & Bae, H. (2015). Significance of Antioxidant Potential of Plants and its Relevance to Therapeutic Applications. *International Journal of Biological Sciences*, *11*(8), 982–991. DOI : 10.7150/ijbs.12096.

Khunae, P., Tran, T., & Sirivongpaisal, P. (2007). Effect of heat-moisture treatment on structural and thermal properties of rice starches differing in amylose content. *Starch/Staerke*, *59*(12), 593–599. DOI : 10.1002/star.200700618.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, S., J., & Ustunol, Z. (2001). Thermal Properties , Heat Sealability and Seal Attributes of Whey Protein Isolate/ Lipid Emulsion Edible Films. *Journal of Food Science*, *66*(7), 985–990. DOI : 10.1111/j.1365-2621.2001.tb08223.x.

Klein, B., Pinto, V. Z., Vanier, N. L., Zavareze, E. D. R., Colussi, R., Evangelho, J. A. Do, Gutkoski, L. C., & Dias, A. R. G. (2013). Effect of single and dual heat-moisture treatments on properties of rice, cassava, and pinhao starches. *Carbohydrate Polymers*, *98*(2), 1578–1584. DOI : 10.1016/j.carbpol.2013.07.036.

Kumoro, A., A., Retnowati, D., S., & Budiyati, C., S. (2011). Effect of Time and Solvent/Feed Ratio on the Extraction of Mannan from Aloe Vera Leaf Pulp. *International Review of Chemical Engineering*, *3*(1), 55–60.

Kurdziel, M., Królikowska, K., Łabanowska, M., Pietrzyk, S., & Michalec, M. (2020). The effect of thermal and irradiation treatments on structural and physicochemical properties of octenyl succinate maize starches. *Food Chemistry*, *330*, 127242. DOI : 10.1016/j.foodchem.2020.127242.

Lacerda, L. D., Leite, D. C., & da Silveira, N. P. (2019). Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science*, *89*, 102819. DOI : 10.1016/j.jcs.2019.102819.

Layuk, P., Sondakh, J., & Pesireron, M. (2019). Characteristics and Permeability Properties of Sago Starch Edible Film.pdf. *AGRITEKNO*, *8*(2), 34–41.

Lee, C. J., Kim, Y., Choi, S. J., & Moon, T. W. (2012). Slowly digestible starch from heat-moisture treated waxy potato starch: Preparation, structural characteristics, and glucose response in mice. *Food Chemistry*, *133*(4), 1222–1229. DOI : 10.1016/j.foodchem.2011.09.098.

Lelono, R. A. A., Tachibana, S., & Itoh, K. (2009). In vitro Antioxidative Activities and Polyphenol Content of Eugenia polyantha Wight Grown in Indonesia. *Pakistan Journal of Biological Sciences*, *12*(24), 1564–1570.

Li, J., Ye, F., Lei, L., & Zhao, G. (2018). Combined effects of octenylsuccination and oregano essential oil on sweet potato starch films with an emphasis on water resistance. *International Journal of Biological Macromolecules*, *115*, 547–553. DOI : 10.1016/j.ijbiomac.2018.04.093.

Li, J., Ye, F., Liu, J., & Zhao, G. (2015). Effects of octenylsuccination on physical, mechanical and moisture-proof properties of stretchable sweet potato starch film. *Food Hydrocolloids*, *46*, 226–232. DOI : 10.1016/j.foodhyd.2014.12.017.

Li, N., Niu, M., Zhang, B., Zhao, S., & Xiong, S. (2017). Effects of concurrent ball

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

milling and octenyl succinylation on structure and physicochemical properties of starch. *Carbohydrate Polymers*, *155*, 109–116.

Limbongan, J. (2007). Morfologi beberapa jenis sagu potensial di papua. *Jurnal Litbang Pertanian*, *26*(1), 16–24.

Liu, C., Song, M., Liu, L., Hong, J., Guan, E., Bian, K., & Zheng, X. (2020). Effect of heat-moisture treatment on the structure and physicochemical properties of ball mill damaged starches from different botanical sources. *International Journal of Biological Macromolecules*, *156*, 403–410. DOI : 10.1016/j.ijbiomac.2020.04.043.

Liu, H., Guo, X., Li, W., Wang, X., Lv, M., Peng, Q., & Wang, M. (2015). Changes in physicochemical properties and in vitro digestibility of common buckwheat starch by heat-moisture treatment and annealing. *Carbohydrate Polymers*, *132*, 237–244. DOI : 10.1016/j.carbpol.2015.06.071.

Liu, K., Zhang, B., Chen, L., Li, X., & Zheng, B. (2019). Hierarchical structure and physicochemical properties of highland barley starch following heat moisture treatment. *Food Chemistry*, *271*, 102–108. DOI : 10.1016/j.foodchem.2018.07.193.

Lopez-silva, M., Bello-perez, L. A., Agama-acevedo, E., & Alvarez-ramirez, J. (2019). Effect of amylose content in morphological, functional and emulsification properties of OSA modified corn starch. *Food Hydrocolloid*, *97*, 105212.

Lopusiewicz, L., Zdanowicz, M., Macieja, S., Kowalczyk, K., & Bartkowiak, A. (2021). Development and Characterization of Bioactive Poly (butylene-succinate) Films Modified with Quercetin for Food Packaging Applications. *Polymers*, *13*, 1798.

Luo, Z., Fu, X., He, X., Luo, F., Gao, Q., & Yu, S. (2008). Effect of Ultrasonic Treatment on the Physicochemical Properties of Maize Starches Differing in Amylose Content. *Starch/Starke*, *60*, 646–653. DOI : 10.1002/star.200800014.

Lv, Q., Li, G., Xie, Q., Zhang, B., Li, X., Pan, Y., & Chen, H. (2018). Evaluation studies on the combined effect of hydrothermal treatment and octenyl succinylation on the physicochemical , structural and digestibility characteristics of sweet potato starch. *Food Chemistry*, *256*, 413–418.

Madhavi, D. L., Deshpande, S. S., & Salunke, D. K. (1996). *Food Antioxidants : Technological, Toxicology and Health Perspectives*. Marcel Dekker, Inc.

Majzoobi, M., Pesaran, Y., Mesbahi, G., & Golmakani, M. T. (2015). Physical properties of biodegradable films from heat-moisture-treated rice flour and

Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

rice starch. *Starch - Stärke*, *67*, 1053–1060. DOI : 10.1002/star.201500102.

Mali, S., Sakanaka, L., S., Yamashita, F., & Grossman, M., V., E. (2005). Water sorption and mechanical properties of cassava starch films and their relation to plasticizing effect. *Carbohydrate Polymers*, *60*, 283–289.

Manea, A. M., Vasile, B. S., & Meghea, A. (2014). Antioxidant and antimicrobial activities of green tea extract loaded into nanostructured lipid carriers. *Comptes Rendus Chimie*, *17*(4), 331–341. DOI : 10.1016/j.crci.2013.07.015.

Masina, N., Choonara, Y. E., Kumar, P., Toit, L. C., Govender, M., Indermun, S., & Pillay, V. (2017). A review of the chemical modification techniques of starch. *Carbohydrate Polymers*, *157*, 1226–1236.

Medina Jaramillo, C., Gutiérrez, T. J., Goyanes, S., Bernal, C., & Famá, L. (2016). Biodegradability and plasticizing effect of yerba mate extract on cassava starch edible films. *Carbohydrate Polymers*, *151*, 150–159. DOI : 10.1016/j.carbpol.2016.05.025.

Mehboob, S., Ali, T. M., Alam, F., & Hasnain, A. (2015). Dual modification of native white sorghum (Sorghum bicolor) starch via acid hydrolysis and succinylation. *Lwt-Food Science and Technology*, *64*(1), 459–467. DOI : 10.1016/j.lwt.2015.05.012.

Membri, D. K., Yudistira, A., & Abdullah, S. S. (2021). Uji Aktivitas Antioksidan Ekstrak Etanol *Sons Liosina padaroxa* yang Dikoleksi dari Pulau Mantehage. *PHARMACON*, *10*(2), 774–779.

Miao, Z., Zhang, Y., & Lu, P. (2021). Novel active starch films incorporating tea polyphenols-loaded porous starch as food packaging materials. *International Journal of Biological Macromolecules*, *192*, 1123–1133. DOI : 10.1016/j.ijbiomac.2021.09.214.

Min Wang, H., L. (2015). Changes in physicochemical properties and in vitro digestibility of common buckwheat starch by heat-moisture treatment and annealing. *Carbohydrate Polymers*, *132*, 237–244.

Montgomery, D. (2001). *Design and Analysis of Experiments 5th edition*. John Willey & Sons, Inc.

Montoro, P., Tuberoso, C. I. G., Piacente, S., Perrone, A., Feo, V. De, Cabras, P., & Pizza, C. (2006). Stability and antioxidant activity of polyphenols in extracts of *Myrtus communis* L . berries used for the preparation of myrtle liqueur. *Journal of Pharmaceutical and Biomedical Analysis*, *41*, 1614–1619. DOI : 10.1016/j.jpba.2006.02.018.

Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Nafchi, A. M., Alias, A. K., Mahmud, S., & Robal, M. (2012). Antimicrobial, rheological, and physicochemical properties of sago starch films filled with nanorod-rich zinc oxide. *Journal of Food Engineering*, *113*(4), 511–519. DOI : 10.1016/j.jfoodeng.2012.07.017.

Nappu, M. B., Wahid, A., & Maintang. (2013). Morphologi dan Potensi Beberapa Jenis Tanaman Sagu. *Prosiding Seminar Nasional Balai Besar Pengkajian Dan Pengembangan Teknologi Pertanian*, 679–688.

Naseri, A., Shekarchizadeh, H., & Kadivar, M. (2019). Octenylsuccination of sago starch and investigation of the effect of calcium chloride and ferulic acid on physicochemical and functional properties of the modified starch film. *Food Processing and Preservation*, *43*(3), 13898. DOI : 10.1111/jfpp.13898.

Nawapat, D., & Thawien, W. (2013). Effect of UV-treatment on the properties of biodegradable rice starch flms. *International Food Research Journal*, *20*(3), 1313–1322.

Ningrum, R. S., Sondari, D., Amanda, P., Widyaningrum, B. A., Burhani, D., Akbar, F., & Sampora, Y. (2020). Properties of Edible Film from Modified Sago Starch using Butanol. *Jurnal Sains Materi Indonesia*, *21*(4), 164–169.

Nouri, L., & Nafchi, A. M. (2014). Antibacterial , mechanical , and barrier properties of sago starch film incorporated with betel leaves extract. *International Journal of Biological Macromolecules*, *66*, 254–259.

Noviyanty, A., Salingkat, C. A., & Syamsiar. (2019). Pengaruh Rasio Pelarut Terhadap Ekstraksi Dari Kulit Buah Naga Merah (*Hylocereus polyrhizus*). *KOVALEN*, *5*(3), 280–289.

Nyayiru Kannaian, U. P., Edwin, J. B., Rajagopal, V., Nannu Shankar, S., & Srinivasan, B. (2020). Phytochemical composition and antioxidant activity of coconut cotyledon. *Heliyon*, *6*(2), 03411. DOI : 10.1016/j.heliyon.2020.e03411.

Obioma, G., O., Doshima, B., I., K, Julius, I., & Olisa, A. (2022). Physicochemical and Functional Properties of Modified Starches of White Yam, Trifoliate Yam and Sweet Potato. *Journal of Food Chemistry and Nanotechnology*, *8*(2), 50–60.

Ojogbo, E., Blanchard, R., & Mekonnen, T. (2018). Hydrophobic and Melt Processable Starch-Laurate Esters: Synthesis, Structure–Property Correlations. *Journal of Polymer Science, Part A: Polymer Chemistry*, *56*(23), 2611–2622. DOI : 10.1002/pola.29237.

Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Paisey, E.K. (2009). Kajian Kimia Kayu Akway (*Drymis* sp.) sebagai afrodiak endemik Papua. *Agrotek*, *1*(6), 16–22.

Paisey, Elda Kristiani. (2008). Kajian morfologi dan kimia kayu Akway (Drymis sp) sebagai afrodisiak endemik Papua. Tesis. Fakultas Pertanian, Institut Pertanian Bogor.

Patil, S. P. (2020). Proton NMR and HR-LC/MS based phytochemical analysis of methanolic fraction of *Alectra parasitica* A. Rich. rhizomes. *Heliyon*, *6*(1), e03171. DOI : 10.1016/j.heliyon.2020.e03171.

Paul, A., Tuaño, P., Clomer, E., Barcellano, G., & Rodriguez, M. S. (2021). Resistant starch levels and in vitro starch digestibility of selected cooked Philippine brown and milled rices varying in apparent amylose content and glycemic index. *Food Chemistry*, *2*, 100010.

Pérez-Gallardo, A., Bello-Pérez, L. A., García-Almendárez, B., Montejano-Gaitán, G., Barbosa-Cánovas, G., & Regalado, C. (2012). Effect of structural characteristics of modified waxy corn starches on rheological properties, film-forming solutions, and on water vapor permeability, solubility, and opacity of films. *Starch/Staerke*, *64*(1), 27–36. DOI : 10.1002/star.201100042.

Piñeros-Hernandez, D., Medina-Jaramillo, C., López-Córdoba, A., & Goyanes, S. (2017). Edible cassava starch films carrying rosemary antioxidant extracts for potential use as active food packaging. *Food Hydrocolloids*, *63*, 488–495. DOI : 10.1016/j.foodhyd.2016.09.034.

Polnaya, F., J., Haryadi, & Marseno, D., W. (2006). Karakterisasi Edible Film Pati Sagu Alami dan Termodifikasi. *AGRITECH*, *26*, 148–154.

Polnaya, F., J., Talahatu, J., Haryadi, & Marseno, D., W. (2012). Properties of biodegradable films from hydroxypropyl sago starches. *Asian Journal of Food and Agro-Industry*, *5*(01), 71–78.

Polnaya, F. J., Haryadi, Marseno, D. W., & Cahyanto, M. N. (2013). Effects of phosphorylation and cross-linking on the pasting properties and molecular structure of sago starch. *International Food Research Journal*, *20*(4), 1609–1615.

Pukkahuta, C., & Varavinit, S. (2007). Structural transformation of sago starch by heat-moisture and osmotic-pressure treatment. *Starch/Staerke*, *59*(12), 624–631. DOI : 10.1002/star.200700637.

Purwani, E. Y. (2006). *Effect of Heat Moisture Treatment of Sago Starch on Its Noodle Quality*. *7*(1), 2006.

Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Rafiq, S. I., Singh, S., & Saxena, D. C. (2016). Effect of heat-moisture and acid treatment on physicochemical, pasting, thermal and morphological properties of Horse Chestnut (*Aesculus indica*) starch. *Food Hydrocolloids*, *57*, 103–113. DOI : 10.1007/s11694-016-9351-y.

Rai Widarta, I. W., Rukmini, A., Santoso, U., Supriyadi, & Raharjo, S. (2022). Optimization of oil-in-water emulsion capacity and stability of octenyl succinic anhydride-modified porang glucomannan (*Amorphophallus muelleri* Blume). *Heliyon*, *8*(5), 09523. DOI : 10.1016/j.heliyon.2022.e09523.

Rudiana, T., Herlina, T., & Julaeha, E. (2018). Senyawa 5,3'-Dihidroksi-7,4'-Dimetoksiflavon dari Kulit Batang Tanaman Akway (*Drimys beccariana* Gibs) dan Aktivitas Antimalarianya. *Jurnal Kimia Valensi*, *4*(2), 79–84.

Russo, A., Cardile, V., Graziano, A. C. E., Avola, R., Montenegro, I., Cuellar, M., Villena, J., & Madrid, A. (2019). Chemico-Biological Interactions Antigrowth activity and induction of apoptosis in human melanoma cells by Drymis winteri forst extract and its active components. *Chemico-Biological Interactions*, *305*, 79–85.

Sadeghi, A., Mohammad, S., Razavi, A., & Shahrampour, D. (2022). Fabrication and characterization of biodegradable active films with modified morphology based on polycaprolactone-polylactic acid-green tea extract. *International Journal of Biological Macromolecules*, *205*, 341–356.

Salgado, P. R., Di Giorgio, L., Musso, Y. S., & Mauri, A. N. (2019). Chapter 9 - Bioactive Packaging: Combining Nanotechnologies With Packaging for Improved Food Functionality. In *Nanomaterials for Food Applications* (pp. 233–270). Elsevier. DOI : DOI : 10.1016/B978-0-12-814130-4.00009-9.

Santoso, B., Pratama, F., Hamzah, B., & Pambayun, R. (2015). Karakteristik fisik dan kimia pati ganyong dan gadung termodifikasi metode ikatan silang. *Jurnal Agritech*, *35*(03), 273–279. DOI : 10.22146/agritech.9337.

Santoso, B., Sarungallo, Z. L., & Puspita, A. M. (2021). Physicochemical and functional properties of spineless, short-spines, and long-spines sago starch. *Biodiversitas*, *22*(1), 137–143. DOI : 10.13057/biodiv/d220119.

Sari, D. R., Husodo, S. B., & Mutakim. (2022). Fitokimia dan Bioaktifitas Tumbuhan Akway dari Distrik Anggi Kaupaten Pegunungan Arfak. *Kehutanan Papuasia*, *8*(1), 102–113.

Šavikin, K., Živković, J., Alimpić, A., Zdunić, G., Janković, T., Duletić-Laušević, S., & Menković, N. (2018). Activity guided fractionation of pomegranate extract and its antioxidant, antidiabetic and antineurodegenerative properties. *Industrial Crops and Products*, *113*(October 2017), 142–149. DOI :

UNIVERSITAS
GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

10.1016/j.indcrop.2018.01.031.

Saw, S. S., Shariffa, N. Y., Ruri, A. S., & Uthumporn, U. (2020). Physicochemical and emulsifying properties of pre-treated octenyl succinic anhydride (Osa) sago starch in simple emulsion system. *Food Research*, *4*(4), 1326–1332. DOI : 10.26656/fr.2017.4(4).426.

Saw, S. S., Shariffa, N. Y., Rusi, A. S., & Uthumporn, U. (2020). Physicochemical and emulsifying properties of pre - treated octenyl succinic anhydride (OSA) sago starch in simple emulsion system 1 1. *Food Research*, *4*, 1326–1332.

Schafranski, K., Ito, V. C., & Lacerda, L. G. (2021). Impacts and potential applications: A review of the modification of starches by heat-moisture treatment (HMT). *Food Hydrocolloids*, *117*, 106690. DOI : 10.1016/j.foodhyd.2021.106690.

Schmiele, M., Sampaio, U. M., Gomes, P. T. G., & Pedrosa Silva Clerici, M. T. (2018). Physical modifications of starch. In *Starches for Food Application: Chemical, Technological and Health Properties*. Elsevier. DOI : 10.1016/B978-0-12-809440-2.00006-X.

Segura-Campos, M., Chel-Guerrero, L., & Betancur-Ancona, D. (2008). Synthesis and partial characterization of octenylsuccinic starch from *Phaseolus lunatus*. *Food Hydrocolloids*, *22*(8), 1467–1474. DOI : 10.1016/j.foodhyd.2007.09.009.

Setiani, W., Sudiarti, T., & Rahmidar, L. (2013). Preparasi Dan Karakterisasi Edible Film Dari Poliblend Pati Sukun-Kitosan. *VALENSI*, *3*(2), 100–109. DOI : 10.15408/jkv.v3i2.506.

Sharma, M., Singh, A. K., Yadav, D. N., Arora, S., & Vishwakarma, R. K. (2016). Impact of octenyl succinylation on rheological, pasting, thermal and physicochemical properties of pearl millet (*Pennisetum typhoides*) starch. *LWT - Food Science and Technology*, *73*, 52–59. DOI : 10.1016/j.lwt.2016.05.034.

Sheldrake, P. (2010). Starch. In *Food Stabilizers, Thickeners and Gelling Agents* (pp. 293–323). Blackwell Publishing Ltd.

Shi, S. S., & He, G. Q. (2012). Process optimization for cassava starch modified by octenyl succinic anhydride. *Procedia Engineering*, *37*, 255–259. DOI : 10.1016/j.proeng.2012.04.236.

Simsek, S., Ovando-martinez, M., Marefati, A., Sj, M., & Rayner, M. (2015). Chemical composition , digestibility and emulsification properties of octenyl succinic esters of various starches. *Food Research International*, *75*, 41–49.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Singh, G. D., Bawa, A. S., Riar, C. S., & Saxena, D. C. (2009). Influence of heat-moisture treatment and acid modifications on physicochemical, rheological, thermal and morphological characteristics of indian water chestnut (*Trapa natans*) starch and its application in biodegradable films. *Starch/Staerke*, *61*(9), 503–513. DOI : 10.1002/star.200900129.

Soebiesiak, M. (2017). Chemical Structure of Phenols and Its Consequence for Sorption Processes. In *Phenolic Compounds - Natural Sources, Importance and Applications*. DOI : doi: 10.5772/66537.

Sondari, D., Falah, F., Suryaningrum, R., Sari, F. P., Sari, F. P., Septefani, A. A., Septefani, A. A., Restu, W. K., Restu, W. K., Sampora, Y., & Sampora, Y. (2019). Biofilm Based on Modified Sago Starch: Preparation and Characterization. *Reaktor*, *19*(3), 125–130. DOI : 10.14710/reaktor.19.3.125-130.

Sudlapa, P., & Suwannaporn, P. (2023). Dual complexation using heat moisture treatment and pre-gelatinization to enhance Starch – Phenolic complex and control digestibility. *Food Hydrocolloids*, *136*, 108280.

Sun, Q., Han, Z., Wang, L., & Xiong, L. (2014). Physicochemical differences between sorghum starch and sorghum flour modified by heat-moisture treatment. *Food Chemistry*, *145*, 756–764. DOI : 10.1016/j.foodchem.2013.08.129.

Sun, S., Lin, X., Zhao, B., Wang, B., & Guo, Z. (2020). Structural properties of lotus seed starch prepared by octenyl succinic anhydride esterification assisted by high hydrostatic pressure treatment. *Lwt*, *117*, 108698. DOI : 10.1016/j.lwt.2019.108698.

Sweedman, M. C., Tizzotti, M. J., Schäfer, C., & Gilbert, R. G. (2013). Structure and physicochemical properties of octenyl succinic anhydride modified starches : A review. *Carbohydrate Polymers*, *92*(1), 905–920. DOI : 10.1016/j.carbpol.2012.09.040.

Syakir, M., Bermawie, N., Agusta, H., & Paisey, E., N. (2020). Karakterisasi Sifat Morfologi dan Penyebaran Kayu Akway (*Drymis* sp.) di Papua Barat. *Jurnal Penelitian Tanaman Industri*, *17*(4), 169–173. DOI : 10.21082/jlittri.v17n4.2011.169-173.

Taiwo, O., & Jimoh, D. (2010). Functional and pasting properties of composite Cassava-Sorgum flour meals. *Agriculture and Biology Journal of North America*, *1*(4), 715–720.

Talón, E., Vargas, M., Chiralt, A., & González-Martínez, C. (2019). Antioxidant starch-based films with encapsulated eugenol. Application to sunflower oil

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

preservation. *Lwt-Food Science and Technology*, *113*, 108290. DOI : 10.1016/j.lwt.2019.108290.

Tan, X., Li, X., Chen, L., Xie, F., Li, L., & Huang, J. (2017). Effect of heat-moisture treatment on multi-scale structures and physicochemical properties of breadfruit starch. *Carbohydrate Polymers*, *161*, 286–294. DOI : 10.1016/j.carbpol.2017.01.029.

Tethool, E. F., Santoso, B., & Dewi, A. M. P. (2019). *Teknologi Pengolahan Ubi-ubian dan Sagu*. deePublish. Yogyakarta, Indonesia.

Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S. P., & Vuong, Q. V. (2019). Starch-based films: Major factors affecting their properties. *International Journal of Biological Macromolecules*, *132*, 1079–1089. DOI : 10.1016/j.ijbiomac.2019.03.190.

Tong, F., Deng, L., Sun, R., & Zhong, G. (2019). Effect of octenyl succinic anhydride starch ester by semi-dry method with vacuum-microwave assistant. *International Journal of Biological Macromolecules*, *141*, 1128–1136.

Trung, P. T. B., Ngoc, L. B. B., Hoa, P. N., Tien, N. N. T., & Hung, P. Van. (2017). Impact of heat-moisture and annealing treatments on physicochemical properties and digestibility of starches from different colored sweet potato varieties. *International Journal of Biological Macromolecules*, *105*, 1071–1078. DOI : 10.1016/j.ijbiomac.2017.07.131.

Uthumporn, U., Wahidah, N., & Karim, A. A. (2014). Physicochemical properties of starch from sago (*Metroxylon Sagu*) palm grown in mineral soil at different growth stages. *IOP Conference Series: Materials Science and Engineering*, *62*(1). DOI : 10.1088/1757-899X/62/1/012026.

Uzizerimana, F., Dang, K., Yang, Q., Hossain, M. S., Gao, S., Bahati, P., Mugiraneza, N. G., Yang, P., & Feng, B. (2021). Physicochemical properties and in vitro digestibility of tartary buckwheat starch modified by heat moisture treatment: A comparative study. *NFS Journal*, *25*, 12–20. DOI : 10.1016/j.nfs.2021.09.001.

Vermeylen, R., Goderis, B., & Delcour, J. A. (2006). An X-ray study of hydrothermally treated potato starch. *Carbohydrate Polymers*, *64*(2), 364–375. DOI : 10.1016/j.carbpol.2005.12.024.

Wang, C., He, X., Fu, X., Huang, Q., & Zhang, B. (2016). Substituent distribution changes the pasting and emulsion properties of octenylsuccinate starch. *Carbohydrate Polymers*, *135*, 64–71. DOI : 10.1016/j.carbpol.2015.08.044.

UNIVERSITAS GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, H., Liu, Y., Chen, L., Li, X., Wang, J., & Xie, F. (2018). Insights into the multi-scale structure and digestibility of heat-moisture treated rice starch. *Food Chemistry*, *242*, 323–329.

Wang, L., Dong, Y., Men, H., Tong, J., & Zhou, J. (2013). Preparation and characterization of active films based on chitosan incorporated tea polyphenols. *Food Hydrocolloids*, *32*(1), 35–41. DOI : 10.1016/j.foodhyd.2012.11.034.

Wang, P. P., Luo, Z. G., Chun-Chen, Xiong-Fu, & Tamer, T. M. (2020). Effects of octenyl succinic anhydride groups distribution on the storage and shear stability of Pickering emulsions formulated by modified rice starch. *Carbohydrate Polymers*, *228*, 115389. DOI : 10.1016/j.carbpol.2019.115389.

Wang, Q., Li, L., Liu, C., & Zheng, X. (2022). Heat-moisture modified blue wheat starch: Physicochemical properties modulated by its multi-scale structure. *Food Chemistry*, *386*, 132771. DOI : 10.1016/j.foodchem.2022.132771.

Wang, X., Huang, L., Zhang, C., Deng, Y., Xie, P., Liu, L., & Cheng, J. (2020). Research advances in chemical modifications of starch for hydrophobicity and its applications: A review. *Carbohydrate Polymers*, *240*(16). DOI : 10.1016/j.carbpol.2020.116292.

Wang, Z., Mhaske, P., Farahnaky, A., Kasapis, S., & Majzoobi, M. (2022). Cassava starch : Chemical modification and its impact on functional properties and digestibility , a review. *Food Hydrocolloids*, *129*, 107542.

Widjono, A., Aser, R., & Amisnaipa. (2000). Identifikasi karakteristik dan koleksi jenis-jenis sagu. *Prosiding Seminar Hasil-Hasil Sistem Usaha Tani Papua*, *1*, 9–16.

Wilfer, P. B., Giridaran, G., Jeevahan, J. J., Joseph, G. B., Kumar, G. S., & Thykattuserry, N. J. (2021). Effect of starch type on the film properties of native starch based edible films. *Materials Today : Proceedings*, *44*, 3903–3907.

Williams, P. A., & Phillips, G. O. (2009). Handbook of Hydrocolloids. In *Handbook of hydrocolloids*. DOI : doi:10.1094/1891127381.toc.

Xie, X., Qi, L., Xu, C., Shen, Y., Wang, H., & Zhang, H. (2020). Understanding how the cooking methods affected structures and digestibility of native and heat-moisture treated rice starches. *Journal of Cereal Science*, *95*, 103085.

Xie, Y., Li, M. N., Chen, H. Q., & Zhang, B. (2019). Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food*

Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemistry, *274*, 351–359. DOI : 10.1016/j.foodchem.2018.09.034.

Ye, X., Lu, F., Yao, T., Gan, R., & Sui, Z. (2016). Optimization of reaction conditions for improving nutritional properties in heat moisture treated maize starch. *International Journal of Biological Macromolecules*, *93*, 34–40. DOI : 10.1016/j.ijbiomac.2016.08.057.

Zainal Abiddin, N. F., Yusoff, A., & Ahmad, N. (2018). Effect of octenylsuccinylation on physicochemical, thermal, morphological and stability of octenyl succinic anhydride (OSA) modified sago starch. *Food Hydrocolloids*, *75*, 138–146. DOI : 10.1016/j.foodhyd.2017.09.003.

Zainal Abiddin, N. F., Yussof, A., & Ahmad, N. (2016). Preparation and Physicochemical Properties of Octenyl Succinic Anhydride (OSA) Modified Sago Starch. *Malaysian Journal of Analytical Sciences*, *20*(4), 806–811.

Zavareze, E. D. R., & Dias, A. R. G. (2011). Impact of heat-moisture treatment and annealing in starches: A review. *Carbohydrate Polymers*, *83*(2), 317–328. DOI : 10.1016/j.carbpol.2010.08.064.

Zavareze, E. D. R., Pinto, V. Z., Klein, B., El Halal, S. L. M., Elias, M. C., Prentice-Hernández, C., & Dias, A. R. G. (2012). Development of oxidised and heat-moisture treated potato starch film. *Food Chemistry*, *132*(1), 344–350. DOI : 10.1016/j.foodchem.2011.10.090.

Zavareze, E. da R., Storck, C. R., de Castro, L. A. S., Schirmer, M. A., & Dias, A. R. G. (2010). Effect of heat-moisture treatment on rice starch of varying amylose content. *Food Chemistry*, *121*(2), 358–365. DOI : 10.1016/j.foodchem.2009.12.036.

Zhai, X., Li, M., Zhang, R., Wang, W., & Hou, H. (2023). Extrusion-blown starch/PBAT biodegradable active films incorporated with high retentions of tea polyphenols and the release kinetics into food simulants. *International Journal of Biological Macromolecules*, *227*, 851–862. DOI : 10.1016/j.ijbiomac.2022.12.194.

Zhang, B., Mei, J. Q., Chen, B., & Chen, H. Q. (2017). Digestibility, physicochemical and structural properties of octenyl succinic anhydride-modified cassava starches with different degree of substitution. *Food Chemistry*, *229*, 136–141. DOI : 10.1016/j.foodchem.2017.02.061.

Zhang, J., Ran, C., Jiang, X., & Dou, J. (2021). Impact of octenyl succinic anhydride (OSA) esterification on microstructure and physicochemical properties of sorghum starch. *LWT - Food Science and Technology*, *152*, 112320.

UNIVERSITAS
GADJAH MADA
Sifat Fisikokimia Active Biodegradable Film Pati Sagu (Metroxylon sp) Termodifikasi Heat Moisture Treatment-Oktenil Suksinilasi dengan Penambahan Ekstrak Kulit Kayu Akway (Drymis piperita Hook f.)
Angela Myrra Puspita Dewi, Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr.; Prof. Dr. Yudi Pranoto, S.T.P., M.P.; Prof. D
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, P., Zhao, Y., & Shi, Q. (2016). Characterization of a novel edible film based on gum ghatti : Effect of plasticizer type and concentration. *Carbohydrate Polymers*, *153*, 345–355.

Zhang, W., Cheng, B., Li, J., Shu, Z., Wang, P., & Zeng, X. (2021). Structure and properties of octenyl succinic anhydride-modified high-amylose japonica rice starches. *Polymers*, *13*(8), 1–12. DOI : 10.3390/polym13081325.

Zhang, Z., Zhao, S., & Xiong, S. (2013). Molecular properties of octenyl succinic esters of mechanically activated Indica rice starch. *Starch/Starke*, *65*, 453–460. DOI : 10.1002/star.201200187.

Zhou, J., Ren, L., Tong, J., & Ma, Y. (2009). Effect of Surface Esterification with Octenyl Succinic Anhydride on Hydrophilicity of Corn Starch Films. *Journal of Applied Polymer Science*, *114*, 940–947. DOI : 10.1002/app.

Zhu, F. (2019). Recent advances in modifications and applications of sago starch. *Food Hydrocolloids*, *96*, 412–423.