

DAFTAR PUSTAKA

- Abbass, M. K., Hussein, S. K., & Khudhair, A. A. (2016). Optimization of mechanical properties of friction stir spot welded joints for dissimilar aluminum alloys (AA2024-T3 and AA 5754-H114). *Arabian Journal for Science and Engineering*, 41(11), 4563-4572.
- Ahmed, M. M., El-Sayed Seleman, M. M., Sobih, A. M. E. S., Bakkar, A., Albaijan, I., Touileb, K., & Abd El-Aty, A. (2023). Friction Stir-Spot Welding of AA5052-H32 Alloy Sheets: Effects of Dwell Time on Mechanical Properties and Microstructural Evolution. *Materials*, 16(7), 2818.
- Aluminium Association (2015). International Alloy Designations and Chemical Composition Limits for Wrought Aluminum and Wrought Aluminum Alloys. The Aluminum Association, Inc. 1525 Wilson Boulevard, Arlington, VA 22209. www.aluminum.org
- Anton Savio Lewise, K., Raja Dhas, J. E., & Pandiyarajan, R. (2022). Optimising aluminium 2024/7075 friction stir welded joints. *Advances in Materials and Processing Technologies*, 8(4), 4579-4597.
- Aprilia, E., Bagdja, A. P., & Setiawan, A. R. (2021). Pengaruh variasi tool speed dan traveling speed pada friction stir welding Al 2017 dan Al 7075. *Jurnal Polimesin*, 19(1), 40-47.
- Askeland, D. R., Phulé, P. P., Wright, W. J., & Bhattacharya, D. K. (2003). The science and engineering of materials.
- ASM Metals Hand Book: Volume 3-Alloy Phase Diagrams. *ASM International, Materials Park, Ohio, USA*.
- ASM Metals Handbook - Properties and selection nonferrous alloys and special purpose- Volume 2. 1996
- ASTM E92-17. (2017). Standard test methods for Vickers hardness and Knoop hardness of metallic materials.

- Babu, S., Sankar, V. S., Janaki Ram, G. D., Venkitakrishnan, P. V., Madhusudhan Reddy, G., & Prasad Rao, K. (2013). Microstructures and mechanical properties of friction stir spot welded aluminum alloy AA2014. *Journal of Materials Engineering and Performance*, 22, 71-84.
- Badarinarayan, H. (2009). *Fundamentals of friction stir spot welding*. Missouri University of Science and Technology.
- Bakavos, D., Chen, Y., Babout, L., & Prangnell, P. (2011). Material interactions in a novel pinless tool approach to friction stir spot welding thin aluminum sheet. *Metallurgical and Materials Transactions A*, 42(5), 1266-1282.
- Branco, R., Costa, J. D., Borrego, L. P., Wu, S. C., Long, X. Y., & Antunes, F. V. (2020). Effect of tensile pre-strain on low-cycle fatigue behaviour of 7050-T6 aluminium alloy. *Engineering Failure Analysis*, 114, 104592.
- Callister Jr, W. D., & Rethwisch, D. G. (2020). *Fundamentals of materials science and engineering: an integrated approach*. John Wiley & Sons.
- Çam, G., Javaheri, V., & Heidarzadeh, A. (2022). Advances in FSW and FSSW of dissimilar Al-alloy plates. *Journal of Adhesion Science and Technology*, 1-33.
- Chandler, H. (Ed.). (1999). *Hardness testing*. ASM international.
- Chiteka K (2013) Friction stir welding/processing tool materials and selection. *Int J Eng Res*
- Colegrove, P. (2001). *3 dimensional flow and thermal modelling of the friction stir welding process* (Doctoral dissertation).
- Hakim, T. A. (2022). *Pengaruh Kecepatan Putar Dan Geometri Pin Terhadap Struktur Mikro Dan Sifat-Sifat Mekanis Las Fssw Untuk Sambungan Berimpit Pelat Tipis Aluminium AA2024-O-AA5052-H112-Aa6061-T6* (Doctoral dissertation, Universitas Gadjah Mada).
- Hardness, A. B. (1999). Standard Test Method for Microindentation Hardness of Materials. *ASTM Committee: West Conshohocken, PA, USA*, 384, 399.
- Ilman, M. N. (2023). Microstructure and mechanical performance of dissimilar friction stir spot welded AA2024-O/AA6061-T6 sheets: Effects of tool

rotation speed and pin geometry. *International Journal of Lightweight Materials and Manufacture*, 6(1), 1-14.

- Indumathi, S., Rajyalakshmi, G., & Rajasekhar, K. (2018). Experimental Investigations On Friction Stir Spot Welding Process Of Dissimilar Metals. *Materials Today: Proceedings*, 5(5), 12056-12061.
- Jambhale, S., Kumar, S., & Kumar, S. (2015). Effect of process parameters & tool geometries on properties of friction stir spot welds: a review. *Universal Journal of Engineering Science*, 3(1), 6-11.
- Ji, Y. Y., Xu, Y. Z., Zhang, B. B., Behnamian, Y., Xia, D. H., & Hu, W. B. (2021). Review of micro-scale and atomic-scale corrosion mechanisms of second phases in aluminum alloys. *Transactions of Nonferrous Metals Society of China*, 31(11), 3205-3227.
- Joy-A-Ka, S., Ogawa, Y., Akebono, H., Kato, M., Sugeta, A., Sun, Y., & Fujii, H. (2015). Fatigue damage evaluation of friction stir spot welded cross-tension joints under repeated two-step force amplitudes. *Journal of Materials Engineering and Performance*, 24, 2494-2502.
- Khandkar, M. Z. H., Khan, J. A., & Reynolds, A. P. (2003). Prediction of temperature distribution and thermal history during friction stir welding: input torque based model. *Science and technology of welding and joining*, 8(3), 165-174.
- Kim, J. R., Ahn, E. Y., Das, H., Jeong, Y. H., Hong, S. T., Miles, M., & Lee, K. J. (2017). Effect of tool geometry and process parameters on mechanical properties of friction stir spot welded dissimilar aluminum alloys. *International Journal of Precision Engineering and Manufacturing*, 18(3), 445-452.
- Kou, S. (2003). *Welding metallurgy*. New Jersey, USA, 431(446), 223-225.
- Kumar, A., Arora, K. S., Gupta, R. K., & Harmain, G. A. (2019). Investigation on interface morphology and joint configuration of dissimilar sheet thickness FSSW of marine grade Al alloy. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 41, 1-13.

- Li, G., Zhou, L., Zhou, W., Song, X., & Huang, Y. (2019). Influence of dwell time on microstructure evolution and mechanical properties of dissimilar friction stir spot welded aluminum–copper metals. *Journal of Materials Research and Technology*, 8(3), 2613-2624.
- Lumley, R. (Ed.). (2010). *Fundamentals of aluminium metallurgy: production, processing and applications*. Elsevier.
- Mahapatra, S. S. (2019). Investigation of weld zone obtained by friction stir spot welding (FSSW) of aluminium-6061 alloy. *Materials Today: Proceedings*, 18, 4491-4500.
- Manickam, S., Rajendran, C., Nathan, S. R., Sivamaran, V., & Balasubramanian, V. (2022). Assessment of the influence of FSSW parameters on shear strength of dissimilar materials joint (AA6061/AZ31B). *International Journal of Lightweight Materials and Manufacture*, 6(1), 33-45.
- Mao, Y., Zhu, Y., Deng, C. M., Sun, S., & Xia, D. H. (2022). Analysis of localized corrosion mechanism of 2024 aluminum alloy at a simulated marine splash zone. *Engineering Failure Analysis*, 142, 106759.
- Mubiayi, M. P., Akinlabi, E. T., & Makhatha, M. E. (2018). Current state of friction stir spot welding between aluminium and copper. *Materials Today: Proceedings*, 5(9), 18633-18640.
- Mubiayi, M. P., Akinlabi, E. T., & Makhatha, M. E. (2019). *Current trends in friction stir welding (FSW) and friction stir spot welding (FSSW)* (Vol. 6). Cham, Switzerland: Springer International Publishing.
- Nasir, T., Kalaf, O., & Asmael, M. (2021). Effect of rotational speed, and dwell time on the mechanical properties and microstructure of dissimilar AA5754 and AA7075-T651 aluminum sheet alloys by friction stir spot welding. *Materials Science*, 27(3), 308-312.
- Ota, E., Matsuda, T., Shoji, H., Ogura, T., Miyasaka, F., Sano, T., ... & Hirose, A. (2021). Friction stir spot welding of aluminum and carbon fiber reinforced thermoplastic using hybrid surface treatment improving interfacial properties. *Materials & Design*, 212, 110221.

- Paidar, M., Ghavamian, S., Ojo, O. O., Khorram, A., & Shahbaz, A. (2019). Modified friction stir clinching of dissimilar AA2024-T3 to AA7075-T6: effect of tool rotational speed and penetration depth. *Journal of Manufacturing Processes*, 47, 157-171.
- Piccini, J. M., & Svoboda, H. G. (2015). Effect of pin length on Friction Stir Spot Welding (FSSW) of dissimilar Aluminum-Steel joints. *Procedia Materials Science*, 9, 504-513.
- Priya, P., Johnson, D. R., & Krane, M. J. (2017). Precipitation during cooling of 7XXX aluminum alloys. *Computational Materials Science*, 139, 273-284.
- Rajaraman, C., Sivaraj, P., Sonar, T., Raja, S., & Mathiaszagan, N. (2022). Resistance spot welding of advanced high strength steel for fabrication of thin-walled automotive structural frames. *Forces in Mechanics*, 7, 100084.
- Rambabu, P. P. N. K. V., Eswara Prasad, N., Kutumbarao, V. V., & Wanhill, R. J. H. (2017). Aluminium alloys for aerospace applications. *Aerospace materials and material technologies*, 29-52.
- Ramya, G., Pounrajan, S., Prasad, D. V. S. S. S. V., Soni, S., Ravichandran, P., Kosanam, K., ... & Shaik, B. (2022). Assessment of Rotational Speed and Plunge Rate on Lap Shear Strength of FSSW Joints of AA7075/Mild Steel. *Advances in Materials Science and Engineering*, 2022.
- Raza, M. F., & Yapici, G. G. (2022). Effects of interlayer on the friction stir spot welding of stainless steel. *Materials Today: Proceedings*.
- Rodriguez, R. I., Jordon, J. B., Allison, P. G., Rushing, T., & Garcia, L. (2015). Microstructure and mechanical properties of dissimilar friction stir welding of 6061-to-7050 aluminum alloys. *Materials & Design*, 83, 60-65.
- Saju, T. P., & Narayanan, R. G. (2020). Dieless friction stir extrusion joining of aluminum alloy sheets with a pinless stir tool by controlling tool plunge depth. *Journal of Materials Processing Technology*, 276, 116416.

- Shen, Z., Ding, Y., & Gerlich, A. P. (2020). Advances in friction stir spot welding. *Critical Reviews in Solid State and Materials Sciences*, 45(6), 457-534.
- Singh, K., Singh, G., & Singh, H. (2018). Review on friction stir welding of magnesium alloys. *Journal of magnesium and alloys*, 6(4), 399-416.
- Singh, K., Singh, H., Vardhan, S., & Mohan, S. (2021). Mechanical study of Al 7050 and Al 7075 based metal matrix composites: a review. *Materials Today: Proceedings*, 43, 673-677.
- Starke Jr, E. A., & Staley, J. T. (1996). Application of modern aluminum alloys to aircraft. *Progress in aerospace sciences*, 32(2-3), 131-172.
- Su, Z. M., Qiu, Q. H., & Lin, P. C. (2016). Design of friction stir spot welding tools by using a novel thermal-mechanical approach. *Materials*, 9(8), 677.
- Suryanarayanan, R., & Sridhar, V. G. (2020). Effect of process parameters in pinless friction stir spot welding of Al 5754-Al 6061 alloys. *Metallography, Microstructure, and Analysis*, 9, 261-272.
- Tiwan, H., Ilman, M. N., & Kusmono, K. (2021). Effect of Pin Geometry and Tool Rotational Speed on Microstructure and Mechanical Properties of Friction Stir Spot Welded Joints in AA2024-O Aluminum Alloy. *International Journal of Engineering*, 34(8), 1949-1960.
- Ul-Hamid, A. (2018). *A beginners' guide to scanning electron microscopy* (Vol. 1, p. 402). Cham, Switzerland: Springer International Publishing.
- Wang, D. A., & Lee, S. C. (2007). Microstructures and failure mechanisms of friction stir spot welds of aluminum 6061-T6 sheets. *Journal of Materials Processing Technology*, 186(1-3), 291-297.
- Wang, X., Morisada, Y., & Fujii, H. (2021). High-strength Fe/Al dissimilar joint with uniform nanometer-sized intermetallic compound layer and mechanical interlock formed by adjustable probes during double-sided friction stir spot welding. *Materials Science and Engineering: A*, 809, 141005.

- Węglowski, M. S., Pietras, A., & Węglowska, A. (2009). Effect of welding parameters on mechanical and microstructural properties of Al 2024 joints produced by friction stir welding. *Journal of KONES*, 16, 523-532.
- Zhao, H., Gault, B., Ponge, D., de Geuser, F., & Raabe, D. (2020). Grain boundary segregation and precipitation in an Al-Zn-Mg-Cu alloy. In *MATEC Web of Conferences* (Vol. 326).