

DAFTAR PUSTAKA

- Adamson, N., Glushenkov, A. M., Lussini, V. C., Fox, P. J., Diciski, G.W., Shapter, J. G., Ellis, A. V. (2019). New developments in composites, copolymer technologies and processing techniques for flexible fluoropolymer piezoelectric generators for efficient energy harvesting. *Energy and Environmental Science*, 12, 1143-1176. <https://doi.org/10.1039/C8EE03006E>
- Al-Shammari, H., Farhad, S. (2021). Heavy liquid for rapid separation of cathode and anode active materials from recycled lithium-ion batteries. *Resources, Conservation, and Recycling*, 174, 105749. <https://doi.org/10.1016/j.resconrec.2021.105749>
- An, Y., Sun, K., Qiu, Y., Zhang, L. (2022). Specific Cation Effect on the Flotation of Graphite. *Minerals*, 12, 1070. <https://doi.org/10.3390/min12091070>
- Bertuol, D. A., Toniasso, C., Jimenez, B. M., Meili, L., Dotto, G. L., Tanabe, E. H., Aguiar, M. L. (2015). Application of spouted bed elutriation in the recycling of lithium ion batteries. *Journal of Power Sources*, Vol. 275, 627-632. <https://doi.org/10.1016/j.jpowsour.2014.11.036>
- Brown, G. G. (1950), "Unit Operation", Modern Asia Edition, John Wiley and Sons, Inc., New York.
- Cao, Z., Zheng, X., Cao, H., Sun, Z., Guo, Z., Wang, K., Zhou, B. (2018). Efficient reuse of anode scrap from lithium-ion batteries as cathode for pollutant degradation in electro-Fenton process: Role of different recovery processes. *Chemical Engineering Journal*, 337, 256-264. <https://doi.org/10.1016/j.cej.2017.12.104>
- Carlson, J. J. and Kawatra, S. K. (2013). Factors Affecting Zeta Potensial of Iron Oxides. *Mineral Processing and Extractive Review: An International Journal*, 34:5, 269-303. <http://dx.doi.org/10.1080/08827508.2011.604697>
- Cetinel, F. A. and Bauer, W. (2014). Processing of water-based $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ pastes for manufacturing lithium ion battery cathodes. *Bull. Mater. Sci.* Vol. 37, No. 7, pp. 1685-1690. [10.1007/s12034-014-0733-7](https://doi.org/10.1007/s12034-014-0733-7)
- Cui, Z., Hassankiadeh, N. T., Zhuang, Y., Drioli, E., Lee, Y. M. (2015). Crystalline polymorphism in poly(vinylidene fluoride) membranes. *Progress in Polymer Science*, 51, 94-126. <http://dx.doi.org/10.1016/j.progpolymsci.2015.07.007>
- Darjazi, H., Rezvani, S. J., Brutti, S., Nobili, F. (2022). Improvement of structural and electrochemical properties of NMC layered cathode material by combined doping and coating. *Electrochimica Acta*, 404, 139577. <https://doi.org/10.1016/j.electacta.2021.139577>
- Dash, R. and Pannala, S. (2016). Theoretical Limits of Energy Density in Silicon-Carbon Composite Anode Based Lithium Ion Batteries. *Sci. Rep.* 6, 27449. <https://doi.org/10.1038/srep27449>
- Ding, Q., Yamamura, H., Murata, N., Aoki, N., Yonekawa, H., Hafuka, A., Watanabe, Y. (2016). Characteristics of meso-particles formed in coagulation process

causing irreversible membrane fouling in the coagulationmicrofiltration water treatment. *Water Research* 101, 127-136. <http://dx.doi.org/10.1016/j.watres.2016.05.076>

Gao, D., Zhou, Y., Wang, T., Wang, Y. (2020). A method for predicting the remaining useful life of lithium-ion batteries based on particle filter using kendall rank correlation coefficient. *Energies*, 13(16), 4183. <https://doi.org/10.3390/en13164183>

He, Y., Zhang, T., Wang, F., Zhang, G., Zhang, W. (2017). Recovery of LiCoO₂ and graphite from spent lithium-ion batteries by Fenton reagent-assisted flotation. *Journal of Cleaner Production*, 143, 319-325. <https://doi.org/10.1016/j.jclepro.2016.12.106>

Instruments, Malvern. (2015). Zeta potential – An introduction in 30 minutes. https://www.researchgate.net/publication/202580218_Tech_Note_Zeta_potential_-_An_introduction_in_30_minutes

Joseph, E. and Singhvi, G. (2019). Chapter 4 – Multifungsional nanocrystals for cancer therapy: a potential nanocarrier. *Nanomaterials for Drug Delivery and Therapy*, 91-116. <https://doi.org/10.1016/B978-0-12-816505-8.00007-2>

Kang, J., Sohn, J., Chang, H., Senanayake, G., Shin, S. (2010). Preparation of cobalt oxide from concentrated cathode material of spent lithium ion batteries by hydrometallurgical method. *Advanced Powder Technology*, 21, 175-179. <https://doi.org/10.1016/j.appt.2009.10.015>

Kim, S., Bang, J., Yoo, J., Shin, Y., Bae, J., Jeong, J., Kim, K., Dong, P., Kwon, K. (2021). A comprehensive review on the pretreatment process in lithium-ion battery recycling. *Journal of Cleaner Production*, 294, 126329. <https://doi.org/10.1016/j.jclepro.2021.126329>

Kwon, O., Sohn, I. (2020). Fundamental thermokinetic study of a sustainable lithum-ion battery pyrometallurgical recycling process. *Resources, Conservation, & Recycling*, 158, 104809. <https://doi.org/10.1016/j.resconrec.2020.104809>

Li, L., Zhang, X., Li, M., Chen, R., Wu, F., Amine, K., Lu, J. (2018). The Recycling of Spent Lithium-Ion Batteries: A Review of Current Processes and Technologies. *Electrochemical Energy Reviews*, 1:461-482. <https://doi.org/10.1007/s41918-018-0012-1>

Li, W., Li, H., Zhang, Y. M. (2009). Preparation and investigation of PVDF/PMMA/TiO₂ composite film. *Journal of Material Science*, 44:2977-2984. <https://doi.org/10.1007/s10853-009-3395-x>

Malik, M., Chan, K. H., Azimi, G. (2022). Review on the synthesis of LiNi_xMn_yCo_{1-x-y}O₂ (NMC) cathodes for lithium-ion batteries. *Materials Today Energy*, 28, 101066. <https://doi.org/10.1016/j.mtener.2022.101066>

Meshram, P., Mishra, A., Abhilash, Sahu, R. (2020). Environmental impact of spent lithium ion batteries and green recycling perspectives by organic acids – A review. *Chemosphere*, 242, 125291. <https://doi.org/10.1016/j.chemosphere.2019.125291>

- Miao, Y., Liu, L., Zhang, Y., Tan, Q., Li, J. (2021). An overview of global power lithium-ion batteries and associated critical metal recycling. *Journal of Hazardous Materials*, 425, 127900. <https://doi.org/10.1016/j.jhazmat.2021.127900>
- Nitta, N., Wu, F., Lee, J. T., Yushin, G. (2015). Li-ion battery materials: present and future. *Material Today*, Vol 18, Issue 5, 252-264. <https://doi.org/10.1016/j.mattod.2014.10.040>
- Ohshima, H. (2013). Zeta Potential. *Encyclopedia of Colloid and Interface Science*. ISBN: 978-3-642-20664-1. https://doi.org/10.1007/978-3-642-20665-8_162
- Ordonez, J., Gago, E.J., Girard, A. (2016). Processes and technologies for the recycling and recovery of spent lithium-ion batteries. *Renewable and Sustainable Energy Reviews*, 60, 195-205. <https://doi.org/10.1016/j.rser.2015.12.363>
- Pate, K., and Safier, P. (2016). Chemical metrology methods for CMP quality. *Advance in Chemical Mechanical Planarization (CMP)*. 299-325. <https://doi.org/10.1016/B978-0-08-100165-3.00012-7>
- Peraturan Presiden Republik Indonesia Nomor 55 Tahun 2019 Tentang Percepatan Program Kendaraan Bermotor Listrik Berbasis Baterai (*Battery Electric Vehicle*) untuk Transportasi Jalan.
- Ramirez-Quintero, D. A. and Bizzo, W. A. (2023). Experimental characterization of the size, shape and ash composition of solid particles from different biomasses and separated by elutriation. *Biomass and Bioenergy*, 173, 106767. <https://doi.org/10.1016/j.biombioe.2023.106767>
- Ramya, A. V., Manoj, B., Mohan, A.N. (2016). Extraction and characteristic of wrinkled graphene nanolayers from commercial graphite. *Asian Journal of Chemistry*. Vol. 28, No. 5, 1031-1034. <http://dx.doi.org/10.14233/ajchem.2016.19577>
- Sambamurthy, S., Raghuvanshi, S., Sangwan, K. S. (2021). Environmental impact of recycling spent lithium-ion batteries. *Procedia CIRP*, 98, 631-636. <https://doi.org/10.1016/j.procir.2021.01.166>
- Saxena, P. and Shukla, P. (2021). A comprehensive review on fundamental properties and applications of poly(vinylidene fluoride) (PVDF). *Advanced Composites and Hybrid Materials*, 4:8-26. <https://doi.org/10.1007/s42114-021-00217-0>
- Shimadzu Corporation. (2012). Particle Size Distribution Measurement of Lithium-Ion Battery Materials. https://www.ssi.shimadzu.com/sites/ssi.shimadzu.com/files/pim/pim_document_file/ssi/applications/application_note/16960/PSA-2201-particle-size-of-battery-materials.pdf
- Sukamta, Budiman, A., Sutijan, W, A. B., Budiharto, S. (2009). Pemecahan senyawa kompleks dalam kaolin dan pengambilan alumina dengan metode kalsinasi dan elutriasi. *Jurnal Teknologi Technoscientia*, 2(1), 107-116. <https://doi.org/10.34151/technoscientia.v2i1.418>
- Sun, Q., (2022). The Hydrophobic Effects: Our Current Understanding. *Molecules*, 27, 7009. <https://doi.org/10.3390/molecules27207009>

- Sung, S.H., Kim, S., Park, J.H., Park, J.D., Ahn, K.H. (2020). Role of PVDF in Rheology and Microstructure of NCM Cathode Slurries for Lithium-Ion Battery. *Materials*, 13, 4544. <https://doi.org/10.3390/ma13204544>
- Tanabe, E. H., Schlemmer, D. F., Aguiar, M. L., Dotto, G. L., Bertuol, D. A. (2016). Recovery of valuable materials from spent NIMH batteries using spouted bed elutriation. *Journal of Environmental Management*, Vol. 171, 177-183. <https://doi.org/10.1016/j.jenvman.2016.02.011>
- Thermal Fisher Scientific Inc. (2023). Scanning electron microscopy for lithium battery research. <https://assets.thermofisher.com/TFS-Assets/MSD/brochures/sem-lithium-battery-research-en-br0147.pdf>
- Wang, F., Zhang, T., He, Y., Zhao, Y., Wang, S., Zhang, G., Zhang, Y., Feng, Y. (2018). Recovery of valuable materials from spent lithium-ion batteries by mechanical separation and thermal treatment. *Journal of Cleaner Production*, 185, 646-652. <https://doi.org/10.1016/j.jclepro.2018.03.069>
- Xiao, J., Li, J., Xu, Z. (2017). Recycling metals from lithium ion battery by mechanical separation and vacuum metallurgy. *Journal of Hazardous Materials*, 338, 124-131. <https://doi.org/10.1016/j.jhazmat.2017.05.024>
- Yan, S., Wang, R., Shao, C., Tong, Z., Li, T., Yuan, L., Sheng, G., Xu, K. (2019). The strategy of entire recovery: From spent cathode material with high nickel content to new $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ and Li_2CO_3 powders. *Journal of Power Sources*, 440, 227140. <https://doi.org/10.1016/j.jpowsour.2019.227140>
- Yu, J., He, Y., Ge, Z., Li, H., Xie, W., Wang, S. (2018). A promising physical method for recovery of LiCoO_2 and graphite from spent lithium-ion batteries: Grinding flotation. *Separation and Purification Technology*, 190, 45-52. <https://doi.org/10.1016/j.seppur.2017.08.049>
- Yu, D., Huang, Z., Mauza, B., Guo, X., Tian, Q. (2021). Pretreatment options for the recycling of spent lithium-ion batteries: A comprehensive review. *Minerals Engineering*, 173, 107218. <https://doi.org/10.1016/j.mineng.2021.107218>
- Yun, L., Linh, D., Shui, L., Peng, X., Garg, A., Le, M.L.P., Asghari, S., Sandoval, J. (2018). Metallurgical and mechanical methods for recycling of lithium-ion battery pack for electric vehicles. *Resources, Conservation, & Recycling*, 136, 198-208. <https://doi.org/10.1016/j.resconrec.2018.04.025>
- Zhang, G., Du, Z., He, Y., Wang, H., Xie, W., Zhang, T. (2019). A sustainable process for the recovery of anode and cathode materials derived from spent lithium-ion batteries. *Sustainability*, 11(8), 2363. <https://doi.org/10.3390/su11082363>
- Zhang, T., He, Y., Wang, F., Li, H., Duan, C., Wu, C. (2014). Surface analysis of cobalt-enriched crushed product of spent lithium-ion batteries by X-ray photoelectron spectroscopy. *Separation and Purification Technology*, 138, 21-27. <http://dx.doi.org/10.1016/j.seppur.2014.09.033>



UNIVERSITAS
GADJAH MADA

Pemisahan Bahan Aktif Katoda dari Campuran Hasil Crushing Baterai Lithium-Ion Bekas dengan Elutriasi

Farika Asna Fadillah, Ir. Indra Perdana, S.T., M.T., Ph.D.; Prof. Chandra Wahyu Purnomo, S.T., M.E., M.Eng., D.Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhong, X., Liu, W., Jiao, F., Qin, W., Liu, T., Zhao, C. (2019). Pyrolysis and physical separation for the recovery of spent LiFePO_4 batteries. *Waste Management*, 89, 83-93. <https://doi.org/10.1016/j.wasman.2019.03.068>

Zhu, X., Zhang, C., Feng, P., Yang, X., Yang, X. (2021). A novel pulsated pneumatic separation with variable-diameter structure and its application in the recycling spent lithium-ion batteries. *Waste Management*, 131, 20-30. <https://doi.org/10.1016/j.wasman.2021.05.027>