

DAFTAR PUSTAKA

- Al Hijri, H., Fatriansyah, J. F., Sofyan, N., dan Dhaneswara, D., 2022, Potential Use of Corn Cob Waste as the Base Material of Silica Thin Films for Anti-Reflective Coatings. *Evergreen*, 9(1), 102–108.
- Anh Tuan, L.E., Kim Dung, L.T., Thanh Ha, L.D., Hien, N.Q., Van Phu, D., dan Duy Du, D., 2017, Preparation and Characterization of Nanosilica from Rice Husk Ash by Chemical Treatment Combined with Calcination. *Vietnam Journal of Chemistry* 55(4): 455–459.
- Araneo, R., Rinaldi, A., Notargiacomo, A., Pea, M., dan Celozzi, S., 2016, Advanced mechanical and electrical characterization of piezoelectric ZnO nanowires for electro-mechanical modeling of enhanced performance sensors. *Sensors and Actuators, A: Physical*, 244, 166–173.
- ASTM C 1327-08 Test Method for Vickers Indention Hardness of Advanced ceramics ,American Society for Testing and Materials, United States.
- ASTM C 496 Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens, American Society for Testing and Materials, United States.
- ASTM C 1424-04 Standard Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, American Society for Testing and Materials, United States
- Ballas, R. G., 2021, The Piezoelectric Effect - An Indispensable Solid State Effect for Contemporary Actuator and Sensor Technologies. *IOP Conference Series: Earth and Environmental Science*, 1775(1).
- Barsoum, M.W., 1997, Fundamental of Ceramics, Mc Graw-Hill Book Co New York.
- Bragmann, C.P and Goncalves, M.R.F., 2006. Thermal Insulators Made With Rice Husk Ashes: Production and Correlation Between Properties and Microstructure. Department of materials, school of engineering, federal university of rio grande do sul, Brasil.
- Biswas, A., Bayer, I. S., Biris, A. S., Wang, T., Dervishi, E., dan Faupel, F., 2012, Advances in top-down and bottom-up surface nanofabrication: Techniques, applications & future prospects. *Advances in Colloid and Interface Science*, 170(1–2), 2–27.
- Brechignac. C., Houdy. P., Lahmani. M., 2006, Nanomaterials and Nanochemistry, Editions Belin, France.
- Brice, J., C., 1985, Cristals For Quarts Resonantors, Philips *Research Laboratories, Redhill, Surrey RH1 5HA, England.*
- Caratto, V., Locardi, F., Alberti, S., Villa, S., Sanguineti, E., Martinelli, A., Balbi, T., Canesi, L., & Ferretti, M., 2016, Different sol–gel preparations of iron-doped TiO₂ nanoparticles: characterization, photocatalytic activity and cytotoxicity.

- Journal of Sol-Gel Science and Technology*, 80(1), 152–159.
- Carp, C. L. Huisman, A. Reller., 2004 *Progress in Solid State Chem.*, 32, 33.
- Cao, G., 2003, *Nanostructures dan Nanomaterials.*, Imperial College Press.
- Chaipanich, A., 2007, Dielectric and Piezoelectric Properties of PZT-Silica Fume Cement Composites. *Current Applied Physics* 7(5): 532–536.
- Chen, Y., Ye, H., Wang, X., Li, Y., dan Yao, X. 2020, Grain size effects on the electric and mechanical properties of submicro BaTiO₃ ceramics. *Journal of the European Ceramic Society*, 40(2), 391–400.
- Chomyen, P., Potong, R., Rianyoi, R., Ngamjarurojana, A., Chindaprasirt, P., dan Chaipanich, A., 2018, Microstructure, dielectric and piezoelectric properties of 0–3 lead free barium zirconate titanate ceramic-Portland fly ash cement composites. *Ceramics International*, 44(1), 76–82.
- Cotton dan Wilkinson. 1989, *Kimia Anorganik Dasar*, Cetakan Pertama. Jakarta: UI-Press.
- Darwis, D., Khaerony, R. dan Iqbal., 2017, Pemurnian dan Karakterisasi Silika Menggunakan Metode Purifikasi (Leaching) dengan Variasi Waktu Milling pada Pasir Kuarsa Desa Pasir Putih Kecamatan Pamona Selatan Kabupaten Poso, *Natural Science: Journal of Science and Technology* Volume 6.
- Deterre, M., E., Lefeuvre dan Dufour-Gergam., 2012. An Active Piezoelectric Energy Extraction Method for Pressure Energy Harvesting, *Smart Materials and Structures* 21(8).
- Ebrahimi, Farzad., 2013, *Piezoelectric Materials and Devices-Practice And Applications*. Rijeka, Croatia.
- Ehterami, A., Kazemi, M., Nazari, B., Saraeian, P., dan Azami, M., 2018, Fabrication and characterization of highly porous barium titanate based scaffold coated by Gel/HA nanocomposite with high piezoelectric coefficient for bone tissue engineering applications. *Journal of the Mechanical Behavior of Biomedical Materials*, 79(November 2017), 195–202.
- El-Didamony., El-Fadaly, E., Amer, A. A., dan Abazeed, I. H., (2020). Synthesis and characterization of low cost nanosilica from sodium silicate solution and their applications in ceramic engobes. *Boletin de La Sociedad Espanola de Ceramica y Vidrio*, 59(1), 31–43.
- Falk, G., Shinhe, G. P., Teixeira, L. B., Moraes, E. G., dan de Oliveira, A. P. N., 2019, Synthesis of silica nanoparticles from sugarcane bagasse ash and nano-silicon via magnesiothermic reactions. *Ceramics International*, 45(17), 21618–21624.
- Fatimah, S., Ragadhita, R., Fitria, D., Husaeni, A., Bayu, A., dan Nandiyanto, D., 2022, ASEAN How to Calculate Crystallite Size from X-Ray Diffraction (XRD) using Scherrer Method. *Journal of Science and Engineering* 2(1), 65–76.

- Gao, J., Xue, D., Liu, W., Zhou, C. dan Ren., X., 2017, Recent Progress on BaTiO₃-Based Piezoelectric Ceramics for Actuator Applications, *Actuators* 6(3).
- Ghafari, E., Yuan, Y., Wu, C., Nantung, T., dan Lu, N., 2018, Evaluation the compressive strength of the cement paste blended with supplementary cementitious materials using a piezoelectric-based sensor. *Construction and Building Materials*, 171, 504–510.
- Han, Y.S., Jian, B.L., Bo, C., dan Zhong, H.W., 2003, The Effect of Sintering Temperature on Porous Silica Composite Strength. *Journal of Porous Materials* 10(1): 41–45.
- Hassan, A. F., Abdelghny, A. M., Elhadidy, H., dan Youssef, A. M. (2014). Synthesis and characterization of high surface area nanosilica from rice husk ash by surfactant-free sol-gel method. *Journal of Sol-Gel Science and Technology*, 69(3), 465–472.
- He, L., Wang, S., Zheng, X., Liu, L., Tian, X., dan Sun, B., 2022, Research-based on a low-frequency non-contact magnetic coupling piezoelectric energy harvester. *Energy*, 258, 124844.
- Hu, S., Luo, C., Li, P., Hu, J., Li, G., dan Jiang, H., 2017, Effect of Sintered Temperature on Structural and Piezoelectric Properties of Barium Titanate Ceramic Prepared by Nano-Scale Precursors, *Journal of Materials Science: Materials in Electronics* 28(13): 9322–9327.
- Hu, D., Yao, M., Fan, Y., Ma, C., Fan, M., dan Liu, M., 2019, Strategies to achieve high performance piezoelectric nanogenerators. *Nano Energy*, 55(October 2018), 288–304.
- Iler, R.K., 1979, Silica Gels and Powders. In: *The Chemistry of Silica*, John Wiley and Sons, New York
- Isikgor, F. H., dan Becer, C. R., 2015, Lignocellulosic biomass: a sustainable platform for the production of bio-based chemicals and polymers. *Polymer Chemistry*, 6(25), 4497–4559.
- Jain A., Panwar AK., dan Jha AK., 2016, Influence of milling duration on microstructural, electrical, ferroelectric and piezoelectric properties of Ba_{0.9}Sr_{0.1}Zr_{0.04}Ti_{0.96}O₃ ceramic. *Ceramics International*. 42:18771–18778.
- Jafari, V., dan Allahverdi, A., 2014, Synthesis and Characterization of Colloidal Nanosilica via an Ultrasound Assisted Route Based on Alkali Leaching of Silica Fume. *Int. J. Nanosci. Nanotechnol vol. 10 (3)*, 145- 152.
- Jiao, H., Zhao, K., Ma, L., Tang, Y., Liau, X., dan Bian, T., 2017, Preparation and Characterization of BaTiO₃/HA Nanocomposite Materials by Hydrothermal Synthesis, *Journal of Alloys and Compounds* 693: 221–225.
- Ji, J. H., Moon, U. C., Kwon, H. I., dan Koh, J. H., 2017, The two-step sintering effect on the dielectric and piezoelectric properties of (Na,K)NbO₃-BiScO₃ lead-free

ceramics. *Ceramics International*.

- Jurgelane, I., Buss, A., Putnina, M., Loca, D., dan Locs, J., 2021, Effect of sintering temperature on sorption properties and compressive strength of calcium phosphate ceramic granules. *Materials Letters*, 282, 128858.
- Jusnes, K. F., Tangstad, M., dan Ringdalen, E., 2018, *Phase Transformations from Quartz to Cristobalite*. 2(4), 717–727.
- Kalapathy, U., A. Proctor, dan J. Schultz., 2000, A Simple Method for Production of Pure Silica from Rice Hull Ash, *Bioresources Technology*, Vol.73, hal. 257-262.
- Kao, Kwan Chi., 2004, Dielectric phenomena in solid: with emphasis on physical concepts of electronic processes, *Elsevier Academic Press*, USA.
- Kasap, S.O., 2006, Principles of electronic materials and devices, Third Edition, *The McGraw-Hill Companies, Inc.*, Canada.
- Khare, D., Basu, B., dan Dubey, A. K., 2020, Electrical stimulation and piezoelectric biomaterials for bone tissue engineering applications, *Biomaterials*, 258, 120280.
- Kim, H. N., dan Suslick, K. S., 2018, The effects of ultrasound on crystals: Sonocrystallization and sonofragmentation, *Crystals*, 8(7)
- Kim, S. W., Lee, T. G., Kim, D. H., Lee, K. T., Jung, I., Kang, C. Y., Han, S. H., Kang, H. W., dan Nahm, S., 2019, Determination of the appropriate piezoelectric materials for various types of piezoelectric energy harvesters with high output power, *Nano Energy*, 57(November 2018), 581–591.
- Kumar, A., Kumar, A., dan Sharma, K. K., 2022, Investigation of Dielectric Properties of Ni / n-TiO₂ / p-Si / Al, *Heterojunction in Wide Range of Temperature and Voltage*. 35(04).
- Kumar S, Supriya S., dan Pradhan LK., 2020, Grain size effect on magnetic and dielectric properties of barium hexaferrite (BHF), *Physica B: Condensed Matter*. Vol.579, 579:411908
- Lee, Y. chieh, Lu, W. hua, Wang, S. hei, dan Lin, C. wei., 2009, Effect of SiO₂ addition on the dielectric properties and microstructure of BaTiO₃-based ceramics in reducing sintering, *International Journal of Minerals, Metallurgy and Materials*, 16(1), 124–127.
- Lei, Z., Bi, J., Li, P., Li, Q., Chen, Y., dan Zhang, D., 2018, Melt flow and grain refining in ultrasonic vibration assisted laser welding process of AZ31B magnesium alloy, *Optics and Laser Technology*.
- Liu, P., Tang, H., Lu, M., Gao, C., Wang, F., Ding, Y., Zhang, S., Yang, M., 2017. Preparation of nanosilica-immobilized antioxidant and the antioxidative behavior in low density polyethylene. *Polym. Degrad. Stabil.* 135, 1–7.
- Li, F., Chen, G., Liu, X., Zhai, J., Shen, B., Zeng, H., Li, S., Li, P., Yang, K., dan Yan, H., 2017, Phase–composition and temperature dependence of electrocaloric

- effect in lead-free $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-BaTiO}_3\text{-(Sr}_{0.7}\text{Bi}_{0.2}\text{□}_{0.1})\text{TiO}_3$ ceramics. *Journal of the European Ceramic Society*, 37(15), 4732–4740.
- Li, S., Liu, J., Guo, T., Dong, W., Bi, K., dan Luo, Y., 2020, Piezoelectricity and flexoelectricity of sodium bismuth titanate-based ceramics, *Ceramics International*, 46(2), 2049–2054.
- Li, L., Xu, J., Liu, J., dan Gao, F., 2018, Recent progress on piezoelectric energy harvesting, structures and materials, *Advanced Composites and Hybrid Materials*, 1(3), 478–505.
- Li, Y., Tian, M., Lei, Z., Xu, X., dan Wang, S., 2018, Effect of Silicon Dioxide Nano-filler on Dielectric and Space Charge Properties of Epoxy Resin, *Gaodianya Jishu/High Voltage Engineering*, 44(6), 1870–1877.
- Li, Z., Zhou, S., dan Li, X., 2022, A piezoelectric–electromagnetic hybrid flutter-based wind energy harvester: Modeling and nonlinear analysis, *International Journal of Non-Linear Mechanics*, 144(September 2021), 104051.
- Luo, Y., Qu, T., Zhang, B., Pan, Y., & Xiao, P., 2017, Simulations and Experiments on the Vibrational Characteristics of Cylindrical Shell Resonator Actuated by Piezoelectric Electrodes with Different Thicknesses, *Shock and Vibration*, 2017.
- Lvovich, Vadim F., 2012. Impedance Spectroscopy with Applications to Electrochemical and Dielectric Phenomena, *A John Wiley & Sons, Inc., Publication*, Canada.
- Rendall, J., Turnaoglu, T., dan Patel, V. K., 2022, Experimental results of a magnetically coupled piezoelectric actuator to relieve microchannel heat exchanger maldistribution. *International Communications in Heat and Mass Transfer*, 133(February), 105944.
- Mahmud, I., Soon, C. U., and Man, S. Y., 2014, Effect of High-Energy Milling Process on Microstructure and Piezoelectric/Dielectric Properties of $0.99\text{Pb}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3\text{-}0.01\text{BiYO}_3$ Ceramic for Piezoelectric Energy Harvesting Devices, *Electronic Materials Letters* 10(1): 223–228.
- Maity, S., Sasmal, A., dan Sen, S., 2023, Barium titanate based paraelectric material incorporated Poly(vinylidene fluoride) for biomechanical energy harvesting and self-powered mechanosensing. *Materials Science in Semiconductor Processing*, 153(June 2022).
- Majid, N. 2012, Impedance Spectroscopic System Design for Determining The Complex Dielectric Constant of Materials at Frequency Range 5-120 kHz, *Tesis*, Department of Physics MIPA, Universitas Gadjah Mada, Yogyakarta.
- Martirena, H. T., dan Burfoot, J. C., 1974, Grain-size effects on properties of some ferroelectric ceramics, *Journal of Physics C: Solid State Physics*, 7(17), 3182–3192.

- Martinez, J. dan Vega, 2010, Dielectric Material for Electrical Engineering, Wiley, United Stated.
- Mishra, H. K., Gupta, V., Roy, K., Babu, A., Kumar, A., dan Mandal, D., 2022, Revisiting of δ -PVDF nanoparticles via phase separation with giant piezoelectric response for the realization of self-powered biomedical sensors. *Nano Energy*, 95(February), 107052.
- Moosa, A. A., dan Saddam, F., 2017, Synthesis and Characterization of Nanosilica from Rice Husk with Applications to Polymer Composites. *American Journal of Materials Science*, 2017(6), 223–231.
- Mudinepalli, V. R., Feng, L., Lin, W. C., dan Murty, B. S., 2015, Effect of grain size on dielectric and ferroelectric properties of nanostructured $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ceramics. *Journal of Advanced Ceramics*, 4(1), 46–53.
- Munasir, Supardi, S.I., Mashadi, Nisa, Z., Kusumawati, D.H., Putri, N.P., Hidayat, N., dan darminto., 2018, Phase Transition of SiO_2 Nanoparticles Prepared from Natural Sand: The Calcination Temperature Effect, *Journal of Physics: Conference Series* 1093(1).
- Okayasu, M., Ogawa, T., dan Sasaki, Y., 2017, In situ TEM observations of microstructural characteristics of lead zirconate titanate piezoelectric ceramic during heating to 1000 °C, *Ceramics International*, 43(18), 16306–16312.
- Patel, Imran., 2011, Ceramic Based Intelligent Piezoelectric Energy Harvesting Device. *Advances in Ceramics - Electric and Magnetic Ceramics, Bioceramics, Ceramics and Environment* (2).
- Patil, A., Joshi, S., Jadhav, M., dan Britto, E., 2015, Energy Harvesting Using Piezoelectricity Renewable (Renewable and Sustainable Energy Conversion Using Piezoelectric Transducers). *2015 International Conference on Energy Systems and Applications (ICESA 2015)*: 517–521.
- Pramanik, R., Sahukar, M. K., Mohan, Y., Praveenkumar, B., Sangawar, S. R., dan Arockiarajan, A., 2019, Effect of grain size on piezoelectric, ferroelectric and dielectric properties of PMN-PT ceramics. *Ceramics International*, 45(5), 5731–5742.
- Qi, Fangwei, Ning Chen, dan Qi Wang, 2017, Preparation of PA11/ BaTiO_3 Nanocomposite Powders with Improved Processability, Dielectric and Piezoelectric Properties for Use in Selective Laser Sintering. *Materials and Design* 131(April): 135–143.
- Rase, D. E., dan Roy, R., 1955, Phase Equilibria in the System BaTiO_3 - SiO_2 . *Journal of the American Ceramic Society*, 38(11), 389–395
- Rusianto, T., Wildan, M.W., Abraha, K., dan Kusmono., 2015, Various Sizes of the Synthesized Fe_3O_4 Nanoparticles Assisted by Mechanical Vibrations. *Indian Journal of Engineering and Materials Sciences* 22(2): 175–180.

- Saeed, A., Madkhli, A. Y., Al-Dossari, M., dan Abolaban, F., 2022, Electrical and Dielectric Properties of Composites Composed of Natural Quartz with Aluminum. *Silicon*, 14(15), 9517–9531.
- Sari, K., Utomo, A., B., S., Abraha, K., Roto., Kartini, E., Yulianti, E., dan Suharyadi, E., 2020, Effect of Milling Time on the Microstructure and Dielectric Properties of Chitosan Nanopowder, *International Journal of Nanoelectronics and Materials* 13(1): 1–8.
- Sarkar, J., Mridha, D., Sarkar, J., dan Tersur, J., 2021, Biocatalysis and Agricultural Biotechnology Synthesis of nanosilica from agricultural wastes and its multifaceted applications: A review. *Biocatalysis and Agricultural Biotechnology*, 37(September), 102175.
- Samikannu, K., Sinnappan, J., dan Mannarswamy, S., Cinnasamy, T., Thirunavukarasu, K., 2011. Synthesis and Magnetic Properties of Conventional and Microwave Calcined Strontium Hexaferrite Powder, *Materials Sciences and Applications* 02(06): 638–642.
- Santoso, D.R., 2017. Pengukuran Stress Mekanik Berbasis Sensor Piezoelektrik, UB Press.
- Sembiring, S., Riyanto, A., Rumiyantri, L., Sembiring, Z., dan Situmeang, R., 2020, Effect of sintering temperature on the structural and physical properties of forsterite using amorphous rice husk silica as refractory precursors. *Journal of the Australian Ceramic Society*, 56(2), 433–440.
- Setiyawan, Kusdarto, Zulfikar., dan Karanga., 2014, Inventarisasi mineral bukan logam di Kabupaten Poso dan Kabupaten Parigi Moutong Provinsi Sulawesi Tengah.
- Shao, S., Song, S., Shao, Y., dan Xu, M., 2022, Long-range piezoelectric actuator with large load capacity using inchworm and stick-slip driving principles. *Precision Engineering*, 75(January), 167–179.
- Shandilya, R., Bhargava, A., Bunkar, N., Tiwari, R., Goryacheva, I. Y., dan Mishra, P. K., 2019, Nanobiosensors: Point-of-care approaches for cancer diagnostics. *Biosensors and Bioelectronics*, 130(January), 147–165.
- Shen, C., Zhang, H., Wang, D., Wang, J., dan Boughton, R. I. (2017), Optical properties of the fresnoite $Ba_2TiSi_2O_8$ single crystal. *Crystals*, 7(2), 1–8.
- Shen, C., Wang, D., Zhang, J., Zhang, H., Wang, J., dan Boughton, R. I. (2018). The growth and investigations of electromechanical properties of Fresnoite $Ba_2Si_2TiO_8$ crystal as a function of orientation. *Journal of Crystal Growth*, 487, 17–22.
- Shi, K., Sun, B., Huang, X dan Jiang, P., 2018, Synergistic effect of graphene nanosheet and $BaTiO_3$ nanoparticles on performance enhancement of electrospun PVDF nanofiber mat for flexible piezoelectric nanogenerators. *Nano Energy*, 52(May), 153–162.

- Shi, K., Huang, X., Sun, B., Wu, Z., He, J., dan Jiang, P., 2019, Cellulose/BaTiO₃ aerogel paper based flexible piezoelectric nanogenerators and the electric coupling with triboelectricity. *Nano Energy*, 57(November 2018), 450–458.
- Shim, J., Velmurugan, P., dan Oh, B. T., 2015, Extraction and physical characterization of amorphous silica made from corn cob ash at variable pH conditions via sol gel processing. *Journal of Industrial and Engineering Chemistry*, 30, 249–253.
- Slimani, Y., Selmi, A., Hannachi, E., Almessiere, M. A., AlFalah, G., AlOusi, L. F., Yasin, G., dan Iqbal, M., 2021, Study on the addition of SiO₂ nanowires to BaTiO₃: Structure, morphology, electrical and dielectric properties. *Journal of Physics and Chemistry of Solids*, 156 (February).
- Smallman, R.E. and Bishop, R.J. 1999, *Modern Physical Metallurgy and Materials Engineering* 6 th Edition. Butterworth Heinemann. Oxford. p. 24-25, 143.
- Sumarno, Prida. N. T., January. M., Yuniarti. Y., 2015, Pemurnian Pasir Silika dengan Metode Leaching Asam dan bantuan Sonikasi. *Prosiding Seminar Nasional Teknik Kimia*, Yogyakarta.
- Sui, G., Shan, X., Hou, C., Tian, H., Hu, J., dan Xie, T., 2023, An underwater piezoelectric energy harvester based on magnetic coupling adaptable to low-speed water flow. *Mechanical Systems and Signal Processing*, 184 (July 2022), 109729.
- Sun, S., Liu, H., Fan, L., Ren, Y., Xing, X., dan Chen, J., 2021, Structural origin of size effect on piezoelectric performance of Pb(Zr,Ti)O₃. *Ceramics International*, 47(4), 5256–5264.
- Taha, H. M., Ball, R. J., Heath, A., dan Paine, K., 2022, Crack growth and closure in cementitious composites: Monitoring using piezoceramic sensors. *Sensors and Actuators A: Physical*, 333, 113221.
- Tawfik, A., Hemedat, O. M., Henaish, A. M. A., dan Dorgham, A. M., 2018, High piezoelectric properties of modified nano lead titanate zirconate ceramics. *Materials Chemistry and Physics*, 211, 1–8.
- Tichy Jan., Erhart J., Kittinger Erwin., dan Privratska., 2010, *Fundamentals of Piezoelectric Sensorics*
- Tokay, O., & Yazıcı, M. (2022). A review of potassium sodium niobate and bismuth sodium titanate based lead free piezoceramics. *Materials Today Communications*, 31(January), 103358.
- Trabelsi. W., Benzina. M., dan Bouaziz, S., 2009, Physico-chemical characterisation of the Douiret sand (Southern Tunisia): Valorisation for the production of Silica Gel, *Physics ysics Procedia* 2 (2008) 1461-1467.
- Vatalis, Konstantinos I., George Charalambides., dan Nikolas Ploutarch Benetis., 2015, Market of High Purity Quartz Innovative Applications, *Procedia Economics and Finance* 24 (January 2019): 734–742.

- Uchino, K., 2017, Advance Piezoelektric Materials., *Science and Technology*, Second Edition.
- Ukhtiyani, I., Darwis, D., dan Iqbal, I., 2017, Purifikasi dan Karakterisasi Silika (SiO_2) Berbasis Pasir Kuarsa dari Desa Pasir Putih Kecamatan Pamona Selatan Kabupaten Poso. *Natural Science: Journal of Science and Technology*, 6(3), 270–275.
- Wahyudi., Agus., Dessy, A., dan Sariman., 2013, Preparation of Nanosilica from Silica Sand Through Alkali Fusion. *Indonesian Mining Journal* 16 (3): 149–153.
- Wang, Y., Zang, X., Guo, X., Li, D., Cui, B., Wu, K., Yun, J., Mao, J., Xi, L., dan Zuo, Y. 2018, Hybrid Nanogenerator of BaTiO_3 Nanowires and CNTs for Harvesting Energy. *Journal of Materials Science* 53(18): 13081–13089.
- Wang, J. C., Zheng, P., Yin, R. Q., Zheng, L. M., Du, J., Zheng, L., Deng, J. X., Song, K. X., & Qin, H. B. (2015). Different piezoelectric grain size effects in BaTiO_3 ceramics. *Ceramics International*, 41(10), 14165–14171.
- Wan, L., Tian, W., Li, N., Chen, D., Xu, Q., Li, H., He, J., dan Lu, J., 2022, Hydrophilic porous PVDF membrane embedded with BaTiO_3 featuring controlled oxygen vacancies for piezocatalytic water cleaning. *Nano Energy*, 94 (November 2021), 106930.
- Wan, W., Huang, C. E., Yang, J., Zeng, J., dan Qiu, T., 2014, Effect of sintering temperature on the properties of fused silica ceramics prepared by gelcasting. *Journal of Electronic Materials*, 43 (7), 2566–2572.
- Waseem, A., Johar, M. A., Hassan, M. A., Bagal, I. V., Ha, J. S., Lee, J. K., dan Ryu, S. W., 2019, Effect of crystal orientation of $\text{GaN/V}_2\text{O}_5$ core-shell nanowires on piezoelectric nanogenerators. *Nano Energy*, 60 (January).
- Wardana, I.N.G., 2021, Material untuk energi. Media Nusa Creative, Malang.
- Williamson, B. J., Pastiroff, S., dan Cressey, G., 2001, Piezoelectric properties of quartz and cristobalite airborne particulates as a cause of adverse health effects. *Atmospheric Environment*, 35 (20), 3539–3542.
- Wu, Y., Zhang, J., Tan, Y., dan Zheng, P., 2016, Notable grain-size dependence of converse piezoelectric effect in BaTiO_3 ceramics. *Ceramics International*, 42 (8), 9815–9820.
- Xu, X., Cao, D., Yang, H., dan He, M., 2017, Application of piezoelectric transducer in energy harvesting in pavement, *International Journal of Pavement Research and Technology*, Vol. 11, pp. 388-395.
- Xiu, H., & Davis, R. B., 2021, Stabilizing higher-order equilibria of post-buckled beams using piezoelectric actuation. *European Journal of Mechanics, A/Solids*, 88 (February), 104264.
- Yan, J., Liu, M., Jeong, Y. G., Kang, W., Li, L., Zhao, Y., Deng, N., Cheng, B., dan Yang, G., 2019, Performance enhancements in poly(vinylidene fluoride)-based

- piezoelectric nanogenerators for efficient energy harvesting. *Nano Energy*, 56 (October 2018), 662–692.
- Yang, J., Mei, S., Ferreira, J. M. F., 2001, Mater. Sci. Eng. B, C15.
- Yuan, L., Fan, W., Yang, X., Ge, S., Xia, C., Foong, S. Y., Liew, R. K., Wang, S., Van Le, Q., dan Lam, S. S., 2021, Piezoelectric PAN/BaTiO₃ nanofiber membranes sensor for structural health monitoring of real-time damage detection in composite. *Composites Communications*, 25 (January), 100680.
- Yu, H., Hou, C., Shan, X., Zhang, X., Song, H., Zhang, X., dan Xie, T., 2022, A novel seesaw-like piezoelectric energy harvester for low frequency vibration. *Energy*, 261 (PB), 125241.
- Yulia, E., Putra, E P., Ekawati, E., dan Nugraha., (2016), Polisi Tidur Piezoelektrik sebagai Pembangkit Listrik dengan Memanfaatkan Energi Mekanik Kendaraan Bermotor. *Jurnal oto.*, Vol 8 (1).
- Yuvakkumar, R., V. Elango, V. Rajendran, dan N. Kannan., 2014, High-Purity Nano Silica Powder from Rice Husk Using a Simple Chemical Method. *Journal of Experimental Nanoscience* 9(3): 272–281.
- Yu M, Zhao H, Xu F., 2020, Influence of ultrasonic vibrations on the microstructure and mechanical properties of Al/Ti friction stir lap welds". *Journal of Materials Processing Technology*. Vol. 282,116676.
- Yu, Z., Zhang, Y., Wang, Y., Zheng, J., Fu, Y., Chen, D., Wang, G., Cui, J., Yu, S., Zheng, L., Zhou, H., dan Li, D., 2022, Integrated piezo-tribo hybrid acoustic-driven nanogenerator based on porous MWCNTs/PVDF-TrFE aerogel bulk with embedded PDMS tympanum structure for broadband sound energy harvesting. *Nano Energy*, 97 (March), 107205.
- Zhang, D., Zhang, S., Yuan, X., Zhou, X., Qi, H., Yan, M., Yan, Z., dan Zhou, K., 2020, Enhanced piezoelectric properties in textured NaNbO₃–BaTiO₃–SrZrO₃ ceramics by templated grain growth. *Journal of Alloys and Compounds*, 843, 1–7.
- Zang, H., Zhang, X., Zhu, B., dan Fatikow, S., 2019, Recent advances in non-contact force sensors used for micro/nano manipulation. *Sensors and Actuators, A: Physical*, 296, 155–177.
- Zhang, Q., Cai, W., Li, Q., Gao, R., Chen, G., Deng, X., Wang, Z., Cao, X., dan Fu, C., 2019, Enhanced piezoelectric response of (Ba,Ca)(Ti, Zr)O₃ ceramics by super large grain size and construction of phase boundary. *Journal of Alloys and Compounds*, 794, 542–552.
- Zhao, C., Zhang, Q., Zhang, W., Du, X., Zhang, Y., Gong, S., Ren, K., Sun, Q., dan Wang, Z. L., 2019, Hybrid piezo/triboelectric nanogenerator for highly efficient and stable rotation energy harvesting. *Nano Energy*, 57(November 2018), 440–449.

- Zhang, Y., Chen, L., Zeng, J., Zhou, K., Zhang, D., 2014, Aligned Porous Barium Titanate/Hydroxyapatite Composites with High Piezoelectric Coefficients for Bone Tissue Engineering. *Materials Science and Engineering C* 39(1): 143–149.
- Zheng, P., Zhang, J. L., Tan, Y. Q., & Wang, C. L. (2012). Grain-size effects on dielectric and piezoelectric properties of poled BaTiO₃ ceramics. *Acta Materialia*, 60(13–14), 5022–5030.
- Zheng, W., Wu, J. M., Chen, S., Yu, K. B., Zhang, J., dan Shi, Y. S., 2022, Improved mechanical properties of SiC fiber reinforced silica-based ceramic cores fabricated by stereolithography. *Journal of Materials Science and Technology*, 116, 161–168.
- Zhong, X., Cao, L., Huang, J., Li, J., Shen, X., Wang, Q., 2022, Formula optimization and mechanical properties of thin porcelain ceramic plates mainly containing smoky quartz tailings. *Ceramics International*, 48(16): 24056–24062.
- Zulfiqar, Usama, Tayyab Subhani, dan S. Wilayat Husain., 2016, Synthesis and Characterization of Silica Nanoparticles from Clay. *Journal of Asian Ceramic Societies* 4(1): 91–96.
- bps.go.id Perkembangan Jumlah Kendaraan Bermotor diakses 2-02-2022