

DAFTAR PUSTAKA

- Abdela, N., Ibrahim, N., & Begna, F. (2018). Prevalence, risk factors and vectors identification of bovine anaplasmosis and babesiosis in and around Jimma town, Southwestern Ethiopia. *Acta Tropica*, 177, 9–18.
- Abeyasinghe, P., Turner, N., Peiris, H., Vaswani, K., Cameron, N., McGhee, N., Logan, J., & Mitchell, M. D. (2021). Differentially expressed extracellular vesicle, exosome and non-exosome miRNA profile in high and low tick-resistant beef cattle. *Frontiers in Cellular and Infection Microbiology*, 11, 780424.
- Aguilar-Delfin, I., Homer, M. J., Wettstein, P. J., & Persing, D. H. (2001). Innate Resistance to *Babesia* Infection Is Influenced by Genetic Background and Gender. *Infection and Immunity*, 69(12), 7955–7958. <https://doi.org/10.1128/IAI.69.12.7955-7958.2001>
- Agus, W., Yunus, M., & Leni, M. (2019). Clinical Laboratory Study of Dairy Cattle Infected by Blood Parasites. *The Indian Veterinary Journal*, 96(11), 75–77.
- Ahmad, I., Khawja, A., Shams, S., Ayaz, S., Khan, S., & Akbar, N. (2014). Detection of babesiosis and identification of associated ticks in cattle. *Int J Bioassays*, 3, 3195–3199.
- Akbari, R. A., Tiuria, R., Wardhana, A. H., & Savitri, D. H. (2018). Deteksi Parasit Darah pada Sapi Perah Berdasarkan Analisis Pcr Duplex. *Acta VETERINARIA Indonesiana*, 6(2), 48–55.
- Aktas, M., & Ozubek, S. (2015). Molecular and parasitological survey of bovine piroplasms in the Black Sea region, including the first report of babesiosis associated with *Babesia divergens* in Turkey. *Journal of Medical Entomology*, 52(6), 1344–1350.
- Al-Hosary, A. A. (2017). Comparison between conventional and molecular methods for diagnosis of bovine babesiosis (*Babesia bovis* infection) in tick infested cattle in upper Egypt. *Journal of Parasitic Diseases*, 41(1), 243–246.

- Alvarez, J. A., Rojas, C., & Figueroa, J. V. (2019). Diagnostic tools for the identification of *Babesia sp.* In persistently infected cattle. *Pathogens*, 8(3), 143.
- Andrews, A. H., Blowey, R. W., Boyd, H., & Eddy, R. G. (2008). *Bovine medicine: Diseases and husbandry of cattle*. John Wiley & Sons.
- Badan Pusat Statistik. (2021). *Populasi Sapi Potong menurut Provinsi (Ekor), 2019-2021*. <https://www.bps.go.id/indicator/24/469/1/populasi-sapi-potong-menurut-provinsi.html>
- Bock, R., Jackson, L., De Vos, A., & Jorgensen, W. (2004). Babesiosis of cattle. *Parasitology*, 129(S1), S247–S269.
- Bock, R., Kingston, T., & Vos, A. (1999). Effect of breed of cattle on transmission rate and innate resistance to infection with *Babesia bovis* and *B. bigemina* transmitted by *Boophilus microplus*. *Australian Veterinary Journal*, 77(7), 461–464. <https://doi.org/10.1111/j.1751-0813.1999.tb12093.x>
- Borisenko, A. V., Lim, B. K., Ivanova, N. V., Hanner, R. H., & Hebert, P. D. N. (2008). DNA barcoding in surveys of small mammal communities: A field study in Suriname. *Molecular Ecology Resources*, 8(3), 471–479. <https://doi.org/10.1111/j.1471-8286.2007.01998.x>
- Cantu, A., Ortega-S, J. A., Mosqueda, J., Garcia-Vazquez, Z., Henke, S. E., & George, J. E. (2007). Immunologic and molecular identification of *Babesia bovis* and *Babesia bigemina* in free-ranging white-tailed deer in northern Mexico. *Journal of Wildlife Diseases*, 43(3), 504–507.
- Cao, S., Aboge, G. O., Terkawi, M. A., Yu, L., Kamyngkird, K., Luo, Y., Li, Y., Goo, Y.-K., Yamagishi, J., & Nishikawa, Y. (2012). Molecular detection and identification of *Babesia bovis* and *Babesia bigemina* in cattle in northern Thailand. *Parasitology Research*, 111(3), 1259–1266.
- Chandran, D., Padmaja, P. B., & Vishnurahav, R. B. (2019). Hemato-biochemical changes and therapeutic management of Babesiosis in cattle. *Journal of Veterinary and Animal Sciences*.
- Costa, V. M. de M., Ribeiro, M. F. B., Duarte, A. L. L., Manguiera, J. M., Pessoa, A. F. A., Azevedo, S. S., Barros, A. T. M. de, Riet-Correa, F., & Labruna,

- M. B. (2013). Seroprevalence and risk factors for cattle anaplasmosis, babesiosis, and trypanosomiasis in a Brazilian semiarid region. *Revista Brasileira de Parasitologia Veterinária*, 22, 207–213.
- Criado-Fornelio, A., Martinez-Marcos, A., Buling-Saraña, A., & Barba-Carretero, J. C. (2003). Molecular studies on Babesia, Theileria and Hepatozoon in southern Europe: Part I. Epizootiological aspects. *Veterinary Parasitology*, 113(3–4), 189–201.
- Dewi, A. P., Imran, K., Khadjadatun, & Rochmadiyanto. (2018). Penyebaran Penyakit Parasit Darah pada Sapi dan Kerbau di Wilayah Kerja BBVet Wates Tahun 2017. *Penyidikan Penyakit Hewan Rapat Teknis Dan Pertemuan Ilmiah (RATEKPIL) Dan Surveilans Kesehatan Hewan, Prosiding*.
- Gomes, E. A., Kasuya, M. C. M., Barros, E. G. de, Borges, A. C., & Araújo, E. F. (2002). Polymorphism in the internal transcribed spacer (ITS) of the ribosomal DNA of 26 isolates of ectomycorrhizal fungi. *Genetics and Molecular Biology*, 25, 477–483.
- Gregg, C., Siegle, L., & Clarke, T. (2020). *Monitoring Livestock Vital Signs*.
- Gungi, S., Haritha, G. S., & Kumari, K. N. (2016). Clinical management of Babesiosis in cattle: A case report. *Res. J. Vet. Pract*, 4(2), 30–33.
- Guswanto, A., Allamanda, P., Mariamah, E. S., Sodirun, S., Wibowo, P. E., Indrayani, L., Nugroho, R. H., Wirata, I. K., Jannah, N., & Dias, L. P. (2017). Molecular and serological detection of bovine babesiosis in Indonesia. *Parasites & Vectors*, 10(1), 1–13.
- Hagström, Å., Pinhassi, J., & Zweifel, U. L. (2000). Biogeographical diversity among marine bacterioplankton. *Aquatic Microbial Ecology*, 21(3), 231–244.
- Hamid, P. H., Cahyadi, M., Whardana, A. H., Savitri, D. H., Arvita, N., Insyariati, T., Kurnianto, H., & Hermosilla, C. R. (2023). First Autochthonous Report on Cattle Babesia naoakii in Central Java, Indonesia, and Identification of Hemaphysalis bispinosa Ticks in the Investigated Area. *Pathogens*, 12(1), 59.
- Herman, N., Bourgès-Abella, N., Braun, J.-P., Ancel, C., Schelcher, F., & Trumel, C. (2019). Urinalysis and determination of the urine protein-to-creatinine

ratio reference interval in healthy cows. *Journal of Veterinary Internal Medicine*, 33(2), 999–1008.

Holman, P. J., Bendele, K. G., Schoelkopf, L., Jones-Witthuhn, R. L., & Jones, S. O. (2003). Ribosomal RNA analysis of *Babesia odocoilei* isolates from farmed reindeer (*Rangifer tarandus tarandus*) and elk (*Cervus elaphus canadensis*) in Wisconsin. *Parasitology Research*, 91(5), 378–383.

Hussein, A. H., Mohammed, N., & Mohammed, H. K. (2007). Theileriosis and babesiosis in cattle: Haemogram and some biochemical parameters. *Proceedings of XIII International Congress of International Society of Animal Hygiene*, 17, 21.

Indarjulianto, S., Nururrozi, A., Datrianto, D. S., Fen, T. Y., Priyo Jr, T. W., & Setyawan, E. M. N. (2022). Physiology Value of Breath, Pulse and Body Temperature of Cattle. *BIO Web of Conferences*, 49, 01007.

Kaur, R., Yadav, A., Rafiqi, S. I., Godara, R., Sudan, V., Chakraborty, D., & Katoch, R. (2021). Epidemiology, hematology and molecular characterization of haemoprotozoan and rickettsial organisms causing infections in cattle of Jammu region, North India. *BMC Veterinary Research*, 17(1), 219. <https://doi.org/10.1186/s12917-021-02915-9>

Khan, A., Noushin, R., Attaullah, M., Khan, S. N., Hussain, R., Dawar, F. U., Rehman, F. U., Ijaz, M., & Ullah, K. (2020). Prevalence of tick born *Babesia* infection in domestic cattle of Khyber Pakhtunkhwa, Pakistan. *Pak J Zool*, 52(6), 2401–2403.

Lashari, M. H., Ahmad, H., & Rehman, Z.-U.-. (2023). Study on Spatio-temporal Prevalence and Hematological Attributes of Bovine Babesiosis in Cattle Population of Layyah, Southern Punjab, Pakistan. *BioRxiv*, 2023–01.

Liu, J., Guan, G., Liu, A., Li, Y., Yin, H., & Luo, J. (2014). A PCR method targeting internal transcribed spacers: The simultaneous detection of *Babesia bigemina* and *Babesia bovis* in cattle. *Acta Parasitologica*, 59(1), 132–138.

Maharana, B. R., Kumar, B., Joseph, J. P., & Patbandha, T. K. (2019). A comparative analysis of microscopy and PCR based detection methods for *Babesia* and *Trypanosoma* infecting bovines and assessment of risk factors. *Indian J Anim Res*, 53, 382–387.

- Martin, S. W., Meek, A. H., & Willeberg, P. (1987). *Veterinary epidemiology: Principles and methods*. Iowa State University Press, Ames IA.
- McStay, B. (2016). Nucleolar organizer regions: Genomic ‘dark matter’ requiring illumination. *Genes & Development*, 30(14), 1598–1610.
- Mosqueda, J., Olvera-Ramirez, A., Aguilar-Tipacamu, G., & J Canto, G. (2012). Current advances in detection and treatment of babesiosis. *Current Medicinal Chemistry*, 19(10), 1504–1518.
- Nugroho, T. A. E. (2015). Tingkat Kejadian Penyakit Protozoa Darah pada Sapi di Kabupaten Gorontalo. *Penelitian Kolaboratif Dana BLU FAPERTA*, 1(1985).
- O’Brien, H. E., Parrent, J. L., Jackson, J. A., Moncalvo, J.-M., & Vilgalys, R. (2005). Fungal community analysis by large-scale sequencing of environmental samples. *Applied and Environmental Microbiology*, 71(9), 5544–5550.
- OIE, A. (2008). Manual of diagnostic tests and vaccines for terrestrial animals. *Office International Des Epizooties, Paris, France*, 1092–1106.
- Pikaard, C. S. (2000). The epigenetics of nucleolar dominance. *Trends in Genetics*, 16(11), 495–500.
- Rasby, R. J., Stalker, L. A., & Funston, R. N. (2007). *EC07-281 body condition scoring beef cows: A tool for managing the nutrition program for beef herds*.
- Reagan, W. J., Rovira, A. R. I., & DeNicola, D. B. (2019). *Veterinary hematology: Atlas of common domestic and non-domestic species*. John Wiley & Sons.
- Rodriguez, A. E., Schnittger, L., Tomazic, M. L., & Florin-Christensen, M. (2013). Current and prospective tools for the control of cattle-infecting Babesia parasites. *Protozoa: Biology, Classification and Role in Disease*; Castillo, V., Harris, R., Eds, 1–44.
- Roland, L., Drillich, M., & Iwersen, M. (2014). Hematology as a diagnostic tool in bovine medicine. *Journal of Veterinary Diagnostic Investigation*, 26(5), 592–598.

- Romero-Salas, D., Mira, A., Mosqueda, J., García-Vázquez, Z., Hidalgo-Ruiz, M., Vela, N. A. O., de León, A. A. P., Florin-Christensen, M., & Schnittger, L. (2016). Molecular and serological detection of *Babesia bovis*-and *Babesia bigemina*-infection in bovines and water buffaloes raised jointly in an endemic field. *Veterinary Parasitology*, 217, 101–107.
- Roy, B. C., Krücken, J., Ahmed, J. S., Majumder, S., Baumann, M. P., Clausen, P.-H., & Nijhof, A. M. (2018). Molecular identification of tick-borne pathogens infecting cattle in Mymensingh district of Bangladesh reveals emerging species of *Anaplasma* and *Babesia*. *Transboundary and Emerging Diseases*, 65(2), e231–e242. <https://doi.org/10.1111/tbed.12745>
- Salih, D. A., El Hussein, A. M., Seitzer, U., & Ahmed, J. S. (2007). Epidemiological studies on tick-borne diseases of cattle in Central Equatoria State, Southern Sudan. *Parasitology Research*, 101(4), 1035–1044. <https://doi.org/10.1007/s00436-007-0583-y>
- Sivakumar, T., Tuvshintulga, B., Kothalawala, H., Silva, S. S. P., Lan, D. T. B., Long, P. T., Ybañez, A. P., Ybañez, R. H. D., Francisco Benitez, D., Tayebwa, D. S., De Macedo, A. C. C., Schnittger, L., & Yokoyama, N. (2020). Host range and geographical distribution of *Babesia* sp. Mymensingh. *Transboundary and Emerging Diseases*, tbed.13546. <https://doi.org/10.1111/tbed.13546>
- Sivakumar, T., Tuvshintulga, B., Otgonsuren, D., Batmagnai, E., Ahedor, B., Kothalawala, H., Vimalakumar, S. C., Silva, S. S. P., Yamagishi, J., & Yokoyama, N. (2022). Phylogenetic analyses of the mitochondrial, plastid, and nuclear genes of *Babesia* sp. Mymensingh and its naming as *Babesia naoakii* n. Sp. *Parasites & Vectors*, 15(1), 1–8.
- Sivakumar, T., Tuvshintulga, B., Zhyldyz, A., Kothalawala, H., Yapa, P. R., Kanagaratnam, R., Vimalakumar, S. C., Abeysekera, T. S., Weerasingha, A. S., Yamagishi, J., Igarashi, I., Silva, S. S. P., & Yokoyama, N. (2018). Genetic Analysis of *Babesia* Isolates from Cattle with Clinical Babesiosis in Sri Lanka. *Journal of Clinical Microbiology*, 56(11), e00895-18. <https://doi.org/10.1128/JCM.00895-18>
- Soekardono, S. (1989). *Important protozoan diseases of animals in Indonesia (a review)*.
- Spickler, A. R. (2018). *Bovine Babesiosis*. 10.

- Tefi, I. K., Satrija, F., & Cahyaningsih, U. (2015). *Kajian Keberadaan Parasit Darah (Anaplasma, Babesia, Theileria) dan Gambaran Fisiologis Sapi Bakalan Impor Asal Australia*.
<http://repository.ipb.ac.id/handle/123456789/75273>
- Utama, I. H., Hutagalung, E. M., Laxmi, I. W. P. A., Erawan, I. G. M. K., Widyastuti, S. K., Setiasih, L. E., & Berata, K. (2011). Urinalisis menggunakan dua jenis dipstick (batang celup) pada sapi bali. *Jurnal Veteriner Juni*, 12(1), 107–112.
- Weiss, D. J., & Wardrop, K. J. (2011). *Schalm's veterinary hematology*. John Wiley & Sons.