

DAFTAR PUSTAKA

- Abcouwer, S.F. (2017) 'Müller cell-microglia cross talk drives neuroinflammation in diabetic retinopathy', *Diabetes*, 66(2), pp. 261–263. Available at: <https://doi.org/10.2337/dbi16-0047>.
- Abdul, M., Khan, B., Hashim, M.J., King, J.K., Govender, R.D., Mustafa, H. and Kaabi, J. Al (2020) 'Epidemiology of Type 2 Diabetes – Global Burden of Disease and Forecasted Trends', *J Epidemiol Glob Health*, 10, pp. 107–111.
- Afkarian, M., Sachs, M.C., Kestenbaum, B., Hirsch, I.B., Tuttle, K.R., Himmelfarb, J. and Boer, I.H.D. (2013) 'Kidney disease and increased mortality risk in type 2 diabetes', *J. Am. Soc. Nephrol*, 24(2), pp. 302–308. Available at: <https://doi.org/10.1681/ASN.2012070718>.
- Age, T., Study, G.E.S., Qiu, C., Cotch, M.F., Sigurdsson, S., Garcia, M., Klein, R., Jonasson, F., Klein, B.E.K., Eiriksdottir, G., Harris, T.B., Buchem, M.A. Van, Gudnason, V. and Launer, L.J. (2008) 'Retinal and Cerebral Microvascular Signs and Diabetes', 57(June), pp. 1645–1650. Available at: <https://doi.org/10.2337/db07-1455>.AGES.
- Asiimwe, D., Mauti, G.O. and Kiconco, R. (2020) 'Prevalence and Risk Factors Associated with Type 2 Diabetes in Elderly Patients Aged 45-80 Years at Kanungu District', *J. Diabetes Res*, 2020. Available at: <https://doi.org/10.1155/2020/5152146>.
- Asril, N.M., Tabuchi, K., Tsunematsu, M., Kobayashi, T. and Kakehashi, M. (2020) 'Predicting Healthy Lifestyle Behaviours Among Patients With Type 2 Diabetes in Rural Bali, Indonesia', *Clin Med Insights Endocrinol Diabetes*, 13. Available at: <https://doi.org/10.1177/1179551420915856>.
- Berner, A.K., Brouwers, O., Pringle, R., Klaassen, I., Colhoun, L., McVicar, C., Brockbank, S., Curry, J.W., Miyata, T., Brownlee, M., Schlingemann, R.O., Schalkwijk, C. and Stitt, A.W. (2012) 'Protection against methylglyoxal-derived AGEs by regulation of glyoxalase 1 prevents retinal neuroglial and vasodegenerative pathology', *Diabetologia*, 55(3), pp. 845–854. Available at: <https://doi.org/10.1007/s00125-011-2393-0>.
- Blaslov, K., Naranda, F.S., Kruljac, I., Renar, I.P., Blaslov, K. and Kruljac, I. (2018) 'Treatment approach to type 2 diabetes : Past , present and future', 9(12), pp. 209–219. Available at: <https://doi.org/10.4239/wjd.v9.i12.209>.
- Boss, J.D., Singh, P.K., Pandya, H.K., Tosi, J., Kim, C., Tewari, A., Juzych, M.S., Abrams, G.W. and Kumar, A. (2017) 'Assessment of neurotrophins and inflammatory mediators in vitreous of patients with diabetic retinopathy', *Invest Ophthalmol Vis Sci*, 58(12), pp. 5594–5603. Available at:

<https://doi.org/10.1167/iovs.17-21973>.

Boulton, A.J.M. (2014) *Diabetic neuropathy and foot complications*. 1st edn, *Handb. Clin. Neurol*, 1st edn. Elsevier B.V. Available at: <https://doi.org/10.1016/B978-0-444-53480-4.00008-4>.

Brownlee, M. (2005) 'The pathobiology of diabetic complications: A unifying mechanism', *Diabetes*, 54(6), pp. 1615–1625. Available at: <https://doi.org/10.2337/diabetes.54.6.1615>.

Care, D. and Suppl, S.S. (2019) '2. Classification and diagnosis of diabetes: Standards of medical care in diabetesd2019', *Diabetes Care*, 42(January), pp. S13–S28. Available at: <https://doi.org/10.2337/dc19-S002>.

Cheung, N., Mitchell, P. and Wong, T.Y. (2010) 'Diabetic retinopathy', *The Lancet*, 376(9735), pp. 124–136. Available at: [https://doi.org/10.1016/S0140-6736\(09\)62124-3](https://doi.org/10.1016/S0140-6736(09)62124-3).

Curtis, T.M., Gardiner, T.A. and Stitt, A.W. (2009) 'Microvascular lesions of diabetic retinopathy: Clues towards understanding pathogenesis?', *Eye*, 23(7), pp. 1496–1508. Available at: <https://doi.org/10.1038/eye.2009.108>.

Cusick, M., Meleth, Annal D., Agrón, E., Fisher, M.R., Reed, G.F., Knatterud, G.L., Barton, F.B., Davis, M.D., Ferris, F.L. and Chew, E.Y. (2005) 'Associations of mortality and diabetes complications in patients with type 1 and type 2 diabetes: Early Treatment Diabetic Retinopathy Study report no. 27', *Diabetes Care*, 28(3), pp. 617–625. Available at: <https://doi.org/10.2337/diacare.28.3.617>.

Cusick, M., Meleth, Annal D., Agrón, E., Fisher, M.R., Reed, G.F., Knatterud, G.L., Barton, F.B., Davis, M.D., Ferris, F.L. and Chew, E.Y. (2005) 'Associations of Mortality and Diabetes Complications in Patients With Type 1 and Type 2 Diabetes', *Diabetes Care*, 28(3), pp. 617–625. Available at: <http://care.diabetesjournals.org/content/28/3/617.abstract>.

Desrosiers, J., Wanet-Defalque, M.C., Tmisjian, K., Gresset, J., Dubois, M.F., Renaud, J., Vincent, C., Rousseau, J., Carignan, M. and Overbury, O. (2009) 'Participation in daily activities and social roles of older adults with visual impairment', *Disability and Rehabilitation*, 31(15), pp. 1227–1234. Available at: <https://doi.org/10.1080/09638280802532456>.

Fisher, D.E., Jonasson, F., Klein, R., Jonsson, P. V., Eiriksdottir, G., Launer, L.J., Gudnason, V. and Cotch, M.F. (2016) 'Mortality in Older Persons with Retinopathy and Concomitant Health Conditions the Age, Gene/Environment Susceptibility-Reykjavik Study', *Ophthalmology*, 123(7), pp. 1570–1580. Available at: <https://doi.org/10.1016/j.ophtha.2016.02.045>.

- Frith, E. and Loprinzi, P.D. (2018) 'Retinopathy and mortality', *Diabetes Spect*, 31(2), pp. 184–188. Available at: <https://doi.org/10.2337/ds17-0010>.
- Grauslund, J. (2019) 'Diabetic Retinopathy and Mortality', *Frontiers in Diabetes*, 27, pp. 77–85. Available at: <https://doi.org/10.1159/000486266>.
- Grunwald, J.E. *et al.* (2012) 'Association between retinopathy and cardiovascular disease in patients with chronic kidney disease (from the Chronic Renal Insufficiency Cohort [CRIC] Study)', *Am J Cardiol*, 110(2), pp. 246–253. Available at: <https://doi.org/10.1016/j.amjcard.2012.03.014>.
- Grzybowski, A., Brona, P., Lim, G., Ruamviboonsuk, P., Tan, G.S.W., Abramoff, M. and Ting, D.S.W. (2020) 'Artificial intelligence for diabetic retinopathy screening: a review', *Eye (Basingstoke)*, 34(3), pp. 451–460. Available at: <https://doi.org/10.1038/s41433-019-0566-0>.
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U. and Shaw, J.E. (2014) 'Global estimates of diabetes prevalence for 2013 and projections for 2035', *Diabetes Res Clin Pract*, 103(2), pp. 137–149. Available at: <https://doi.org/10.1016/j.diabres.2013.11.002>.
- van Hecke, M. V., Dekker, J.M., Stehouwer, C.D.A., Polak, B.C.P., Fuller, J.H., Sjolie, A.K., Kofinis, A., Rottiers, R., Porta, M. and Chaturvedi, N. (2005) 'Diabetic Retinopathy Is Associated With Mortality and Cardiovascular Disease Incidence', *Diabetes Care*, 28(6), pp. 1383–1389. Available at: <https://doi.org/10.2337/diacare.28.6.1383>.
- Hecke, M. Van and Dekker, J. (2005) 'Diabetic retinopathy is associated with mortality and cardiovascular disease incidence', *Diabetes care*, 28(6). Available at: <http://care.diabetesjournals.org/content/28/6/1383.short>.
- Hicks, C.W., Wang, D., Daya, N.R., Windham, B.G., Ballantyne, C.M., Matsushita, K. and Selvin, E. (2020) 'Associations of Cardiac, Kidney, and Diabetes Biomarkers With Peripheral Neuropathy among Older Adults in the Atherosclerosis Risk in Communities (ARIC) Study', *Clin. Chem*, 66(5), pp. 686–696. Available at: <https://doi.org/10.1093/clinchem/hvaa051>.
- Hicks, C.W., Wang, D., Matsushita, K., Gwen Windham, B. and Selvin, E. (2021) 'Peripheral neuropathy and all-cause and cardiovascular mortality in u.s. adults: A prospective cohort study', *Ann. Intern. Med*, 174(2), pp. 167–174. Available at: <https://doi.org/10.7326/M20-1340>.
- Kania, M., Koń, B., Kamiński, K., Hohendorff, J., Witek, P., Klupa, T. and Malecki, M.T. (2023) 'Diabetes as a risk factor of death in hospitalized COVID-19 patients – an analysis of a National Hospitalization Database from Poland, 2020', *Frontiers in Endocrinology*, 14(May), pp. 1–10. Available at: <https://doi.org/10.3389/fendo.2023.1161637>.

- Kawasaki, R., Tanaka, S., Tanaka, S., Abe, S., Sone, H., Yokote, K., Ishibashi, S., Katayama, S., Ohashi, Y., Akanuma, Y., Yamada, N., Yamashita, H. and Study, C. (2013) 'Risk of Cardiovascular Diseases Is Increased Even with Mild Diabetic Retinopathy The Japan Diabetes Complications Study', *OPHTHA*, 120(3), pp. 574–582. Available at: <https://doi.org/10.1016/j.ophtha.2012.08.029>.
- Keech, A., Mitchell, P., Summanen, P., O'Day, J., Davis, T., Moffitt, M., Taskinen, M.R., Simes, R., Tse, D., Williamson, E., Merrifield, A., Laatikainen, L., d'Emden, M., Crimet, D., O'Connell, R. and Colman, P. (2007) 'Effect of fenofibrate on the need for laser treatment for diabetic retinopathy (FIELD study): a randomised controlled trial', *Lancet*, 370(9600), pp. 1687–1697. Available at: [https://doi.org/10.1016/S0140-6736\(07\)61607-9](https://doi.org/10.1016/S0140-6736(07)61607-9).
- Kiehn, O. and Car (2017) '乳鼠心肌提取 HHS Public Access', *Physiology & behavior*, 176(3), pp. 139–148. Available at: <https://doi.org/10.7326/M20-1340.Peripheral>.
- Kurioka, S., Ose, H., Fukuma, K. and Yoshimoto, K. (2013) 'Severity of diabetic retinopathy is associated with left ventricular diastolic dysfunction in patients with type 2 diabetes', *Diabetes Res Clin Pract*, pp. 287–291. Available at: <https://doi.org/10.1016/j.diabres.2012.12.021>.
- Lechner, J., Leary, O.E.O. and Stitt, A.W. (2017) 'The pathology associated with diabetic retinopathy', *Vis.Res*, 139, pp. 7–14. Available at: <https://doi.org/10.1016/j.visres.2017.04.003>.
- Ligita, T., Wicking, K., Francis, K., Harvey, N. and Nurjannah, I. (2019) 'How people living with diabetes in Indonesia learn about their disease: A grounded theory study', *PLoS ONE*, 14(2), pp. 1–19. Available at: <https://doi.org/10.1371/journal.pone.0212019>.
- Liu, X., Wang, Y., Wang, C., Shi, C., Cheng, C., Chen, J., Ma, H., Lv, L., Li, L. and Lou, T. (2013) 'A new equation to estimate glomerular filtration rate in Chinese elderly population', *PLoS ONE*, 8(11), pp. 1–5. Available at: <https://doi.org/10.1371/journal.pone.0079675>.
- Loprinzi, P.D. and Addoh, O. (2016) 'Predictive Validity of the American College of Cardiology/American Heart Association Pooled Cohort Equations in Predicting All-Cause and Cardiovascular Disease-Specific Mortality in a National Prospective Cohort Study of Adults in the United States', *Mayo Clin. Proc*, pp. 763–769. Available at: <https://doi.org/10.1016/j.mayocp.2016.03.019>.
- Lövestam-Adrian, M., Hansson-Lundblad, C. and Torffvit, O. (2007) 'Sight-threatening retinopathy is associated with lower mortality in type 2 diabetic subjects: A 10-year observation study', *Diabetes Res Clin Pract*,

77(1), pp. 141–147. Available at:
<https://doi.org/10.1016/j.diabres.2006.10.026>.

Madkoor, M., Shammakhi, I. and Halawi, H. (2020) ‘A review on new guidelines updates in diabetes management 2020’, *Int J Diabetes Dev Ctries*, 4(December 2019), pp. 840–843. Available at:
<https://doi.org/10.24911/ijmdc.51-1577723575>.

Mansour, S.E., Browning, D.J., Wong, K., Flynn, H.W. and Bhavsar, A.R. (2020) ‘The evolving treatment of diabetic retinopathy’, *Clin Ophthalmol*, 14, pp. 653–678. Available at: <https://doi.org/10.2147/OPHTH.S236637>.

Mokdad, A.H., Dwyer-Lindgren, L., Bertozzi-Villa, A., Stubbs, R.W., Morozoff, C., Shirude, S., Finegold, S.B., Callender, C., Naghavi, M. and Murray, C.J.L. (2022) ‘Trends and patterns of disparities in diabetes and chronic kidney disease mortality among US counties, 1980–2014’, *Popul. Health Metr*, 20(1), pp. 1–14. Available at: <https://doi.org/10.1186/s12963-022-00285-4>.

Müller-Wieland, P.D. med D., Nauck, M., Petersmann, A., Müller-Wieland, D., Schleicher, E., Müller, U.A., Landgraf, R., Freckmann, G. and Heinemann, L. (2019) ‘Definition, Classification and Diagnosis of Diabetes Mellitus’, *Diabetologe*, 15(2), pp. 128–134. Available at:
<https://doi.org/10.1007/s11428-019-0460-1>.

van Nispen, R.M.A., Virgili, G., Hoeben, M., Langelaan, M., Klevering, J., Keunen, J.E.E. and van Rens, G.H.M.B. (2020) ‘Low vision rehabilitation for better quality of life in visually impaired adults’, *Cochrane Database of Syst Rev*, 2020(1). Available at: <https://doi.org/10.1002/14651858.CD006543.pub2>.

Oever, I.A.M. Van Den, Raterman, H.G., Nurmohamed, M.T. and Simsek, S. (2010) ‘Endothelial Dysfunction , Inflammation , and Apoptosis in Diabetes Mellitus’, 2010. Available at:
<https://doi.org/10.1155/2010/792393>.

Penno, G., Solini, A., Bonora, E., Orsi, E., Fondelli, C., Zerbini, G., Trevisan, R., Vedovato, M., Cavalot, F., Laviola, L., Nicolucci, A. and Pugliese, G. (2018) ‘Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study’, *Acta Diabetol*, 55(6), pp. 603–612. Available at: <https://doi.org/10.1007/s00592-018-1133-z>.

Punthakee, Z., Goldenberg, R. and Katz, P. (2018) ‘Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome’, *Can J Diabetes*, 42, pp. S10–S15. Available at:
<https://doi.org/10.1016/j.jcjd.2017.10.003>.

- Rashighi, M. and Harris, J.E. (2017) ‘乳鼠心肌提取 HHS Public Access’, *Physiology & behavior*, 176(3), pp. 139–148. Available at: <https://doi.org/10.1053/j.gastro.2016.08.014.CagY>.
- Rodríguez, M.L., Pérez, S., Mena-Mollá, S., Desco, M.C. and Ortega, Á.L. (2019) ‘Oxidative Stress and Microvascular Alterations in Diabetic Retinopathy: Future Therapies’, *Oxid. Med. Cell. Longev*, 2019. Available at: <https://doi.org/10.1155/2019/4940825>.
- Sasongko, M.B., Widyaputri, F. and Agni, A.N. (2017) ‘Prevalence of Diabetic Retinopathy and Blindness in Indonesian Adults With Type 2 Diabetes’, *Am J Ophthalmol*, 181, pp. 79–87. Available at: <https://doi.org/10.1016/j.ajo.2017.06.019>.
- Sasongko, M.B., Widyaputri, F., Agni, A.N., Wardhana, F.S., Kotha, S., Gupta, P., Widayanti, T.W., Haryanto, S., Widyaningrum, R., Wong, T.Y., Kawasaki, R. and Wang, J.J. (2017) ‘Prevalence of Diabetic Retinopathy and Blindness in Indonesian Adults With Type 2 Diabetes’, *Am J Ophthalmol*, 181, pp. 79–87. Available at: <https://doi.org/10.1016/j.ajo.2017.06.019>.
- Schreur, V. (2020) *Diabetic retinopathy. Optimizing management strategies*.
- Simbolon, D., Siregar, A. and Talib, R.A. (2020) ‘Physiological factors and physical activity contribute to the incidence of type 2 diabetes mellitus in Indonesia’, *Kesmas*, 15(3), pp. 120–127. Available at: <https://doi.org/10.21109/KESMAS.V15I3.3354>.
- Simó, R. and Hernández, C. (2015) ‘Novel approaches for treating diabetic retinopathy based on recent pathogenic evidence’, *Prog. Retin. Eye Res*, 48, pp. 160–180. Available at: <https://doi.org/10.1016/j.preteyeres.2015.04.003>.
- Spijkerman, A.M.W., Gall, M.A., Tarnow, L., Twisk, J.W.R., Lauritzen, E., Lund-Andersen, H., Emeis, J., Parving, H.H. and Stehouwer, C.D.A. (2007) ‘Endothelial dysfunction and low-grade inflammation and the progression of retinopathy in Type 2 diabetes’, *Diabetic Medicine*, 24(9), pp. 969–976. Available at: <https://doi.org/10.1111/j.1464-5491.2007.02217.x>.
- Stewart, M.W. (2010) ‘Pathophysiology of diabetic retinopathy’, *Diabetic Retinopathy: Evidence-Based Management*, 2013, pp. 1–30. Available at: https://doi.org/10.1007/978-0-387-85900-2_1.
- Sun, J.K. and Jampol, M. (2019) ‘The Diabetic Retinopathy Clinical Research Network (DRCR . net) and Its Contributions to the Treatment of Diabetic Retinopathy’, 02115, pp. 225–230. Available at: <https://doi.org/10.1159/000502779>.

- Targher, G., Bertolini, L., Zoppini, G., Lippi, G. and Zenari, L. (2007) 'Retinopathy predicts cardiovascular mortality in type 2 diabetic men and women: Response to Juutilainen et al. [4]', *Diabetes Care*, 30(6), p. 2007. Available at: <https://doi.org/10.2337/dc07-0265>.
- Ting, D.S.W., Cheung, G.C.M. and Wong, T.Y. (2016) 'Diabetic retinopathy: global prevalence, major risk factors, screening practices and public health challenges: a review', *Clin Experiment Ophthalmol*, 44(4), pp. 260–277. Available at: <https://doi.org/10.1111/ceo.12696>.
- Valaiyapathi, B., Gower, B. and Ashraf, A.P. (2020) 'Pathophysiology of Type 2 Diabetes in Children and Adolescents', pp. 220–229. Available at: <https://doi.org/10.2174/1573399814666180608074510>.
- Ventura, H.O. and Reddy, M. (2008) 'The Eye as an Indicator of Heart Failure in Diabetic Patients**Editorials published in the Journal of the American College of Cardiology reflect the views of the authors and do not necessarily represent the views of JACC or the American College of Cardiol', *J Am Coll Cardiol*, 51(16), pp. 1579–1580. Available at: <https://doi.org/10.1016/j.jacc.2008.01.022>.
- Whitehead, M., Wickremasinghe, S., Osborne, A., Wijngaarden, P. Van and Martin, K.R. (2018) 'Diabetic retinopathy : a complex pathophysiology requiring novel therapeutic strategies', *Expert Opin Biol Ther*, 18(12), pp. 1257–1270. Available at: <https://doi.org/10.1080/14712598.2018.1545836>.
- Wong, T.Y., Cheung, N., Tay, W.T., Wang, J.J., Aung, T., Saw, S.M., Lim, S.C., Tai, E.S. and Mitchell, P. (2008) 'Prevalence and Risk Factors for Diabetic Retinopathy. SiMES, *Ophthalmology*, 115(11), pp. 1869–1875. Available at: <https://doi.org/10.1016/j.opthta.2008.05.014>.
- Xu, L., Wang, Y.X., Xie, X.W. and Jonas, J.B. (2008) 'Retinopathy and mortality. The Beijing Eye Study', *Graefes Arch for Clin Exp Ophthalmol*, 246(6), pp. 923–925. Available at: <https://doi.org/10.1007/s00417-008-0773-z>.
- Xu, X.H., Sun, B., Zhong, S., Wei, D.D., Hong, Z. and Dong, A.Q. (2020) 'Diabetic retinopathy predicts cardiovascular mortality in diabetes: a meta-analysis', *BMC Cardiovascular Disorders*, 20(1), pp. 1–8. Available at: <https://doi.org/10.1186/s12872-020-01763-z>.
- Yau, J.W.Y. et al. (2012) 'Global prevalence and major risk factors of diabetic retinopathy', *Diabetes Care*, 35(3), pp. 556–564. Available at: <https://doi.org/10.2337/dc11-1909>.
- Zhu, Z., Shang, X., Wang, W., Ha, J., Chen, Y. and He, J. (2021) 'Impact of Retinopathy and Systemic Vascular Comorbidities on All-Cause

Mortality', 12(November), pp. 1–9. Available at:
<https://doi.org/10.3389/fendo.2021.750017>.