

DAFTAR PUSTAKA

- Aboyans, V., Ricco, J.B., Bartelink, M.L.E.L., Björck, M., Brodmann, M., Cohnert, T., Collet, J.P., Czerny, M., De Carlo, M., Debus, S., Espinola-Klein, C., Kahan, T., Kownator, S., Mazzolai, L., Naylor, A.R., Roffi, M., Röther, J., Sprynger, M., Tendera, M., Tepe, G., Venermo, M., Vlachopoulos, C., Desormais, I., Widimsky, P., Kolh, P., Agewall, S., Bueno, H., Coca, A., De Borst, G.J., Delgado, V., Dick, F., Erol, C., Ferrini, M., Kakkos, S., Katus, H.A., Knuuti, J., Lindholt, J., Mattle, H., Pieniazek, P., Piepoli, M.F., Scheinert, D., Sievert, H., Simpson, I., Sulzenko, J., Tamargo, J., Tokgozoglu, L., Torbicki, A., Tsakountakis, N., Tuñón, J., De Céniga, M.V., Windecker, S., Zamorano, J.L., Barbato, E., Coman, I.M., Dean, V., Fitzsimons, D., Gaemperli, O., Hindricks, G., Iung, B., Juni, P., Lancellotti, P., Leclercq, C., McDonagh, T., Ponikowski, P., Richter, D.J., Shlyakhto, E., Simpson, I.A., Zelveian, P.H., Haumer, M., Isachkin, D., De Backer, T., Dilic, M., Petrov, I., Kirhmajer, M.V., Karetova, D., Prescott, E., Soliman, H., Paapstel, A., Makinen, K., Tosev, S., Messas, E., Pagava, Z., Müller, O.J., Naka, K.K., Járαι, Z., Gudjonsson, T., Jonas, M., Novo, S., Ibrahimi, P., Lunegova, O., Dzerve, V., Misonis, N., Beissel, J., Pllaha, E., Taberkant, M., Bakken, T., Teles, R., Lighezan, D., Konradi, A., Zavatta, M., Madaric, J., Fras, Z., Melchor, L.S., Näslund, U., Amann-Vesti, B., Obiekezie, A., 2018. 2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). *Eur. Heart J.* 39: 763–816. doi:10.1093/eurheartj/ehx095
- Abu Dabrh, A.M., Steffen, M.W., Undavalli, C., Asi, N., Wang, Z., Elamin, M.B., Conte, M.S., Murad, M.H., 2015. The natural history of untreated severe or critical limb ischemia. *J. Vasc. Surg.* 62: 1642-1651.e3. doi:10.1016/j.jvs.2015.07.065
- Adair TH, M.J., 2010. Angiogenesis. Morgan & Claypool Life Sciences, San Rafael (CA).
- Aday, A.W., Matsushita, K., 2021. Epidemiology of Peripheral Artery Disease and Polyvascular Disease. *Circ. Res.* 1818–1832. doi:10.1161/CIRCRESAHA.121.318535
- Adler, A.I., Stevens, R.J., Neil, A., Stratton, I.M., Boulton, A.J.M., Holman, R.R., 2002. UKPDS 59: Hyperglycemia and other potentially modifiable risk factors for peripheral vascular disease in type 2 diabetes. *Diabetes Care* 25: 894–899. doi:10.2337/diacare.25.5.894
- Alexander, A., 1995. Hypertension and the Pathogenesis of Atherosclerosis. *Hypertension* 25: 155–161.
- Arnett, D.K., 2019. Health Research Alliance Member Organization Author Manuscript Cardiovascular Disease. *J Am Coll Cardiol.* 74: e177–e232. doi:10.1016/j.jacc.2019.03.010.2019
- Arvela, E., Söderström, M., Korhonen, M., Halmesmäki, K., 2007. Finnvasc score and modified Prevent III score predict long-term outcome after infrainguinal surgical and endovascular revascularization for critical limb ischemia. *YMA* 52: 1218–1225. doi:10.1016/j.jvs.2010.06.101

- Azuma, N., 2018. The Diagnostic Classification of Critical Limb Ischemia. *Ann. Vasc. Dis.* 11: 449–457. doi:10.3400/avd.ra.18-00122
- Benson, R.A., Meecham, L.A., Hewitt, C.A., Bradbury, A.W., 2019. Comparison of Immediate and Long-term Outcomes in Men and Women Undergoing Revascularisation for Chronic Limb Threatening Ischaemia in the Bypass vs. Angioplasty in Severe Ischaemia of the Leg (BASIL-1) Trial. *Eur. J. Vasc. Endovasc. Surg.* 58: 224–228. doi:10.1016/j.ejvs.2019.03.001
- Bradbury, A.W., Adam, D.J., Bell, J., Forbes, J.F., Fowkes, F.G.R., Gillespie, I., Ruckley, C.V., Raab, G.M., 2010. Bypass versus Angioplasty in Severe Ischaemia of the Leg (BASIL) trial: Analysis of amputation free and overall survival by treatment received. *J. Vasc. Surg.* 51: 18S-31S. doi:10.1016/j.jvs.2010.01.074
- Burger, H., Marinček, Č., 2007. Return to work after lower limb amputation. *Disabil. Rehabil.* 29: 1323–1329. doi:10.1080/09638280701320797
- Burri, P.H., Hlushchuk, R., Djonov, V., 2004. Intussusceptive angiogenesis: Its emergence, its characteristics, and its significance. *Dev. Dyn.* 231: 474–488. doi:10.1002/dvdy.20184
- Carmeliet, P., De Smet, F., Loges, S., Mazzone, M., 2009. Branching morphogenesis and antiangiogenesis candidates: Tip cells lead the way. *Nat. Rev. Clin. Oncol.* 6: 315–326. doi:10.1038/nrclinonc.2009.64
- Cerqueira, L.O., Júnior, E.G.D., Barros, A.L.S., Cerqueira, J.R., de Araújo, W.J.B., 2020. Wifi classification: The society for vascular surgery lower extremity threatened limb classification system, a literature review | Classificação wifi: O novo sistema de classificação da society for vascular surgery para membros inferiores ameaçados, uma r. *J. Vasc. Bras.* 19: 1–9.
- Choksy, S., Pockley, A.G., Wajeh, Y.E., Chan, P., 2004. VEGF and VEGF receptor expression in human chronic critical limb ischaemia. *Eur. J. Vasc. Endovasc. Surg.* 28: 660–669. doi:10.1016/j.ejvs.2004.09.001
- Ciurica, S., Lopez-Sublet, M., Loeys, B., Radhouani, I., Natarajan, N., Vikkula, M., Maas, A., Adlam, D., Persu, A., 2019. Arterial Tortuosity. *Hypertension* 75: 951–960. doi:10.1161/hypertensionaha.118.11647
- Clement, D.L., 2020. Hypertension and peripheral artery disease. *J. Hypertens.* 38: 2378–2379. doi:10.1097/HJH.0000000000002577
- Conte, M.S., Bradbury, A.W., Kolh, P., White, J. V., Dick, F., Fitridge, R., Mills, J.L., Ricco, J.B., Suresh, K.R., Murad, M.H., Aboyans, V., Aksoy, M., Alexandrescu, V.A., Armstrong, D., Azuma, N., Belch, J., Bergoeing, M., Bjorck, M., Chakfé, N., Cheng, S., Dawson, J., Debus, E.S., Dueck, A., Duval, S., Eckstein, H.H., Ferraresi, R., Gambhir, R., Garguilo, M., Geraghty, P., Goode, S., Gray, B., Guo, W., Gupta, P.C., Hinchliffe, R., Jetty, P., Komori, K., Lavery, L., Liang, W., Lookstein, R., Menard, M., Misra, S., Miyata, T., Moneta, G., Munoa Prado, J.A., Munoz, A., Paolini, J.E., Patel, M., Pomposelli, F., Powell, R., Robless, P., Rogers, L., Schanzer, A., Schneider, P., Taylor, S., De Ceniga, M. V., Veller, M., Vermassen, F., Wang, J., Wang, S., 2019. Global Vascular Guidelines on the Management of Chronic Limb-Threatening Ischemia. *Eur. J. Vasc. Endovasc. Surg.* 58: S1-S109.e33. doi:10.1016/j.ejvs.2019.05.006

- Cull, D.L., Manos, G., Hartley, M.C., Taylor, S.M., Langan, E.M., Eidt, J.F., Johnson, B.L., 2010. An early validation of the Society for Vascular Surgery Lower Extremity Threatened Limb Classification System. *J. Vasc. Surg.* 60: 1535–1542. doi:10.1016/j.jvs.2014.08.107
- Dahlan, M.S., 2017. Statistik Untuk Kedokteran dan Kesehatan. Epidemiologi Indonesia, Jakarta.
- Dang, L.T.H., Lawson, N.D., Fish, J.E., 2013. MicroRNA control of vascular endothelial growth factor signaling output during vascular development. *Arterioscler. Thromb. Vasc. Biol.* 33: 193–200. doi:10.1161/ATVBAHA.112.300142
- Eelen, G., Treps, L., Li, X., Carmeliet, P., 2020. Basic and Therapeutic Aspects of Angiogenesis Updated. *Circ. Res.* 127: 310–329. doi:10.1161/CIRCRESAHA.120.316851
- Elabscience, 2021. Human VEGF-A(Vascular Endothelial Cell Growth Factor A) ELISA Kit. *Man. ELISA Kit* 1st Editio: https://www.elabscience.com/p-human_a_ghrl_acylate.
- Ferrara, N., 2000. VEGF: An update on biological and therapeutic aspects. *Curr. Opin. Biotechnol.* 11: 617–624. doi:10.1016/S0958-1669(00)00153-1
- Fontaine, R., Kim, M., Kieny, R., 1954. Surgical treatment of peripheral circulation disorders. *Helv Chir Acta* 21: 499–533.
- Fowkes, F.G.R., Rudan, D., Rudan, I., Aboyans, V., Denenberg, J.O., McDermott, M.M., Norman, P.E., Sampson, U.K.A., Williams, L.J., Mensah, G.A., Criqui, M.H., 2013. Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: A systematic review and analysis. *Lancet* 382: 1329–1340. doi:10.1016/S0140-6736(13)61249-0
- Giannopoulos, S., Shammas, N.W., Cawich, I., Staniloae, C.S., Adams, G.L., Armstrong, E.J., 2020. Sex-related differences in the outcomes of endovascular interventions for chronic limb-threatening ischemia: Results from the liberty 360 study. *Vasc. Health Risk Manag.* 16: 271–284. doi:10.2147/VHRM.S246528
- Grenon, S., Vittinghoff, E., Owens, C., Conte, M., Whooley, M., Cohen, B., 2013. Peripheral artery disease and risk of cardiovascular events in patients with coronary artery disease: Insights from the Heart and Soul Study. *Vasc. Med.* 18: 176–184. doi:10.1177/1358863X13493825
- Hardman, R.L., Jazaeri, O., Yi, J., Smith, M., Gupta, R., 2014. Overview of classification systems in peripheral artery disease. *Semin. Intervent. Radiol.* 31: 378–388. doi:10.1055/s-0034-1393976
- Heymsfield, S.B., Wadden, T.A., 2017. Mechanisms, Pathophysiology, and Management of Obesity. *N. Engl. J. Med.* 376: 254–266. doi:10.1056/nejmra1514009
- Hiatt, W.R., Hess, C.N., Bonaca, M.P., Kavanagh, S., Patel, M.R., Baumgartner, I., Berger, J.S., Blomster, J.I., Jones, W.S., Katona, B.G., Mahaffey, K.W., Norgren, L., Rockhold, F.W., Fowkes, F.G.R., 2021. Ankle-Brachial Index for Risk Stratification in Patients with Symptomatic Peripheral Artery Disease with and Without Prior Lower Extremity Revascularization: Observations from the EUCLID Trial. *Circ. Cardiovasc. Interv.* 14: E009871.

doi:10.1161/CIRCINTERVENTIONS.120.009871

- Inoe, S., Zimmet, P., Caterson, I., Shunming, C., Ikeda, Y., Khalid, A., Kim, Y., 2000. The Asia-Pacific Perspective: Redefining Obesity and Its Treatment, World Health Organization. Geneva.
- Jaakkola, P., Mole, D.R., Tian, Y., Wilson, M.I., Gielbert, J., Gaskell, S.J., Kriegsheim, A. Von, Hebestreit, H.F., Mukherji, M., Schofield, C.J., Maxwell, P.H., Pugh, C.W., Ratcliffe, P.J., 2001. Targeting of HIF- α to the von Hippel-Lindau Ubiquitylation Complex by O₂-Regulated Prolyl Hydroxylation. *Science* (80-.). 292: 468–472. doi:10.1126/science.1059817
- Jalkanen, J., Hautero, O., Maksimow, M., Jalkanen, S., Hakovirta, H., 2018. Correlation between increasing tissue ischemia and circulating levels of angiogenic growth factors in peripheral artery disease. *Cytokine* 110: 24–28. doi:10.1016/j.cyto.2018.04.012
- Jalkanen, J., Maksimow, M., Hollmén, M., Jalkanen, S., Hakovirta, H., 2016. Compared to intermittent claudication critical limb ischemia is associated with elevated levels of cytokines. *PLoS One* 11: 1–11. doi:10.1371/journal.pone.0162353
- Jani, B., Rajkumar, C., 2006. Ageing and vascular ageing. *Postgrad. Med. J.* 82: 357–362. doi:10.1136/pgmj.2005.036053
- Jazwa, A., Florczyk, U., Grochot-Przeczek, A., Krist, B., Loboda, A., Jozkowicz, A., Dulak, J., 2016. Limb ischemia and vessel regeneration: Is there a role for VEGF? *Vascul. Pharmacol.* 86: 18–30. doi:10.1016/j.vph.2016.09.003
- Kim, T.I., Schneider, P.A., 2020. New Innovations and Devices in the Management of Chronic Limb-Threatening Ischemia. *J. Endovasc. Ther.* 27: 524–539. doi:10.1177/1526602820921555
- Kleruk, D.S., Habibie, Y.A., 2021. Chronic limb-threatening ischemia, successful infra popliteal endovascular revascularization: A case report. *Bali Med. J.* 10: 692–696. doi:10.15562/bmj.v10i2.2333
- Krishna, S.M., Moxon, J. V., Golledge, J., 2015. A review of the pathophysiology and potential biomarkers for peripheral artery disease. *Int. J. Mol. Sci.* 16: 11294–11322. doi:10.3390/ijms160511294
- Krishna, S.M., Omer, S.M., Golledge, J., 2016. Evaluation of the clinical relevance and limitations of current pre-clinical models of peripheral artery disease. *Clin. Sci.* 130: 127–150. doi:10.1042/CS20150435
- Lange, T., Guttmann-Raviv, N., Baruch, L., Machluf, M., Neufeld, G., 2003. VEGF162, a new heparin-binding vascular endothelial growth factor splice form that is expressed in transformed human cells. *J. Biol. Chem.* 278: 17164–17169. doi:10.1074/jbc.M212224200
- Leenstra, B., Wijnand, J., Verhoeven, B., Koning, O., Teraa, M., Verhaar, M.C., de Borst, G.J., 2020. Applicability of Transcutaneous Oxygen Tension Measurement in the Assessment of Chronic Limb-Threatening Ischemia. *Angiology* 71: 208–216. doi:10.1177/0003319719866958
- Lempesis, I.G., Varrias, D., Sagris, M., Attaran, R.R., Altin, E.S., Bakoyiannis, C., Palaiodimos, L., Dalamaga, M., Kokkinidis, D.G., 2023. Obesity and Peripheral Artery Disease: Current Evidence and Controversies. *Curr. Obes. Rep.* 5–12. doi:10.1007/s13679-023-00510-7

- Li, J.Y., Cheng, B., Wang, X.F., Wang, Z.J., Zhang, H.M., Liu, S.F., Chen, L.S., Huang, W.J., Liu, J., Deng, A.P., 2018. Circulating MicroRNA-4739 May Be a Potential Biomarker of Critical Limb Ischemia in Patients with Diabetes. *Biomed Res. Int.* 2018. doi:10.1155/2018/4232794
- Li, J.Y., Yang, X.Y., Wang, X.F., Jia, X., Wang, Z.J., Deng, A.P., Bai, X.L., Zhu, L., Li, B.H., Feng, Z.B., Li, Y., Wang, L., Jin, S., 2017. Siglec-5 is a novel marker of critical limb ischemia in patients with diabetes. *Sci. Rep.* 7: 1–9. doi:10.1038/s41598-017-11820-x
- Liu, F., Shen, J., Zhao, Jun, Zeng, H., Li, L., Zhao, Jungong, Lu, F., Bao, Y., Jia, W., 2013. Cystatin C: A Strong Marker for Lower Limb Ischemia in Chinese Type 2 Diabetic Patients? *PLoS One* 8: 1–6. doi:10.1371/journal.pone.0066907
- Lu, H., Daugherty, A., 2015. Atherosclerosis. *Arterioscler. Thromb. Vasc. Biol.* 35: 485–491. doi:10.1161/ATVBAHA.115.305380
- Luo, F., Wariaro, D., Lundberg, G., Blegen, H., Wahlberg, E., 2002. Vascular growth factor expression in a rat model of severe limb ischemia. *J Surg Res* 108: 258–267.
- Marsico, G., Martin-Saldaña, S., Pandit, A., 2021. Therapeutic Biomaterial Approaches to Alleviate Chronic Limb Threatening Ischemia. *Adv. Sci.* 8. doi:10.1002/advs.202003119
- Mathioudakis, N., Hicks, C.W., Canner, J.K., Sherman, R.L., Hines, K.F., Lum, Y.W., Perler, B.A., Abularrage, C.J., 2017. The Society for Vascular Surgery Wound, Ischemia, and foot Infection (WIFI) classification system predicts wound healing but not major amputation in patients with diabetic foot ulcers treated in a multidisciplinary setting. *J. Vasc. Surg.* 65: 1698-1705.e1. doi:10.1016/j.jvs.2016.12.123
- McHugh, M., 2012. Interrater reliability: the kappa statistic. *Biochem Med* 22: 276–82.
- Meltzer, A.J., Graham, A., Connolly, P.H., Meltzer, E.C., Karwowski, J.K., Bush, H.L., Schneider, D.B., York, N., 2009. The Comprehensive Risk Assessment for Bypass (CRAB) facilitates efficient perioperative risk assessment for patients with critical limb ischemia. *J. Vasc. Surg.* 57: 1186–1195. doi:10.1016/j.jvs.2012.09.083
- Michaelis, U.R., 2014. Mechanisms of endothelial cell migration. *Cell. Mol. Life Sci.* 71: 4131–4148. doi:10.1007/s00018-014-1678-0
- Mills, J.L., Conte, M.S., Armstrong, D.G., Pomposelli, F.B., Schanzer, A., Sidawy, A.N., Andros, G., 2014. The society for vascular surgery lower extremity threatened limb classification system: Risk stratification based on Wound, Ischemia, and foot Infection (WIFI). *J. Vasc. Surg.* 59: 220-234.e2. doi:10.1016/j.jvs.2013.08.003
- Moreno, P.R., Purushothaman, M., Purushothaman, K.R., 2012. Plaque neovascularization: Defense mechanisms, betrayal, or a war in progress. *Ann. N. Y. Acad. Sci.* 1254: 7–17. doi:10.1111/j.1749-6632.2012.06497.x
- Moxey, P.W., Brownrigg, J., Kumar, S.S., Crate, G., Holt, P.J., Thompson, M.M., Jones, K.G., Hinchliffe, R.J., Kingdom, U., 2010. The BASIL survival prediction model in patients with peripheral arterial disease undergoing

- revascularization in a university hospital setting and comparison with the FINNVASC and modified PREVENT scores. *YMVA* 57: 1–7. doi:10.1016/j.jvs.2012.04.074
- Mukherjee, D., Topol, E.J., Moliterno, D.J., Brennan, D.M., Ziada, K., Cho, L., Steinhubl, S.R., 2006. Extracardiac vascular disease and effectiveness of sustained clopidogrel treatment. *Heart* 92: 49–51. doi:10.1136/hrt.2005.064501
- Norgren, L., Hiatt, W.R., Dormandy, J.A., Nehler, M.R., Harris, K.A., Fowkes, F.G.R., 2007. Inter-Society Consensus for the Management of Peripheral Arterial Disease (TASC II). *J. Vasc. Surg.* 45: 5–67. doi:10.1016/j.jvs.2006.12.037
- Pabon, M., Cheng, S., Altin, S.E., Sethi, S.S., Nelson, M.D., Moreau, K.L., Hamburg, N., Hess, C.N., 2022. Sex Differences in Peripheral Artery Disease. *Circ. Res.* 130: 496–511. doi:10.1161/CIRCRESAHA.121.320702
- Reinecke, H., Unrath, M., Freisinger, E., Bunzemeier, H., Meyborg, M., Luders, F., Gebauer, K., Roeder, N., Berger, K., Malyar, N.M., 2015. Peripheral arterial disease and critical limb ischaemia: Still poor outcomes and lack of guideline adherence. *Eur. Heart J.* 36: 932–938. doi:10.1093/eurheartj/ehv006
- Risau, W., 1997. Mechanisms of angiogenesis. *Nature*. doi:10.1038/386671a0
- Robinson, C.J., Stringer, S.E., 2001. The splice variants of vascular endothelial growth factor (VEGF) and their receptors. *J. Cell Sci.* 114: 853–865. doi:10.1242/jcs.114.5.853
- Rutherford, R.B., Baker, J.D., Ernst, C., Johnston, K.W., Porter, J.M., Ahn, S., Jones, D.N., 1997. Recommended standards for reports dealing with lower extremity ischemia: Revised version. *J. Vasc. Surg.* 26: 517–538. doi:10.1016/S0741-5214(97)70045-4
- Sandoval, 2020. Critical Limb Threatening Ischemia : The Time has Come for a Multidisciplinary Approach. *J Vasc Endovasc Ther.* 4: 1–4.
- Schawe, L., Raude, B., Carstens, J.C., Hinterseher, I., Hein, R.D., Omran, S., Berger, G., Hering, N.A., Buerger, M., Greiner, A., Frese, J.P., 2022. Effect of Revascularization on Intramuscular Vascular Endothelial Growth Factor Levels in Peripheral Arterial Disease. *Biomedicines* 10: 1–10. doi:10.3390/biomedicines10020471
- Simon, F., Oberhuber, A., Floros, N., Düppers, P., Schelzig, H., Duran, M., 2018. Pathophysiology of chronic limb ischemia. *Gefasschirurgie* 23: 13–18. doi:10.1007/s00772-018-0380-1
- Simons, J.P., Goodney, P.P., Flahive, J., Hoel, A.W., 2012. A comparative evaluation of risk-adjustment models for benchmarking amputation-free survival after lower extremity bypass. *J. Vasc. Surg.* 4: 1–8. doi:10.1016/j.jvs.2015.09.051
- Simons, J.P., Schanzer, A., Flahive, J.M., Osborne, N.H., Sr, J.L.M., Bradbury, A.W., Conte, M.S., Arbor, A., 2018. Survival prediction in patients with chronic limb-threatening ischemia who undergo infrainguinal revascularization. *J. Vasc. Surg.* doi:10.1016/j.jvs.2018.08.169
- Soga, Y., Iida, O., Takahaera, M., Hirano, K., Suzuki, K., Kawasaki, D., Miyashita, Y., Tsuchiya, T., 2014. Two-Year Life Expectancy in Patients

- With Critical Limb Ischemia. *JACC Cardiovasc. Interv.* 7: 1444–1449. doi:10.1016/j.jcin.2014.06.018
- Song, P., Fang, Z., Wang, H., Cai, Y., Rahimi, K., Zhu, Y., Fowkes, F.G.R., Fowkes, F.J.I., Rudan, I., 2020. Global and regional prevalence, burden, and risk factors for carotid atherosclerosis: a systematic review, meta-analysis, and modelling study. *Lancet Glob. Heal.* 8: e721–e729. doi:10.1016/S2214-109X(20)30117-0
- Stehr, A., Töpel, I., Müller, S., Unverdorben, K., Geissler, E.K., Kasprzak, P.M., Schlitt, H.J., Steinbauer, M., 2010. VEGF: A Surrogate Marker for Peripheral Vascular Disease. *Eur. J. Vasc. Endovasc. Surg.* 39: 330–332. doi:10.1016/j.ejvs.2009.09.025
- Takahashi, H., Shibuya, M., 2005. The vascular endothelial growth factor (VEGF)/VEGF receptor system and its role under physiological and pathological conditions. *Clin. Sci.* 109: 227–241. doi:10.1042/CS20040370
- Vincenti, V., Cassano, C., Rocchi, M., Persico, M.G., 1996. Assignment of the vascular endothelial growth factor gene to human chromosome 6p21.3. *Circ. J.* 93: 1493–1495. doi:10.1161/01.CIR.93.8.1493
- Virginio, V.W.M., Nunes, V.S., Moura, F.A., Menezes, F.H., Andreollo, N.A., Rogerio, F., Scherrer, D.Z., Quintão, E.C.R., Nakandakare, E., Petrucci, O., Nadruz, W., De Faria, E.C., Sposito, A.C., 2015. Arterial tissue and plasma concentration of enzymatic-driven oxysterols are associated with severe peripheral atherosclerotic disease and systemic inflammatory activity. *Free Radic. Res.* 49: 199–203. doi:10.3109/10715762.2014.992894
- Wang, W., Zhao, T., Geng, K., Yuan, G., Chen, Y., Xu, Y., 2021. Smoking and the Pathophysiology of Peripheral Artery Disease. *Front. Cardiovasc. Med.* 8: 1–17. doi:10.3389/fcvm.2021.704106
- Wijnand, J.G.J., Zarkowsky, D., Wu, B., van Haelst, S.T.W., Vonken, E.J.P.A., Sorrentino, T.A., Pallister, Z., Chung, J., Mills, J.L., Teraa, M., Verhaar, M.C., de Borst, G.J., Conte, M.S., 2021. The global limb anatomic staging system (Glass) for clti: Improving inter-observer agreement. *J. Clin. Med.* 10. doi:10.3390/jcm10163454
- Xie, K., Wei, D., Shi, Q., Huang, S., 2004. Constitutive and inducible expression and regulation of vascular endothelial growth factor. *Cytokine Growth Factor Rev.* 15: 297–324. doi:10.1016/j.cytogfr.2004.04.003
- Xu, H., Jiang, J., Chen, W., Li, W., Chen, Z., Medbury, H., 2019. Vascular Macrophages in Atherosclerosis. *J. Immunol. Res.* 2019. doi:10.1155/2019/4354786
- Yancopoulos, G.D., Davis, S., Gale, N.W., Rudge, J.S., Wiegand, S.J., Holash, J., 2000. Vascular- specific growth factors and blood vessel formation. *Nat. Med.* 407.
- Yang, C.S., Wei, Y.S., Tsai, H.L., Cheong, I.S., Chang, S.J., Chou, H.C., Lee, Y.R., Chan, H.L., 2017. Proteomic analysis of prognostic plasma biomarkers in peripheral arterial occlusive disease. *Mol. Biosyst.* 13: 1297–1303. doi:10.1039/c7mb00229g
- Ying, A.F., Tang, T.Y., Jin, A., Chong, T.T., Hausenloy, D.J., Koh, W.P., 2022. Diabetes and other vascular risk factors in association with the risk of lower

extremity amputation in chronic limb-threatening ischemia: a prospective cohort study. *Cardiovasc. Diabetol.* 21: 1–9. doi:10.1186/s12933-021-01441-0

Zhan, L.X., Branco, B.C., Armstrong, D.G., Mills, J.L., 2015. The Society for Vascular Surgery lower extremity threatened limb classification system based on Wound, Ischemia, and foot Infection (WIfI) correlates with risk of major amputation and time to wound healing. *J. Vasc. Surg.* 61: 939–944. doi:10.1016/j.jvs.2014.11.045