

REFERENCES

- AOAC. (2023). Guidelines for Standard Method Performance Requirements. *Official Methods of Analysis of AOAC INTERNATIONAL*.
<https://doi.org/10.1093/9780197610145.005.006>
- Araujo, P. (2009). Key aspects of analytical method validation and linearity evaluation. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 877(23), 2224–2234.
<https://doi.org/10.1016/j.jchromb.2008.09.030>
- Aspromonte, J., Lancioni, C., & Purcaro, G. (2022). Solid-Phase Microextraction—Gas Chromatography Analytical Strategies for Pesticide Analysis. In *Methods and Protocols* (Vol. 5, Issue 5). MDPI. <https://doi.org/10.3390/mps5050082>
- Badan Pusat Statistik. (2021). Results of the Potential Fisheries Commodity Survey Seaweed Aquaculture 2021 Series-2. In dan K. Direktorat Statistik Peternakan, Perikanan (Ed.), *Badan Pusat statistik* (Seri-2). Badan Pusat Statistik.
- Baião, L. F., Oliveira, A. S., Gonçalves, A., Guedes de Pinho, P., Valente, L. M. P., & Cunha, L. M. (2020). Analysis of volatile compounds in *Paracentrotus lividus* by HS-SPME/GS-MS and relation to its sensorial properties. *Lwt*, 130(May).
<https://doi.org/10.1016/j.lwt.2020.109629>
- Berneira, L. M., da Silva, C. C., Passos, L. F., Mansilla, A., dos Santos, M. A. Z., & de Pereira, C. M. P. (2021). Evaluation of volatile organic compounds in brown and red sub-Antarctic macroalgae. *Revista Brasileira de Botanica*, 44(1), 79–84.
<https://doi.org/10.1007/s40415-020-00684-7>
- Biancolillo, A., & Marini, F. (2018). Chemometrics Applied to Plant Spectral Analysis. In *Comprehensive Analytical Chemistry* (Vol. 80, pp. 69–104). Elsevier.
<https://doi.org/10.1016/BS.COAC.2018.03.003>
- Bravo-Linares, C. M. Loyola-Sepulveda, S. M. M. and R. H. (2010). *Production of volatile organic compounds (VOCs) by temperate macroalgae . The use of solid phase microextraction (SPME) coupled to GC-MS as method of analysis*. 2, 227–232.
- Broadgate, W. J., Malin, G., & Ku, F. C. (2004). *Isoprene and other non-methane hydrocarbons from seaweeds : a source of reactive hydrocarbons to the atmosphere*. 88, 61–73. <https://doi.org/10.1016/j.marchem.2004.03.002>
- Budayatin, Waluyo, J., Wahyuni, D., & Dafik. (2021). Antibacterial effects of *Pheretima javanica* extract and bioactive chemical analysis using Gas Chromatography Mass Spectrum. *Journal of Physics: Conference Series*, 1751(1).
<https://doi.org/10.1088/1742-6596/1751/1/012055>
- Cadwallader, K. (2007). Measuring cheese flavor. In *Improving the Flavour of Cheese* (pp. 401–417). Woodhead Publishing Limited.
<https://doi.org/10.1533/9781845693053.3.401>
- Čagalj, M., Radman, S., Šimat, V., & Jerković, I. (2022). Detailed Chemical Prospecting of Volatile Organic Compounds Variations from Adriatic Macroalga *Halopteris scoparia*. *Molecules*, 27(15).

- <https://doi.org/10.3390/molecules27154997>
- Dadali, C., & Elmaci, Y. (2019). Optimization of Headspace-Solid Phase Microextraction (HS-SPME) technique for the analysis of volatile compounds of margarine. *Journal of Food Science and Technology*, 56(11), 4834–4843. <https://doi.org/10.1007/s13197-019-03945-w>
- Dangkulwanich, M., & Charaslertrangsi, T. (2020). Hydrodistillation and antimicrobial properties of lemongrass oil (*Cymbopogon citratus*, Stapf): An undergraduate laboratory exercise bridging chemistry and microbiology. *Journal of Food Science Education*, 19(2), 41–48. <https://doi.org/10.1111/1541-4329.12178>
- de Alencar, Daniel Barroso Diniz, Jaécio Carlos Rocha, Simone Alves Serafim dos Santos Pires-Cavalcante, Kelma Maria Freitas, Jefferson Oliveira Nagano, Celso Shiniti Sampaio, Alexandre Holanda Saker-Sampaio, S. (2017). Chemical composition of volatile compounds in two red seaweeds, *Pterocladia capillacea* and *Osmundaria obtusiloba*, using static headspace gas chromatography mass spectrometry. *Journal of Applied Phycology*, 29(3), 1571–1576. <https://doi.org/10.1007/s10811-016-1020-3>
- de Melo, Natana Sá Mota Cardoso, Lucas Guimarães de Castro Nunes, José Marcos Brito, Geysa Barreto Caires, Taiara Aguiar de Souza, Carolina Oliveira Portz, Leandro Druzian, J. I. (2021). Effects of dry and rainy seasons on the chemical composition of *Ulva fasciata*, *Crassiphycus corneus*, and *Sargassum vulgare* seaweeds in tropical environment. *Revista Brasileira de Botânica*, 44(2), 331–344. <https://doi.org/10.1007/s40415-021-00700-4>
- de Santana, F. B., Borges Neto, W., & Poppi, R. J. (2019). Random forest as one-class classifier and infrared spectroscopy for food adulteration detection. *Food Chemistry*, 293(April), 323–332. <https://doi.org/10.1016/j.foodchem.2019.04.073>
- Demianová, Alžbeta Bobková, Alica Lidiková, Judita Jurčaga, Lukáš Bobko, Marek Belej, Lubomír Kolek, Emil Poláková, Katarína Iriondo-DeHond, Amaia Dolores del Castillo, M. (2022). Volatiles as chemical markers suitable for identification of the geographical origin of green *Coffea arabica* L. *Food Control*, 136, 108869. <https://doi.org/10.1016/J.FOODCONT.2022.108869>
- Demianová, A., Bobková, A., Lidiková, J., Jurčaga, L., Bobko, M., Belej, E., Kolek, E., Poláková, K., Iriondo-DeHond, A., & Dolores del Castillo, M. (2022). Volatiles as chemical markers suitable for identification of the geographical origin of green *Coffea arabica* L. *Food Control*, 136(September 2021). <https://doi.org/10.1016/j.foodcont.2022.108869>
- Fadilah, S., Alimuddin, Pong-Masak, P. R., Santoso, J., & Parenrengi, A. (2016). Growth, Morphology and Growth Related Hormone Level in *Kappaphycus alvarezii* Produced by Mass Selection in Gorontalo Waters, Indonesia. *HAYATI Journal of Biosciences*, 23(1), 29–34. <https://doi.org/10.1016/j.hjb.2015.09.004>
- FAO. (2021). Seaweeds and microalgae: an overview for unlocking their potential in global aquaculture development. In *FAO*. Rome, FAO. <https://doi.org/https://doi.org/10.4060/cb5670en>
- Fernández-Segovia, I., Lerma-García, M. J., Fuentes, A., & Barat, J. M. (2018).

- Characterization of Spanish powdered seaweeds: Composition, antioxidant capacity and technological properties. *Food Research International*, 111, 212–219. <https://doi.org/10.1016/j.foodres.2018.05.037>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>
- Galletta, M., Zoccali, M., Creti, D., Mondello, L., & Tranchida, P. Q. (2023). A green and sustainable method for Capsicum volatilome investigation by means of headspace solid-phase microextraction combined with flow-modulated two-dimensional gas chromatography-mass spectrometry using hydrogen as carrier gas. *Green Analytical Chemistry*, 4. <https://doi.org/10.1016/j.greeac.2023.100050>
- Garicano Vilar, E., O'Sullivan, M. G., Kerry, J. P., & Kilcawley, K. N. (2020). Volatile compounds of six species of edible seaweed: A review. In *Algal Research* (Vol. 45). Elsevier B.V. <https://doi.org/10.1016/j.algal.2019.101740>
- Gressler, V., Colepiccolo, P., & Pinto, E. (2009). Useful Strategies for Algal Volatile Analysis. In *Current Analytical Chemistry* (Vol. 5).
- Gumansalangi, Frysye Calle, Jose L.P. Barea Sepúlveda, Marta Manikharda Palma, Miguel Lideman Rafi, Mohamad Ningrum, Andriati Setyaningsih, W. (2023). A Rapid Method for Authentication of Macroalgae Based on Vis-NIR Spectroscopy Data Combined with Chemometrics Approach. *Water (Switzerland)*, 15(1). <https://doi.org/10.3390/w15010100>
- Hassan, S. W. M., & Shobier, A. H. (2018). GC/MS identification and applications of bioactive seaweed extracts from mediterranean coast of Egypt. *Egyptian Journal of Aquatic Biology and Fisheries*, 22(5), 1–21. <https://doi.org/10.21608/ejabf.2018.17952>
- Hejazi, T. H., Bashiri, M., Díaz-García, J. A., & Noghondarian, K. (2012). Optimization of probabilistic multiple response surfaces. *Applied Mathematical Modelling*, 36(3), 1275–1285. <https://doi.org/10.1016/j.apm.2011.07.067>
- ICH. (1995). *ICH Topic Q 2 (R1) Validation of Analytical Procedures: Text and Methodology Step 5 Note for guidance on validation of analytical procedures: text and methodology (CPMP/ICH/381/95) approval by CPMP November 1994 date for coming into operation*. <http://www.emea.eu.int>
- Isleten Hosoglu, M. (2018). Aroma characterization of five microalgae species using solid-phase microextraction and gas chromatography–mass spectrometry/olfactometry. *Food Chemistry*, 240, 1210–1218. <https://doi.org/10.1016/j.foodchem.2017.08.052>
- Jacobsen, C., Sørensen, A. D. M., Holdt, S. L., Akoh, C. C., & Hermund, D. B. (2019). Source, Extraction, Characterization, and Applications of Novel Antioxidants from Seaweed. *Annual Review of Food Science and Technology*, 10, 541–568. <https://doi.org/10.1146/annurev-food-032818-121401>
- Jerković, Igor Kranjac, Marina Marijanović, Zvonimir Šarkanj, Bojan Cikoš, Ana

- Marija Aladić, Krunoslav Pedisić, Sandra Jokić, S. (2019). Chemical Diversity of *Codium bursa* (Olivi) C. Agardh headspace compounds, volatiles, fatty acids and insight into its antifungal activity. *Molecules*, 24(5). <https://doi.org/10.3390/molecules24050842>
- Jerković, I., Kranjac, M., Marijanović, Z., Šarkanj, B., Cikoš, A. M., Aladić, K., Pedisić, S., & Jokić, S. (2019). Chemical Diversity of *Codium bursa* (Olivi) C. Agardh headspace compounds, volatiles, fatty acids and insight into its antifungal activity. *Molecules*, 24(5). <https://doi.org/10.3390/molecules24050842>
- Kamenarska, Zornitsa Ivanova, Albena Stancheva, Rosalina Stoyneva, Maya Stefanov, Kamen Dimitrova-Konaklieva, Stefka Popov, S. (2006). Volatile compounds from some Black Sea red algae and their chemotaxonomic application. *Botanica Marina*, 49(1), 47–56. <https://doi.org/10.1515/BOT.2006.006>
- Khotijah, S., Irfan, M., & Muchdar, F. (2020). Nutritional Composition of Seaweed *Kappaphycus alvarezii*. *Agrikan: Jurnal Agribisnis Perikanan*, 13(2), 139–146. <https://doi.org/10.29239/j.agrikan.13.2.139-146>
- Kim, M. J., Yum, M. S., Seo, G. H., Lee, Y., Jang, H. N., Ko, T. S., & Lee, B. H. (2020). Clinical application of whole exome sequencing to identify rare but remediable neurologic disorders. *Journal of Clinical Medicine*, 9(11), 1–14. <https://doi.org/10.3390/jcm9113724>
- KKP. (2018). *Laporan Tahunan : Profil Peluang Investasi Komoditas Rumput Laut* (Catur Sarwanto (ed.)).
- Kogawa, K., Carolina, A., Salgado, S., & Nunes, H. R. (2016). Analytical Methods Need Optimization to Get Innovative and Continuous Processes for Future Pharmaceuticals. *Scholars Academic Journal of Pharmacy*, 5(6), 240–244. <https://doi.org/10.21276/sajp.2016.5.6.3>
- Kurbanoglu, S., Uslu, B., & Ozkan, S. A. (2018). Validation of Analytical Methods for the Assessment of Hazards in Food. In *Food Safety and Preservation*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-814956-0.00004-4>
- Lancioni, C., Castells, C., Candal, R., & Tascon, M. (2022). Headspace solid-phase microextraction: Fundamentals and recent advances. *Advances in Sample Preparation*, 3(July), 100035. <https://doi.org/10.1016/j.sampre.2022.100035>
- Le Pape, M. A., Grua-Priol, J., Prost, C., & Demaimay, M. (2004). Optimization of Dynamic Headspace Extraction of the Edible Red Algae *Palmaria palmata* and Identification of the Volatile Components. *Journal of Agricultural and Food Chemistry*, 52(3), 550–556. <https://doi.org/10.1021/jf030478x>
- Liu, J., Zhao, W., Li, S., Zhang, A., Zhang, Y., & Liu, S. (2015a). Determination of volatile compounds in foxtail millet sake using headspace solid-phase Microextraction and gas chromatography-mass spectrometry. *Journal of Chemistry*, 2015. <https://doi.org/10.1155/2015/239016>
- Liu, J., Zhao, W., Li, S., Zhang, A., Zhang, Y., & Liu, S. (2015b). Determination of volatile compounds in foxtail millet sake using headspace solid-phase Microextraction and gas chromatography-mass spectrometry. *Journal of Chemistry*, 2015. <https://doi.org/10.1155/2015/239016>

- Lo, M. M., Benfodda, Z., Béniméris, D., Fontaine, J. X., Molinié, R., & Meffre, P. (2021). Development of a HS-SPME/GC-MS Method for the Extraction and Identification of the Volatile Compounds Emitted by Flowers of *Tillandsia xiphioides*. *ACS Omega*, 6(19), 12691–12698. <https://doi.org/10.1021/acsomega.1c00917>
- Ma, Q. L., Hamid, N., Bekhit, A. E. D., Robertson, J., & Law, T. F. (2013). Optimization of headspace solid phase microextraction (HS-SPME) for gas chromatography mass spectrometry (GC-MS) analysis of aroma compounds in cooked beef using response surface methodology. *Microchemical Journal*, 111, 16–24. <https://doi.org/10.1016/j.microc.2012.10.007>
- Mamat, H., Akanda, J. M. H., Zainol, M. K., & Ling, Y. A. (2018). The Influence of Seaweed Composite Flour on the Physicochemical Properties of Muffin. *Journal of Aquatic Food Product Technology*, 27(5), 635–642. <https://doi.org/10.1080/10498850.2018.1468841>
- Mesquita, P. R. R., Nunes, E. C., Santos, F. N. do., Bastos, L. P., Costa, M. A. P. C., de M. Rodrigues, F., & de Andrade, J. B. (2017). Discrimination of *Eugenia uniflora* L. biotypes based on volatile compounds in leaves using HS-SPME/GC-MS and chemometric analysis. *Microchemical Journal*, 130, 79–87. <https://doi.org/10.1016/j.microc.2016.08.005>
- Michalak, Izabela Dmytryk, Agnieszka Wiczorek, Piotr P. Rój, Edward Łeska, Bogusława Górka, Bogusława Messyasz, Beata Lipok, Jacek Mikulewicz, Marcin Wilk, Radosław Schroeder, Grzegorz Chojnacka, K. (2015). Supercritical Algal Extracts: A Source of Biologically Active Compounds from Nature. In *Journal of Chemistry* (Vol. 2015). Hindawi Publishing Corporation. <https://doi.org/10.1155/2015/597140>
- Moura, P. C., Fernandes, J. M., Diniz, M. S., Fetter, V., & Vassilenko, V. (2023). Differentiation of the Organoleptic Volatile Organic Compound Profile of Three Edible Seaweeds. *Metabolites*, 13(6). <https://doi.org/10.3390/metabo13060713>
- Mutiarahma, Selma Putra, Venansius G.P. Chaniago, Weni Carrera, Ceferino Anggrahini, Sri Palma, Miguel Setyaningsih, W. (2021). Uv-vis spectrophotometry and uplc-pda combined with multivariate calibration for *kappaphycus alvarezii* (Doty) doty ex silva standardization based on phenolic compounds. *Scientia Pharmaceutica*, 89(4). <https://doi.org/10.3390/scipharm89040047>
- Narayanamurthy, U., Barathane, D., Karthik, S., & Anandh, S. J. V. (2022). Preliminary Phytochemical and GC-MS Analysis of Marine Seaweed-*Acoathophora deilei* (Red alga). *Biomedical and Pharmacology Journal*, 15(3), 1695–1707. <https://doi.org/10.13005/bpj/2508>
- Oliveri, P., Malegori, C., & Casale, M. (2020). Chemometrics: multivariate analysis of chemical data. In *Chemical Analysis of Food* (Second Ed). Elsevier Inc. <https://doi.org/10.1016/b978-0-12-813266-1.00002-4>
- Peček, G., Pavlović, D. M., & Babić, S. (2013). Development and validation of a SPE-GC-MS method for the determination of pesticides in surface water. *International*

- Journal of Environmental Analytical Chemistry*, 93(12), 1311–1328.
<https://doi.org/10.1080/03067319.2012.736976>
- Posudin, Y. (2014). Methods of Analysis of Volatile Organic Compounds. In I. John Wiley & Sons (Ed.), *Methods of Measuring Environmental Parameters* (1st ed., pp. 229–243). John Wiley & Sons, Inc.
- Pozzer, A. C., Gómez, P. A., & Weiss, J. (2022). Volatile organic compounds in aquatic ecosystems – Detection, origin, significance and applications. In *Science of the Total Environment* (Vol. 838). Elsevier B.V.
<https://doi.org/10.1016/j.scitotenv.2022.156155>
- Radman, S., & Jerković, I. (2022). Volatile Organic Compound Profiles of *Cystoseira corniculata* (Turner) Zanardini 1841 and *Ericaria amentacea* (C.Agardh) Molinari and Guiry 2020 (ex. *Cystoseira amentacea* (C.Agardh) Bory de Saint-Vincent, 1832). *Molecules*, 27(20). <https://doi.org/10.3390/molecules27207131>
- Ravichandran, V., Shalini, S., Sundram, K. M., & Rajak, H. (2010). Validation of analytical methods - Strategies & importance International Journal of Pharmacy and Pharmaceutical Sciences. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2(3), 18–22.
- Rawa-Adkonis, M., Wolska, L., Przyjazny, A., & Namieśnik, J. (2006). Sources of errors associated with the determination of PAH and PCB analytes in water samples. *Analytical Letters*, 39(11), 2317–2331.
<https://doi.org/10.1080/00032710600755793>
- Sasue, A., Mohd Kasim, Z., & Zubairi, S. I. (2023). Evaluation of phytochemical, nutritional and sensory properties of high fibre bun developed by utilization of *Kappaphycus alvarezii* seaweed powder as a functional ingredient. *Arabian Journal of Chemistry*, 16(8), 104953.
<https://doi.org/10.1016/j.arabjc.2023.104953>
- Setyaningsih, W., Majchrzak, T., Dymerski, T., Namieśnik, J., & Palma, M. (2019). Key-marker volatile compounds in aromatic rice (*Oryza sativa*) grains: An HS-SPME extraction method combined with GC×GC-TOFMS. *Molecules*, 24(22).
<https://doi.org/10.3390/molecules24224180>
- Shimizu, Kosuke Matsukawa, Tetsuya Kanematsu, Risa Itoh, Kimihisa Kanzaki, Shinya Shigeoka, Shigeru Kajiyama, S. (2021). Volatile profiling of fruits of 17 mango cultivars by HS-SPME-GC/MS combined with principal component analysis. *Bioscience, Biotechnology and Biochemistry*, 85(8), 1789–1797.
<https://doi.org/10.1093/bbb/zbab097>
- Shobier, A. H., Abdel Ghani, S. A., & Barakat, K. M. (2016). GC/MS spectroscopic approach and antifungal potential of bioactive extracts produced by marine macroalgae. *Egyptian Journal of Aquatic Research*, 42(3), 289–299.
<https://doi.org/10.1016/j.ejar.2016.07.003>
- Šikuten, I., Štambuk, P., Kontić, J. K., Maletić, E., Tomaz, I., & Preiner, D. (2021). Optimization of spme-arrow-gc/ms method for determination of free and bound volatile organic compounds from grape skins. *Molecules*, 26(23), 1–16.
<https://doi.org/10.3390/molecules26237409>

- Simatupang, N. F., Pong-Masak, P. R., Ratnawati, P., Agusman, Paul, N. A., & Rimmer, M. A. (2021). Growth and product quality of the seaweed *Kappaphycus alvarezii* from different farming locations in Indonesia. *Aquaculture Reports*, 20. <https://doi.org/10.1016/j.aqrep.2021.100685>
- Spietelun, A., Kloskowski, A., Chrzanowski, W., & Namieśnik, J. (2013). Understanding solid-phase microextraction: Key factors influencing the extraction process and trends in improving the technique. In *Chemical Reviews* (Vol. 113, Issue 3, pp. 1667–1685). <https://doi.org/10.1021/cr300148j>
- Tripler, A. (2013). An Introduction to Headspace Sampling in Gas Chromatography - Fundamentals and Theory. In *PerkinElmer, Inc.* https://www.perkinelmer.com/lab-solutions/resources/docs/GDE_Intro_to_Headspace.pdf
- Van Durme, J., Goiris, K., De Winne, A., De Cooman, L., & Muylaert, K. (2013). Evaluation of the volatile composition and sensory properties of five species of microalgae. *Journal of Agricultural and Food Chemistry*, 61(46), 10881–10890. <https://doi.org/10.1021/jf403112k>
- van Hout, M. W. J., Niederländer, H. A. G., de Zeeuw, R. A., & de Jong, G. J. (2003). New developments in integrated sample preparation for bioanalysis. In *Handbook of Analytical Separations* (Vol. 4, Issue 1c, pp. 1–44). [https://doi.org/10.1016/S1567-7192\(03\)80002-5](https://doi.org/10.1016/S1567-7192(03)80002-5)
- Wang, P., Chen, J., Chen, L., Shi, L., & Liu, H. (2021). Characteristic Volatile Composition of Seven Seaweeds from the Yellow Sea of China. *Marine Drugs*, 19(4). <https://doi.org/10.3390/MD19040192>
- Wang, X. (2019). Near-infrared spectroscopy for food quality evaluation. In *Evaluation Technology for Food Quality* (Vol. 4, Issue 1, pp. 88–100).
- Wanyonyi, S., Du Preez, R., Brown, L., Paul, N. A., & Panchal, S. K. (2017). *Kappaphycus alvarezii* as a food supplement prevents diet-induced metabolic syndrome in rats. *Nutrients*, 9(11). <https://doi.org/10.3390/nu9111261>
- Wu, J., Chen, R., Li, X., Fu, Z., Xian, C., Zhao, W., Zhao, C., & Wu, X. (2023). Comprehensive identification of key compounds in different quality grades of soy sauce-aroma type baijiu by HS-SPME-GC-MS coupled with electronic nose. *Frontiers in Nutrition*, 10(March), 1–15. <https://doi.org/10.3389/fnut.2023.1132527>
- Xiong, Z., Feng, W., Xia, D., Zhang, J., Wei, Y., Li, T., Huang, J., Wang, Y., & Ning, J. (2023). Distinguishing raw pu-erh tea production regions through a combination of HS-SPME-GC-MS and machine learning algorithms. *LWT*, 185. <https://doi.org/10.1016/j.lwt.2023.115140>
- Yang, Y. N., Liang, M., Yang, Y., Zheng, F. P., Wang, X. P., & Yu, A. N. (2020). Optimization of a headspace solid-phase microextraction method for the gas chromatography-mass spectrometry analysis aroma compounds of *litsea mollis* hemsl. Immature fruit. *Food Science and Technology (Brazil)*, 40(4), 786–793. <https://doi.org/10.1590/fst.20319>
- Zhang, R., Tang, C., Jiang, B., Mo, X., & Wang, Z. (2021). Optimization of hs-spme

for gc-ms analysis and its application in characterization of volatile compounds in sweet potato. *Molecules*, 26(19). <https://doi.org/10.3390/molecules26195808>
Zuo, Z. (2019). Why algae release volatile organic compounds - The emission and roles. *Frontiers in Microbiology*, 10(MAR), 1–7. <https://doi.org/10.3389/fmicb.2019.00491>