



DAFTAR PUSTAKA

- Acan, Betul Gizem., Toker, Omer Said., Palabiyik, Ibrahim., Pirouzian, Haniyeh Rasouli., Bursa, Kubra., Kilicli, Mahmut., Yaman, Mustafa., Er, Tugba., dan Konar, Nevzat. 2021. Physicochemical Properties of Chocolate Spread with Hazelnut Cake: Comparative Study and Optimazation. *Journal of Food Scince and Technology* 147 : 1-10
- Adnyasuari, I. A. G., Ekawati, I. G. A. dan Hapsari Arihantana, N. M. I. (2019). Substitusi Tepung Almond dengan Tepung Kemiri (Aleurites moluccana Wild) terhadap Karakteristik Kulit Macaron. *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 8(2): 122. doi: 10.24843/itepa.2019.v08.i02.p02.
- Ako, H., Kong, N. dan Brown, A. (2005). Fatty acid profiles of kukui nut oils over time and from different sources. *Industrial Crops and Products*, 22(2): 169–174. doi: 10.1016/j.indcrop.2004.07.003.
- Amanto, B. S., Aprilia, T. N. dan Nursiwi, A. (2020). Pengaruh Lama Blanching Dan Rumus Petikan Daun terhadap Karakteristik Fisik, Kimia, Serta Sensoris Teh Daun Tin (*Ficus carica*). *Jurnal Teknologi Hasil Pertanian*, 12(1): 1. doi: 10.20961/jthp.v12i1.36436.
- Amevor, P. M., Laryea, D. dan Barimah, J. (2018). Sensory evaluation, nutrient composition and microbial load of cashew nut–chocolate spread. *Cogent Food and Agriculture*, 4(1): 1–10. doi: 10.1080/23311932.2018.1480180.
- Ana Plazonić *et al.* (2009). Identification and quantification of flavonoids and phenolic acids in burr parsley (*Caucalis platycarpos L.*), using high-performance liquid chromatography with diode array detection and electrospray ionization mass spectrometry. *Molecules*, 14(7): 2466–2490. doi: 10.3390/molecules14072466.
- Anonim (a) (2021) *Harga Kacang, WEE*. Tersedia pada: <https://www.harga.top/harga-kacang> (Diakses: 7 November 2021).
- Anonim (b) (2021) *Harga Kemiri, WEE*. Tersedia pada: <https://harga.top/harga-kemiri/> (Diakses: 8 November 2021).
- Apriyanto, M. (2018). Studi Penambahan Kemiri (Aleurites Moluccanus) terhadap Mutu dan Kekentalan Kecap Manis Air Kelapa. *Jurnal Teknologi Pertanian*, 7(2), hal. 40–44. doi: 10.32520/jtp.v7i2.317.
- Astawan, M. (2009) *Sehat dengan Hidangan Kacang dan Biji-bijian*. Jakarta: Penebar Swadaya.
- Barbosa-Pereira, L., Belviso, Simona., Ferrocino, Illario., Rojo-Poveda, Olga.,



- dan Zeppa, Giuseppe. (2021). Characterization and classification of cocoa bean shells from different regions of venezuela using hplc-pda-ms/ms and spectrophotometric techniques coupled to chemometric analysis. *Foods*, 10(8). doi: 10.3390/foods10081791.
- Bascuas, S., Espert, Maria., Llorca, Empar., Quiles, Amparo., Salvador, Ana., dan Hernando, Isabel. (2021). Structural and Sensory Studies on Chocolate Spreads with Hydrocolloid-based Oleogels as a Fat Alternative. *Lwt*, 135(June 2020): 110228. doi: 10.1016/j.lwt.2020.110228.
- Bilang, M., Mamang, Salengke., Putra, Reski Praja., dan Reta. (2018). Elimination of toxalbumin in candlenut seed (*Aleurites moluccana* (L.) Willd) using wet heating at high temperature and identification of compounds in the candlenut glycoprotein. *International Journal of Agriculture System*, 6(2): 89. doi: 10.20956/ijas.v6i2.649.
- Bollegrala, B. A. N. . dan Rajapakse, R. P. N. (2015). Development of a method to Remove Beany Flavour in Ready-to-Serve Soya Drink. *IFSTSL Research Session*: 21–24.
- Cabral, M. R. P. et al. (2016). Chemical composition and thermal properties of methyl and ethyl esters prepared from *Aleurites moluccanus* (L.) Willd (Euphorbiaceae) nut oil. *Industrial Crops and Products*, 85: 109–116. doi: 10.1016/j.indcrop.2016.02.058.
- Cádiz-Gurrea, M. D. L. L., Borrás-Linares, Isabel., Lozano-Sánchez., Joven, Jorge., Fernández-Arroyo, Salvador., dan Segura-Carretero, Antonio. (2017). Cocoa and grape seed byproducts as a source of antioxidant and anti-inflammatory proanthocyanidins. *International Journal of Molecular Sciences*, 18(2): 1–14. doi: 10.3390/ijms18020376.
- Calderón, A. I., Wright, B.J., Hurst W, Jeffry., dan Breemen, Richard B van. (2009). Screening antioxidants using LC-MS: Case study with cocoa. *Journal of Agricultural and Food Chemistry*, 57(13): 5693–5699. doi: 10.1021/jf9014203.
- de Castilho, P. F. et al. (2021) “General and genetic toxicology studies of *Aleurites moluccana* (L.) Willd. seeds in vitro and in vivo assays. *Journal of Ethnopharmacology*, 280(January). doi: 10.1016/j.jep.2021.114478.
- Darmawan, K. A., Wartini, N. M. dan Wrasiati, L. P. (2019). Pengaruh Konsentrasi Natrium Metabisulfit dan Lama Perendaman terhadap Karakteristik Bubuk Bunga Kenikir (*Tagetes erecta* L.). *Jurnal Rekayasa dan Manajemen Agroindustri*, 7(1): 81–89.
- David, A., David, Melissa., Lesniarek, Pauline., Corfias, Emmanuel., Pululu, Yoann., Delample, Mathieu., dan Snabre, Patrick. (2021). Oleogelation of



rapeseed oil with cellulose fibers as an innovative strategy for palm oil substitution in chocolate spreads. *Journal of Food Engineering*, 292(August 2020). doi: 10.1016/j.jfoodeng.2020.110315.

- Dewi, N. M. I. K., Putu Supartha, I. dan Pratiwi, I. D. P. K. (2021). Itepa: Jurnal Ilmu dan Teknologi Pangan, Evaluasi Profil Sensori Abon Ikan Jenis Pelagis Besar Menggunakan Metode Rate-All-That-Apply (RATA) Sensory Profile Evaluation of Shredded Large Pelagic Fish using Rate-All-That-Apply (RATA) Method,” 10(1): 324–336.
- Drewnowski, A. dan Gomez-Carneros, C. (2000). Bitter taste, phytonutrients, and the consumer: A review. *American Journal of Clinical Nutrition*, 72(6): 1424–1435. doi: 10.1093/ajcn/72.6.1424.
- Erland, L. A. E., Rheault, M. R. dan Mahmoud, S. S. (2015). Insecticidal and oviposition deterrent effects of essential oils and their constituents against the invasive pest *Drosophila suzukii* (Matsumura) (Diptera: Drosophilidae). *Crop Protection*, 78: 20–26. doi: 10.1016/j.cropro.2015.08.013.
- Fennema, O. R. (1996). *Food Chemistry*. 3th ed. Diedit oleh Inc. New York: Marcel Dekker.
- Fitriani, A., Santoso, U. dan Supriyadi, S. (2021). Conventional Processing Affects Nutritional and Antinutritional Components and in Vitro Protein Digestibility in Kabau (*Archidendron bubalinum*). *International Journal of Food Science*, 2021. doi: 10.1155/2021/3057805.
- Gachumi, G., Demelenne, Alice., Poudel, Asmita., Bashi, Zafer Dallal., dan El-Anned, Anas. (2021). Novel fast chromatography-tandem mass spectrometric quantitative approach for the determination of plant-extracted phytosterols and tocopherols. *Molecules*, 26(5). doi: 10.3390/molecules26051402.
- Gordon, A., Jungfer, Elvira., da Silva, Bruno Alexandre., S.Maia, Jose Guilherme., dan Marx, Friedhelm. (2011). Phenolic constituents and antioxidant capacity of four underutilized fruits from the amazon region. *Journal of Agricultural and Food Chemistry*, 59(14): 7688–7699. doi: 10.1021/jf201039r.
- Gunawan, M. I. F., Prangdimurti, E. dan Muhandri, T. (2020). Upaya Penghilangan Rasa Pahit Tepung Biji Kelor (*Moringa oleifera*) dan Aplikasinya untuk Pangan Fungsional. *Jurnal Ilmu Pertanian Indonesia*, 25(4): 636–643. doi: 10.18343/jipi.25.4.636.
- Hussain, S. A. et al. (2018) “Microencapsulation and the characterization of polyherbal formulation (PHF) rich in natural polyphenolic compounds,” *Nutrients*, 10(7). doi: 10.3390/nu10070843.
- Isyanti, M. dan Sumantri. (2012). *Penelitian Pengembangan Pembuatan Produk*



Olahan Cokelat Spread (Chocolate spread) berbasis Sawit. Bogor.

- Khairy, H. L., Sadoon, A Fered., Zzaman, Wahidu., Yang, Tajul A., dan Easa, Azhar Mat. (2018). Identification of flavor compounds in rambutan seed fat and its mixture with cocoa butter determined by SPME-GCMS. *Journal of King Saud University - Science*, 30(3): 316–323.
- Kimani, E., Matasyoh., M.Kinyua., dan F.N. Wachira. (2019). Characterisation of volatile compounds and flavour attributes of Lablab purpureus bean accessions. *African Journal of Biotechnology*, 18(24): 518–530. doi: 10.5897/ajb2017.15993.
- Köksal, A. I., rtik, Nevzat., Simsek, Atilla., dan Gunes, Nurdan.. (2006). Nutrient composition of hazelnut (*Corylus avellana L.*) varieties cultivated in Turkey. *Food Chemistry*, 99(3): 509–515. doi: 10.1016/j.foodchem.2005.08.013.
- Kovács, A., Körmendi, L. dan Kerti, K. B. (2021). Palm oil substitution in hazelnut spread. *Progress in Agricultural Engineering Sciences*, 17(S1): 111–117. doi: 10.1556/446.2021.30013.
- Krisnawati, H., Kallio, M. dan Kanninen, M. (2011). *Aleurites moluccana (L.) Willd.: ekologi, silvikultur dan produktivitas*, *Aleurites moluccana (L.) Willd.: ekologi, silvikultur dan produktivitas*. doi: 10.17528/cifor/003480.
- Lan Ngoc, P. et al. (2018) “Production of biodiesel from candlenut oil using a two-step co-solvent method and evaluation of its gaseous emissions,” *Journal of Oleo Science*, 67(5): 617–626. doi: 10.5650/jos.ess17220.
- Liu, H., Di, Yingtong., Yang, Junyun., Teng, Fei., Ni, Wei., Chen, Changxiang., dan Hao, Xiaojiang. (2008). Three novel 3,4-seco-podocarpane trinorditerpenoids from *Aleurites moluccana*. *Tetrahedron Letters*, 49(35): 5150–5151. doi: 10.1016/j.tetlet.2008.06.088.
- Man, G., Xu Lei., Wang, Yongtao., Liao, Xiaojun., dan Xu, Zhenzhen. (2022) Profiling Phenolic Composition in Pomegranate Peel From Nine Selected Cultivars Using UHPLC-QTOF-MS and UPLC-QQQ-MS. *Frontiers in Nutrition*, 8(January): 1–12. doi: 10.3389/fnut.2021.807447.
- Manzocco, L., Calligaris, Sonia., Camerin, Matteo., Pizzale, Lorena., dan Nicoli, Maria Cristina. (2014). Prediction of firmness and physical stability of low-fat chocolate spreads. *Journal of Food Engineering*, 126: 120–125. doi: 10.1016/j.jfoodeng.2013.10.042.
- Marcucci, M. C., da Silva, A.G.F., Goncalves, C.P., Sawaya, A.C.H.F., Alonso, R.C.B., de Oliveira, M.M., dan Barbin, D.F. (2021). Quality Parameters, Caffeine and Theobromine Contents and Antioxidant Activity of Artisan and Commercial Chocolate from Brazil. *OALib*, 08(05): 1–18. doi:



10.4236/oalib.1107377.

- Marczak, Ł., Znajdek-Awizeń, P. dan Bylka, W. (2016). The use of mass spectrometric techniques to differentiate isobaric and isomeric flavonoid conjugates from *Axyris amaranthoides*. *Molecules*, 21(9): 1–15. doi: 10.3390/molecules21091229
- Maris, P. dan Djiwanti, S. R. (2019). Potensi Tanaman Obat Daun Afrika (*Vernonia amygdalina*) sebagai Insektisida Nabati: Sebuah Ulasan. *Prosiding POKJANAS TOI*, 57: 111–120.
- Meilgaard, M. C., Civille, G. V. dan Carr, B. T. (2020). *Controls for Test Room, Products, and Panel, Sensory Evaluation Techniques*. doi: 10.1201/b19493-8.
- Meyners, M., Jaeger, S. R. dan Ares, G. (2016). On The Analysis of Rate-All-That-Apply (RATA) Data. *Food Quality and Preference*, 49, hal. 1–10. doi: 10.1016/j.foodqual.2015.11.003.
- Muhammad, D. R. A., Praseptiangga, D., Van de Walle, D., dan Dewettinck, K.. (2017). Interaction between natural antioxidants derived from cinnamon and cocoa in binary and complex mixtures. *Food Chemistry*, 231: 356– 364.
- Perdani, C. G., Kusuma, H. A. W. dan Kumalaningsih, S. (2017) “Characteristic of Radish, Honey Pineapple, and Candlenut Powder Made with Foam Mat Drying Method,” *Industria: Jurnal Teknologi dan Manajemen Agroindustri*, 6(2), hal. 103–111. doi: 10.21776/ub.industria.2017.006.02.7.
- Pramesthi, D., Ardyati, I. dan Slamet, A. (2020). Potensi Tumbuhan Rempah dan Bumbu yang Digunakan dalam Masakan Lokal Buton sebagai Sumber Belajar. *Biodik*, 6(3): 225–232. doi: 10.22437/bio.v6i3.9861.
- Putri, N., N, K. dan Jamilah, I. (2020). Postharvest Fungi Attack on the Candlenut (*Aleurites moluccana*) Distribution Chain in Several Areas at North Sumatra. *IOSR Journal Of Pharmacy And Biological Sciences (IOSR-JPBS) e-ISSN*, 15(4): 27–34. doi: 10.9790/3008-1504022734.
- Raghavan, S. (2007) *Spices, Seasoning, and Flavourings*. 2nd ed. New York: CRC Press.
- Reed, K. A. (2009). Identification of Phenolic Compounds from Peanut Skin using HPLC-MSn,” Virginia: 391. Tersedia pada: https://manchester.idm.oclc.org/login?url=https://search.proquest.com/docview/1033237266?accountid=12253%0Ahttp://manfe.hosted.exlibrisgroup.com/openurl/44MAN/44MAN_services_page?genre=dissertations+theses&atitle=&author=Reed%2C+Kyle+A.&volume=&issue=



- Rizal, S., Sumarlan, S. H. dan Yulianingsih, R. (2013) "Pengaruh Konsentrasi Natrium Bisulfit dan Suhu Pengeringan Terhadap Sifat Fisik-Kimia Tepung Biji Nangka (*Artocarpus heterophyllus*)," *Jurnal Bioproses Komoditas Tropis*, 1(2), hal. 1–10.
- Rodriguez, A. dan Infante, D. (2011). Characterization in silico of flavonoids biosynthesis in *Theobroma cacao* L. *Network Biology*, 1(1): 34–45. doi: 10.0000/issn-2220-8879-networkbiology-2011-v1-0003.
- Ruslin., Yamn., Rahma, Nur Arifka., Irnawati., dan Rohman, Abdul. (2022). UPLC MS/MS Profile and Antioxidant Activities from Nonpolar Fraction of Patiwalu (*Lantana camara*) Leaves Extract. *Separations*, 9(3): 1–12. doi: 10.3390/separations9030075.
- Sánchez-Pérez, R., Jorgensen, Kirsten., Olsen, Carl Erik., Dicenta, Federico., dan Moller, Birger Lindberg. (2008). Bitterness in almonds. *Plant Physiology*, 146(3): 1040–1052. doi: 10.1104/pp.107.112979.
- Sánchez-Rabaneda, F., Jauregiu, Olga., Casals, Isidre., Andreas-Lacueva, Cristina., Pulido, Maria Izquierdo., dan Lamuela-Ravent, Rosa M. (2003) Liquid chromatographic/electrospray ionization tandem mass spectrometric study of the phenolic composition of cocoa (*Theobroma cacao*). *Journal of Mass Spectrometry*, 38(1): 35–42. doi: 10.1002/jms.395.
- Settaluri, V. S., Kandala, C.V.K., Puppala, N., dan Sundaram. (2012). Peanuts and Their Nutritional Aspects—A Review. *Food and Nutrition Sciences*, 03(12): 1644–1650. doi: 10.4236/fns.2012.312215.
- Sharma, R. J., Gupta, Ramesh., Bansal, Arvind Kumar., dan Singh, Inder Pal.. (2015). Metabolite Fingerprinting of Eugenia jambolana Fruit Pulp Extracts using NMR, HPLC-PDA-MS, GC-MS, MALDI-TOF-MS and ESI-MS/MS Spectrometry. *Natural Product Communications*, 10(6). doi: 10.1177/1934578X1501000644.
- Silva, S. et al. (2006). Phenolic Compounds and Antioxidnt Activity of *Olea europaea* L. Fruits and Leaves. *Food Science and Technology International*, 12(5): 385–395.
- Simirgiotis, M. J., Benites, Julio., Areche, Carlos., dan Sepulveda, Beatriz.. (2015). Antioxidant capacities and analysis of phenolic compounds in three endemic nolana species by HPLC-PDA-ESI-MS. *Molecules*, 20(6): 11490–11507. doi: 10.3390/molecules200611490.
- Singh, A., Bajpai, Vikas., Srivastava, Mukesh., Arya, Kamal Ram., dan Kumar, Brijesh. (2015). Rapid Screening and Distribution of Bioactive Compounds in Different Parts of *Berberis petiolaris* using Direct Analysis Real Time Mass Spectrometry. *Journal of Pharmaceutical Analysis*, hal. 1–4. doi:



10.1016/j.jpha.2015.05.002.

- Sulaswatty, A. (1991). Pengaruh penggunaan garam natrium dan kalium metabisulfit pada mutu sale pisang ambon. *Jkti*, 1(2): 60–70.
- Sutrisno., Assyfah, Rensa Dwi., Retnosari, Rini., Rachman, Ihsan Budi., dan Wijaya, H.W. (2020). Antibacterial activity of potassium salt, fatty acids, and methyl esters of candlenut seed oil against staphylococcus aureus and Escherichia coli,” *AIP Conference Proceedings*, 2231. doi: 10.1063/5.0002553.
- Świątek, Ł. et al. (2021). LC-ESI-QTOF-MS/MS analysis, cytotoxic, antiviral, antioxidant and enzyme inhibitory properties of four extracts of Geranium pyrenaicum burm. F.: A good gift from the natural treasure. *International Journal of Molecular Sciences*, 22(14): 1–26. doi: 10.3390/ijms22147621.
- Tarigan, E., Prateepchaikul, Gumpon., Yamsaengsung, Ram., Sirichote, Anchalee., dan Tekasakul, Perapong. (2007). Drying characteristics of unshelled kernels of candle nuts. *Journal of Food Engineering*, 79(3): 828–833. doi: 10.1016/j.jfoodeng.2006.02.048.
- Tolve, R., Tchuenbou-Magaia., Verderese, Danielle., Simonata, Barbara., Puggia, Damiano., Galgano, Fernanda., Zamboni, Anita., dan Favati, Fabio. (2021). Physico-chemical and sensory acceptability of no added sugar chocolate spreads fortified with multiple micronutrients. *Food Chemistry*, 364(June), hal. 130386. doi: 10.1016/j.foodchem.2021.130386.
- Udayaprakash, N. K., Ranjithkumar., S. Deepa, N Sriprya., Al Arfaj, Abdullah., dan Bhuvaneswari. (2015) “Antioxidant, free radical scavenging and GC-MS composition of Cinnamomum iners Reinw. Ex Blume,” *Industrial Crops and Products*, 69, hal. 175–179.
- Valls, J., Millan, Silvia., Marti, M. Pillar., Borras, Eva., dan Arola, Lluis.. (2009) “Advanced separation methods of food anthocyanins, isoflavones and flavanols,” *Journal of Chromatography A*, 1216(43), hal. 7143–7172. doi: 10.1016/j.chroma.2009.07.030.
- Widowati, S., Amiarsi, D. dan Nurlaela, R. S. (2019). Reduksi Senyawa Penyebab Rasa Pahit dalam Pembuatan Tepung Sukun. *Jurnal Pangan Halal*, 1(2): 59–62.
- Yao, H. Chen, Bing., Zhang, Yanyan., Ou, Huigen., Li, Yuxiang., Li, Shaoguang., Shi, Peiying., dan Lin, Xinhua. (2017). Analysis of the total biflavonoids extract from Selaginella doederleinii by HPLC-QTOF-MS and its in vitro and in vivo anticancer effects. *Molecules*, 22(2). doi: 10.3390/molecules22020325.



Yeagers, S. E., atali, Mackenzie., Guinard, Jean-Xavier., dan Ristenpart, William D. (2023). Acid in Coffee: A Review of Sensory Measurements and Meta-analysis of Chemical Composition. *Food Science and Nutrition*, 63(8): 1010–1036.

Yusnita, Erra., Wiyono, B., H. (2001) “Pengaruh lama pemasakan biji terhadap rendemen dan sifat fisiko-kimia minyak kemiri,” *Buletin Penelitian Hasil Hutan*, hal. 1–8.

Zhang, Y., Shi, Peiying., Qu, Haibin., dan Cheng, Yiyu.. (2007). Characterization of Phenolic Compounds in *Erigeron breviscapus* by Liquid Chromatography Coupled to Electrospray Ionization Mass Spectrometry. *Rapid Communications in Mass Spectrometry*, 21, hal. 2971–2984. doi: 10.1002/rcm.