

DAFTAR PUSTAKA

- Agrawal, R. V., Murthy, S., Sangwan, V., & Biswas, J. (2010). Current approach in diagnosis and management of anterior uveitis. *Indian Journal of Ophthalmology*, 58(1), 11–19. <https://doi.org/10.4103/0301-4738.58468>
- Ahmed, S., Amin, M. M., & Sayed, S. (2023). Ocular Drug Delivery: a Comprehensive Review. *AAPS PharmSciTech*, 24(2), 66. <https://doi.org/10.1208/s12249-023-02516-9>
- Aptel, F., Colin, C., Kaderli, S., Deloche, C., Bron, A. M., Stewart, M. W., & Chiquet, C. (2017). Management of postoperative inflammation after cataract and complex ocular surgeries: A systematic review and Delphi survey. *British Journal of Ophthalmology*, 101(11), 1451–1460. <https://doi.org/10.1136/bjophthalmol-2017-310324>
- Bakri, S. J., & Kaiser, P. K. (2005). Posterior subtenon triamcinolone acetonide for refractory diabetic macular edema. *American Journal of Ophthalmology*, 139(2), 290–294. <https://doi.org/10.1016/j.ajo.2004.09.038>
- Barnes, P. J. (2006). Corticosteroid effects on cell signalling. *European Respiratory Journal*, 27(2), 413–426. <https://doi.org/10.1183/09031936.06.00125404>
- BARNES, P. J., & MICHAEL, K. (1997). NUCLEAR FACTOR- κ B-AP1/VTAL TRANSCRIPTION FACTOR IN CHRONIC INFLAMMATORY DISEASES. *The New England Journal of Medicine*, 7–12.
- Bessett, J., & Dial, S. M. (2023). Clinical Cases. *Low-Cost Veterinary Clinical Diagnostics*, 8960(2), 249–320. <https://doi.org/10.1002/9781119714521.ch20>
- Bhanu Malhotra, B. M., Harsha Kharkwal, H. K., & Anupam Pradhan, A. P. (2017). Ocular drug delivery systems. *Natural Polymers for Drug Delivery*, 160–170. <https://doi.org/10.1079/9781780644479.0160>
- Byun, Y. S., & Park, Y. H. (2009). Complications and safety profile of posterior subtenon injection of triamcinolone acetonide. *Journal of Ocular Pharmacology and Therapeutics*, 25(2), 159–162. <https://doi.org/10.1089/jop.2008.0087>
- Carreño, E., Enríquez-De-Salamanca, A., Tesón, M., García-Vázquez, C., Stern, M. E., Whitcup, S. M., & Calonge, M. (2010). Cytokine and chemokine levels in tears from healthy subjects. *Acta Ophthalmologica*, 88(7), 250–258.

- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., Li, Y., Wang, X., & Zhao, L. (2018). Oncotarget 7204 www.impactjournals.com/oncotarget Inflammatory responses and inflammation-associated diseases in organs. *Oncotarget*, 9(6), 7204–7218. www.impactjournals.com/oncotarget/
- Choopong, P., Taetrongchit, N., Boonsoon, S., Ninkarn, A., Srisukkosalin, K., Chonpimai, P., Nujoi, W., Maneephagaphun, K., Panyayingyong, N., & Tesavibul, N. (2022). Efficacy of subtenon 20-mg triamcinolone injection versus 0.1% dexamethasone eye drops for controlling inflammation after phacoemulsification: a randomized controlled trial. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-20522-y>
- Chung, Y. R., Kim, Y. H., Lee, S. Y., Byeon, H. E., & Lee, K. (2019). Insights into the pathogenesis of cystoid macular edema: Leukostasis and related cytokines. *International Journal of Ophthalmology*, 12(7), 1202–1208. <https://doi.org/10.18240/ijo.2019.07.23>
- Ciobanu, A. M., Dionisie, V., Neagu, C., Bolog, O. M., Riga, S., & Popa-Velea, O. (2021). Psychopharmacological treatment, intraocular pressure and the risk of glaucoma: A review of literature. *Journal of Clinical Medicine*, 10(13). <https://doi.org/10.3390/jcm10132947>
- DeCroos, F. C., & Afshari, N. A. (2008). Perioperative antibiotics and anti-inflammatory agents in cataract surgery. *Current Opinion in Ophthalmology*, 19(1), 22–26. <https://doi.org/10.1097/ICU.0b013e3282f30577>
- Dua, H. S., & Attre, R. (2012). Treatment of Post-operative Inflammation following Cataract Surgery – A Review. *European Ophthalmic Review*, 06(02), 98. <https://doi.org/10.17925/eor.2012.06.02.98>
- Ebner, R., Devoto, M. H., Weil, D., Bordaberry, M., Mir, C., Martinez, H., Bonelli, L., & Niepomniszcze, H. (2004). Treatment of thyroid associated ophthalmopathy with periocular injections of triamcinolone. *British Journal of Ophthalmology*, 88(11), 1380–1386. <https://doi.org/10.1136/bjo.2004.046193>
- Gaudana, R., Ananthula, H. K., Parenky, A., & Mitra, A. K. (2010). Ocular drug delivery. *The AAPS Journal*, 12(3), 348–360. <https://doi.org/10.1208/s12248->

- Ghasemi, H. (2018). Roles of IL-6 in Ocular Inflammation: A Review. *Ocular Immunology and Inflammation*, 26(1), 37–50. <https://doi.org/10.1080/09273948.2016.1277247>
- Hegazy, H. M., Ali, M. M. A., & Ghoneimy, M. (2019). Phacoemulsification with Posterior Sub-Tenon Triamcinolone Acetonide Injection for Prevention of Progression of Diabetic Macular Edema after Cataract Surgery. *The Egyptian Journal of Hospital Medicine*, 74(3), 617–626. <https://doi.org/10.21608/ejhm.2019.23678>
- Holland, E. J., Donnenfeld, E. D., Henderson, B. A., Kim, T., Henderson, B. A., & Kim, T. (2015). *Case Discussions in Complicated Cataract Miosis Kontrol and Other Surgical Pearls*.
- Jermak, C. M., Dellacroce, J. T., Heffez, J., & Peyman, G. A. (2007). Triamcinolone Acetonide in Ocular Therapeutics. *Survey of Ophthalmology*, 52(5), 503–522. <https://doi.org/10.1016/j.survophthal.2007.06.004>
- Kessel, L., Tendal, B., Jørgensen, K. J., Erngaard, D., Flesner, P., Andresen, J. L., & Hjortdal, J. (2014). Post-cataract prevention of inflammation and macular edema by steroid and nonsteroidal anti-inflammatory eye drops: A systematic review. *Ophthalmology*, 121(10), 1915–1924. <https://doi.org/10.1016/j.ophtha.2014.04.035>
- Khan, H., Alam, M., & Khan, A. (2016). Comparison of the safety and efficacy of single injection of subtenon triamcinolone and topical dexamethasone in reducing postoperative inflammation after phacoemulsification and intraocular lens implantation. *Journal of the Pakistan Medical Association*, 66(9), 1127–1131.
- Kiehn, O., & Car. (2017). 乳鼠心肌提取 HHS Public Access. *Physiology & Behavior*, 176(3), 139–148. <https://doi.org/10.1016/j.yaoo.2019.04.014>. Perioperative
- Kim, J. Y., Jo, M. W., Brauner, S. C., Ferrufino-Ponce, Z., Ali, R., Cremers, S. L., & An Henderson, B. (2011). Increased intraocular pressure on the first postoperative day following resident-performed cataract surgery. *Eye*, 25(7), 929–936. <https://doi.org/10.1038/eye.2011.93>

- Kim, S. Y., Yang, J., Lee, Y. C., & Park, Y. H. (2008). Effect of a single intraoperative sub-Tenon injection of triamcinolone acetonide on the progression of diabetic retinopathy and visual outcomes after cataract surgery. *Journal of Cataract and Refractive Surgery*, 34(5), 823–826. <https://doi.org/10.1016/j.jcrs.2008.01.018>
- Kim, T. H., Kang, J. W., Kim, K. H., Kang, K. W., Shin, M. S., Jung, S. Y., Kim, A. R., Jung, H. J., Choi, J. B., Hong, K. E., Lee, S. D., & Choi, S. M. (2012). Acupuncture for the treatment of dry eye: A multicenter randomised controlled trial with active comparison intervention (artificial teardrops). *PLoS ONE*, 7(5), 1–9. <https://doi.org/10.1371/journal.pone.0036638>
- Lebrize, S., Arnould, L., Bourredjem, A., Busch, C., Rehak, M., Massin, P., Barbosa-Breda, J., Lupidi, M., Mariotti, C., Hamza, M., Grise-Dulac, A., Gabrielle, P. H., Baillif, S., & Creuzot-Garcher, C. (2022). Intraocular Pressure Changes After Intravitreal Fluocinolone Acetonide Implant: Results from Four European Countries. *Ophthalmology and Therapy*, 11(3), 1217–1229. <https://doi.org/10.1007/s40123-022-00504-z>
- Liu, T., Zhang, L., Joo, D., & Sun, S. C. (2017). NF-κB signaling in inflammation. *Signal Transduction and Targeted Therapy*, 2(March). <https://doi.org/10.1038/sigtrans.2017.23>
- Lodhi, S. A. K., Shailaja, M., & Jehan, K. (2015). *Efficacy and Safety of Intraoperative Posterior Sub-Tenon's Triamcinolone Injection in Cataract Surgery Associated with Diabetic Retinopathy*. 5, 82–87. <https://doi.org/10.17354/ijss/2015/352>
- López-Miguel, A., Tesón, M., Martín-Montañez, V., Enríquez-De-Salamanca, A., Stern, M. E., González-García, M. J., & Calonge, M. (2016). Clinical and Molecular Inflammatory Response in Sjögren Syndrome-Associated Dry Eye Patients under Desiccating Stress. *American Journal of Ophthalmology*, 161, 133–141.e2. <https://doi.org/10.1016/j.ajo.2015.09.039>
- Maake, M. M., & Oduntan, O. A. (2015). Prevalence and causes of visual impairment in patients seen at Nkhensani Hospital Eye Clinic, South Africa. *African Journal of Primary Health Care and Family Medicine*, 7(1), 6–11. <https://doi.org/10.4102/phcfm.v7i1.728>

- Negi, A. K., Browning, A. C., & Vernon, S. A. (2006). Single perioperative triamcinolone injection versus standard postoperative steroid drops after uneventful phacoemulsification surgery. Randomized controlled trial. *Journal of Cataract and Refractive Surgery*, 32(3), 468–474. <https://doi.org/10.1016/j.jcrs.2005.12.102>
- Padidam, S., Skopis, G., & Lai, M. M. (2022). Prevalence of Cystoid Macular Edema After Cataract Surgery in Eyes with Previous Macular Surgery. *Clinical Ophthalmology*, 16(January), 423–427. <https://doi.org/10.2147/OPTH.S333754>
- Paganelli, F., Cardillo, J. A., Melo, L. A. S., Oliveira, A. G., Skaf, M., & Costa, R. A. (2004). A single intraoperative sub-Tenon's capsule triamcinolone acetone injection for the treatment of post-cataract surgery inflammation. *Ophthalmology*, 111(11), 2102–2108. <https://doi.org/10.1016/j.ophtha.2004.04.026>
- Poley, B. J., Lindstrom, R. L., Samuelson, T. W., & Schulze, R. (2009). Intraocular pressure reduction after phacoemulsification with intraocular lens implantation in glaukomatous and nonglaukomatous eyes. Evaluation of a causal relationship between the natural lens and open-angle glaukoma. *Journal of Cataract and Refractive Surgery*, 35(11), 1946–1955. <https://doi.org/10.1016/j.jcrs.2009.05.061>
- Porela-Tiihonen, S., Kokki, H., Kaarniranta, K., & Kokki, M. (2016). Recovery after cataract surgery. In *Acta Ophthalmologica* (Vol. 94, Issue A2). <https://doi.org/10.1111/aos.13055>
- Rossi, G. C. M., Tinelli, C., Milano, G., Lanteri, S., Ricciarelli, G., Gianni, L., Pasinetti, G. M., & Scudeller, L. (2022). Randomised, Single Blind, Controlled, Three-Month Clinical Trial on the Evaluation and Treatment of the Ocular Surface Damage Following Phacoemulsification. *Vision (Switzerland)*, 6(3), 1–13. <https://doi.org/10.3390/vision6030042>
- Singh, R. B., Liu, L., Anchouche, S., Yung, A., Mittal, S. K., Blanco, T., Dohlman, T. H., Yin, J., & Dana, R. (2021). Ocular redness – I: Etiology, pathogenesis, and assessment of conjunctival hyperemia. *Ocular Surface*, 21, 134–144. <https://doi.org/10.1016/j.jtos.2021.05.003>

Sohn, H. J., Han, D. H., Kim, I. T., Oh, I. K., Kim, K. H., Lee, D. Y., & Nam, D. H.

(2011). Changes in aqueous concentrations of various cytokines after intravitreal triamcinolone versus bevacizumab for diabetic macular edema. *American Journal of Ophthalmology*, 152(4), 686–694. <https://doi.org/10.1016/j.ajo.2011.03.033>

Tanaka, T., Narazaki, M., & Kishimoto, T. (2014). *patterns (DAMPs), which are released from damaged or dying cells in noninfectious inflammations such as burn or trauma, directly or indirectly promote inflammation. During sterile surgical operations, an increase in serum IL66 levels precedes elevation of.* 6(Kishimoto 1989), 1–16.

Tang, B., Wang, X., Luo, Y., Li, Z., & He, Y. (2022). Efficacy and Safety of Intravitreal Injection of Triamcinolone Acetonide and Conbercept for Intraocular Lens after Cataract Surgery. *Evidence-Based Complementary and Alternative Medicine*, 2022. <https://doi.org/10.1155/2022/5606343>

Taravati, P., Lam, D. L., Leveque, T., & Van Gelder, R. N. (2012). Postcataract surgical inflammation. *Current Opinion in Ophthalmology*, 23(1), 12–18. <https://doi.org/10.1097/ICU.0b013e32834cd60e>

Tatsumi, T., Oshitari, T., Ando, T., Takatsuna, Y., Arai, M., Baba, T., Sato, E., & Yamamoto, S. (2018). Comparison of the efficacy of sub-tenon versus intravitreal triamcinolone acetonide injection during cataract surgery for diabetic macular edema. *Ophthalmologica*, 241(1), 17–23. <https://doi.org/10.1159/000489716>

Taubenslag, K. J., Kim, S. J., & Grzybowski, A. (2021). Anti-inflammatory Pharmacotherapy for the Prevention of Cystoid Macular Edema After Cataract Surgery. *American Journal of Ophthalmology*, 232, 1–8. <https://doi.org/10.1016/j.ajo.2021.06.009>

THE VISION CARE INSTITUTE J&J. (2014). *Clinical Grading Scales*. 1–4. https://www.jnjvisioncare.ae/sites/default/files/public/ae/documents/clinical_grading_scales_article_final.pdf%0Ahttp://www.jnjvisioncare.co.uk/sites/default/files/public/uk/tvci/UK_grading_scale/120217gsaarticlefinal3.pdf

Tromethamine, K., Sandoval, H. P., Castro, L. E. F. D. E., Vroman, D. T., & Solomon, K. D. (2006). *and Intraocular Lens Implantation*. 22(4), 251–257.

- Trusko, B., Thorne, J., Jabs, D., Belfort, R., Dick, A., Gangaputra, S., Nussenblatt, R., Okada, A., & Rosenbaum, J. (2013). The Standardization of Uveitis Nomenclature (SUN) Project. *Methods of Information in Medicine*, 52(03), 259–265. <https://doi.org/10.3414/me12-01-0063>
- Wadbudhe, A. M., Tidke, S. C., & Tidake, P. K. (2022). Endophthalmitis After Cataract Surgery: A Postoperative Complication. *Cureus*, 14(10). <https://doi.org/10.7759/cureus.30110>
- Wu, J., Lin, C., Du, Y., Fan, S. J., Pan, L., Pan, Q., Cao, K., & Wang, N. (2022). Macular thickness and its associated factors in a Chinese rural adult population: The Handan Eye Study. *British Journal of Ophthalmology*, 1–10. <https://doi.org/10.1136/bjo-2022-321766>
- Zhao, Y., Deng, X., Chang, P., Hu, M., Li, Z., Zhang, F., Ding, X., & Zhao, Y. (2020). Expression profiles of inflammatory cytokines in the aqueous humor of children after congenital cataract extraction. *Translational Vision Science and Technology*, 9(8), 1–8. <https://doi.org/10.1167/tvst.9.8.3>