

## DAFTAR PUSTAKA

- Achnafani, D., Sabbathini, G.C., Wulandari, S.R., Ulfah, M., Aji, N.A., Nurhayati, N., Haniyya, H., & Helianti, I. (2022). Increasing Recombinant Penicillin G Acylase Production: Genetic, Protein Engineering, and Productivity Improvement. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 9(2), 295–309. doi: 10.29122/jbbi.v9i2.5481.
- Al-Hejin, A.M., Bora, R.S., & Ahmed, M.M. (2019). Plasmids for Optimizing Expression of Recombinant Proteins in E. coli. *IntechOpen*. doi: 10.5772/intechopen.82205.
- Ali, S.A., Hassan, M.I., Islam, A., & Ahmad, F. (2014). A review of methods available to estimate solvent-accessible surface areas of soluble proteins in the folded and unfolded states. *Current protein & peptide science*, 15(5), 456–476. doi: 10.2174/1389203715666140327114232.
- Alkema, W.B., Hensgens, C.M., Kroezinga, E.H., de Vries, E., Floris, R., van der Laan, J.M., Dijkstra, B.W., & Janssen, D.B. (2000). Characterization of the beta-lactam binding site of penicillin acylase of Escherichia coli by structural and site-directed mutagenesis studies. *Protein engineering*, 13(12), 857–863. doi: 10.1093/protein/13.12.857.
- Alkema, W.B., Dijkhuis, A.J., De Vries, E., & Janssen, D.B. (2002). The role of hydrophobic active-site residues in substrate specificity and acyl transfer activity of penicillin acylase. *European journal of biochemistry*, 269(8), 2093–2100. doi: 10.1046/j.1432-1033.2002.02857.x.
- Alkema, W.B., Prins, A.K., de Vries, E., & Janssen, D.B. (2002b). Role of alphaArg145 and betaArg263 in the active site of penicillin acylase of Escherichia coli. *The Biochemical journal*, 365(1), 303–309. doi: 10.1042/BJ20011468.
- Alkema, W.B., Hensgens, C.M., Snijder, H.J., Keizer, E., Dijkstra, B.W., & Janssen, D.B. (2004). Structural and kinetic studies on ligand binding in wild-type and active-site mutants of penicillin acylase. *Protein engineering, design & selection: PEDS*, 17(5), 473–480. doi: 10.1093/protein/gzh057.
- Amin, A.M. (2022). Analisis Sekuen dan Ekspresi Gen *pac* Sintetik Penyandi Enzim Penisilin G Asilase (PGA) dari Escherichia Coli pada Inang E. coli BL21(DE3) dan E. coli HB101. (Tesis). Universitas Gadjah Mada, Yogyakarta, Indonesia.
- Asefa, M., Debelo., M., Desa, G., & Taye, M. (2020). Escherichia coli as Model Organism and its Application in Biotechnology: A Review. *Global Journal of Biotechnology & Biochemistry*, 15(1), 1-10. doi: 10.5829/idosi.gjbb.2020.15.01.141135.
- Asif, A., Mohsin, H., Tanvir, R., & Rehman, Y. (2017). Revisiting the Mechanisms Involved in Calcium Chloride Induced Bacterial Transformation. *Frontiers in microbiology*, 8, 2169. doi: 10.3389/fmicb.2017.02169.

- Badan Pusat Statistik. (n.d). Ekonomi dan Perdagangan: Ekspor dan Impor. Diakses Maret 25, 2022, dari <https://www.bps.go.id/exim/>.
- Bečka, S., Štěpánek, V., Vyasrayani, R.W., Grulich, M., Maršálek, J., Plháčková, K., et al. (2014). Penicillin G acylase from *Achromobacter* sp. CCM 4824 : an efficient biocatalyst for syntheses of beta-lactam antibiotics under conditions employed in large-scale processes. *Applied microbiology and biotechnology*, 98(3), 1195–1203. doi: 10.1007/s00253-013-4945-3.
- Bemporad, F., Taddei, N., Stefani, M., & Chiti, F. (2006). Assessing the role of aromatic residues in the amyloid aggregation of human muscle acylphosphatase. *Protein science : a publication of the Protein Society*, 15(4), 862–870. doi: 10.1110/ps.051915806.
- Benkert, P., Biasini, M., & Schwede, T. (2011). Toward the estimation of the absolute quality of individual protein structure models. *Bioinformatics (Oxford, England)*, 27(3), 343–350. doi: 10.1093/bioinformatics/btq662.
- Bezie, Y., Tilahun, T., Atnaf, M., & Taye, M. (2021). The Potential Applications of Site-Directed Mutagenesis for Crop Improvement: A review. *J. Crop Sci. Biotechnol*, 24, 229–244. doi: 10.1007/s12892-020-00080-3.
- Bhatwa, A., Wang, W., Hassan, Y.I., Abraham, N., Li, X.Z., & Zhou, T. (2021). Challenges Associated With the Formation of Recombinant Protein Inclusion Bodies in *Escherichia coli* and Strategies to Address Them for Industrial Applications. *Frontiers in bioengineering and biotechnology*, 9, 630551. doi: 10.3389/fbioe.2021.630551.
- Biasini, M., Bienert, S., Waterhouse, A., Arnold, K., Studer, G., Schmidt, T., et al. (2014). SWISS-MODEL: modelling protein tertiary and quaternary structure using evolutionary information. *Nucleic acids research*, 42(Web Server issue), 252–258. doi: 10.1093/nar/gku340.
- Brannigan, J.A., Dodson, G., Duggleby, H.J., Moody, P.C.E., Smith, J.L., Tomchick, D.R., & Murzin, A.G. (1995). A protein catalytic framework with an N-terminal nucleophile is capable of self-activation, 378(6555), 416–419. doi: 10.1038/378416a0.
- Burgess R.R. (2009). Refolding solubilized inclusion body proteins. *Methods in enzymology*, 463, 259–282. doi: 10.1016/S0076-6879(09)63017-2.
- Carrió, M.M., & Villaverde, A. (2001). Protein aggregation as bacterial inclusion bodies is reversible. *FEBS letters*, 489(1), 29–33. doi: 10.1016/s0014-5793(01)02073-7.
- Carter P. (1986). Site-directed mutagenesis. *The Biochemical journal*, 237(1), 1–7. doi: 10.1042/bj2370001.
- Castiñeiras, T.S., Williams, S.G., Hitchcock, A.G., Smith, D.C. (2018). E. coli strain engineering for the production of advanced biopharmaceutical products. *FEMS Microbiology Letters*, 365(15). doi: 10.1093/femsle/fny162.
- Castle, S.S. (2007). *xPharm: The Comprehensive Pharmacology Reference // Penicillin G*. Elsevier Inc.

- Cecchini, D.A., Serra, I., Ubiali, D., Terreni, M., & Albertini, A.M. (2007). New active site oriented glyoxyl-agarose derivatives of Escherichia coli penicillin G acylase. *BMC biotechnology*, 7, 54. doi: 10.1186/1472-6750-7-54.
- Cole, M. (1969). Deacylation of acylamino compounds other than penicillins by the cell-bound penicillin acylase of Escherichia coli. *Biochemical Journal*, 115(4), 741–745. doi: 10.1042/bj1150741.
- Croll, T.I., Sammito, M.D., Kryshtafovych, A., & Read, R.J. (2019). Evaluation of template-based modeling in CASP13. *Proteins*, 87(12), 1113–1127. doi: 10.1002/prot.25800.
- Cronan, J.E. (2005). Escherichia coli as an Experimental Organism. In eLS, (Ed.). doi: 10.1038/npg.els.0002026.
- Daggupati, T., Naidu, K., Pamanji, R., & Yeguvapalli, S. (2017). Molecular screening and analysis of novel therapeutic inhibitors against c-Jun N-terminal kinase. *Medicinal Chemistry Research*. 26. 1-7. doi: 10.1007/s00044-017-1919-5.
- Duggleby, H.J., Tolley, S.P., Hill, C.P., Dodson, E.J., Dodson, G., & Moody, P.C. (1995). Penicillin acylase has a single-amino-acid catalytic centre. *Nature*, 373(6511), 264–268. doi: 10.1038/373264a0.
- Erarslan, A., Terzi, I., Güray, A., & Bermek, E. (2007). Purification and kinetics of penicillin G acylase from a mutant strain of Escherichia coli ATCC 11105. *Journal of Chemical Technology and Biotechnology*. 51. 27 - 40. doi: 10.1002/jctb.280510103.
- Fang, Y., & Fang, J. (2013). Discrimination of soluble and aggregation-prone proteins based on sequence information. *Molecular bioSystems*, 9(4), 806–811. doi: 10.1039/c3mb70033j.
- Fernandes, R., Amador, P., & Prudêncio, C. (2013).  $\beta$ -Lactams: Chemical structure, mode of action and mechanisms of resistance. *Reviews in Medical Microbiology*. 24. doi: 10.1097/MRM.0b013e3283587727.
- Fleming A. (1980). Classics in infectious diseases: on the antibacterial action of cultures of a penicillium, with special reference to their use in the isolation of B. influenzae by Alexander Fleming, Reprinted from the British Journal of Experimental Pathology 10:226-236, 1929. *Reviews of infectious diseases*, 2(1), 129–139. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2048009/>.
- Foldesi, B. (2019). Recources: Guide to Enzyme Unit Definitions and Assay Design. Diakses 1 Desember, 2023, dari <https://www.biomol.com/resources/biomol-blog/guide-to-enzyme-unit-definitions-and-assay-design>.
- GenScript. (n.d.). pET-22b (+) Vector Map. Diakses 10 November, 2023, dari <https://www.genscript.com/gsfiles/vector%2dmap/bacteria/pET%2d22b.pdf?1197583342>.
- Gupta S.K., & Shukla, P. (2016). Advanced technologies for improved expression of recombinant proteins in bacteria: perspectives and applications. *Crit Rev Biotechnol*, 36(6):1089–1098. doi: 10.3109/07388551.2015.1084264.

- Halperin, I., Ma, B., Wolfson, H., & Nussinov, R. (2002). Principles of docking: An overview of search algorithms and a guide to scoring functions. *Proteins*, 47(4), 409–443. doi: 10.1002/prot.10115.
- Hassan, M.E. (2016). Production, immobilization and industrial uses of penicillin g acylase. *International journal of current research and review*, 8, 11-22. Diakses dari [https://www.researchgate.net/publication/306262496\\_PRODUCTION\\_IMMOBILIZATION\\_AND\\_INDUSTRIAL\\_USES\\_OF\\_PENICILLIN\\_G\\_ACYLASE](https://www.researchgate.net/publication/306262496_PRODUCTION_IMMOBILIZATION_AND_INDUSTRIAL_USES_OF_PENICILLIN_G_ACYLASE).
- Hayat, S., Farahani, N., Golichenari, B., & Sahebkar, A. (2018). Recombinant Protein Expression in Escherichia coli (E.coli): What We Need to Know. *Current pharmaceutical design*, 24(6), 718–725. doi: 10.2174/1381612824666180131121940.
- Hevener, K.E., Zhao, W., Ball, D.M., Babaoglu, K., Qi, J., White, S.W., & Lee, R.E. (2009). Validation of molecular docking programs for virtual screening against dihydropteroate synthase. *Journal of chemical information and modeling*, 49(2), 444–460. doi: 10.1021/ci800293n.
- Huisman, G.W., & Collier, S.J. (2013). On the development of new biocatalytic processes for practical pharmaceutical synthesis. *Current opinion in chemical biology*, 17(2), 284–292. doi: 10.1016/j.cbpa.2013.01.017.
- Idalia, V.N., & Bernardo, F. (2017). Escherichia coli as a Model Organism and Its Application in Biotechnology. In (Ed.), *Escherichia coli - Recent Advances on Physiology, Pathogenesis and Biotechnological Applications*. *IntechOpen*. doi: 10.5772/67306.
- Ignatova, Z., Mahsunah, A., Georgieva, M., & Kasche, V. (2003). Improvement of posttranslational bottlenecks in the production of penicillin amidase in recombinant Escherichia coli strains. *Applied and environmental microbiology*, 69(2), 1237–1245. doi: 10.1128/AEM.69.2.1237-1245.2003.
- Immunogenetics. (2021). IMGT Education: IMGT classes of the 20 common amino acids. Diakses 5 Januari, 2023, dari [https://www.imgt.org/IMGTeducation/Aide-memoire/\\_UK/aminoacids/IMGTclasses.html](https://www.imgt.org/IMGTeducation/Aide-memoire/_UK/aminoacids/IMGTclasses.html).
- Jäger, V.D., Lamm, R., Küsters, K., Ölçücü, G., Oldiges, M., Jaeger, K.E., Büchs, J., & Krauss, U. (2020). Catalytically-active inclusion bodies for biotechnology-general concepts, optimization, and application. *Applied microbiology and biotechnology*, 104(17), 7313–7329. doi: 10.1007/s00253-020-10760-3.
- Kasche, V., Lummer, K., Nurk, A., Piotraschke, E., Rieks, A., Stoeva, S., et al. (1999). Intramolecular autoproteolysis initiates the maturation of penicillin amidase from Escherichia coli. *Biochim Biophys Acta*, 1433(1-2), 76–86. doi: 10.1016/S0167-4838(99)00155-7.
- Kastritis, P.L., & Bonvin, A.M. (2012). On the binding affinity of macromolecular interactions: daring to ask why proteins interact. *Journal of the Royal Society, Interface*, 10(79), 20120835. doi: 10.1098/rsif.2012.0835.

- Kaur, S.P., Rao, R., & Nanda, S. (2011). Amoxicillin: A Broad Spectrum Antibiotic. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 30-37. Diakses dari <https://innovareacademics.in/journal/ijpps/Vol3Issue3/2249.pdf>.
- Khan, N.T. (2017). Site-Directed Mutagenesis. *International Journal of Research Studies in Biosciences (IJRSB)*, 5(10), 7-9. doi: 10.20431/2349-0365.0510002.
- Kitchen, D.B., Decornez, H., Furr, J.R., & Bajorath, J. (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature reviews. Drug discovery*, 3(11), 935–949. doi: 10.1038/nrd1549.
- Komari, N., Hadi, S., & Suhartono, E. (2020). Pemodelan Protein dengan Homology Modeling menggunakan SWISS-MODEL. *Jurnal Jejaring Matematika dan Sains*. 2. 65-70. doi: 10.36873/jjms.2020.v2.i2.408.
- Kudou, M., Ejima, D., Sato, H., Yumioka, R., Arakawa, T., & Tsumoto, K. (2011). Refolding single-chain antibody (scFv) using lauroyl-L-glutamate as a solubilization detergent and arginine as a refolding additive. *Protein expression and purification*, 77(1), 68–74. doi: 10.1016/j.pep.2010.12.007.
- Kukul, A. (2008). [Methods in Molecular Biology] *Molecular Modeling of Proteins Volume 443 // Molecular Docking (Chapter 19)*. Totowa New Jersey: Humana Press. 365–382. doi: 10.1007/978-1-59745-177-2.
- Kwon, S.B., Yu, J.E., Kim, J., Oh, H., Park, C., Lee, J., & Seong, B.L. (2019). Quality Screening of Incorrectly Folded Soluble Aggregates from Functional Recombinant Proteins. *International journal of molecular sciences*, 20(4), 907. doi: 10.3390/ijms20040907.
- Lee, H., Park, O.K., & Kang, H.S. (2000). Identification of a new active site for autocatalytic processing of penicillin acylase precursor in Escherichia coli ATCC11105. *Biochemical and biophysical research communications*, 272(1), 199–204. doi: 10.1006/bbrc.2000.2729.
- Lee, S.M. (2017). An Efficient Method for the Release of Recombinant Penicillin G Amidase from the Escherichia coli Periplasm. *Journal of Life Sciences*, 27(10), 1145-1151. Diakses dari <https://www.kci.go.kr/kciportal/ci/sereArticleSearch/ciSereArtiView.kci?sereArticleSearchBean.artiId=ART002277700>.
- Li, Y., Song, K., Zhang, J., & Lu, S. (2021). A Computational Method to Predict Effects of Residue Mutations on the Catalytic Efficiency of Hydrolases. *Catalysts*, 11(2), 286. doi: 10.3390/catal11020286.
- LibreTexts. (2020). Pharmaceuticals: Penicillin. Diakses 5 Mei, 2022, dari [https://chem.libretexts.org/Bookshelves/Biological\\_Chemistry/Supplemental\\_Modules\\_\(Biological\\_Chemistry\)/Pharmaceuticals/Penicillin](https://chem.libretexts.org/Bookshelves/Biological_Chemistry/Supplemental_Modules_(Biological_Chemistry)/Pharmaceuticals/Penicillin).
- Liu, H., & Naismith, J. H. (2008). An efficient one-step site-directed deletion, insertion, single and multiple-site plasmid mutagenesis protocol. *BMC biotechnology*, 8, 91. doi: 10.1186/1472-6750-8-91.
- Liu, M., Feng, X., Ding, Y., Zhao, G., Liu, H., & Xian, M. (2015). Metabolic engineering of Escherichia coli to improve recombinant protein production.

- Applied microbiology and biotechnology*, 99(24), 10367–10377. doi: 10.1007/s00253-015-6955-9.
- López-Cano, A., Sicilia, P., Gaja, C., Arís, A., & Garcia-Fruitós, E. (2022). Quality comparison of recombinant soluble proteins and proteins solubilized from bacterial inclusion bodies. *New biotechnology*, 72, 58–63. doi: 10.1016/j.nbt.2022.09.003.
- Makigaki, S., & Ishida, T. (2020). Sequence alignment generation using intermediate sequence search for homology modeling. *Computational and structural biotechnology journal*, 18, 2043–2050. doi: 10.1016/j.csbj.2020.07.012.
- Malherbe, G., Humphreys, D.P., & Davé, E. (2019). A robust fractionation method for protein subcellular localization studies in Escherichia coli. *BioTechniques*, 66(4), 171–178. doi: 10.2144/btn-2018-0135.
- McVey, C.E., Walsh, M.A., Dodson, G.G., Wilson, K.S., & Brannigan, J.A. (2001). Crystal structures of penicillin acylase enzyme-substrate complexes: structural insights into the catalytic mechanism. *Journal of molecular biology*, 313(1), 139–150. doi: 10.1006/jmbi.2001.5043.
- Mierendorf, R.C., Morris, B.B., Hammer, B., Novy, R.E. (1998). Expression and Purification of Recombinant Proteins Using the pET System. *Methods Mol Med*. 13, 257-292. doi: 10.1385/0-89603-485-2:257.
- Mirhosseini, S.A., Latifi, A.M., & Hosseini, Hamideh, M.H. & Seidmoradi, R., Aghamollaei, H. & Farnoosh, G. (2019). The Efficient Solubilization and Refolding of Recombinant Organophosphorus Hydrolyses Inclusion Bodies Produced in Escherichia coli. *Journal of Applied Biotechnology Reports*. 6. 20-25. doi: 10.29252/JABR.06.01.04.
- Moret, M.A., & Zebende, G.F (2007). Amino acid hydrophobicity and accessible surface area. *Physical review. E*, 75. doi: 10.1103/PhysRevE.75.011920.
- Morillas, M., McVey, C.E., Brannigan, J.A., Ladurner, A.G., Forney, L.J., & Virden, R. (2003). Mutations of penicillin acylase residue B71 extend substrate specificity by decreasing steric constraints for substrate binding. *The Biochemical journal*, 371(Pt 1), 143–150. doi: 10.1042/BJ20021383.
- Muñiz, C., Esquivel, G., Cuadra, T., & Fernández, F. (2007). Penicillin and cephalosporin production: A historical perspective. *Revista latinoamericana de microbiología*, 49(3-4), 88-98. Diakses dari <https://www.medigraphic.com/cgi-bin/new/resumenI.cgi?IDARTICULO=16755>.
- Narayanan, N., Hsieh, M.Y., Xu, Y., & Chou, C.P. (2006). Arabinose-induction of lac-derived promoter systems for penicillin acylase production in Escherichia coli. *Biotechnology progress*, 22(3), 617–625. doi: 10.1021/bp050367d.
- Nathwani, D., & Wood, M. J. (1993). Penicillins. A current review of their clinical pharmacology and therapeutic use. *Drugs*, 45(6), 866–894. doi: 10.2165/00003495-199345060-00002.
- Novagen. (2003). pET System Manual. Diakses dari <https://lifewp.bgu.ac.il/wp/zarivach/wp-content/uploads/2017/11/Novagen-pET-system-manual-1.pdf>.

- Pagadala, N.S., Syed, K., & Tuszynski, J. (2017). Software for molecular docking: a review. *Biophysical Reviews*, 9(2), 91–102. doi: 10.1007/s12551-016-0247-1.
- Pan, X., Yu, Q., Chu, J., Jiang, T., & He, B. (2018). Fitting replacement of signal peptide for highly efficient expression of three penicillin G acylases in *E. coli*. *Applied microbiology and biotechnology*, 102(17), 7455–7464. doi: 10.1007/s00253-018-9163-6.
- Pinzi, L., & Rastelli, G. (2019). Molecular Docking: Shifting Paradigms in Drug Discovery. *International journal of molecular sciences*, 20(18), 4331. doi: 10.3390/ijms20184331.
- Prieto-Martínez, F., Arciniega, M., & Medina-Franco, J. (2018). Molecular docking: current advances and challenges. *TIP Revista Especializada en Ciencias Químico-Biológicas*. 21. doi: 10.22201/fesz.23958723e.2018.0.143.
- Primrose, S.B., & Twyman, R.M. (2006). *Principles of Gene Manipulation and Genomics* (7<sup>th</sup> ed.). Victoria, Australia: Blackwell Publishing.
- Purwanto, Sismindari, & Purwantini, I. (2021). Produksi Enzim Penisilin-G Asilase (PGA). Laporan Akhir Kegiatan Prioritas Riset Nasional. Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta. [https://acadstaff.ugm.ac.id/karya\\_files/produksi-ensim-penisilin-g-asilase--pga--dcfcd07e645d245babe887e5e2daa016/ba6ef930-e7cb-11eb-a2b7-e4434b0aade8](https://acadstaff.ugm.ac.id/karya_files/produksi-ensim-penisilin-g-asilase--pga--dcfcd07e645d245babe887e5e2daa016/ba6ef930-e7cb-11eb-a2b7-e4434b0aade8).
- Pusat Pengkajian Industri Proses dan Energi (PPIPE). (2021). Inisiatif Industrialisasi Bahan Baku Obat Amoksisilin. Outlook Teknologi Kesehatan 2021.
- Rahayu, W.P., Nurjanah, S., Komalasari., E. (2018). *Escherichia coli: Patogenitas, Analisis dan Kajian Risiko*. Kota Bogor: Penerbit IPB Press.
- Rasko, D.A, Rosovitz, M.J., Myers, G.S.A., Mongodin, E.F., Fricke, W.F., Gajer, P., Crabtree, J., Sperandio, V., & Ravel, J. (2008). The pan-genome structure of *Escherichia coli*: comparative genomic analysis of *E. coli* commensal and pathogenic isolate. *J Bacteriol*, 190(20), 6881- 6893. doi: 10.1128/JB.00619-08.
- Rasyidah, M. (2020). Analisis Rekombinan Klon Gen Penyandi Penisilin Gasilase dari *Escherichia Coli* dalam Inang *Escherichia Coli* DH5 $\alpha$ . (Skripsi). Universitas Gadjah Mada, Yogyakarta.
- Raval, K., & Ganatra, T. (2022). Basics, types and applications of molecular docking: A review. *IP International Journal of Comprehensive and Advanced Pharmacology*. 7. 12-16. doi: 10.18231/j.ijcaap.2022.003.
- Rosano, G.L., & Ceccarelli, E.A. (2014). Recombinant protein expression in *Escherichia coli*: advances and challenges. *Frontiers in microbiology*, 5, 172. doi: 10.3389/fmicb.2014.00172.
- Rouached, H. (2010). Efficient procedure for site-directed mutagenesis mediated by PCR insertion of a novel restriction site. *Plant signaling & behavior*, 5(12), 1547–1548. doi: 10.4161/psb.5.12.13994.
- Robinson P. K. (2015). Enzymes: principles and biotechnological applications. *Essays in biochemistry*, 59, 1–41. doi: 10.1042/bse0590001.

- Sambyal, K., & Singh, R.V. (2021). Exploitation of E. coli for the production of penicillin G amidase: a tool for the synthesis of semisynthetic  $\beta$ -lactam antibiotics. *Journal, genetic engineering & biotechnology*, 19(1), 156. doi: 10.1186/s43141-021-00263-7.
- Sandomenico, A., Sivaccumar, J.P., & Ruvo, M. (2020). Evolution of Escherichia coli Expression System in Producing Antibody Recombinant Fragments. *International journal of molecular sciences*, 21(17), 6324. doi: 10.3390/ijms21176324.
- Sandra, L.P. & George, L.D. (2017). Drugs: Penicillins. Diakses 5 Mei, 2022, dari <http://www.antimicrobe.org/d24.asp#r236>.
- Saranya, N., Devi, P., Nithiyantham, S., & Jeyalaxmi, R. (2014). Cells Disruption by Ultrasonication. *BioNanoSci.* 4, 335–337. doi: 10.1007/s12668-014-0149-2.
- Schumacher, G., Sizmann, D., Haug, H., Buckel, P., & Böck, A. (1986). Penicillin acylase from E. coli: unique gene-protein relation. *Nucleic Acids Research*, 14(14), 5713–5727. doi: 10.1093/nar/14.14.5713.
- Shapovalova, I.V., Alkema, W.B., Jamskova, O.V., de Vries, E., Guranda, D.T., Janssen, D.B., & Svedas, D.B. (2009). Mutation of Residue  $\beta$ F71 of Escherichia coli Penicillin Acylase Results in Enhanced Enantioselectivity and Improved Catalytic Properties. *Acta naturae*, 1(3), 94–98. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3347531/>.
- Shewale, J.G., & Sivaraman, H. (1989). Penicillin acylase: enzyme production and its application in the manufacture of 6-APA. *Process Biochemistry*, 24, 146-154.
- Shoichet, B. K., McGovern, S. L., Wei, B., & Irwin, J. J. (2002). Lead discovery using molecular docking. *Current opinion in chemical biology*, 6(4), 439–446. doi: 10.1016/s1367-5931(02)00339-3.
- Simon A.W.J., Irina, V.S., Peter, A.J., Wynand B.L.A., Vytas, K.Š., & Dick, B.J. (2008). Saturation mutagenesis reveals the importance of residues  $\alpha$ R145 and  $\alpha$ F146 of penicillin acylase in the synthesis of  $\beta$ -lactam antibiotics. *Journal of Biotechnology*, 133(1), 18-26. doi: 10.1016/j.jbiotec.2007.08.039.
- Singh, S.M., & Panda, A.K. (2005). Solubilization and refolding of bacterial inclusion body proteins. *Journal of bioscience and bioengineering*, 99(4), 303–310. doi: 10.1263/jbb.99.303.
- Srirangan, K., Orr, V., Akawi, L., Westbrook, A., Moo-Young, M., & Chou, C.P. (2013). Biotechnological advances on penicillin G acylase: pharmaceutical implications, unique expression mechanism and production strategies. *Biotechnology advances*, 31(8), 1319–1332. doi: 10.1016/j.biotechadv.2013.05.006.
- Studier, F.W., & Moffatt, B.A. (1986). Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *J Mol Biol*, 189, 113-130. doi: 10.1016/0022-2836(86)90385-2.
- Taj, M.K., Samreen, Z., Ling, J.X., I. Taj, Hassani, T.M., & Yunlin, W. (2014). Escherichia coli as a model organism. *International Journal of Engineering Research and Science and Technology*, 3(2), 1-8.

- Taylor, G., Hoare, M., Gray, D.R., and Marston, F.A. O. (1986). Size and density of protein inclusion bodies. *Bio/Technology*, 4, 553–557. doi: 10.1038/nbt0686-553.
- Tipper, D.J, Strominger, J.L. (1965). Mechanism of action of penicillins: a proposal based on their structural similarity to acyl-D-alanyl-D-alanine. *Proc Natl Acad Sci U S A*, 54(4), 1133-1141. doi: 10.1073/pnas.54.4.1133.
- Tishkov, V.I., Savin, S.S., & Yasnaya, A.S. (2010). Protein engineering of penicillin acylase. *Acta naturae*, 2(3), 47–61. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3347563/>.
- Tomasz, A. (1986). Penicillin-binding proteins and the antibacterial effectiveness of beta-lactam antibiotics. *Reviews of infectious diseases*, 8(3), 260–278. doi: 10.1093/clinids/8.supplement\_3.s260.
- Torres, L.L., Ferreras, E.R., Cantero, A., Hidalgo, A., & Berenguer, J. (2012). Functional expression of a penicillin acylase from the extreme thermophile *Thermus thermophilus* HB27 in *Escherichia coli*. *Microbial cell factories*, 11, 105. doi: 10.1186/1475-2859-11-105.
- Torres, L.L., Cantero, A., del Valle, M., Marina, A., López-Gallego, F., Guisán, J.M., Berenguer, J., & Hidalgo, A. (2013). Engineering the substrate specificity of a thermophilic penicillin acylase from *thermus thermophilus*. *Applied and environmental microbiology*, 79(5), 1555–1562. doi: 10.1128/AEM.03215-12.
- UniProt. (n.d). UniProtKB - P06875 (PAC\_ECOLX): Entry. Diakses 15 Maret, 2022, dari <https://www.uniprot.org/uniprot/P06875>.
- Van Der Laan, J.M., Riemens, A.M., & Quax, W.J. (1999). *Mutated Penicillin G Acylase Genes*. US5891703A. United States Patent. <https://patents.google.com/patent/US5891703A/en>.
- Vitolo, M. (2020). Brief review on enzyme activity. *World Journal of Pharmaceutical Research*, 9( 2), 60-76. doi: 10.20959/wjpr20202-16660.
- Wang, J., Zhang, Q., Huang, H., Yuan, Z., Ding, D., Yang, S., & Jiang, W. (2007). Increasing synthetic performance of penicillin G acylase from *Bacillus megaterium* by site-directed mutagenesis. *Applied microbiology and biotechnology*, 74(5), 1023–1030. doi: 10.1007/s00253-006-0752-4.
- Waterhouse, A., Bertoni, M., Bienert, S., Studer, G., Tauriello, G., Gumienny., R., Heer, F.T. et al. (2018). SWISS-MODEL: homology modelling of protein structures and complexes. *Nucleic Acids Research*, 46, 296-303. doi: 10.1093/nar/gky427.
- Wati, W., Widodo, G.P., & Herowati, R. (2020). Prediction of Pharmacokinetics Parameter and Molecular Docking Study of Antidiabetic Compounds from *Syzygium polyanthum* and *Syzygium cumini*. *Jurnal Kimia Sains dan Aplikasi*, 23(6), 189-195. doi: 10.14710/jksa.23.6.189-195.
- Yamaguchi, H., & Miyazaki, M. (2014). Refolding techniques for recovering biologically active recombinant proteins from inclusion bodies. *Biomolecules*, 4(1), 235–251. doi: 10.3390/biom4010235.

- You, L., Usher, J.J., White, B.J. & Novotny, J. (2002). *Mutant penicillin G acylases*. US6403356B1. United States Patent. <https://patents.google.com/patent/US6403356B1/en>.
- Zeng, H., & Yang, A. (2019). Quantification of proteomic and metabolic burdens predicts growth retardation and overflow metabolism in recombinant Escherichia coli. *Biotechnology and bioengineering*, 116(6), 1484–1495. doi: 10.1002/bit.26943.
- Zhang, J., Shi, H., Xu, L., Zhu, X., & Li, X. (2015). Site-Directed Mutagenesis of a Hyperthermophilic Endoglucanase Cell12B from Thermotoga maritima Based on Rational Design. *PloS one*, 10(7), 1-14. doi: 10.1371/journal.pone.0133824.
- Zhou, J., Li, X., Xia, J., Wen, Y., Zhou, J., Yu, Z., & Tian, B. (2018). The role of temperature and bivalent ions in preparing competent Escherichia coli. *3 Biotech*, 8(5), 222. doi: 10.1007/s13205-018-1243-x.