DAFTAR PUSTAKA

Andrassy, I. 2009. Free-living Nematodes of Hungary III. Hungarian Natural History Museum, Budapest. 608.

Anindita, D. C., Supramana., & Giyanto. 2021. Detection and identification of Aphelenchoides fragariae nematodes on shallot bulbs in Bogor, West Java, Brebes Central Java, and Nganjuk, East Java. IOP Conf. Series: Earth and Environmental Science. 807.

Austin, E., Semmens, K., Parsons, C., Amy, T., 2009. Granite rock outcrops: an extreme environment for soil nematodes? Journal of Nematology 41, 84-91.

Badan Pusat Statistik. 2021. Produktifitas Tanaman Sayuran. Badan Pusat Statistik Indonesia. Jakarta.

Baliadi, Y. 1997. Pengendalian Penyakit Puru Akar yang Disebabkan oleh Nematoda Meloidogyne javanica pada Tanaman Kedelai Secara Non Kimiawi. Balai Penelitian Tanaman Kacang–kacangan dan Umbi–umbian.

Bastian, H. C. 1865. Monograph of the Anguillulidae, or Free Nematoids, Marine, Land, and Freshwater; with Descriptions of 100 New Species. The Transactions of the Linnean Society of London. Volume XXV. Part II:73-184

Basuki,. Ali, M., & Elfina Y. 2014. Pemberian Beberapa Jenis Pupuk Kandang untuk Mengendalikan Penyakit Puru Akar yang Disebabkan oleh Nematoda Meloidogyne Spp. pada Tanaman Kedelai. Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau. 1(1): 1-12.

Bakonyi, G., Nagy, P., Kovács-Láng, E., Kovács, E., Barabás, S., Répási, V., & Seres, A. 2007. Soil nematode community structure as affected by temperature and moisture in a temperate semiarid shrubland. Applied Soil Ecology, *37*(1), 31–40.

Becquer. A., Trap. J., Irshad. U., Ali. M. A., & Claude. P. 2014. From Soil to Plant, The Journey of P Through Trophic Relationships and Ectomychorrhizal Association. Front. Plant Sci. 5.

Brigde,J. M. Luc & R.A Plowright. 1995. Nematoda Parasit Tumbuhan Di Petanian Sub Tropik Dan Tropik, Penerjemah: Supratoyo. Yogyakarta : Gadjah Mada University Press.

Brown, D.H., Ferris, H., Fu, S., Plant, R. 2004. Modeling direct positive feedback between predators and prey. Theoretical Population Biology. 65(2): 143–152.

Chauvin, C., Dorel, M., Villenave, C., Roger-Estrade, J., Thuries, L., & Risède, J.-M. 2015. Biochemical characteristics of cover crop litter affect the soil food web, organic matter decomposition, and regulation of plant-parasitic nematodes in a banana field soil. Applied Soil Ecology, *96*, 131–140.

Dickson, D.W., Oostendorp and D.J. Mitchel, 1992. Development of Pasteuria penetrans on Meloidogyne arenaria race-I in the field. In : Gommers, F.J. and P.W. Th. Maas (Eds.). Nematology from molecule to ecosystem. European Soc. Of Nematologist. Inc. Invergrowie, Dundee, Scotland. 213-218.

Dropkin, VH. 1991.. Pengantar Nematologi Tumbuhan, Penerjemah: Ir.Supratoyo. Edisi ke2. Yogyakarta: Gadjah Mada University Press. Yogyakarta.

Dume, B., Hanc, A., Svehla, P., Michal, P., Chane, A. D., & Nigussie, A. 2023. Composting and vermicomposting of sewage sludge at various C/N ratios: Technological feasibility and end-product quality. Ecotoxicology and Environmental Safety, 263..

Du Preez, G., Daneel, M., Goede, R.D., Toit, M.J.D., Ferris, H., Fourie, H., Geisen, S., Kakouli-Duarte, T., Korthals, G., Sanchez-Moreno, S., Schmidt, K.H., 2022., Nematode-based indices in soil ecology: Application, utility, and future directions. Soil Biology and Biochemistry. 169

Echeverrigaray S, Zacaria J, Beltrão R. 2010. Nematicidal activity of onoterpenoids against the root-knot nematode *Meloidogyne incognita*. Phytopathology, 100, 199–203.

Effendi, A., Xuhri, A., Zulfatri, Idwar, & Zulni, M. 2021. Pengaruh kompos sludge terhadap pertumbuhan dan hasil padi sawah *(Oryza sativa* l.) Dalam polibag. Prosiding Seminar Nasional Faperta 2021. Sistem Usaha Tani Terpadu untuk Ketahanan Pangan Mendukung Pertanian Berkelanjutan, Universitas Andalas.

Ferris, H. 2010. Contribution of nematodes to the structure and function of the soil food web. Journal of Nematology, *42*(1), 63–67.

Ferris, H., Sánchez-Moreno, S., & Brennan, E. B. 2012. Structure, functions and interguild relationships of the soil nematode assemblage in organic vegetable production. Applied Soil Ecology*, 61,* 16–25.

Frew, A., Powell, J. R., Glauser, G., Bennett, A. E., & Johnson, S. N. 2018. Mycorrhizal fungi enhance nutrient uptake but disarm defences in plant roots, promoting plant-parasitic nematode populations. Soil Biology and Biochemistry, 126, 123–132.

Fachrul, M. F. 2007. Metode Sampling Bioekologi. Jakarta: Penerbit Bumi Aksara.

Falkowski, T. B., Douterlungne, D., Chankin, A. and Diemont, S. A. 2019. Effects of five Lacandon Maya agroforestry trees on soil nematode trophic group composition. Agroforestry Systems 93: 21–33.

Fatirahma, F., & Kastono, D. 2020. Pengaruh Pupuk Organik Cair terhadap Hasil Bawang Merah (*Allium cepa* L. Aggregatum group) di Lahan Pasir. Vegetalika. 2020. 9(1): 305-315.

Ferris, H. 2010. Contribution of nematodes to the structure and function of the soil food web. Journal of Nematology 42:1–63.

Ferris. H. & Matute. M. M., 2003. Structural and Functional Succesion In The nematode Faunal Analysis Concept. Appl. Soil Ecol. 18: 13-29.

Ferris, H., Sanchez-Moreno, S., Brennan, E.B., 2012. Structure, functions and interguild relationships of the soil nematode assemblage in organic vegetable production. Appl. Soil Ecol. 61, 16–25.

Firmansyah, A & Bhermana, A 2019,'The growth, production, and quality of shallot at Inland Quartz Sands (Quarzipsamments) in the off season, Ilmu Pertanian (Agricultural Science), 4(3): 110-116.

Freckman DW & Caswell EP. 1985. The ecology of nematodes in agroecosystems. Annual Review of Phytopathology 23: 275-296.

Garita. S. A., Bernardo. V. F., Gonzalez. M., Ripodas. J. I., Arango. M. C., & Ruscitti. M. 2021. "The false root-knot nematode: Modification of the root anatomy and alteration of the physiological performance in tomato plants". Rhizosphere. (20).

Gill. K., Sandhu. S., Mor. M., Kalmodiya. T., & Singh. M. 2020. Role Of Green Manuring In Sustainable Agriculture: A Review. European Journal of Molecular & Clinical Medicine. 7(7).

Gebremikael, M. T., Steel, H., Buchan, D., Bert, W., & De Neve, S. 2016. Nematodes enhance plant growth and nutrient uptake under C and N-rich conditions. Scientific Reports, 6, 1–10.

Goodey, J.B. 1963. Soil and Freshwater Nematodes. Mathuen & Co Ltd., London., John Wiley & Sons, INC, New York.

Gowen, S.R., Que´ne´herve´, P., 1990. Nematode parasites of bananas, plantain and abaca. In: Luc, M., Sikora, R.A., Bridge, J. (Eds.), Plant Parasitic Nematodes in Subtropical and Tropical Agriculture. CAB International, Wallingford, Oxon, pp. 431–460.

Harjo. S., Amin. A. A., & Anwar. S. 2014. Fortified Compost with Powder Milk Waste for Vegetable Organic Farming. Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan 4(2): 103-110.

Hartmann, M., Frey, B., Mayer, J., Mäder, P., & Widmer, F. 2015. Distinct soil microbial diversity under long-term organic and conventional farming. *The ISME Journal*, *9*(5), 1177–1194.

Hunter, M. D., & Price, P. W. 1992. Playing Chutes and Ladders : Heterogeneity and the Relative Roles of Bottom-Up and Top- Down Forces in Natural Communities. 73(3), 724–732.

Ikoyi, I & Egeter, B & Chaves, C & Ahmed, M & Fowler, A & Schmalenberger, Achim. 2020. Responses of soil microbiota and nematodes to application of organic and inorganic fertilizers in grassland columns. Biology and Fertility of Soils. 56: 647-662.

Ingham, R., Trofymow, J. A., Ingham, E., & Coleman, D. 1985. Interactions of Bacteria, Fungi, and Their Nematode Grazers: Effects on Nutrient Cycling and Plant Growth. *Ecological Monographs*, *55*, 119.

Ingham. R. R., Trofymow. J., Ingham. E. R. & Coleman. D. C. 1985. Interactions of Bacteria, Fungi, and Their Nematode Grazers: Effect on Nutrient Cycling and Plant Growth. Ecol. Monogr. 55, 119-140.

Ipinmoroti, R. R., Adeoye, G. O., & Makinde, E. A. 2008. Effects of urea-enriched organic manures on soil fertility, tea seedling growth and pruned yield nutrient uptake in Ibadan, Nigeria. Bulgarian Journal of Agricultural Science, 14(6), 592-597.

Jannoura, R., Joergensen, R. G. and Bruns, C. 2014. Organic fertilizer effects on growth, crop yield, and soil microbial biomass indices in sole and intercropped peas and oats under organic farming conditions. European Journal Agronomy 52:259–70.

Jiang, Y., Liu, M., Zhang, J., Chen, Y., Chen, X., Chen, L., Li, H., Zhang, X.-X., & Sun,

B. (2017). Nematode grazing promotes bacterial community dynamics in soil at the aggregate level. *The ISME Journal*, *11*(12), 2705–2717.

Jones JT, Haegeman A, Danchin EGJ, Gaur HS, Helder J, Jones MGK, Kikuchi T, Manzanilla-López R, Palomares-Rius JE, Wesemael WML, Perry RN. 2013. Top 10 plant-parasitic nematodes in molecular plant pathology. Mol Plant Pathol 14 (9): 946-961

Junior. JOL. V., Pereira. RC., Soto. RL., Cardoso. IM., Mondino. EA., Berbara. RLL., & Mend Oka. E. Sa. 2021. Organic fertilization influences nematode diversity and maturity index in coffee tree plantations using an agroforestry system. Journal of Nematology. 53.

Kaplan, M., & Noe, J. P. 1993. Effects of Chicken-excrement Amendments on *Meloidogyne arenaria.* Journal of Nematology, *25*(1), 71–77.

Kashyap, D., de Vries, M., Pronk, A., & Adiyoga, W. 2023. Environmental impact assessment of vegetable production in West Java, Indonesia. Science of The Total Environmen*t*, *864*, 160999.

Kiptoo, J., Mutisya, D., Nderitu, P., Godfrey, R., & Kiptoo, G. 2022. Journal of Horticulture Effects of Soil Organic and Inorganic Amendments on Plant-Parasitic Nematodes Population in Citrus. 9, 1–5.

Lavelle, P. and A. V. Spain. 2001. Soil Ecology. Kluwer Academic Publisher. Dordrecht, Boston, London.

Lazarovits, G., Tenuta, M., & Conn, K. L. 2000. Utilization Of High Nitrogen And Swine Manure Amendments For Control Of Soil-Borne Diseases: Efficacy And Mode Of Action. Acta Horticulturae, 532, 59–64.

Lupatini, M., Korthals, G. W., Hollander, M. De, Janssens, T. K. S., & Kuramae, E. E. 2017. Soil Microbiome Is More Heterogeneous in Organic Than in Conventional Farming System. 7, 1–13.

Lv, B., Zhang, D., Cui, Y., & Yin, F. 2018. Effects of C/N ratio and earthworms on greenhouse gas emissions during vermicomposting of sewage sludge. Bioresource Technology, 268, 408–414.

Madulu, J.D., D.L. Trudgil and M.S. Philips. 1994. Rotational management of *Meloidogyne javanica* and effects on *Pasteuria penetrans*, tomato and tobacco yields. Nematologica 40: 438-455.

Mai, W.F and Lyon, H.H. 1975. Pictorial key to Genera of Plant Parasitic Nematodes. Edition. New York: Cornel University.

Manns, H.R., Parkin, G,W., Martin, R.C. 2016. Evidence of a union between organic carbon and water content in soil. Can. J. Soil Sci. 96: 305–316.

Mateille. T., Dabiré. K. R., Fould. S., & Diop. M. T. 2010. Host-parasite soil communities and environmental constraints: Modelling of soil functions involved in interactions between plant-parasitic nematodes and Pasteuria penetrans. Soil Biology & Biochemistry. 42.

Mayadewi, A. 2007. Pengaruh jenis pupuk kandang dan jarak tanam terhadap pertumbuhan gulma hasil jagung manis. Agritrop 26 (4): 153-159.

McSorley, R. 2011. Overview of organic amendments for management of plant-

parasitic nematodes, with case studies from Florida. Journal of Nematology, 43(2), 69–81.

Mcsorley, R and Frederick, J.J. 1999. Nematode Population Fluctuations during Decomposition of Specific Organic Amendments. Journal of nematology 31 (1): 37-44.

Meena, R. 2020. Green manuring.An approach to improve soil fertility and crop production.

Meena. R. 2020. Green manuring. An approach to improve soil fertility and crop production. GRIN.

Miao, Y.X., Stewart, B.A., Zhang, F.S., 2011. Long-term experiments for sustainable nutrient management in China. a review. Agronomy Sust. Developm. 31, 397–414.

Mobasseri, M., E. Pourjam and M. Pedram. 2018. Morphological and molecular characterisation of A*phelenchoides primadentus n*. sp. (Nematoda: *Aphelenchoididae*) from northern Iran. Morphological and molecular characterisation of A*phelenchoides primadentus n.* sp. (Nematoda: Aphelenchoididae) from northern Iran. Nematology 20:97-109.

Mulyadi. 2009. Nematologi Pertanian. Gadjah Mada University Press, Yogyakarta.

Mustika, I. 2005. Konsepsi dan Strategi Pengendalian Nematoda Parasit Tanaman Perkebunan di Indonesia. Perspektif. 4(1): 20 – 32.

Neher, D. A. 2010. Ecology of plant and free-living nematodes in natural and agricultural soil. Annual Review of Phytopathology 48:371–394.

Neher, D. A., Nishanthan, T., Grabau, Z. J., & Chen, S. Y. 2019. Crop rotation and tillage affect nematode communities more than biocides in monoculture soybean. Applied Soil Ecology, 140, 89–97.

Nguyen, M. Y., Thai, T. T., Quang, N. X., Dong, N. X., Thao, N. T. P., Veettil, B. K., Vanreusel, A., & Lam, N. N. 2022. The habitat preferences of nematode assemblages in relation to the sediment granulometry in the Ba Lai estuary, Vietnam. Regional Studies in Marine Science, 56, 102641.

Oka, Y. 2010. Mechanisms of nematode suppression by organic soil amendments. A review. Applied Soil Ecology, 44(2), 101–115.

Oka, Y., Shapira, N., & Fine, P. 2007. Control of root-knot nematodes in organic farming systems by organic amendments and soil solarization. Crop Protection, 26(10), 1556–1565.

Oudart, D., Hassouna, M., Robin, P., Marie, J., & Repeatability, P. 2017. Repeatability Of Organic Matter Transformations And Gaseous Emissions During Windrow Composting.

Pitojo, S. 2003. Benih Bawang Merah. Kanisius. Yogyakarta. 82 hal.

Porazinska, D. L., Duncan, L. W., McSorley, R., & Graham, J. H. 1999. Nematode communities as indicators of status and processes of a soil ecosystem influenced by agricultural management practices. Applied Soil Ecology, 13(1), 69–86.

Prabowo. 2012. Jenis Nematoda yang Ditemukan Pada Tanaman Bawang Merah di Rhizosfer Sekitarnya di Area Persawahan. Agrovigor 5(3): 75-79.

Pracaya. 2008. Pengendalian Hama & Penyakit Tanaman secara Organik. Yogyakarta: Penerbit Kanisius.

Prasad P, Pagan R, Kauter M and Price N. 2004. Eco-Efficiency for the Dairy Processing Industry. The UNEP Working Group for Cleaner Production in the Food Industry. Dairy Australia. Victoria.

Purwaningshi. H., kristamtini, Fajri. M., Indrasari. S. D., & Wiranti. E. W. 2020. Production, Physical, and Organoleptic Characteristics of Superior Varieties Specific Location “Srikayang” Special Region of Yogyakarta. J. Hort. 30(2): 153-158.

Rasmussen, P.E., Goulding, K.W.T., Brown, J.R., Grace, P.R., Janzen, H.H., Korschens, ¨ M., 1998. Long-term agroecosystem experiments: assessing agricultural sustainability and global change. Science 282, 893–896.

Ren Q, Yuan J, Wang J, Liu X, Ma S, Zhou L, Miao L, Zhang J. 2022. Water Level Has Higher Influence on Soil Organic Carbon and Microbial Community in Poyang Lake Wetland Than Vegetation Type. Microorganisms. 10(1):131.

Rodriguez- Kabana, R. 1992. Cropping systems for the management of phytonematodes. Nematology From Molecule to Eco-system. In Gommers F.J. and Maas PW Th. (Eds). Proceed. Second International Nematology C

Riegel, C., & Noe, J. P. 2000. Chicken Litter Soil Amendment Effects on Soilborne Microbes and Meloidogyne incognita on Cotton. Plant Disease, 84(12), 1275–1281.

Sánchez-Monedero, M. A., Serramiá, N., Civantos, C. G.-O., Fernández-Hernández, A., & Roig, A. 2010. Greenhouse gas emissions during composting of two-phase olive mill wastes with different agroindustrial by-products. Chemosphere, 81(1), 18–25.

Sagita, L., Siswanto, B., dan Hairiah, K. 2014. Studi Keragaman Dan Kerapatan Nematoda Pada Berbagai Sistem Penggunaan Lahan Di Sub Das Konto. J. Tanah dan Sumberdaya Lahan 1(1).

Samadi, B. dan Cahyono, B., 2005. Bawang Merah Intensifikasi Usaha Tani. Kanisius, Yogyakarta.

Shannon, C.E. 1948. A mathematical theory of communication, Bell Syt. Tech.J. (27) 623–656.

Shurtleff, M. C., and C. W. Averre. 2000. Diagnosing Plant Disease Caused by Nematodes. The American Phytopathological Society. APS Press.

Sieriebriennikov, B., Ferris, H., De Goede, R.G.M., 2014. NINJA: An automated calculation system for nematode-based biological monitoring European Journal of Soil Biology. 61, 90-93.

Simpson, E.H. 1949. Measurement of diversity, Nature (163) 688.

Ssango. F., Speijer. P. R., Coyne. D. L. & Waele. D. De. 2004. Path analysis: a novel approach to determine the contribution of nematode damage to East African

Highland banana (Musa spp., AAA) yield loss under two crop management practices in Uganda. Field Crops Research 90: 177–187

Styaningrum A 2018 Deteksi dan Identifikasi Nematoda Ditylencus dipsaci (Kuhn) Filipjev pada Umbi Bawang Konsumsi (*Allium* spp.) di Bogor Jawa Barat (Bogor: Institut Pertanian Bogor).

Su. L., Bai. T., Qin. X., Yu. H., Wu. G., Zhao. Q., & Tan. L. 2021. Organic manure induced soil food web of microbes and nematodes drive soil organic matter under jackfruit planting. Applied Soil Ecology. 166.

Suandy, A., Aminatun, T., & Indarti, S. 2017. Diagnosis struktur komunitas nematoda di lingkungan rhizosfer gulma siam *(Chromolaena odorata)* (l) r.m. King and h.robinson. Jurnal Prodi Biologi 6(3).

Sumadi. 2003. Intensifikasi Budidaya Bawang Merah. Kanisius. Yogyakarta..

Sunarjono, H. 2003. Bertanam 30 Jenis Sayur. Penebar Swadaya. Jakarta.

Suntoro, S., Widijanto, H., Suryono, Syamsiyah, J., Afi nda, D. W., Dimasyuri, N. R., & Triyas, V. 2018. Effect of cow manure and dolomite on nutrient uptake and growth of cor*n (Zea mays* L.). Bulgarian Journal of Agricultural Science, 24(6), 1020–1026

Suyadi & Rosfiansyah. 2017. The role of plant parasitic nematodes on productivity reduction of banana and tomato in East Kalimantan, Indonesia. Asian Journal of Agriculture. 1(1): 40-45.

Trivana, L. and Pradhana, A. P. 2017. Optimalisasi Waktu Pengomposan dan Kualitas Pupuk Kandang dari Kotoran Kambing dan Debu Sabut Kelapa dengan Bioaktivator PROMI dan Orgadec. JSV. 35(1)

Utami, A. I., 2016. Pengaruh Pupuk Kandang Sapi Dan Ayam Terhadap Kelimpahan Cacing Dan Nematoda Tanah, Dan Serapan Nitrogen Padi Sawah Konvensional Menuju Organik. Skripsi. Program Studi Ilmu Tanah, Fakultas Pertanian, Universitas Gadjah Mada.

Wall, D. H., Nielsen, U. N. and Six, J. 2015. Soil biodiversity and human health. Nature 528:69–76.

Wang. K. H., Hooks. C. R. R., & Marahatta. S. P. 2011. Can using A Strip-Tilled Cover Cropping System Followed by Surface Mulch Practice Enhance Organism higher Up In The Soil Food Web Hierarchy. Appl. Soil. Ecol. 49: 107-117.

Wang, F., Tong, Y.A., Zhang, J.S., Gao, P.C., Coffie, J.N., 2013. Effects of various organic materials on soil aggregate stability and soil microbiological properties on the Loess Plateau of China. Plant Soil Environ. 59, 162–168

Wardle, D. A., & Yeates, G. W. 1993. The dual importance of competition and predation as regulatory forces in terrestrial ecosystems: evidence from decomposer food-webs. Oecologia, 93(2), 303–306.

Whitehead,A.G. & J.R.Hemming. 1965. A Comparison of Some Quantitative Methods of Extracting Small Vermiform Nematodes from Soil. Annals of Applied Biology 55: 25−28.

Wibowo, S. 2005. Budidaya Bawang Putih, Bawang Merah, Bawang Bombay. Penebar Swadaya. Jakarta. 194.

Xu, Q.F., Jiang, P.K., Wu, J.S, 2015. Bamboo invasion of native broadleaf forest modified soil microbial communities and diversity. Biol Invasions 17, 433–444.

Yachya. A., & Sulistyawan. E. 2017. Pengaruh Air Limbah Industri Susu Terhadap Pertumbuhan Dan Hasil Tanam Tanaman Bawang Merah (Allium cepa L.). Jurnal Biota 3(1).

Yeates, G.W.; Ferris, H.; Moens, T.; Van Der Putten, W. 2009. The role of nematodes in ecosystems. In Nematodes as EnvironmentalBioindicators; Wilson, M.J., Kakouli-Duate, T., Eds.; CABI: Wallingford, UK. 1–44.

Zhang, B., Wang, H., Yao, S., & Bi, L. 2013. Litter quantity confers soil functional resilience through mediating soil biophysical habitat and microbial community structure on an eroded bare land restored with mono Pinus massoniana. Soil Biology and Biochemistry, 57, 556–567.

Zhang, S., Chen, Z., Wen, Q., Yang, L., Wang, W., & Zheng, J. 2016. Effectiveness of bulking agents for co-composting penicillin mycelial dreg (PMD) and sewage sludge in pilot-scale system. Environmental Science and Pollution Research, 23(2), 1362–1370.

Zhao, D., Wang, Y., Wen, L., Qu, H., Zhang, Z., Zhang, H., Jia, Y., Wang, J., Feng, Y., Li, Y., Yang, F., & Pan, F. 2022. Response of Soil Nematode Community Structure and Function to Monocultures of Pumpkin and Melon. Life, 12(1), 1–15.

Zhou, J., Chen, D., Huang, R., Huang, G., Yuan, Y., & Fan, H. 2019. Effects of bacterial-feeding nematodes on soil microbial activity and the microbial community in oil-contaminated soil. Journal of Environmental Management, 234, 424–430.

Zhu, T., Yang, C., Wang, J., Zeng, S., Liu, M., Yang, J., Bai, B., Cao, J., Chen, X., & Müller, C. 2018. Bacterivore nematodes stimulate soil gross N transformation rates depending on their species. Biology and Fertility of Soils, 54(1), 107–118.