

## DAFTAR PUSTAKA

- [SNI] Standar Nasional Indonesia. 2014. Agens pengendali hayati (APH) – *Beauveria bassiana*. Hal 1-17. SNI 8027.1:2014
- [Distanbun Jateng] Dinas Pertanian dan Perkebunan Prov. Jawa Tengah. 2021. Kerangka Acuan Kerja. Diakses di <https://ppid.distanbun.jatengprov.go.id>.
- Afandhi, A., Ito F., Tita W., Agrintya K.M., Hirzi I.R., Yogo S. 2022. Impact of the fall armyform, *Spodoptera frugiperda* (JE. Smith) (Lepidoptera:Noctuidae), invasion on maize and the natif *Spodoptera litura* (Fabricius) in East Java, Indonesia, and evaluation of the virulence of some indigenous entomopathogenic fungus isolates for controlling the pest. Egyptian Journal of Biological Pest Control 2022:32-48. DOI:10.1186/s41938-022-00541-7
- Afandhi, A., Tita W., Ayu A.L.E., Hagus T., Mufidah A., Rose NSH. 2019. Endophytic fungi *Beauveria bassiana* Balsamo accelerates growth of common bean (*Phaseolus vulgaris* L.). Chemical and biological Technologies in Agriculture. 2019:6-11. DOI: 10.1186/s40538-019-0148-1.
- Aquino De Muro, M., Elliot S., Moore D., Parker B.L., Skinner M., Reid W., El Bouhssini M. (2005). Molecular characterisation of *Beauveria bassiana* isolates obtained from overwintering sites of Sunn Pest (*Eurygaster* and *Aelia Species*). Mycological Research. 109(3):294-306. <https://doi.org/10.1017/S0953756204001832>.
- Barnett, H.L dan B.B, Hunter. 1998. Illustrated genera of imperfect fungi. Fourth edition. Amer Phytopathological Society Press
- Batool, R., Muhammad J.U., Yangzhou W., Kanglai H., Tiantao Z., et al. 2020. Synergistic effect of *Beauveria bassiana* and *Trichoderma asperellum* to induce maize (*Zea mays* L.) defense against the asian corn borer, *Ostrinia furnacalis* (Lepidoptera, Crambidae) and larval immune response. J. International Molecular Science 2020, 21, 8215:1-29. DOI: 10.3390/ijms21218215
- Bich, G.A., Maria LC., Fernando L.K., Laura L.V., dan Pedro D.Z. 2021. Morphological and molecular identification of entomopathogenic fungi from agricultural and forestry crops. Floresta e Ambiente 28(2):1-11. DOI: 10.1590/2179-8087-FLORAM-2018-0086
- Bing, L.A dan L.C Lewis. 1991. Suppression of *Ostrinia nubilalis* (Hubner) (Lepidoptera:Pyralidae) by Endophytic *Beauveria bassiana* (Balsamo) Vuillemin. Environmental Entomology 20(4):1207-1211.
- Bing, L.A dan L.C Lewis. 1992. Temporal relationship between *Zea mays*, *Ostrinia nubilalis* (Lep: Pyralidae) and endophytic *Beauveria bassiana*. Entomophaga 37(4):525-536.
- Bing, L.A dan L.C Lewis. 1992a. Endophytic *Beauveria bassiana* (Balsamo) Vuillemin in corn: the influence of the plant growth stage and *Ostrinia nubilalis* (Hubner). Biocontrol Science and Technology 1992(2):39-47.
- Bintang, A.S., A. Wibowo, T.Harjaka. 2015. Keragaman genetik *Metharizium anisopliae* dan virulensinya pada larva kumbang badak (*Oryctes rhinoceros*). 19(1):12-18. DOI: 10.22146/jpti.16015
- Boucias, D.G., J.C Pendland. 1998. Principle of insect pathology. Kluwer Academic Publishers: New York. 332-334 pp

- Cherry, A.J., Agnassim B., Denis D., dan Chris L. 2004. Suppression of the stem-borer *Sesamia calamistis* (Lepidoptera: Noctuidae) in maize following seed dressing, topical application and stem injection with African isolates of *Beauveria bassiana*. *International Journal of Pest Management* 50(1):67-73.
- Cruz, L.P., Gaitan A.L., Gongora C.E. (2006). Exploiting the genetic diversity of *Beauveria bassiana* for improving the biological control of the coffee berry borer through the use of strain mixtures. *Applied Microbiology Biotechnology* 71:918-926. <https://doi.org/10.1007/s00253-005-0218-0>.
- Cruz, I., Da Silva I.F., Figueredo M.L.C., Foster J.E. 2012. Using sex pheromone traps in the decision-making process for pesticide application against fall armyworm (*Spodoptera frugiperda* [Smith] [Lepidoptera: Noctuidae]) larvae in maize. *Int J. Pest. Man* 58(1):83-90. DOI: 10.1080.09670874.2012.655702
- Donga, T.K., Fernando E.V., Ingeborg K. 2018. Establishment of the fungal entomopathogen *Beauveria bassiana* as an endophyte in sugarcane, *Saccharum officinarum*. *J. Fungal Ecology* 32(2018):70-77. DOI: 10.1016/j.f.funeco.2018.06.008
- Dowd, P.F. 2021. Enhanced rates of lethality to fall armyworms (*Spodoptera frugiperda*) after association of *Beauveria bassiana* strain Ant 03 with sweet corn leaves. *J. Biocontrol Science and Technology*. DOI: 10.1080/09583157.2021.1895071. 1-6 pp
- Fargues, J., Goettel M.S., Smits N., Oudrago, A dan Rougier, M. 1997. Effect of temperature on vegetative growth of *Beauveria bassiana* isolates from different origins. *J. Mycologia* 89(3):383-392. DOI: 10.1080/00275514.1997.12026797
- Faria, M., Regerio B.L., Daniela A.S., Stephen P.W. 2014. Conidial vigor vs viability as predictors of virulence of entomopathogenic fungi. *Journal of Invertebrate Pathology*. DOI:10.1016/j.jip.2014.12.012
- Feldmann, F., Riekmann U., Winter S. 2019. The spread of the fall armyworm *Spodoptera frugiperda* in Africa-what should be done next?. *J Plant Dis and Protect*. DOI: 10.1007/s41348-019-00204-0
- Georgen, G., Kumar P.L., Sankung S.B, Togola A, Tamo M. 2016. First report of outbreaks of the fall armyworm *Spodoptera frugiperda* (JE Smith) (Lepidoptera, Noctuidae), a new alien invasive pest in west and central Africa. *J Plos one*: 1-9. DOI: 10.1371/journal.pone.0165632
- Guo, J., Wu S., Zhang F., Huang C., *et al.* 2020. Prospects for microbial control of the fall armyworm *Spodoptera frugiperda*: a review. *BioControl, International Organization for Biological Control (IOBC)*. DOI: 10.1007/s10526-02010031-0
- Hardke, J.T., Jackson, R.E., Leonard, B.R. 2014. Opportunities to manage fall armyworm (Lepidoptera:Noctuidae) on Bollgard II cotton with reduced rates of insecticides. *J Cott Sci*. 18(59):59-67
- Hassan, F.R, Abdullah S.K., Assaf L.H. 2019. Pathogenicity of the entomopathogenic fungus, *Beauveria bassiana* (Bals.) Vuill. Endophytic and soil isolate against the squash beetle, *Epilachna chrysomelina* (F.) (Coleoptera: Coccinellidae). *J Egypt Bio Pest Cont*. 29(74):1-7. DOI 10.1186./s42938-019-0169-x
- Hruska, A. 2018. How to manage fall armyworm:A quick guide for smallholders. *FAO*. DOI: 10.13140/RG.2.2.29707.23844

- Idrees, A., Ayesha A., Ziyad A.Q, Jun L. 2022. Bioassays of *Beauveria bassiana* isolates against the fall armyworm, *Spodoptera frugiperda*. 8,717:1-16. DOI: 10.3390/jof8070717.
- Johnson, S.J. 1986. Migration and the life history strategy of the fall armyworm, *Spodoptera frugiperda* in the western hemisphere. J Insect Science Application 8(4):543-549
- Keswani, C., Singh S.P., Singh H.B. 2015. *Beauveria bassiana*: Status, Mode of action, applications and safety issues. J. Bio Sci 3(1):16-20. DOI:10.5958/j.2322-0996.3.1.002
- Kulu, I.P., Abdul L.A., Aminudin A., Nooraidawati. 2015. Morphological and molecular identification of *Beauveria bassiana* as entomopathogenic agen from Central Kalimantan Peatland, Indonesia. International Journal of ChemTech Research 8(4):2079-2084
- Kuzhuppillymyal-Prabhakarankutty, L., Fernando H.F.R., Patricia T.G., Ricardo G.F., Maria C.R.P., *et al.* 2021. Effect of *Beauveria bassiana* seed traetament on *Zea mays* L. response against *Spodoptera frugiperda*. J. Applied Sciences 2021,11,2887:1-15. DOI: 10.3390/app11072887
- Li, H., Parmar S., Sharma V.K., White J.F. 2019. Seed endophytes and their potential applications. In Satish KV and James FW (Ed.). Seed endophytes, pp.35-38. Springer:Switzerland
- Luginbill, P. 1928. The Fall Army Worm. United States Department of Agriculture:Washington D C. 10 – 43 pp
- Mascarin, G.M dan S. T Jaronski. 2016. The production and uses of *Beauveria bassiana* as a microbial insecticide J. Microbiology Biotechnology (2016)32:177: 1 – 26. DOI: 10.1007/s11274-016-2131-3.
- Montecalvo, M.P., & M.M. Navasero. 2021. Comparative virulence of *Beauveria bassiana* (Bals.) Vuill. And *Metharizium anisopliae* (Metchnikoff) Sorokin to *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). J. ISSAAS 27(1):15-26.
- Nonci, N., Septiam H.K., Hishar M., Amran M., Muhammad A., Muhammad A. 2019. Pengenalan Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) hama baru pada tanaman jagung di Indonesia. Balai Penelitian Tanaman Serealia:Maros. 9-21 hal
- Norjmaa, U., Nasandulam D., Enkhjargal B., Banzragch D. 2019. Morphological and molecular identification of *Beauveria bassiana* from agricultural soils. Mongolian Journal of Agricultural Science 27(2):20-24. DOI: 10.5564/mjas.v27i02.1280
- Ortiz-Urquiza, A., N.O Keyhani. 2013. Action on the surface: Entomopathogenic fungi versus the insect cuticle. 4:357-374. DOI:10.3390/insects4030357
- Posada-Florez, F.J. 2008. Production of *Beauveria bassiana* fungal spores on rice to control the coffe berry borer, *Hypothenemus hampei*, in Colombia. Journal of Insect Science 8(41):1-13.
- Pramunadipta, S., A. Widiastuti., A. Wibowo., H. Suga., A. Priyatmojo. 2020. *Sarocladium oryzae* associated with sheath rot disease of rice in Indonesia. Biodiversitas 21(3):1243-1249. DOI: 10.13057/biodiv/d210352.

- Quesada-Moraga, E., Landa B.B., Munoz-Ledesma J., Jimenez-Diaz R.M & Santiago-Alvarez C. (2006). Endophytic colonisation of Opium Poppy, *Papaver somniferum*, by an entomopathogenic *Beauveria bassiana* strain. *Mycopathologia* 161:323-329. <https://doi.org/10.1007/s11046-006-0014-0>.
- Ramanujam, B., Poornesha B., Shylesha A.N. 2020. Effect of entomopatogenic fungi against invasive pest *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) in maize. *J. Egyptian of Biological Pest Control* 30(100):1-5. DOI: 10.1186/s41938-020-00291-4
- Ramirez-Rodriguez, D., Sanchez-Pena S.R. 2016. Endophytic *Beauveria bassiana* in *Zea mays*: Pathogenicity against larvae of fall army worm, *Spodoptera frugiperda*. *BioOne* 41(3):875-878
- Ramos, Y., Alberto D.T., Jorge A.J., Orelvis P. 2020. Endophytic establishment of *Beauveria bassiana* and *Metharizium anisopliae* in maize plant and its effect against *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) larva. *J. Egyptian Biological Pest Control* 2020 30(2):1-6. DOI: 10.1186/s41938-020-00223-2.
- Rijal, S. 2019. Highlights on appropriate management practices against fall armyworm (*Spodoptera frugiperda*) in the context of Nepal. 2(2):13-14. DOI: 10.26480/ecr.02.2019.13.14
- Russo, M.L., Jaber L.R., Scorsetti A.C., Vianna F, *et al.* 2020. Effect of entomopathogenic fungi introduce as corn endophytes on the development, reproduction, and food preference of the invasive fall armyworm *Spodoptera frugiperda*. *J Pest Sci.* DOI:10.1007/s10340-020-013012-x
- Saragih, M., Trizelia, Nurbailis dan Yusniwati. 2019. Endophytic colonization and plant growth promoting effect by entomopathogenic fungus, *Beauveria bassiana* to red chili (*Capsicum annum* L.) with different inoculation methods. *J IOP Earth and environmental Science* 305(2019)012070:1-6. DOI:10.1088/1755-1315/305/1/012070.
- Sari, W., C.N Rosmeita. 2019. Identifikasi molekuler cendawan entomopatogen *Beauveria bassiana* dan *Metarhizium anisopliae* asal isolate Cianjur. *J Pro-STEK* 1(1):1-9. ISSN: 2720-9679
- Sartiami, D., Dadang., Harahap I.S., Kusumah Y.M., Anwar R. 2019. First record of fall armyworm (*Spodoptera frugiperda*) in Indonesia and its occurrence in three province. In. Southeast Asia Plant Protection Conference. Earth and Environmental Science 468(2020) 012021, IOP Publishing. DOI: 10.1088/1755-1315/468/1012021.
- Schoch, C.L., Seifert K.A., Huhndorf S., Robert V., Spouge J.L., Levesque C.A. & Chen W. (2012). Nuclear ribosomal Internal Transcribed Spacer (ITS) region as a universal DNA barcode marker for fungi. *Proceedings of the National Academy of Science.* 109(16):6241-6246. [www.pnas.org/cgi/doi/10.1073/pnas.1117018109](http://www.pnas.org/cgi/doi/10.1073/pnas.1117018109).
- Siahaan, P., Jusak W., Susan W., Rowland M. 2019. Patogenesitas *Beauveria bassiana* Bals. (Viull) yang diisolasi dari beberapa jenis inang terhadap kepik hijau, *Nezara viridula* L. (Hemiptera:Pentatomidae). *J Ilmiah Sains* 21(1):26-33. DOI: 10.35799/jis.21.1.2021.31172
- Sparks, A.N. 1979. A review of the biology of the Fall Army Worm. *J Florida Entomologist* 62(2):82-87

- Sularno. 2018. Development of biopesticide *Beauveria bassiana* Bals. (Viull.) fungi for pest control vegetable in Berastagi. J Biology Education Science and Technology 1(2):72-77
- Trisyono, Y.A., Suputa., V.E.F Aryuwandari., Hartaman, M. Jumari. 2019. Occurrence of heavy infestation bt the fall armyworm *Spodoptera frugiperda*, a new alien invasive pest in corn in Lampung Indonesia. JPTI 23(1):156-160. DOI: 10.22146/jpti.46455
- Wagner, B.L dan L.C Lewis. 2000. Colonization of corn, *Zea mays*, by the entomopathogenic fungus *Beauveria bassiana*. J Applied and Environmental Microbiology 66(8):3468-3473. DOI: 10.1128/AEM.66.8.3468-3473.2000.
- Wakil, W & Y.J. Kwon. 2019. Insect pathogens as potential biocontrol agents. In: M.J. Arif, J.E. Foster, J. Molina-Ochoa (Eds.). Sustainable insect pest management. University of Agriculture, Faisalabad Pakistan.
- Walstad, J.D., Anderson R.F., Stambaugh W.J. 1970. Effect of environmental conditions on two species of muscardine fungi (*Beauveria bassiana* and *Metarhizium anisopliae*). J. of Invertebrate Pathology 16:221-226
- Wartono, Cyntia N., Yadi, S. 2016. Seleksi jamur entomopatogen serangga *Beauveria* spp. serta uji patogenisitasnya pada serangga inang-walang (*Leptocorisa acuta*). Berita Biologi Jurnal Ilmu-Ilmu Hayati 15(2):175-184
- Zimmermann, G. 2007. Review on safety of the entomopathogenic fungi *Beauveria bassiana* and *Beauveria brongniartii*. J Biocontrol Science and Technology 17(5):553-596. DOI: 10.1080/09583150701309006
- Daud, I.D., N. Ahus., T. Abdullah., V.S. Dewi., I. Bunga., S.N Komaria & M. Tuwo. 2019. Viability and role of *Beauveria bassiana* as endofit in corn Bima 11 Tammu Tammu varieties against *Aphids* sp. J of Physics: Conference Series 1341 022024:1-9. DOI: 10.1088/1742-6596/1341/2/022024.