

## DAFTAR PUSTAKA

- Abo Elsoud, M.M. and El Kady, E.M. (2019) ‘Current trends in fungal biosynthesis of chitin and chitosan’, *Bulletin of the National Research Centre*, 43(1), p. 59. Available at: <https://doi.org/10.1186/s42269-019-0105-y>.
- Abotbina, W., Sapuan, S. M., Sultan, M. T. H., Alkbir, M. F. M. and Ilyas, R. A. (2021) ‘Development and Characterization of Cornstarch-Based Bioplastics Packaging Film Using a Combination of Different Plasticizers’, *Polymers*, 13(20), p. 3487. Available at: <https://doi.org/10.3390/polym13203487>.
- Adriant, Z., Förster, R. and Zariatn, D.L. (2019) ‘The Effect of Mesh Size on Mechanical and Thermal Properties of Bamboo Composites’, *Journal of Energy* [Preprint].
- Ai, Y. and Jane, J. (2018) ‘Understanding Starch Structure and Functionality’, in *Starch in Food*. Elsevier, pp. 151–178. Available at: <https://doi.org/10.1016/B978-0-08-100868-3.00003-2>.
- Alcántara, J.C., González, I., Pareta, M. M. and Vilaseca, F. (2020) ‘Biocomposites from Rice Straw Nanofibers: Morphology, Thermal and Mechanical Properties’, *Materials*, 13(9), p. 2138. Available at: <https://doi.org/10.3390/ma13092138>.
- Apriyanto, A., Compart, J. and Fettke, J. (2022) ‘A review of starch, a unique biopolymer – Structure, metabolism and in planta modifications’, *Plant Science*, 318, p. 111223. Available at: <https://doi.org/10.1016/j.plantsci.2022.111223>.
- Bangar, S.P., Whiteside, W. S., Ashogbon, A. O. and Kumar, M. (2021) ‘Recent advances in thermoplastic starches for food packaging: A review’, *Food Packaging and Shelf Life*, 30, p. 100743. Available at: <https://doi.org/10.1016/j.fpsl.2021.100743>.
- Basiak, E., Lenart, A. and Debeaufort, F. (2018) ‘How Glycerol and Water Contents Affect the Structural and Functional Properties of Starch-Based Edible Films’, *Polymers*, 10(4), p. 412. Available at: <https://doi.org/10.3390/polym10040412>.
- Bergel, B. F., Dias Osorio, S., da Luz, L. M. and Santana, R. M. C. (2018) ‘Effects of hydrophobized starches on thermoplastic starch foams made from potato starch’,

- Carbohydrate Polymers*, 200, pp. 106–114. Available at:  
<https://doi.org/10.1016/j.carbpol.2018.07.047>.
- Berthet, M.-A., Angellier-Coussy, H., Guillard, V. and Gontard, N. (2016) ‘Vegetal fiber-based biocomposites: Which stakes for food packaging applications?’, *Journal of Applied Polymer Science*, 133(2), p. n/a-n/a. Available at:  
<https://doi.org/10.1002/app.42528>.
- Bootklad, M. and Kaewtatip, K. (2013) ‘Biodegradation of thermoplastic starch/eggshell powder composites’, *Carbohydrate Polymers*, 97(2), pp. 315–320. Available at:  
<https://doi.org/10.1016/j.carbpol.2013.05.030>.
- Chanwitheesuk, A., Teerawutgulrag, A., Rakariyatham, N. (2005). Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry* 92:491-497.
- Chofifa, Z. N., Nurlaili, F. D., Hati, J. M., Purbawati, K. H. and Kusumayanti, H. (2021) ‘Pengolahan Limbah Jerami Sebagai Biofoam Pengganti Styrofoam Buah Dan Box Kemasan Guna Mengurangi Limbah Jerami Di Trenggalek’, 02, p. 5.
- Chotiprayon, P., Chaisawad, B. and Yoksan, R. (2020) ‘Thermoplastic cassava starch/poly(lactic acid) blend reinforced with coir fibres’, *International Journal of Biological Macromolecules*, 156, pp. 960–968. Available at:  
<https://doi.org/10.1016/j.ijbiomac.2020.04.121>.
- Cruz-Tirado, J. P., Vejarano, R., Tapia-Blácido, D. R., Barraza-Jáuregui, G. and Siche, R. (2019) ‘Biodegradable foam tray based on starches isolated from different Peruvian species’, *International Journal of Biological Macromolecules*, 125, pp. 800–807. Available at: <https://doi.org/10.1016/j.ijbiomac.2018.12.111>.
- Diyana, Z. N., Jumaidin, R., Selamat, M. Z., Ghazali, I., Julmohammad, N., Huda, N. and Ilyas, R. A. (2021) ‘Physical Properties of Thermoplastic Starch Derived from Natural Resources and Its Blends: A Review’, *Polymers*, 13(9), p. 1396. Available at:  
<https://doi.org/10.3390/polym13091396>.

- Elsahida, K. et al. (2019) ‘Sustainability of the use of natural dyes in the textile industry’, *IOP Conference Series: Earth and Environmental Science*, 399(1). doi: 10.1088/1755-1315/399/1/012065.
- Espinosa, E. Rincón, E., Morcillo-Martín, R., Rabasco-Vílchez, L. and Rodríguez, A. (2022) ‘Orange peel waste biorefinery in multi-component cascade approach: Polyphenolic compounds and nanocellulose for food packaging’, *Industrial Crops and Products*, 187, p. 115413. Available at: <https://doi.org/10.1016/j.indcrop.2022.115413>.
- Ferreira, D.C.M., Molina, G. and Pelissari, F.M. (2020) ‘Biodegradable trays based on cassava starch blended with agroindustrial residues’, *Composites Part B: Engineering*, 183, p. 107682. Available at: <https://doi.org/10.1016/j.compositesb.2019.107682>.
- García-Guzmán, L., Cabrera-Barjas, G., Soria-Hernández, C. G., Castaño, J., Guadarrama-Lezama, A. Y. and Rodríguez Llamazares, S. (2022) ‘Progress in Starch-Based Materials for Food Packaging Applications’, *Polysaccharides*, 3(1), pp. 136–177. Available at: <https://doi.org/10.3390/polysaccharides3010007>.
- Gunawardene, O. H. P., Gunathilake, C., Amaraweera, S. M., Fernando, N. M. L., Wanninayaka, D. B., Manamperi, A., Kulatunga, A. K., Rajapaksha, S. M., Dassanayake, R. S., Fernando, C. A. N. and Manipura, A. (2021) ‘Compatibilization of Starch/Synthetic Biodegradable Polymer Blends for Packaging Applications: A Review’, *Journal of Composites Science*, 5(11), p. 300. Available at: <https://doi.org/10.3390/jcs5110300>.
- Hassan, M.M., Tucker, N. and Le Guen, M.J. (2020) ‘Thermal, mechanical and viscoelastic properties of citric acid-crosslinked starch/cellulose composite foams’, *Carbohydrate Polymers*, 230, p. 115675. Available at: <https://doi.org/10.1016/j.carbpol.2019.115675>.
- Hendrawan, Y. Putranto, A. W., Fauziah, T. R. and Argo, B. D. (2020) ‘Modeling and Optimization of Tensile Strength of Arrowroot Bioplastic Using Response Surface Method’, *IOP Conference Series: Earth and Environmental Science*, 515(1), p. 012079. Available at: <https://doi.org/10.1088/1755-1315/515/1/012079>.

- Hendrawati, N., Wibowo, A. A., Chrisnandari, R. D. and Adawiyah, R. (2021) 'Biodegradable foam tray based on sago starch with beeswax as coating agent', *IOP Conference Series: Materials Science and Engineering*, 1073(1), p. 012006. Available at: <https://doi.org/10.1088/1757-899X/1073/1/012006>.
- Hevira, L., Ariza, D. and Rahmi, A. (2021) 'Pembuatan Biofoam Berbahan Dasar Ampas Tebu Dan Whey', *Jurnal Kimia dan Kemasan*, 43(2), p. 75. Available at: <https://doi.org/10.24817/jkk.v43i2.6718>.
- Hiremani, V. D., Sataraddi, S., Bayannavar, P. K., Gasti, T., Masti, S. P., Kamble, R. R. and Chougale, R. B. (2020) 'Mechanical, optical and antioxidant properties of 7-Hydroxy-4-methyl coumarin doped polyvinyl alcohol/oxidized maize starch blend films', *SN Applied Sciences*, 2(11), p. 1877. Available at: <https://doi.org/10.1007/s42452-020-03399-2>.
- Indarti, E., Muliani, S., Wulya, S., Rafiqah, R., Sulaiman, I. and Yunita, D. (2021) 'Development of environmental-friendly biofoam cup made from sugarcane bagasse and coconut fiber', *IOP Conference Series: Earth and Environmental Science*, 711(1), p. 012011. Available at: <https://doi.org/10.1088/1755-1315/711/1/012011>.
- Irawan, C.-, Aliah, A. and Ardiansyah, A. (2018) 'Biodegradable Foam dari Bonggol Pisang dan Ubi Nagara sebagai Kemasan Makanan yang Ramah Lingkungan (Biodegradable Foam Derived from Musa acuminate and Ipomoea batatas L. as an Environmentally Friendly Food Packaging)', *Jurnal Riset Industri Hasil Hutan*, 10(1), pp. 33–42. Available at: <https://doi.org/10.24111/jrihh.v10i1.4196>.
- Keshani, S. et al. (2010) 'Optimization of concentration process on pomelo fruit juice using response surface methodology (RSM)', *International Food Research Journal*, 17(3), pp. 733–742.
- Luna, P., Darniadi, S., Chatzifragkou, A. and Charalampopoulos, D. (2021) 'Biodegradable foams based on extracted fractions from sorghum by-products', *IOP Conference Series: Earth and Environmental Science*, 749(1), p. 012057. Available at: <https://doi.org/10.1088/1755-1315/749/1/012057>.

Mafra, M. R., Igarashi-Mafra, L., Zuim, D. R., Vasques, E. ´ C., & Ferreira, M. A. (2013).

Adsorption of remazol brilliant blue on an orange peel adsorbent. *Brazilian Journal of Chemical Engineering*, 30(03), 657–665. <https://doi.org/10.1590/S0104-66322013000300022>

McKay, S., Sawant, P., Fehlberg, J. and Almenar, E. (2021) ‘Antimicrobial activity of orange juice processing waste in powder form and its suitability to produce antimicrobial packaging’, *Waste Management*, 120, pp. 230–239. Available at: <https://doi.org/10.1016/j.wasman.2020.11.048>.

Moo-Tun, N.M., Iñiguez-Covarrubias, G. and Valadez-Gonzalez, A. (2020) ‘Assessing the effect of PLA, cellulose microfibers and CaCO<sub>3</sub> on the properties of starch-based foams using a factorial design’, *Polymer Testing*, 86, p. 106482. Available at: <https://doi.org/10.1016/j.polymertesting.2020.106482>.

Pelissari, F. M., Grossmann, M. V. E., Yamashita, F. and Pineda, E. A. G. (2009) ‘Antimicrobial, Mechanical, and Barrier Properties of Cassava Starch–Chitosan Films Incorporated with Oregano Essential Oil’, *Journal of Agricultural and Food Chemistry*, 57(16), pp. 7499–7504. Available at: <https://doi.org/10.1021/jf9002363>.

Phaodee, P., Tangjaroensirirat, N. and Sakdaronnarong, C. (2014) ‘Biobased Polystyrene Foam-like Material from Crosslinked Cassava Starch and Nanocellulose from Sugarcane Bagasse’, *BioResources*, 10(1), pp. 348–368. Available at: <https://doi.org/10.15376/biores.10.1.348-368>.

Pisoschi, A. M., Pop, A., Georgescu, C., Turcuş, V., Olah, N. K. and Mathe, E. (2018) ‘An overview of natural antimicrobials role in food’, *European Journal of Medicinal Chemistry*, 143, pp. 922–935. Available at: <https://doi.org/10.1016/j.ejmech.2017.11.095>.

Rekso, G.T. (2014) ‘Chemical and Physical Properties of Cassava Starch–CM–Chitosan–Acrylic Acid Gel Copolymerization by Gamma Irradiation’, *Indonesian Journal of Chemistry*, 14(1), pp. 37–42. Available at: <https://doi.org/10.22146/ijc.21265>.

- Rodrigues, C. *et al.* (2020) ‘Mechanical, Thermal and Antimicrobial Properties of Chitosan-Based-Nanocomposite with Potential Applications for Food Packaging’, *Journal of Polymers and the Environment*, 28(4), pp. 1216–1236. Available at: <https://doi.org/10.1007/s10924-020-01678-y>.
- Sembiring, F., Purnomo, C.W. and Purwono, S. (2018) ‘Catalytic Pyrolysis of Waste Plastic Mixture’, *IOP Conference Series: Materials Science and Engineering*, 316, p. 012020. Available at: <https://doi.org/10.1088/1757-899X/316/1/012020>.
- Setyaningsih, W., Karmila, Fathimah, R. N. and Cahyanto, M. N. (2019) ‘Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains’, *Food Chemistry*. Elsevier, 288(October 2018), pp. 221–227. doi: 10.1016/j.foodchem.2019.02.107.
- Soykeabkaew, N., Thanomsilp, C. and Suwantong, O. (2015) ‘A review: Starch-based composite foams’, *Composites Part A: Applied Science and Manufacturing*, 78, pp. 246–263. Available at: <https://doi.org/10.1016/j.compositesa.2015.08.014>.
- Spada, J.C., Jasper, A. and Tessaro, I.C. (2020) ‘Biodegradable Cassava Starch Based Foams Using Rice Husk Waste as Macro Filler’, *Waste and Biomass Valorization*, 11(8), pp. 4315–4325. Available at: <https://doi.org/10.1007/s12649-019-00776-w>.
- Tapia-Blácido, D. R., da Silva Ferreira, M. E., Aguilar, G. J. and Lemos Costa, D. J. (2020) ‘Biodegradable packaging antimicrobial activity’, in *Processing and Development of Polysaccharide-Based Biopolymers for Packaging Applications*. Elsevier, pp. 207–238. Available at: <https://doi.org/10.1016/B978-0-12-818795-1.00009-5>.
- Terzioğlu, P., Güney, F., Parın, F. N., Şen, İ. and Tuna, S. (2021) ‘Biowaste orange peel incorporated chitosan/polyvinyl alcohol composite films for food packaging applications’, *Food Packaging and Shelf Life*, 30, p. 100742. Available at: <https://doi.org/10.1016/j.fpsl.2021.100742>.
- Thongsomboon, W., Baimark, Y. and Srihanam, P. (2023) ‘Valorization of Cellulose-Based Materials from Agricultural Waste: Comparison between Sugarcane Bagasse and Rice

Straw', *Polymers*, 15(15), p. 3190. Available at:  
<https://doi.org/10.3390/polym15153190>.

Trongchuen, K., Ounkaew, A., Kasemsiri, P., Hiziroglu, S., Mongkolthananaruk, W., Wannasutta, R., Pongsa, U. and Chindaprasirt, P. (2018) 'Bioactive Starch Foam Composite Enriched With Natural Antioxidants from Spent Coffee Ground and Essential Oil', *Starch - Stärke*, 70(7–8), p. 1700238. Available at:  
<https://doi.org/10.1002/star.201700238>.

Wulan, S., Rukmana, D. and Sjahrul, M. (2020) 'Utilization of Solid Waste from Refined Sugar Industry (Filter Cake) as Biodegradable Foam (Biofoam)', *IOP Conference Series: Earth and Environmental Science*, 473(1), p. 012108. Available at:  
<https://doi.org/10.1088/1755-1315/473/1/012108>.

Yuliani, I., Ardana, M. and Rahmawati, D. (2017) 'Pengaruh pH Terhadap Aktivitas Antibakteri Ekstrak Etanol Daun Beluntas (*Pluchea indica* L) Terhadap Bakteri Penyebab Jerawat'.