

DAFTAR PUSTAKA

- Adu, P., Banom, S., Amediku, M.K., Amoaning, R.E., Quarshie, A.A.A., Simpong, D.L., 2021. Poor iron store recovery in voluntary blood donors in the northern zone of Ghana; a five-month three-centre cohort study. *Transfusion and Apheresis Science* 60, 103040.
- Alkindi, S., Al Musalami, A., Al Wahaibi, H., Althuraiya, A.S., Al Ghammari, N., Panjwani, V., Fawaz, N., Pathare, A., 2018. Iron deficiency and iron deficiency anemia in the adult omani population. *Journal of Applied Hematology* 9, 11.
- Andriastuti, M., Ilmana, G., Nawangwulan, S.A., Kosasih, K.A., 2020. Prevalence of anemia and iron profile among children and adolescent with low socioeconomic status. *Int J Pediatr Adolesc Med* 7, 88–92.
- Bailey, R.L., West Jr., K.P., Black, R.E., 2015. *The Epidemiology of Global Micronutrient Deficiencies*. *Ann Nutr Metab* 66, 22–33.
- Begu, Y., 2003. Soluble transferrin receptor for the evaluation of erythropoiesis and iron status. *Clinica Chimica Acta* 329, 9–22.
- Brittenham, G.M., 2011. Iron deficiency in whole blood donors. *Transfusion* 51, 458–461.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., Wright, D.J., Sacher, R.A., Gottschall, J.L., Tobler, L.H., Simon, T.L., 2012. Iron deficiency in blood donors: the REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion* 52, 702–711.
- Camaschella, C., Nai, A., Silvestri, L., 2020. Iron metabolism and iron disorders revisited in the hepcidin era. *Haematologica* 105, 260–272.
- Chiem, C., Alghamdi, K., Nguyen, T., Han, J.H., Huo, H., Jackson, D., 2022. The Impact of COVID-19 on Blood Transfusion Services: A Systematic Review and Meta-Analysis. *Transfusion Medicine and Hemotherapy* 49, 107–118.
- Duggan, F., O’Sullivan, K., Power, J.P., Healy, M., Murphy, W.G., 2016. Serum ferritin in plateletpheresis and whole blood donors. *Transfusion and Apheresis Science* 55, 159–163.
- El-Gendy, F.M., El-Hawy, M.A., Rizk, M.S., El-Hefnawy, S.M., Mahmoud, M.Z., 2018. Value of Soluble Transferrin Receptors and sTfR/log Ferritin in the Diagnosis of Iron Deficiency Accompanied by Acute Infection. *Indian Journal of Hematology and Blood Transfusion* 34, 104–109.

- Ferguson, E., Hill, A., Lam, M., Reynolds, C., Davison, K., Lawrence, C., Brailsford, S.R., 2020. A typology of blood donor motivations. *Transfusion* 60, 2010–2020.
- Fillet, A., Martinaud, C., Malard, L., Le Cam, S., Hejl, C., Chenu, F., Woimant, G., Chueca, M., Jacquot, E., Besiers, C., Morel, P., Djoudi, R., Garrabé, E., Gross, S., 2021. Iron deficiency among French whole-blood donors: first assessment and identification of predictive factors. *Vox Sang* 116, 42–52.
- Gemelli, C.N., Hayman, J., Waller, D., 2017. Frequent whole blood donors: understanding this population and predictors of lapse. *Transfusion* 57, 108–114.
- Girelli, D., Nemeth, E., Swinkels, D.W., 2016. Hepcidin in the diagnosis of iron disorders. *Blood* 127, 2809–2813.
- Goldman, M., Uzicanin, S., Osmond, L., Scalia, V., O'Brien, S.F., 2017. A large national study of ferritin testing in Canadian blood donors. *Transfusion* 57, 564–570.
- Goldman, M., Uzicanin, S., Scalia, V., O'Brien, S.F., 2014. Iron deficiency in Canadian blood donors. *Transfusion* 54, 775–779.
- Greer, J., Arber, D., List, A., Foerster, J., 2014. *Wintrobe's Clinical Hematology*, 13th ed. Wolters Kluwer, Amsterdam.
- Hindawi, S., Badawi, M., Hussein, D., Al-Riyami, A.Z., Daghaman, N.A., Rafie, N.I., Belgasm, N.M., Al Zaabi, E., Oumeziane, N., 2021. The impact of blood donation on blood counts and ferritin levels: A multi-center study from the Eastern Mediterranean region. *Transfusion and Apheresis Science* 60, 103072.
- International Society of Blood Transfusion, The International Haemovigilance Network, The AABB Donor Haemovigilance Working Group, 2014. *Standard for Surveillance of Complications Related to Blood Donation*. ISBT, Amsterdam.
- Irawan, S.A.R., Indriani, V., Faniyah, F., 2021. Karakteristik Donor di RSUD Prof. Dr. Margono Soekarjo Tahun 2016 – 2020. *Sriwijaya Journal of Medicine* 4, 186–193.
- Iriani, A., Purnamasari, E., Wirawan, R., 2018. Nilai Rujukan Soluble Transferrin Receptor (sTfR). *Indonesian Journal of Clinical Pathology and Laboratory Medicine* 21, 211–214.
- Karagülle, M., Gündüz, E., Mutlu, F.Ş., Akay, M.O., 2013. Clinical Significance of Reticulocyte Hemoglobin Content in the Diagnosis of Iron Deficiency Anemia. *Turkish Journal of Hematology* 30, 153–156.

- Kasraian, L., Ashkani-Esfahani, S., Foruozaandeh, H., 2021. Reasons of under-representation of Iranian women in blood donation. *Hematology, Transfusion and Cell Therapy* 43, 256–262.
- Kaur, S., Mittal, K., Kaur, R., Kaur, G., Kaur, P., Sood, T., 2022. Reporting of delayed adverse donor reactions in whole blood donors: Just the tip of an iceberg! *Transfusion Clinique et Biologique* 29, 141–146.
- Kementerian Kesehatan RI, 2015. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 91 Tahun 2015 tentang Standar Pelayanan Transfusi Darah*. Kementerian Kesehatan RI, Jakarta.
- Kementerian Kesehatan RI, 2017. *Indonesia Butuh Darah 5,1 Juta Kantong Pertama* [Internet]. Diakses dari (11 Agustus 2023): <https://www.kemkes.go.id/article/view/17071100002/indonesia-butuh-darah-5-1-juta-kantong-pertahun.html>.
- Keohane, E.M., Smith, L.J., Walenga, J.M., 2020. *Rodak's Hematology: Clinical Principles and Applications*, 6th ed. Elsevier, St. Louis.
- Kiss, J.E., Vassallo, R.R., 2018. How do we manage iron deficiency after blood donation?. *British Journal of Hematology* 181, 590–603.
- Kumar, R., Kaur, P., Verma, K., Rajeev, K., Bhaskar, B., Kumar, S., 2023. Delayed adverse reaction in donors after whole blood donation: Is it a matter of concern? *Transfusion Clinique et Biologique* 30, 232–237.
- Lotfi, R., Kroll, C., Plonné, D., Jahrsdörfer, B., Schrezenmeier, H., 2015. Hepcidin/Ferritin Quotient Helps to Predict Spontaneous Recovery from Iron Loss following Blood Donation. *Transfusion Medicine and Hemotherapy* 42, 390–395.
- McCullough, J., 2021. *Transfusion Medicine*, 5th ed. John Wiley & Sons Ltd, West Sussex.
- McPherson, R., Pincus, M., 2022. *Henry's Clinical Diagnosis and Management by Laboratory Methods*, 24th ed. Elsevier, Philadelphia.
- Mittal, R., Marwaha, N., Basu, S., Mohan, H., Kumar, A.R., 2006. Evaluation of iron stores in blood donors by serum ferritin. *Indian Journal of Medical Research* 124, 641–646.
- Moazzen, S., Sweegers, M.G., Janssen, M., Hogema, B.M., Hoekstra, T., Van den Hurk, K., 2022. Ferritin Trajectories over Repeated Whole Blood Donations: Results from the FIND+ Study. *J Clin Med* 11, 3581.
- Murphy, M.F., Roberts, D.J., Yazer, M.H., Dunbar, N.M., 2022. *Practical Transfusion Medicine*, 6th ed. John Wiley & Sons Ltd, West Sussex.

- Nemeth, E., Ganz, T., 2023. Hepcidin and Iron in Health and Disease. *Annu Rev Med* 74, 261–277.
- Nurulita, Purnamaningsih, N., Hardjo, K., 2022. Gambaran Hasil Seleksi Pendonor Darah Sukarela di UDD PMI Kota Pangkalpinang Tahun 2020. *Jurnal Kesehatan* 15, 23–29.
- Patel, E.U., White, J.L., Bloch, E.M., Grabowski, M.K., Gehrie, E.A., Lokhandwala, P.M., Bruner, P.A.R., Goel, R., Shaz, B.H., Ness, P.M., Tobian, A.A.R., 2019. Association of blood donation with iron deficiency among adolescent and adult females in the United States: a nationally representative study. *Transfusion* 59, 1723–1733.
- Pawlak, R., Berger, J., Hines, I., 2018. Iron Status of Vegetarian Adults: A Review of Literature. *Am J Lifestyle Med* 12, 486–498.
- Peerschke, E.I.B., Pessin, M.S., Maslak, P., 2014. Using the Hemoglobin Content of Reticulocytes (RET-He) to Evaluate Anemia in Patients With Cancer. *Am J Clin Pathol* 142, 506–512.
- Peffer, K., den Heijer, M., Holewijn, S., de Graaf, J., Swinkels, D.W., Verbeek, A.L.M., Atsma, F., 2013. The effect of frequent whole blood donation on ferritin, hepcidin, and subclinical atherosclerosis. *Transfusion* 53, 1468–1474.
- Pehlic, V., Volken, T., Holbro, A., Jirout, Z., Drexler, B., Buser, A., Infanti, L., 2021. Long-Term Course of Haemoglobin and Ferritin Values in High-Frequency Donors of Whole Blood and Double Erythrocyte Apheresis. *Transfusion Medicine and Hemotherapy* 48, 71–78.
- Pereira, I., George, T.I., Arber, D.A., 2012. *Atlas of Peripheral Blood: The Primary Diagnostic Tool*. Wolters Kluwer Health, Philadelphia.
- Prakash, S., Das, P.K., Mishra, D., Ray, G.K., Routray, S., Naik, A., Mukherjee, S., 2020. Incidence and risk predictors analysis of adverse donor reactions in whole blood donation. *Transfusion Clinique et Biologique* 27, 207–212.
- Razdan, N., Kumar, R., Bhardwaj, A., Goel, A., 2018. The knowledge, attitude, and practice toward blood donation among voluntary and replacement blood donors in Ambala, India. *Int J Med Sci Public Health* 7, 444–451.
- Reddy K, V., Shastry, S., Raturi, M., Baliga B, P., 2020. Impact of Regular Whole-Blood Donation on Body Iron Stores. *Transfusion Medicine and Hemotherapy* 47, 75–79.
- Rifai, N., Chiu, R.W.K., Young, I., Burnham, C.-A.D., Wittwer, C.T., 2023. *Tietz Textbook of Laboratory Medicine*, 7th ed. Elsevier, Missouri.

- Roche, 2023. *Elecsys Ferritin Package Insert*. Roche Diagnostics GmbH, Mannheim.
- Saito, H., 2019. Storage Iron Turnover from a New Perspective. *Acta Haematol* 141, 201–208.
- Scaramellini, N., Fischer, D., Agarvas, A.R., Motta, I., Muckenthaler, M.U., Mertens, C., 2023. Interpreting Iron Homeostasis in Congenital and Acquired Disorders. *Pharmaceuticals* 16, 329.
- Shin, D.H., Kim, H.S., Park, M.J., Suh, I.B., Shin, K.S., 2015. Utility of Access Soluble Transferrin Receptor (sTfR) and sTfR/log Ferritin Index in Diagnosing Iron Deficiency Anemia. *Ann Clin Lab Sci* 45, 396–402.
- Simon, T.L., Gehrie, E.A., McCullough, J., Roback, J.D., Snyder, E.L., 2022. *Rossi's Principles of Transfusion Medicine*, 6th ed. John Wiley & Sons, West Sussex.
- Sinclair, A., 2013. Erythropoiesis stimulating agents approaches to modulate activity. *Biologics* 7, 161–174.
- Spencer, B.R., Johnson, B., Wright, D.J., Kleinman, S., Glynn, S.A., Cable, R.G., 2016. Potential impact on blood availability and donor iron status of changes to donor hemoglobin cutoff and interdonation intervals. *Transfusion* 56, 1994–2004.
- Sweegers, M.G., Zalpuri, S., Quee, F.A., Huis in 't Veld, E.M.J., Prinsze, F.J., Hoogendijk, E.O., Twisk, J.W.R., van Weert, A.W.M., de Kort, W.L.A.M., van den Hurk, K., 2020. Ferritin measurement IN Donors—Effectiveness of iron Monitoring to diminish iron deficiency and low haemoglobin in whole blood donors (FIND'EM): study protocol for a stepped wedge cluster randomised trial. *Trials* 21, 823.
- Symvoulakis, E.K., Lydaki, E., Bolonaki, I., Nikoloudi, I., Kozyraki, M., Fountouli, P., 2009. Post donation adverse reactions among Greek blood donors: A preliminary report based on phone interviews. *Transfusion and Apheresis Science* 41, 77–78.
- Sysmex Europe, n.d. The optional reticulocyte count application 'RET' [Internet]. Diakses dari (21 Juli 2023): <https://www.sysmex-europe.com/academy/knowledge-centre/technologies/reticulocyte-count-application-ret.html>.
- Tailor, H.J., Patel, P.R., Prasad Pandya, A.K.N., Mangukiya, S., 2017. Study of Various Hematological Parameters and Iron Status among Voluntary Blood Donors. *Int J Med Public Health* 7, 61–65.

- Tan, J., He, G., Qi, Y., Yang, H., Xiong, Y., Liu, C., Wang, W., Zou, K., Lee, A.H., Sun, X., Liu, X., 2020. Prevalence of anemia and iron deficiency anemia in Chinese pregnant women (IRON WOMEN): a national cross-sectional survey. *BMC Pregnancy Childbirth* 20, 670.
- Tang, G., Lausman, A., Abdulrehman, J., Petrucci, J., Nisenbaum, R., Hicks, L.K., Sholzberg, M., 2019. Prevalence of Iron Deficiency and Iron Deficiency Anemia during Pregnancy: A Single Centre Canadian Study. *Blood* 134, 3389–3389.
- Tiwari, A.K., Aggarwal, G., Dara, R.C., Arora, D., Srivastava, K., Raina, V., 2017. Post-donation telephonic interview of blood donors providing an insight into delayed adverse reactions: First attempt in India. *Transfusion and Apheresis Science* 56, 141–146.
- Turawa, E., Awotiwon, O., Dhansay, M.A., Cois, A., Labadarios, D., Bradshaw, D., Pillay-van Wyk, V., 2021. Prevalence of Anaemia, Iron Deficiency, and Iron Deficiency Anaemia in Women of Reproductive Age and Children under 5 Years of Age in South Africa (1997–2021): A Systematic Review. *Int J Environ Res Public Health* 18, 12799.
- Unit Pelayanan Transfusi Darah RSUP Dr. Sardjito, 2021. *Data Layanan Unit Pelayanan Transfusi Darah RSUP Dr. Sardjito Tahun 2017-2020*. Unit Pelayanan Transfusi Darah RSUP Dr. Sardjito, Yogyakarta.
- van den Berg, K., Swanevelder, R., Ingram, C., Lawrie, D., Glencross, D.K., Hilton, C., Nieuwoudt, M., 2019. The iron status of South African blood donors: balancing donor safety and blood demand. *Transfusion* 59, 232–241.
- van Swelm, R.P.L., Wetzels, J.F.M., Swinkels, Dorine.W., 2020. The multifaceted role of iron in renal health and disease. *Nat Rev Nephrol* 16, 77–98.
- Veseli, B., Sandner, S., Studte, S., Clement, M., 2022. The impact of COVID-19 on blood donations. *PLoS One* 17, e0265171.
- Vogt, A.-C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V., Bachmann, M.F., 2021. On Iron Metabolism and Its Regulation. *Int J Mol Sci* 22, 4591.
- World Health Organization, 2012. *Blood Donor Selection: Guidelines on Assessing Donor Suitability for Blood Donation*. World Health Organization, Geneva.
- World Health Organization, 2020. *WHO Guideline on Use of Ferritin Concentrations to Assess Iron Status in Individuals and Populations*. World Health Organization, Geneva.
- World Health Organization, 2022. *Global Status Report on Blood Safety and Availability 2021*. World Health Organization, Geneva.

- World Health Organization, 2023. Blood safety and availability [Internet]. Diakses dari (11 Agustus 2023): <https://www.who.int/news-room/fact-sheets/detail/blood-safety-and-availability>.
- World Health Organization, International Federation of Red Cross and Red Crescent Societies, 2010. *Towards 100% Voluntary Blood Donation: A Global Framework for Action*. World Health Organization, Geneva.
- Yiannikourides, A., Latunde-Dada, G., 2019. A Short Review of Iron Metabolism and Pathophysiology of Iron Disorders. *Medicines* 6, 85.
- Yoon, S.H., Kim, D.S., Yu, S.T., Shin, S.R., Choi, D.Y., 2015. The usefulness of soluble transferrin receptor in the diagnosis and treatment of iron deficiency anemia in children. *Korean J Pediatr* 58, 15.
- Zeng, X., Meng, X., Wang, Y., Li, S., Liao, Q., Shan, Z., Huang, J., Shi, J., Wang, L., Chen, H., Hu, X., Rong, X., 2023. A reference interval study of ferritin and transferrin levels in donors from two blood centers. *Exp Ther Med* 25, 218.