



## DAFTAR PUSTAKA

- Abe, R., Oda, S., Sadahiro, T., Nakamura, M., Hirayama, Y., Tateishi, Y., et al., 2010. Gram-negative bacteremia induces greater magnitude of inflammatory response than gram-positive bacteremia. *Crit. Care* 14: 1–7.
- Adane, T., Worku, M., Tigabu, A., & Aynalem, M., 2022. Hematological abnormalities in culture positive neonatal sepsis. *Pediatr. Heal. Med. Theraupetics* 13: 217–25.
- Adataro, P., Afaya, A., Salia, S.M., Afaya, R.A., Kuug, A.K., Agbinku, E., et al., 2018. Risk factors for neonatal sepsis: a retrospective case-control study among neonates who were delivered by caesarean section at the trauma and specialist hospital, Winneba, Ghana. *Biomed Res. Int.* 1–7.
- Alvarez-Martinez, F.J., Barragon-Catalan, E., & Micol, V., 2020. Tackling antibiotic resistance with compounds of natural origin: a comprehensive review. *Biomedicines* 8: 1–30.
- Anggraini, D., Wandita, S., & Anggraini, A., 2021. Faktor Prediktor Kejadian Sepsis Neonatorum Awitan Lambat Karena Infeksi Bakteri Gram Negatif di RSUP Dr. Sardjito Yogyakarta. Universitas Gadjah Mada, Yogyakarta.
- Assa, N.P., Artana, I.W.D., Kardana, I.M., Putra, P.J., & Sukmawati, M., 2020. The characteristics of neonatal sepsis in low birth weight (lbw) infants at sanglah general hospital, Bali, Indonesia. *Intisari Sains Medis* 11: 172–8.
- Ba-alwi, N.A., Aremu, J.O., Ntim, M., Takam, R., Msuya, M.A., Nassor, H., et al., 2022. Bacteriological profile and predictors of death among neonates with blood culture-proven sepsis in a national hospital in Tanzania - a retrospective cohort study. *Front. Pediatr.* 10: 1–12.
- Bai, X., Wei, Q., Duan, T., Yi, Y., Peng, H., & Hu, L., 2021. Predominance of gram-negative infections a cause of neonatal sepsis among low birth weight preterm infants. *J. Lab. Med.* 45: 7–12.
- Bassetti, M., Montero, J.G., & Paiva, J.A., 2018. When antibiotic treatment fails. *Intensive Care Med.* 44: 73–5.
- Berberian, G., Brizuela, M., Rosanova, M.T., Travaglianti, M., Mastroiani, A., Reijtman, V., et al., 2019. Multidrug resistant gram-negative infections in neonatology. *Arch Argent Pediatr* 117: 6–11.
- Bhargava, A., Gur, R., Kaur, H., Agarwal, P., Maheshwari, M., & Roy, R.D., 2017. Risk factors and outcome analysis of gram-positive and gram-negative neonatal sepsis: a case-control study. *Can. J. Infect. Control* 32: 98–103.
- Bhat, Y., Kousika, P., Lewis, L., & Purkayastha, J., 2018. Prevalence and severity of thrombocytopenia in blood culture proven neonatal sepsis: a prospective study. *Arch Pediatr Infect Dis* 6: 1–7.
- Bizzarro, M.J., Dembry, L.-M., Baltimore, R.S., & Gallagher, P.G., 2008. Changing patterns in neonatal escherichia coli sepsis and ampicillin resistance in the era of intrapartum antibiotic prophylaxis. *Pediatrics* 121: 689–96.
- Bulkowstein, S., Ben-shimol, S., Givon-lavi, N., Melamed, R., Shany, E., & Greenberg, D., 2016. Comparison of early onset sepsis and community-acquired late onset sepsis in infants less than 3 months of age. *BMC Pediatr.* 16: 1–8.



- Charki, S., Kulkarni, T., Patil, M., Kalyanshettar, S., & Patil, S., 2020. Platelet count as an early predictor of sepsis in neonates with culture positive sepsis admitted in nicu and its correlation with specific causative organism - an observational study. *J Child Dev Disord* 7: 1–7.
- Cho, H.J., & Cho, H., 2019. Central line-associated bloodstream infections in neonates. *Korean J Pediatr* 62: 79–84.
- Chu, S.-M., Hsu, J.-F., Lai, M.-Y., Huang, H.-R., Chiang, M.-C., Fu, R.-H., et al., 2020. Risk factors of initial inappropriate antibiotic therapy and the impacts on outcomes of neonates with gram-negative bacteremia. *Antibiotics* 9: 1–13.
- Coetzee, M., Mbowane, N.T., & de Witt, T.W., 2017. Neonatal sepsis: highlighting the principles of diagnosis and management. *S Afr J Child Heal.* 11: 99–103.
- Dahlgren, A.F., Pan, A., Lam, V., Gouthro, K.C., Simpson, P.M., Salzman, N.H., et al., 2019. Longitudinal changes in the gut microbiome of infants on total parenteral nutrition. *Pediatr. Res.* 86: 107–14.
- Erfani, Y., Rasti, A., & Janani, L., 2016. Prevalence of gram-negative bacteria in ventilator-associated pneumonia in neonatal intensive care units: a systematic review and meta-analysis protocol. *BMJ Open* 6: 1–5.
- Gao, L., Shen, W., Wu, F., Mao, J., Liu, L., Chang, Y.-M., et al., 2023. Effect of early initiation of enteral nutrition on short-term clinical outcomes of very premature infants: a national multicenter cohort study in China. *Nutrition* 107: 1–8.
- Garcia, M.S., 2009. Early antibiotic treatment failure. *Int. J. Antimicrob. Agents* 34: 14–19.
- Gauchan, E., Basnet, S., & Malla, K.K., 2021. Factors predicting failure of empirical antibiotic therapy in neonatal sepsis in the first one week of life. *J. Chitwan Med. Coll.* 11: 37–41.
- Grech, A., Collins, C.E., Holmes, A., Lal, R., Duncanson, K., Taylor, R., et al., 2021. Maternal exposures and the infant gut microbiome: a systematic review with meta-analysis. *Gut Microbes* 13: 1–30.
- Guo, J., Luo, Y., Wu, Y., Lai, W., & Mu, X., 2019. Clinical characteristic and pathogen spectrum of neonatal sepsis in Guangzhou city from june 2011 to june 2017. *Med. Sci. Monit.* 25: 2296–304.
- Haney, E.F., & Hancock, R.E.W., 2022. Addressing antibiotic failure-beyond genetically encoded antimicrobial resistance. *Front. Drug Discov.* 2: 1–7.
- Hasibuan, B.S., 2018. Comparison of microbial pattern in early and late onset neonatal sepsis in referral center haji adam malik hospital Medan Indonesia. *IOP Conf. Ser. Earth Environ. Sci.* 125: 1–5.
- Hassan, M., & Yasmeen, B., 2016. Neutropenia in neonate - an overview. *North. Int. Med. Coll. J.* 7: 149–52.
- Hayes, R., Hartnett, J., Semova, G., Murray, C., Murphy, K., Carroll, L., et al., 2023. Neonatal sepsis definitions from randomised clinical trials. *Pediatr. Res.* 93: 1141–8.
- Henderickx, J.G.E., Zwittink, R.D., Renes, I.B., van Lingen, R.A., van Zoeren-Grobben, D., Jebbink, L.J.G., et al., 2021. Maturation of the preterm gastrointestinal tract can be defined by host and microbial markers for digestion and barrier defense. *Sci. Rep.* 11: 1–12.



- Hofer, N., Zacharias, E., Muller, W., & Resch, B., 2012. An update on the use of c-reactive protein in early-onset neonatal sepsis: current insights and new tasks. *Neonatology* 102: 25–36.
- Juniatiningsih, A., Aminullah, A., & Firmansyah, A., 2008. Profil mikroorganisme penyebab sepsis neonatorum di departemen ilmu kesehatan anak rumah sakit cipto mangunkusumo Jakarta. *Sari Pediatr.* 10: 60–65.
- Kadim, M., Roeslani, R.D., & Nurmalia, L.D., 2016. Konsensus Asuhan Nutrisi pada Bayi Prematur, Ikatan Dokter Anak Indonesia. Ikatan Dokter Anak Indonesia, Jakarta.
- Katarnida, S.S., Murniati, D., & Katar, Y., 2014. Evaluasi penggunaan antibiotik secara kualitatif di rs penyakit infeksi sulianti saroso, Jakarta. *Sari Pediatr.* 15: 369–76.
- Kemenkes-RI, 2021. Peraturan menteri kesehatan Republik Indonesia nomor 28 tahun 2021 tentang pedoman penggunaan antibiotik. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kemenkes-RI, 2011. Peraturan menteri kesehatan Republik Indonesia nomor 2406/MENKES/PER/XII/2011 tentang pedoman umum penggunaan antibiotik, Permenkes RI. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Khadka, P., Maharjan, G., Chapagain, G., Janukathapaliya, & Paudyal, P., 2022. Economic and diagnostic biomarker tests of neonatal sepsis: a prospective study from a tertiary care hospital in a low-income country. *Biomed Res. Int.* 1–9.
- Khassawneh, M., Khader, Y., & Abuqtaish, N., 2009. Clinical features of neonatal sepsis caused by resistant Gram-negative bacteria. *Pediatr. Int.* 51: 332–6.
- Khayi, F., Bennaoui, F., Idrissi, N. El, & Maoulainine, F., 2023. Neonatal anemia. *Int. J. Adv. Res.* 11: 106–9.
- Kim, F., Polin, R.A., & Hooven, T.A., 2020. Neonatal sepsis. *BMJ* 371: 1–4.
- Konnikova, Y., Zaman, M.M., Makda, M., D'Onofrio, D., Freedman, S., & Martin, C., 2015. Late enteral feedings are associated with intestinal inflammation and adverse neonatal outcomes. *PLoS One* 10: 1–14.
- Korang, S.K., Safi, S., Gluud, C., Lausten-Thomsen, U., & Jakobsen, J.C., 2019. Antibiotic regimens for neonatal sepsis - a protocol for a systematic review with meta-analysis. *Syst. Rev.* 8: 1–13. doi:10.1186/s13643-019-1207-1
- Lai, M.-Y., Tsai, M.-H., Lee, C.-W., Chiang, M.-C., Lien, R., Fu, R.-H., et al., 2015. Characteristics of neonates with culture-proven bloodstream infection who have low levels of C-reactive protein ( $\leq 10 \text{ mg/L}$ ). *BMC Infect. Dis.* 15: 1–9.
- Lee, J.H., 2011. Catheter-related bloodstream infections in neonatal intensive care units. *Korean J Pediatr* 54: 363–7.
- Leggett, J.E., 2017. Aminoglycosides. *Infect. Diseases* e1: 1233–1238.
- Li, J., Xie, S., Ahmed, S., Wang, F., Gu, Y., Zhang, C., et al., 2017. Antimicrobial activity and resistance: influencing factors. *Front. Pharmacol.* 8: 1–11.
- Maheshwari, A., 2015. Neutropenia in the newborn. *Curr Opin Hematol* 21: 43–9.
- Metsvaht, T., Pisarev, H., Ilmoja, M.-L., Parm, U., Maipuu, L., Merila, M., et al., 2009. Clinical parameters predicting failure of empirical antibacterial therapy in early onset neonatal sepsis, identified by classification and regression tree analysis. *BMC Pediatr.* 9: 1–11.



- Milic, M., Siljic, M., Cirkovic, V., Jovicevic, M., Perovic, V., Markovic, M., et al., 2021. Colonization with multidrug-resistant bacteria in the first week of life among hospitalized preterm neonates in Serbia: risk factors and outcomes. *Microorganisms* 9: 1–10.
- Milton, R., Gillespie, D., Dyer, C., Taiyari, K., Carvalho, M.J., Thomson, K., et al., 2022. Neonatal sepsis and mortality in low-income and middle-income countries from a facility-based birth cohort: an international multisite prospective observational study. *Lancet Glob Heal.* 10: 661–72.
- Mohsen, L., Ramy, N., Saied, D., Akmal, D., Salama, N., Haleim, M.M.A., et al., 2017. Emerging antimicrobial resistance in early and late-onset neonatal sepsis. *Antimicrob. Resist. Infect. Control* 6: 1–9.
- Monga, N., Vyas, N., & Sharma, B., 2018. Correlation of c-reactive protein and blood culture in neonatal sepsis. *Indian J. Neonatal Med. Res.* 6: 5–8.
- Munita, J.M., & Arias, C.A., 2016. Mechanisms of antibiotic resistance. *Microbiol Spectr.* 4: 1–24.
- Mutlu, M., Aslan, Y., Saygin, B., Yilmaz, G., Bayramoglu, G., & Koksal, I., 2011. Neonatal sepsis caused by gram-negative bacteria in a neonatal intensive care unit: a six years analysis. *HK J Paediatr* 16: 253–7.
- Najafian, B., Torkaman, M., Shahverdi, E., & Noroozian, R., 2017. The main causes of bacterial colonization in endotracheal tubes and tracheal secretions in neonates admitted to the neonatal intensive care unit. *Tanaffos* 16: 277–82.
- NdagI, U., Falaki, A.A., AbdullaHI, M., Lawal, M.M., & Soliman, M.E., 2020. Antibiotic resistance: bioinformatics-based understanding as a functional strategy for drug design. *RSC Adv* 10: 18451–68.
- NICE, 2020. Neonatal parenteral nutrition. National Institute for Health and Care Excellence.
- Odabasi, I.O., & Bulbul, A., 2020. Neonatal Sepsis. *Med Bull Sisli Etfal Hosp* 54: 142–158.
- Oliva, A., Carmona, Y., de La C. Lopez, E., Alvarez, R., Aung, M.S., Kobayashi, N., et al., 2021. Characterization of neonatal infections by gram-negative bacilli and associated risk factors, Havana, Cuba. *Infect. Dis. Rep.* 13: 219–29.
- Purwanto, D.S., & Astrawinata, D.A.W., 2018. Mekanisme kompleks sepsis dan syok septik. *J. Biomedik* 10: 143–151.
- Ramachandran, G., 2014. Gram-positive and gram-negative bacterial toxins in sepsis. *Virulence* 5: 213–8.
- Ree, I.M.C., Fustolo-Gunnink, S.F., Bekker, V., Fijnvandraat, K.J., Steggerda, S.J., & Lopriore, E., 2017. Thrombocytopenia in neonatal sepsis: incidence, severity and risk factors. *PLoS One* 12: 1–10.
- Reygaert, W.C., 2018. An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS Microbiol.* 4: 482–501.
- RSUP-Dr.Sardjito, 2019. Panduan praktik klinis sepsis neonatorum awitan dini. RSUP Dr. Sardjito Yogyakarta, Yogyakarta.
- Sarkar, S., Bhagat, I., Hieber, S., & Donn, S., 2006. Can neutrophil responses in very low birth weight infants predict the organisms responsible for late-onset bacterial or fungal sepsis? *J. Perinatol.* 26: 501–5.
- Satar, M., Arisoy, A.E., & Celik, I.H., 2018. Turkish neonatal society guideline on



- neonatal infections-diagnosis and treatment. *Turk Pediatr. Ars* 53: S88-100.
- Sianturi, P., Hasibuan, B.S., Lubis, B.M., Azlin, E., & Tjipta, G.D., 2012. Gambaran pola resistensi bakteri di unit perawatan neonatus. *Sari Pediatr.* 13: 431–6.
- Silhavy, T.J., Kahne, D., & Walker, S., 2010. The bacterial cell envelope. *Cold Spring Harb Perspect Biol* 2: 1–16.
- Simonsen, K.A., Anderson-berry, A.L., Delair, S.F., & Davies, H.D., 2014. Early-onset neonatal sepsis. *Clin. Microbiol. Rev.* 27: p.21-47.
- Singh, M., Alsaleem, M., & Gray, C.P., 2021. Neonatal sepsis, NCBI Bookshelf. StatPearls Publishing LLC.
- Singh, Shivraj, Agrawal, A., Mohan, U., Awasthi, S., Singh, S., & Pediatr, J.C., 2018. Prevalence of thrombocytopenia in neonates admitted in nicu with culture proven sepsis. *Int. J. Contemp. Pediatr.* 5: 743–8.
- Utomo, M.T., Sumitro, K.R., Etika, R., & Widodo, A.D.W., 2021. Current-proven neonatal sepsis in indonesian tertiary neonatal intensive care unit: a hematological and microbiological profile. *Iran. J. Microbiol.* 13: 266–273.
- Walter, J.M., Corbridge, T.C., & Singer, B.D., 2018. Invasive mechanical ventilation. *South. Med. J.* 111: 746–53.
- Wen, S.C.H., Ezure, Y., Rolley, L., Spurling, G., Lau, C.L., Riaz, S., et al., 2021. Gram-negative neonatal sepsis in low-and lower-middle-income countries and WHO empirical antibiotic recommendations: a systematic review and meta-analysis. *PLoS Med* 18: 1–20.
- Wilar, R., Antolis, Y., Tatura, S.N.N., & Gunawan, S., 2010. Jumlah trombosit dan mean platelet volume sebagai faktor prognosis pada sepsis neonatorum. *Sari Pediatr.* 12: 53–7.
- Wilar, R., Welly, S., Masloman, N., & Tatura, S., 2017. Perbandingan profil hematologi dan trombopoietin sebagai petanda sepsis neonatorum awitan dini. *Sari Pediatr.* 18: 481–6.
- Yapicioglu, H., Ozcan, K., Sertdemir, Y., Mutlu, B., Satar, M., Narli, N., et al., 2011. Healthcare-associated infections in a neonatal intensive care unit in Turkey in 2008: incidence and risk factors, a prospective study. *J. Trop. Pediatr.* 57: 157–64.
- Zea-Vera, A., & Ochoa, T.J., 2015. Challenges in the diagnosis and management of neonatal sepsis. *J. Trop. Pediatr.* 61: 1–13.